



# Appendices I, II and III

valid from 27 April 2011

## Interpretation

1. Species included in these Appendices are referred to:
  - a) by the name of the species; or
  - b) as being all of the species included in a higher taxon or designated part thereof.
2. The abbreviation "spp." is used to denote all species of a higher taxon.
3. Other references to taxa higher than species are for the purposes of information or classification only. The common names included after the scientific names of families are for reference only. They are intended to indicate the species within the family concerned that are included in the Appendices. In most cases this is not all of the species within the family.
4. The following abbreviations are used for plant taxa below the level of species:
  - a) "ssp." is used to denote subspecies; and
  - b) "var(s)." is used to denote variety (varieties).
5. As none of the species or higher taxa of FLORA included in Appendix I is annotated to the effect that its hybrids shall be treated in accordance with the provisions of Article III of the Convention, this means that artificially propagated hybrids produced from one or more of these species or taxa may be traded with a certificate of artificial propagation, and that seeds and pollen (including pollinia), cut flowers, seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers of these hybrids are not subject to the provisions of the Convention.
6. The names of the countries in parentheses placed against the names of species in Appendix III are those of the Parties submitting these species for inclusion in this Appendix.
7. When a species is included in one of the Appendices, all parts and derivatives of the species are also included in the same Appendix unless the species is annotated to indicate that only specific parts and derivatives are included. The symbol # followed by a number placed against the name of a species or higher taxon included in Appendix II or III refers to a footnote that indicates the parts or derivatives of plants that are designated as 'specimens' subject to the provisions of the Convention in accordance with Article I, paragraph (b), subparagraph (iii).



| I   | Appendices   |   |
|---|--|---|
|   | II   | III   |
| <p><i>Oryx dammah</i><br/><i>Oryx leucoryx</i></p> <p><i>Ovis ammon hodgsonii</i><br/><i>Ovis ammon nigrimontana</i></p> <p><i>Ovis orientalis ophion</i></p> <p><i>Ovis vignei vignei</i><br/><i>Pantholops hodgsonii</i></p> <p><i>Pseudoryx nghetinhensis</i><br/><i>Rupicapra pyrenaica ornata</i></p>  | <p><i>Ovis ammon</i> (Except the subspecies included in Appendix I)</p> <p><i>Ovis canadensis</i> (Only the population of Mexico; no other population is included in the Appendices)</p> <p><i>Ovis vignei</i> (Except the subspecies included in Appendix I)</p> <p><i>Philantomba monticola</i></p> <p><i>Saiga borealis</i><br/><i>Saiga tatarica</i></p> | <p><i>Tetracerus quadricornis</i> (Nepal)</p> |
| Camelidae Guanaco, vicuna   |  |   |
| <p><i>Vicugna vicugna</i> [Except the populations of: Argentina (the populations of the Provinces of Jujuy and Catamarca and the semi-captive populations of the Provinces of Jujuy, Salta, Catamarca, La Rioja and San Juan); Chile (population of the Primera Región); Peru (the whole population); and the Plurinational State of Bolivia (the whole population); which are included in Appendix II]</p> | <p><i>Lama guanicoe</i></p>  |   |

| Appendices   |  |  |
|--|--|--|
| I  | II   | III  |
|  | <p><b><i>Vicugna vicugna</i></b> [Only the populations of Argentina<sup>1</sup> (the populations of the Provinces of Jujuy and Catamarca and the semi-captive populations of the Provinces of Jujuy, Salta, Catamarca, La Rioja and San Juan); Chile<sup>2</sup> (population of the Primera Región); Peru<sup>3</sup> (the whole population); and the Plurinational State of Bolivia<sup>4</sup> (the whole population); all other populations are included in Appendix I]</p> |  |
| Cervidae Deer, guemals, muntjacs, pudus  |  |  |
| <p><b><i>Axis calamianensis</i></b><br/> <b><i>Axis kuhlii</i></b><br/> <b><i>Axis porcinus annamiticus</i></b><br/> <b><i>Blastocercus dichotomus</i></b></p> <p><b><i>Cervus elaphus hanglu</i></b><br/> <b><i>Dama dama mesopotamica</i></b><br/> <b><i>Hippocamelus spp.</i></b></p> <p><b><i>Muntiacus crinifrons</i></b><br/> <b><i>Muntiacus vuquangensis</i></b></p> <p><b><i>Ozotoceros bezoarticus</i></b></p> | <p><b><i>Cervus elaphus bactrianus</i></b></p>   | <p><b><i>Cervus elaphus barbarus</i></b><br/>(Algeria, Tunisia)</p> <p><b><i>Mazama temama cerasina</i></b><br/>(Guatemala)</p> <p><b><i>Odocoileus virginianus mayensis</i></b> (Guatemala)</p> |

<sup>1</sup> Population of Argentina (listed in Appendix II):

For the exclusive purpose of allowing international trade in wool sheared from live vicuñas, in cloth, and in derived manufactured products and other handicraft artefacts. The reverse side of the cloth must bear the logotype adopted by the range States of the species, which are signatories to the *Convenio para la Conservación y Manejo de la Vicuña*, and the selvages the words 'VICUÑA-ARGENTINA'. Other products must bear a label including the logotype and the designation 'VICUÑA-ARGENTINA-ARTESANÍA'. All other specimens shall be deemed to be specimens of species included in Appendix I and the trade in them shall be regulated accordingly.

<sup>2</sup> Population of Chile (listed in Appendix II):

For the exclusive purpose of allowing international trade in wool sheared from live vicuñas, and in cloth and items made thereof, including luxury handicrafts and knitted articles. The reverse side of the cloth must bear the logotype adopted by the range States of the species, which are signatories to the *Convenio para la Conservación y Manejo de la Vicuña*, and the selvages the words 'VICUÑA-CHILE'. Other products must bear a label including the logotype and the designation 'VICUÑA-CHILE-ARTESANÍA'. All other specimens shall be deemed to be specimens of species included in Appendix I and the trade in them shall be regulated accordingly.

<sup>3</sup> Population of Peru (listed in Appendix II):

For the exclusive purpose of allowing international trade in wool sheared from live vicuñas and in the stock extant at the time of the ninth meeting of the Conference of the Parties (November 1994) of 3249 kg of wool, and in cloth and items made thereof, including luxury handicrafts and knitted articles. The reverse side of the cloth must bear the logotype adopted by the range States of the species, which are signatories to the *Convenio para la Conservación y Manejo de la Vicuña*, and the selvages the words 'VICUÑA-PERÚ'. Other products must bear a label including the logotype and the designation 'VICUÑA-PERÚ-ARTESANÍA'. All other specimens shall be deemed to be specimens of species included in Appendix I and the trade in them shall be regulated accordingly.

<sup>4</sup> Population of the Plurinational State of Bolivia (listed in Appendix II):

For the exclusive purpose of allowing international trade in wool sheared from live vicuñas, and in cloth and items made thereof, including luxury handicrafts and knitted articles. The reverse side of the cloth must bear the logotype adopted by the range States of the species, which are signatories to the *Convenio para la Conservación y Manejo de la Vicuña*, and the selvages the words 'VICUÑA-BOLIVIA'. Other products must bear a label including the logotype and the designation 'VICUÑA-BOLIVIA-ARTESANÍA'. All other specimens shall be deemed to be specimens of species included in Appendix I and the trade in them shall be regulated accordingly.

| I  | Appendices<br>II  |  | III                                       |
|--|---|--|---|
| <p><b><i>Pudu puda</i></b><br/> <b><i>Rucervus duvaucelii</i></b><br/> <b><i>Rucervus eldii</i></b></p>  | <p><b><i>Pudu mephistophiles</i></b></p>  |  |   |
| Hippopotamidae Hippopotamuses  |   |  |   |
|  | <p><b><i>Hexaprotodon liberiensis</i></b><br/> <b><i>Hippopotamus amphibius</i></b></p>   |  |   |
| Moschidae Musk deer  |   |  |   |
| <p><b><i>Moschus spp.</i></b> (Only the populations of Afghanistan, Bhutan, India, Myanmar, Nepal and Pakistan; all other populations are included in Appendix II)</p>   | <p><b><i>Moschus spp.</i></b> (Except the populations of Afghanistan, Bhutan, India, Myanmar, Nepal and Pakistan, which are included in Appendix I)</p>   |  |   |
| Suidae Babirusa, pygmy hog   |   |  |   |
| <p><b><i>Babyrousa babyrussa</i></b><br/> <b><i>Babyrousa bolabatuensis</i></b><br/> <b><i>Babyrousa celebensis</i></b><br/> <b><i>Babyrousa togeanensis</i></b><br/> <b><i>Sus salvanius</i></b></p>  |   |  |   |
| Tayassuidae Peccaries  |   |  |   |
| <p><b><i>Catagonus wagneri</i></b></p>   | <p><b>Tayassuidae spp.</b> (Except the species included in Appendix I and the populations of <i>Pecari tajacu</i> of Mexico and the United States of America, which are not included in the Appendices)</p>   |  |   |
| CARNIVORA  |   |  |   |
| Ailuridae Red panda  |   |  |   |
| <p><b><i>Ailurus fulgens</i></b></p>   |   |  |   |
| Canidae Bush dog, foxes, wolves  |   |  |   |
| <p><b><i>Canis lupus</i></b> (Only the populations of Bhutan, India, Nepal and Pakistan; all other populations are included in Appendix II. Excludes the domesticated form and the dingo which are referenced as <i>Canis lupus familiaris</i> and <i>Canis lupus dingo</i>)</p> | <p><b><i>Canis lupus</i></b> (Except the populations of Bhutan, India, Nepal and Pakistan, which are included in Appendix I. Excludes the domesticated form and the dingo which are referenced as <i>Canis lupus familiaris</i> and <i>Canis lupus dingo</i>)</p> <p><b><i>Cerdocyon thous</i></b><br/> <b><i>Chrysocyon brachyurus</i></b><br/> <b><i>Cuon alpinus</i></b></p> |  | <p><b><i>Canis aureus</i></b> (India)</p> |

| I  | Appendices<br>II  | III   |
|--|---|---|
| <b><i>Speothos venaticus</i></b>   | <b><i>Lycalopex culpaeus</i></b><br><b><i>Lycalopex fulvipes</i></b><br><b><i>Lycalopex griseus</i></b><br><b><i>Lycalopex gymnocercus</i></b><br><br><b><i>Vulpes cana</i></b><br><br><b><i>Vulpes zerda</i></b> | <b><i>Vulpes bengalensis</i></b> (India)<br><br><b><i>Vulpes vulpes griffithi</i></b> (India)<br><b><i>Vulpes vulpes montana</i></b> (India)<br><b><i>Vulpes vulpes pusilla</i></b> (India) |
| Eupleridae Fossa, falanouc, Malagasy civet   |   |   |
|  | <b><i>Cryptoprocta ferox</i></b><br><b><i>Eupleres goudotii</i></b><br><b><i>Fossa fossana</i></b>  |   |
| Felidae Cats   |   |   |
| <b><i>Acinonyx jubatus</i></b> (Annual export quotas for live specimens and hunting trophies are granted as follows: Botswana: 5; Namibia: 150; Zimbabwe: 50. The trade in such specimens is subject to the provisions of Article III of the Convention)<br><b><i>Caracal caracal</i></b> (Only the population of Asia; all other populations are included in Appendix II)<br><b><i>Catopuma temminckii</i></b><br><b><i>Felis nigripes</i></b><br><b><i>Leopardus geoffroyi</i></b><br><b><i>Leopardus jacobitus</i></b><br><b><i>Leopardus pardalis</i></b><br><b><i>Leopardus tigrinus</i></b><br><b><i>Leopardus wiedii</i></b><br><b><i>Lynx pardinus</i></b><br><b><i>Neofelis nebulosa</i></b><br><b><i>Panthera leo persica</i></b><br><b><i>Panthera onca</i></b><br><b><i>Panthera pardus</i></b><br><b><i>Panthera tigris</i></b><br><b><i>Pardofelis marmorata</i></b><br><b><i>Prionailurus bengalensis bengalensis</i></b> (Only the populations of Bangladesh, India and Thailand; all other populations are included in Appendix II)<br><b><i>Prionailurus planiceps</i></b> | <b>Felidae spp.</b> (Except the species included in Appendix I. Specimens of the domesticated form are not subject to the provisions of the Convention)   |   |

| I  | Appendices<br>II   |  | III   |
|--|--|--|---|
| <p><b><i>Prionailurus rubiginosus</i></b> (Only the population of India; all other populations are included in Appendix II)</p> <p><b><i>Puma concolor coryi</i></b></p> <p><b><i>Puma concolor costaricensis</i></b></p> <p><b><i>Puma concolor cougar</i></b></p> <p><b><i>Puma yagouaroundi</i></b> (Only the populations of Central and North America; all other populations are included in Appendix II)</p> <p><b><i>Uncia uncia</i></b></p> |  |  |   |
| Herpestidae Mongooses  |  |  |   |
|  |  |  | <p><b><i>Herpestes edwardsi</i></b> (India)</p> <p><b><i>Herpestes fuscus</i></b> (India)</p> <p><b><i>Herpestes javanicus auropunctatus</i></b> (India)</p> <p><b><i>Herpestes smithii</i></b> (India)</p> <p><b><i>Herpestes urva</i></b> (India)</p> <p><b><i>Herpestes vitticollis</i></b> (India)</p>  |
| Hyaenidae Aardwolf   |  |  |   |
|  |  |  | <b><i>Proteles cristata</i></b> (Botswana)  |
| Mephitidae Hog-nosed skunk   |  |  |   |
|  | <b><i>Conepatus humboldtii</i></b>                               |  |   |
| Mustelidae Badgers, martens, weasels, etc.   |  |  |   |
| Lutrinae Otters  |  |  |   |
| <p><b><i>Aonyx capensis microdon</i></b> (Only the populations of Cameroon and Nigeria; all other populations are included in Appendix II)</p> <p><b><i>Enhydra lutris nereis</i></b></p> <p><b><i>Lontra felina</i></b></p> <p><b><i>Lontra longicaudis</i></b></p> <p><b><i>Lontra provocax</i></b></p> <p><b><i>Lutra lutra</i></b></p> <p><b><i>Lutra nippon</i></b></p> <p><b><i>Pteronura brasiliensis</i></b></p>                           | <b>Lutrinae spp.</b> (Except the species included in Appendix I) |  |   |
| Mustelinae Grisons, honey badger, martens, tayra, weasels  |  |  |   |
| <p><b><i>Mustela nigripes</i></b></p>  |  |  | <p><b><i>Eira barbara</i></b> (Honduras)</p> <p><b><i>Galictis vittata</i></b> (Costa Rica)</p> <p><b><i>Martes flavigula</i></b> (India)</p> <p><b><i>Martes foina intermedia</i></b> (India)</p> <p><b><i>Martes gwatkinsii</i></b> (India)</p> <p><b><i>Mellivora capensis</i></b> (Botswana)</p> <p><b><i>Mustela altaica</i></b> (India)</p> <p><b><i>Mustela erminea ferghanae</i></b> (India)</p> <p><b><i>Mustela kathiah</i></b> (India)</p> <p><b><i>Mustela sibirica</i></b> (India)</p> |
| Odobenidae Walrus  |  |  |   |
|  |  |  | <b><i>Odobenus rosmarus</i></b> (Canada)  |

| I   | Appendices<br>II   |  | III |
|---|--|--|-----|
| Otariidae Fur seals, sealions   |  |  |     |
| <b><i>Arctocephalus townsendi</i></b>   | <b><i>Arctocephalus spp.</i></b> (Except the species included in Appendix I)   |  |     |
| Phocidae Seals  |  |  |     |
| <b><i>Monachus spp.</i></b>   | <b><i>Mirounga leonina</i></b>   |  |     |
| Procyonidae Coatis, kinkajou, olingos   |  |  |     |
|   |  | <b><i>Bassaricyon gabbii</i></b> (Costa Rica)<br><b><i>Bassariscus sumichrasti</i></b> (Costa Rica)<br><b><i>Nasua narica</i></b> (Honduras)<br><b><i>Nasua nasua solitaria</i></b> (Uruguay)<br><b><i>Potos flavus</i></b> (Honduras)   |     |
| Ursidae Bears, giant panda  |  |  |     |
| <b><i>Ailuropoda melanoleuca</i></b><br><b><i>Helarctos malayanus</i></b><br><b><i>Melursus ursinus</i></b><br><b><i>Tremarctos ornatus</i></b><br><b><i>Ursus arctos</i></b> (Only the populations of Bhutan, China, Mexico and Mongolia; all other populations are included in Appendix II)<br><b><i>Ursus arctos isabellinus</i></b><br><b><i>Ursus thibetanus</i></b> | <b><i>Ursidae spp.</i></b> (Except the species included in Appendix I)   |  |     |
| Viverridae Binturong, civets, linsangs, otter-civet, palm civets  |  |  |     |
| <b><i>Prionodon pardicolor</i></b>  | <b><i>Cynogale bennettii</i></b><br><b><i>Hemigalus derbyanus</i></b><br><br><b><i>Prionodon linsang</i></b>   | <b><i>Arctictis binturong</i></b> (India)<br><b><i>Civettictis civetta</i></b> (Botswana)<br><br><b><i>Paguma larvata</i></b> (India)<br><b><i>Paradoxurus hermaphroditus</i></b> (India)<br><b><i>Paradoxurus jerdoni</i></b> (India)<br><br><b><i>Viverra civettina</i></b> (India)<br><b><i>Viverra zibetha</i></b> (India)<br><b><i>Viverricula indica</i></b> (India) |     |
| CETACEA Dolphins, porpoises, whales   |  |  |     |
|   | <b><i>CETACEA spp.</i></b> (Except the species included in Appendix I. A zero annual export quota has been established for live specimens from the Black Sea population of <i>Tursiops truncatus</i> removed from the wild and traded for primarily commercial purposes) |  |     |
| Balaenidae Bowhead whale, right whales  |  |  |     |
| <b><i>Balaena mysticetus</i></b><br><b><i>Eubalaena spp.</i></b>  |  |  |     |



| I   | Appendices<br>II   |   | III |
|---|--|---|-----|
| Balaenopteridae Humpback whale, rorquals<br><b><i>Balaenoptera acutorostrata</i></b><br>(Except the population of West Greenland, which is included in Appendix II)<br><b><i>Balaenoptera bonaerensis</i></b><br><b><i>Balaenoptera borealis</i></b><br><b><i>Balaenoptera edeni</i></b><br><b><i>Balaenoptera musculus</i></b><br><b><i>Balaenoptera omurai</i></b><br><b><i>Balaenoptera physalus</i></b><br><b><i>Megaptera novaeangliae</i></b>   |  |   |     |
| Delphinidae Dolphins<br><b><i>Orcaella brevirostris</i></b><br><b><i>Orcaella heinsohni</i></b><br><b><i>Sotalia</i> spp.</b><br><b><i>Sousa</i> spp.</b>   |  |   |     |
| Eschrichtiidae Grey whale<br><b><i>Eschrichtius robustus</i></b>  |  |   |     |
| Iniidae River dolphins<br><b><i>Lipotes vexillifer</i></b>  |  |   |     |
| Neobalaenidae Pygmy right whale<br><b><i>Caperea marginata</i></b>  |  |   |     |
| Phocoenidae Porpoises<br><b><i>Neophocaena phocaenoides</i></b><br><b><i>Phocoena sinus</i></b>   |  |   |     |
| Physeteridae Sperm whales<br><b><i>Physeter macrocephalus</i></b>   |  |   |     |
| Platanistidae River dolphins<br><b><i>Platanista</i> spp.</b>   |  |   |     |
| Ziphiidae Beaked whales, bottle-nosed whales<br><b><i>Berardius</i> spp.</b><br><b><i>Hyperoodon</i> spp.</b>   |  |   |     |
| CHIROPTERA  |  |   |     |
| Phyllostomidae Broad-nosed bat  |  | <b><i>Platyrrhinus lineatus</i></b> (Uruguay) |     |
| Pteropodidae Fruit bats, flying foxes<br><br><b><i>Acerodon jubatus</i></b><br><br><b><i>Pteropus insularis</i></b><br><b><i>Pteropus loochoensis</i></b><br><b><i>Pteropus mariannus</i></b><br><b><i>Pteropus molossinus</i></b><br><b><i>Pteropus pelewensis</i></b><br><b><i>Pteropus pilosus</i></b><br><b><i>Pteropus samoensis</i></b><br><b><i>Pteropus tonganus</i></b><br><b><i>Pteropus ualanus</i></b><br><b><i>Pteropus yapensis</i></b> | <b><i>Acerodon</i> spp.</b> (Except the species included in Appendix I)<br><br><b><i>Pteropus</i> spp.</b> (Except the species included in Appendix I) |   |     |

| I   | Appendices<br>II  | III   |
|---|---|---|
| CINGULATA   |   |   |
| Dasypodidae Armadillos  |   |   |
|   | <b><i>Chaetophractus nationi</i></b> (A zero annual export quota has been established. All specimens shall be deemed to be specimens of species included in Appendix I and the trade in them shall be regulated accordingly)          | <b><i>Cabassous centralis</i></b> (Costa Rica)<br><b><i>Cabassous tatouay</i></b> (Uruguay) |
| <b><i>Priodontes maximus</i></b>  |   |   |
| DASYUROMORPHIA  |   |   |
| Dasyuridae Dunnarts   |   |   |
| <b><i>Sminthopsis longicaudata</i></b><br><b><i>Sminthopsis psammophila</i></b>   |   |   |
| Thylacinidae Tasmanian wolf, thylacine  |   |   |
| <b><i>Thylacinus cynocephalus</i></b><br>(possibly extinct)   |   |   |
| DIPROTODONTIA   |   |   |
| Macropodidae Kangaroos, wallabies   |   |   |
| <b><i>Lagorchestes hirsutus</i></b><br><b><i>Lagostrophus fasciatus</i></b><br><b><i>Onychogalea fraenata</i></b><br><b><i>Onychogalea lunata</i></b> | <b><i>Dendrolagus inustus</i></b><br><b><i>Dendrolagus ursinus</i></b>  |   |
| Phalangeridae Cuscuses  |   |   |
|   | <b><i>Phalanger intercastellanus</i></b><br><b><i>Phalanger mimicus</i></b><br><b><i>Phalanger orientalis</i></b><br><b><i>Spilocuscus kraemeri</i></b><br><b><i>Spilocuscus maculatus</i></b><br><b><i>Spilocuscus papuensis</i></b> |   |
| Potoroidae Rat-kangaroos  |   |   |
| <b><i>Bettongia</i> spp.</b><br><b><i>Caloprymnus campestris</i></b><br>(possibly extinct)  |   |   |
| Vombatidae Northern hairy-nosed wombat  |   |   |
| <b><i>Lasiorhinus krefftii</i></b>  |   |   |
| LAGOMORPHA  |   |   |
| Leporidae Hispid hare, volcano rabbit   |   |   |
| <b><i>Caprolagus hispidus</i></b><br><b><i>Romerolagus diazi</i></b>  |   |   |
| MONOTREMATA   |   |   |
| Tachyglossidae Echidnas, spiny anteaters  |   |   |
|   | <b><i>Zaglossus</i> spp.</b>  |   |
| PERAMELEMORPHIA   |   |   |
| Chaeropodidae Pig-footed bandicoots   |   |   |
| <b><i>Chaeropus ecaudatus</i></b> (possibly extinct)  |   |   |
| Peramelidae Bandicoots, echymiperas   |   |   |
| <b><i>Perameles bougainville</i></b>  |   |   |

| I   | Appendices   |  |
|---|--|--|
|   | II   | III  |
| Thylacomyidae Bilbies   |  |  |
| <b><i>Macrotis lagotis</i></b><br><b><i>Macrotis leucura</i></b>  |  |  |
| PERISSODACTYLA  |  |  |
| Equidae Horses, wild asses, zebras  |  |  |
| <b><i>Equus africanus</i></b> (Excludes the domesticated form, which is referenced as <i>Equus asinus</i> , and is not subject to the provisions of the Convention)<br><b><i>Equus grevyi</i></b> | <b><i>Equus hemionus</i></b> (Except the subspecies included in Appendix I)  |  |
| <b><i>Equus hemionus hemionus</i></b><br><b><i>Equus hemionus khur</i></b>  | <b><i>Equus kiang</i></b>  |  |
| <b><i>Equus przewalskii</i></b>   | <b><i>Equus zebra hartmannae</i></b>   |  |
| <b><i>Equus zebra zebra</i></b>   |  |  |
| Rhinocerotidae Rhinoceroses   |  |  |
| <b>Rhinocerotidae spp.</b> (Except the subspecies included in Appendix II)  | <b><i>Ceratotherium simum simum</i></b><br>(Only the populations of South Africa and Swaziland; all other populations are included in Appendix I. For the exclusive purpose of allowing international trade in live animals to appropriate and acceptable destinations and hunting trophies. All other specimens shall be deemed to be specimens of species included in Appendix I and the trade in them shall be regulated accordingly) |  |
| Tapiridae Tapirs  |  |  |
| <b>Tapiridae spp.</b> (Except the species included in Appendix II)  | <b><i>Tapirus terrestris</i></b>   |  |
| PHOLIDOTA   |  |  |
| Manidae Pangolins   |  |  |
|   | <b><i>Manis spp.</i></b> (A zero annual export quota has been established for <i>Manis crassicaudata</i> , <i>M. culionensis</i> , <i>M. javanica</i> and <i>M. pentadactyla</i> for specimens removed from the wild and traded for primarily commercial purposes)   |  |
| PILOSA  |  |  |
| Bradypodidae Three-toed sloth   |  |  |
|   | <b><i>Bradypus variegatus</i></b>  |  |
| Megalonychidae Two-toed sloth   |  |  |
|   |  | <b><i>Choloepus hoffmanni</i></b> (Costa Rica) |
| Myrmecophagidae American anteaters  |  |  |
|   | <b><i>Myrmecophaga tridactyla</i></b>  |  |

| I   | Appendices<br>II   |  | III |
|---|--|--|-----|
|   |  | <b><i>Tamandua mexicana</i></b><br>(Guatemala) |     |
| PRIMATES Apes, monkeys  | <b>PRIMATES spp.</b> (Except the species included in Appendix I) |  |     |
| Atelidae Howler and prehensile-tailed monkeys   |  |  |     |
| <i>Alouatta coibensis</i><br><i>Alouatta palliata</i><br><i>Alouatta pigra</i><br><i>Ateles geoffroyi frontatus</i><br><i>Ateles geoffroyi panamensis</i><br><i>Brachyteles arachnoides</i><br><i>Brachyteles hypoxanthus</i><br><i>Oreonax flavicauda</i>  |  |  |     |
| Cebidae New World monkeys   |  |  |     |
| <i>Callimico goeldii</i><br><i>Callithrix aurita</i><br><i>Callithrix flaviceps</i><br><i>Leontopithecus spp.</i><br><i>Saguinus bicolor</i><br><i>Saguinus geoffroyi</i><br><i>Saguinus leucopus</i><br><i>Saguinus martinsi</i><br><i>Saguinus oedipus</i><br><i>Saimiri oerstedii</i>  |  |  |     |
| Cercopithecoidea Old World monkeys  |  |  |     |
| <i>Cercocebus galeritus</i><br><i>Cercopithecus diana</i><br><i>Cercopithecus roloway</i><br><i>Macaca silenus</i><br><i>Mandrillus leucophaeus</i><br><i>Mandrillus sphinx</i><br><i>Nasalis larvatus</i><br><i>Ptilinopus kirkii</i><br><i>Ptilinopus rufomitris</i><br><i>Presbytis potenziani</i><br><i>Pygathrix spp.</i><br><i>Rhinopithecus spp.</i><br><i>Semnopithecus ajax</i><br><i>Semnopithecus dussumieri</i><br><i>Semnopithecus entellus</i><br><i>Semnopithecus hector</i><br><i>Semnopithecus hypoleucos</i><br><i>Semnopithecus priam</i><br><i>Semnopithecus schistaceus</i><br><i>Simias concolor</i><br><i>Trachypithecus geei</i><br><i>Trachypithecus pileatus</i><br><i>Trachypithecus shortridgei</i> |  |  |     |
| Cheirogaleidae Dwarf lemurs   |  |  |     |
| <b>Cheirogaleidae spp.</b>  |  |  |     |
| Daubentoniidae Aye-aye  |  |  |     |
| <b><i>Daubentonia madagascariensis</i></b>  |  |  |     |
| Hominidae Chimpanzees, gorilla, orang-utan  |  |  |     |
| <b><i>Gorilla beringei</i></b>  |  |  |     |

| I   | Appendices |  | III |
|---|------------|--|-----|
|   | II         |  |     |
| <i>Gorilla gorilla</i><br><i>Pan spp.</i><br><i>Pongo abelii</i><br><i>Pongo pygmaeus</i> |            |  |     |
| Hylobatidae Gibbons   |            |  |     |
| <b>Hylobatidae spp.</b>   |            |  |     |
| Indriidae Avahi, indris, sifakas, woolly lemurs   |            |  |     |
| <b>Indriidae spp.</b>   |            |  |     |
| Lemuridae Large lemurs  |            |  |     |
| <b>Lemuridae spp.</b>   |            |  |     |
| Lepilemuridae Sportive lemurs   |            |  |     |
| <b>Lepilemuridae spp.</b>   |            |  |     |
| Lorisidae Lorises   |            |  |     |
| <b>Nycticebus spp.</b>  |            |  |     |
| Pitheciidae Sakis and uakaris   |            |  |     |
| <b>Cacajao spp.</b>   |            |  |     |
| <b>Chiropotes albinasus</b>   |            |  |     |

| Appendices   |  |   |
|--|--|---|
| I  | II   | III   |
| PROBOSCIDEA  |  |   |
| Elephantidae Elephants   |  |   |
| <p><b><i>Elephas maximus</i></b></p> <p><b><i>Loxodonta africana</i></b> (Except the populations of Botswana, Namibia, South Africa and Zimbabwe, which are included in Appendix II)</p> | <p><b><i>Loxodonta africana</i></b><sup>5</sup> (Only the populations of Botswana, Namibia, South Africa and Zimbabwe; all other populations are included in Appendix I)</p> |   |
| RODENTIA   |  |   |
| Chinchillidae Chinchillas  |  |   |
| <p><b><i>Chinchilla</i> spp.</b> (Specimens of the domesticated form are not subject to the provisions of the Convention)</p>  |  |   |
| Cuniculidae Paca   |  |   |
|  |  | <b><i>Cuniculus paca</i></b> (Honduras)   |
| Dasyproctidae Agouti   |  |   |
|  |  | <b><i>Dasyprocta punctata</i></b> (Honduras)  |
| Erethizontidae New World porcupines  |  |   |
|  |  | <p><b><i>Sphiggurus mexicanus</i></b> (Honduras)</p> <p><b><i>Sphiggurus spinosus</i></b> (Uruguay)</p> |

<sup>5</sup> Populations of Botswana, Namibia, South Africa and Zimbabwe (listed in Appendix II):

For the exclusive purpose of allowing:

- a) trade in hunting trophies for non-commercial purposes;
- b) trade in live animals to appropriate and acceptable destinations, as defined in Resolution Conf. 11.20, for Botswana and Zimbabwe and for *in situ* conservation programmes for Namibia and South Africa;
- c) trade in hides;
- d) trade in hair;
- e) trade in leather goods for commercial or non-commercial purposes for Botswana, Namibia and South Africa and for non-commercial purposes for Zimbabwe;
- f) trade in individually marked and certified ekipas incorporated in finished jewellery for non-commercial purposes for Namibia and ivory carvings for non-commercial purposes for Zimbabwe;
- g) trade in registered raw ivory (for Botswana, Namibia, South Africa and Zimbabwe, whole tusks and pieces) subject to the following:
  - i) only registered government-owned stocks, originating in the State (excluding seized ivory and ivory of unknown origin);
  - ii) only to trading partners that have been verified by the Secretariat, in consultation with the Standing Committee, to have sufficient national legislation and domestic trade controls to ensure that the imported ivory will not be re-exported and will be managed in accordance with all requirements of Resolution Conf. 10.10 (Rev. CoP14) concerning domestic manufacturing and trade;
  - iii) not before the Secretariat has verified the prospective importing countries and the registered government-owned stocks;
  - iv) raw ivory pursuant to the conditional sale of registered government-owned ivory stocks agreed at CoP12, which are 20,000 kg (Botswana), 10,000 kg (Namibia) and 30,000 kg (South Africa);
  - v) in addition to the quantities agreed at CoP12, government-owned ivory from Botswana, Namibia, South Africa and Zimbabwe registered by 31 January 2007 and verified by the Secretariat may be traded and despatched, with the ivory in paragraph g) iv) above, in a single sale per destination under strict supervision of the Secretariat;
  - vi) the proceeds of the trade are used exclusively for elephant conservation and community conservation and development programmes within or adjacent to the elephant range; and
  - vii) the additional quantities specified in paragraph g) v) above shall be traded only after the Standing Committee has agreed that the above conditions have been met; and
- h) no further proposals to allow trade in elephant ivory from populations already in Appendix II shall be submitted to the Conference of the Parties for the period from CoP14 and ending nine years from the date of the single sale of ivory that is to take place in accordance with provisions in paragraphs g) i), g) ii), g) iii), g) vi) and g) vii). In addition such further proposals shall be dealt with in accordance with Decisions 14.77 and 14.78 (Rev. CoP15).

On a proposal from the Secretariat, the Standing Committee can decide to cause this trade to cease partially or completely in the event of non-compliance by exporting or importing countries, or in the case of proven detrimental impacts of the trade on other elephant populations.

All other specimens shall be deemed to be specimens of species included in Appendix I and the trade in them shall be regulated accordingly.

| I  | Appendices<br>II  |  | III |
|--|---|--|-----|
| Muridae Mice, rats   |   |  |     |
| <i>Leporillus conditor</i><br><i>Pseudomys fieldi praeconis</i><br><i>Xeromys myoides</i><br><i>Zyomys pedunculatus</i>  |   |  |     |
| Sciuridae Ground squirrels, tree squirrels   |   |  |     |
| <i>Cynomys mexicanus</i>   | <i>Ratufa</i> spp.  | <i>Marmota caudata</i> (India)<br><i>Marmota himalayana</i> (India)<br><br><i>Sciurus deppei</i> (Costa Rica)                                      |     |
| SCANDENTIA Tree shrews   | SCANDENTIA spp.   |  |     |
| SIRENIA  |   |  |     |
| Dugongidae Dugong  |   |  |     |
| <i>Dugong dugon</i>  |   |  |     |
| Trichechidae Manatees  |   |  |     |
| <i>Trichechus inunguis</i><br><i>Trichechus manatus</i>  | <i>Trichechus senegalensis</i>  |  |     |
| <b>CLASS AVES<br/>(BIRDS)</b>  |   |  |     |
| ANSERIFORMES   |   |  |     |
| Anatidae Ducks, geese, swans, etc.   |   |  |     |
| <i>Anas aucklandica</i><br><br><i>Anas chlorotis</i><br><br><i>Anas laysanensis</i><br><i>Anas nesiotis</i><br><i>Asarcornis scutulata</i><br><i>Branta canadensis leucopareia</i><br><br><i>Branta sandvicensis</i><br><br><br><br><br><br><br><br><br><br><i>Rhodonessa caryophyllacea</i><br>(possibly extinct) | <i>Anas bernieri</i><br><br><i>Anas formosa</i><br><br><br><br><br><br><br><i>Branta ruficollis</i><br><br><br><i>Coscoroba coscoroba</i><br><i>Cygnus melancoryphus</i><br><i>Dendrocygna arborea</i><br><br><br><br><br><br><br><i>Oxyura leucocephala</i><br><br><br><br><br><br><br><i>Sarkidiornis melanotos</i> | <i>Cairina moschata</i> (Honduras)<br><br><br><br><br><br><br><i>Dendrocygna autumnalis</i><br>(Honduras)<br><i>Dendrocygna bicolor</i> (Honduras) |     |
| APODIFORMES  |   |  |     |
| Trochilidae Hummingbirds   |   |  |     |
| <i>Glaucis dohrnii</i>   | Trochilidae spp. (Except the species included in Appendix I)  |  |     |
| CHARADRIIFORMES  |   |  |     |
| Burhinidae Thick-knee  |   |  |     |
|  |   | <i>Burhinus bistriatus</i> (Guatemala)   |     |

| Appendices   |  |   |
|--|--|---|
| I  | II   | III                                       |
| Laridae Gull   |  |   |
| <b><i>Larus relictus</i></b>   |  |   |
| Scolopacidae Curlews, greenshanks  |  |   |
| <b><i>Numenius borealis</i></b><br><b><i>Numenius tenuirostris</i></b><br><b><i>Tringa guttifer</i></b>  |  |   |
| CICONIIFORMES  |  |   |
| Balaenicipitidae Shoebill, whale-headed stork  |  |   |
|  | <b><i>Balaeniceps rex</i></b>  |   |
| Ciconiidae Storks  |  |   |
| <b><i>Ciconia boyciana</i></b><br><br><b><i>Jabiru mycteria</i></b><br><b><i>Mycteria cinerea</i></b>  | <b><i>Ciconia nigra</i></b>  |   |
| Phoenicopteridae Flamingos   |  |   |
|  | <b>Phoenicopteridae spp.</b>   |   |
| Threskiornithidae Ibises, spoonbills   |  |   |
| <b><i>Geronticus eremita</i></b><br><b><i>Nipponia nippon</i></b>  | <b><i>Eudocimus ruber</i></b><br><b><i>Geronticus calvus</i></b><br><br><b><i>Platalea leucorodia</i></b>  |   |
| COLUMBIFORMES  |  |   |
| Columbidae Doves, pigeons  |  |   |
| <b><i>Caloenas nicobarica</i></b><br><b><i>Ducula mindorensis</i></b>  | <b><i>Gallicolumba luzonica</i></b><br><b><i>Goura</i> spp.</b>  | <b><i>Nesoenas mayeri</i> (Mauritius)</b> |
| CORACIIFORMES  |  |   |
| Bucerotidae Hornbills  |  |   |
| <b><i>Aceros nipalensis</i></b><br><br><b><i>Buceros bicornis</i></b><br><br><b><i>Rhinoplax vigil</i></b><br><br><b><i>Rhyticeros subruficollis</i></b> | <b><i>Aceros</i> spp.</b> (Except the species included in Appendix I)<br><br><b><i>Anorrhinus</i> spp.</b><br><b><i>Anthracoceros</i> spp.</b><br><b><i>Berenicornis</i> spp.</b><br><b><i>Buceros</i> spp.</b> (Except the species included in Appendix I)<br><br><b><i>Penelopides</i> spp.</b><br><br><b><i>Rhyticeros</i> spp.</b> (Except the species included in Appendix I) |   |
| CUCULIFORMES   |  |   |
| Musophagidae Turacos   |  |   |
|  | <b><i>Tauraco</i> spp.</b>   |   |
| FALCONIFORMES Eagles, falcons, hawks, vultures   |  |   |
|  | <b>FALCONIFORMES spp.</b> (Except the species included in Appendices I and III and the species of the family Cathartidae)  |   |
| Accipitridae Hawks, eagles   |  |   |
| <b><i>Aquila adalberti</i></b>   |  |   |





| I  | Appendices<br>II   | III   |
|--|--|---|
| <p><i>Polyplectron napoleonis</i></p> <p><i>Rheinardia ocellata</i><br/><i>Syrmaticus ellioti</i><br/><i>Syrmaticus humiae</i><br/><i>Syrmaticus mikado</i><br/><i>Tetraogallus caspius</i><br/><i>Tetraogallus tibetanus</i><br/><i>Tragopan blythii</i><br/><i>Tragopan caboti</i><br/><i>Tragopan melanocephalus</i></p> <p><i>Tympanuchus cupido attwateri</i></p> | <p><i>Polyplectron bicalcaratum</i><br/><i>Polyplectron germaini</i><br/><i>Polyplectron malacense</i></p> <p><i>Polyplectron schleiermachersi</i></p> | <p><i>Tragopan satyra</i> (Nepal)</p>   |
| GRUIFORMES   |  |   |
| Gruidae Cranes   |  |   |
| <p><i>Grus americana</i><br/><i>Grus canadensis nesiotis</i><br/><i>Grus canadensis pulla</i><br/><i>Grus japonensis</i><br/><i>Grus leucogeranus</i><br/><i>Grus monacha</i><br/><i>Grus nigricollis</i><br/><i>Grus vipio</i></p>  | <p><b>Gruidae spp.</b> (Except the species included in Appendix I)</p>   |   |
| Otididae Bustards  |  |   |
| <p><i>Ardeotis nigriceps</i><br/><i>Chlamydotis macqueenii</i><br/><i>Chlamydotis undulata</i><br/><i>Houbaropsis bengalensis</i></p>  | <p><b>Otididae spp.</b> (Except the species included in Appendix I)</p>  |   |
| Rallidae Rail  |  |   |
| <p><i>Gallirallus sylvestris</i></p>   |  |   |
| Rhynochetidae Kagu   |  |   |
| <p><i>Rhynochetos jubatus</i></p>  |  |   |
| PASSERIFORMES  |  |   |
| Atrichornithidae Scrub-bird  |  |   |
| <p><i>Atrichornis clamosus</i></p>   |  |   |
| Cotingidae Cotingas  |  |   |
| <p><i>Cotinga maculata</i></p> <p><i>Xipholena atropurpurea</i></p>  | <p><i>Rupicola</i> spp.</p>  | <p><i>Cephalopterus ornatus</i><br/>(Colombia)<br/><i>Cephalopterus penduliger</i><br/>(Colombia)</p> |
| Emberizidae Cardinals, tanagers  |  |   |
|  | <p><i>Gubernatrix cristata</i><br/><i>Paroaria capitata</i><br/><i>Paroaria coronata</i><br/><i>Tangara fastuosa</i></p>                               |   |

| I  | Appendices  |   |
|--|---|---|
|  | II  | III   |
| Estrildidae Mannikins, waxbills  | <i>Amandava formosa</i><br><i>Lonchura oryzivora</i><br><i>Poephila cincta cincta</i>   |   |
| Fringillidae Finches   |   |   |
| <i>Carduelis cucullata</i>   | <i>Carduelis yarrellii</i>  |   |
| Hirundinidae Martin  |   |   |
| <i>Pseudochelidon sirintarae</i>   |   |   |
| Icteridae Blackbird  |   |   |
| <i>Xanthopsar flavus</i>   |   |   |
| Meliphagidae Honeyeater  |   |   |
| <i>Lichenostomus melanops cassidix</i>   |   |   |
| Muscicapidae Old World flycatchers   |   |   |
| <i>Dasyornis broadbenti litoralis</i><br>(possibly extinct)<br><i>Dasyornis longirostris</i> | <i>Cyornis ruckii</i>   | <i>Acrocephalus rodericanus</i><br>(Mauritius)  |
| <i>Picathartes gymnocephalus</i><br><i>Picathartes oreas</i>                                 | <i>Garrulax canorus</i><br><i>Garrulax taewanus</i><br><i>Leiothrix argentauris</i><br><i>Leiothrix lutea</i><br><i>Liocichla omeiensis</i> | <i>Terpsiphone bourbonnensis</i><br>(Mauritius) |
| Paradisaeidae Birds of paradise  | <i>Paradisaeidae spp.</i>   |   |
| Pittidae Pittas  |   |   |
| <i>Pitta gurneyi</i><br><i>Pitta kochi</i>   | <i>Pitta guajana</i>  |   |
|  | <i>Pitta nympha</i>   |   |
| Pycnonotidae Bulbul  | <i>Pycnonotus zeylanicus</i>  |   |
| Sturnidae Mynahs (Starlings)   | <i>Gracula religiosa</i>  |   |
| <i>Leucopsar rothschildi</i>   |   |   |
| Zosteropidae White-eye   |   |   |
| <i>Zosterops albogularis</i>   |   |   |
| PELECANIFORMES   |   |   |
| Fregatidae Frigatebird   |   |   |
| <i>Fregata andrewsi</i>  |   |   |
| Pelecanidae Pelican  |   |   |
| <i>Pelecanus crispus</i>   |   |   |
| Sulidae Booby  |   |   |
| <i>Papasula abbotti</i>  |   |   |
| PICIFORMES   |   |   |
| Capitonidae Barbet   |   | <i>Semnornis ramphastinus</i><br>(Colombia)     |

| I   | Appendices   |   |
|---|--|---|
|   | II   | III   |
| Picidae Woodpeckers   |  |   |
| <b><i>Campephilus imperialis</i></b><br><b><i>Dryocopus javensis richardsi</i></b>  |  |   |
| Ramphastidae Toucans  |  |   |
|   | <b><i>Pteroglossus aracari</i></b>   | <b><i>Bailloni</i></b> <i>bailloni</i> (Argentina)    |
|   | <b><i>Pteroglossus viridis</i></b>   | <b><i>Pteroglossus castanotis</i></b><br>(Argentina)  |
|   | <b><i>Ramphastos sulfuratus</i></b><br><b><i>Ramphastos toco</i></b><br><b><i>Ramphastos tucanus</i></b><br><b><i>Ramphastos vitellinus</i></b>  | <b><i>Ramphastos dicolorus</i></b><br>(Argentina)     |
|   |  | <b><i>Selenidera maculirostris</i></b><br>(Argentina) |
| PODICIPEDIFORMES  |  |   |
| Podicipedidae Grebe   |  |   |
| <b><i>Podilymbus gigas</i></b>  |  |   |
| PROCELLARIIFORMES   |  |   |
| Diomedidae Albatross  |  |   |
| <b><i>Phoebastria albatrus</i></b>  |  |   |
| PSITTACIFORMES  |  |   |
|   | <b>PSITTACIFORMES spp.</b> (Except the species included in Appendix I and <i>Agapornis roseicollis</i> , <i>Melopsittacus undulatus</i> , <i>Nymphicus hollandicus</i> and <i>Psittacula krameri</i> , which are not included in the Appendices) |   |
| Cacatuidae Cockatoos  |  |   |
| <b><i>Cacatua goffiniana</i></b><br><b><i>Cacatua haematuropygia</i></b><br><b><i>Cacatua moluccensis</i></b><br><b><i>Cacatua sulphurea</i></b><br><b><i>Probosciger aterrimus</i></b>   |  |   |
| Loriidae Lorries, lorikeets   |  |   |
| <b><i>Eos histrio</i></b><br><b><i>Vini ultramarina</i></b>   |  |   |
| Psittacidae Amazons, macaws, parakeets, parrots   |  |   |
| <b><i>Amazona arausiaca</i></b><br><b><i>Amazona auropalliata</i></b><br><b><i>Amazona barbadensis</i></b><br><b><i>Amazona brasiliensis</i></b><br><b><i>Amazona finschi</i></b><br><b><i>Amazona guildingii</i></b><br><b><i>Amazona imperialis</i></b><br><b><i>Amazona leucocephala</i></b><br><b><i>Amazona oratrix</i></b><br><b><i>Amazona pretrei</i></b><br><b><i>Amazona rhodocorytha</i></b><br><b><i>Amazona tucumana</i></b><br><b><i>Amazona versicolor</i></b><br><b><i>Amazona vinacea</i></b><br><b><i>Amazona viridigenalis</i></b> |  |   |

| I  | Appendices   |     |
|--|--|-----|
|  | II   | III |
| <p><b><i>Amazona vittata</i></b><br/> <b><i>Anodorhynchus</i> spp.</b><br/> <b><i>Ara ambiguus</i></b><br/> <b><i>Ara glaucogularis</i></b> (Often traded under the incorrect designation <i>Ara caninde</i>)<br/> <b><i>Ara macao</i></b><br/> <b><i>Ara militaris</i></b><br/> <b><i>Ara rubrogenys</i></b><br/> <b><i>Cyanopsitta spixii</i></b><br/> <b><i>Cyanoramphus cookii</i></b><br/> <b><i>Cyanoramphus forbesi</i></b><br/> <b><i>Cyanoramphus novaezelandiae</i></b><br/> <b><i>Cyanoramphus saisseti</i></b><br/> <b><i>Cyclopsitta diophthalma coxeni</i></b><br/> <b><i>Eunymphicus cornutus</i></b><br/> <b><i>Guarouba guarouba</i></b><br/> <b><i>Neophema chrysogaster</i></b><br/> <b><i>Ognorhynchus icterotis</i></b><br/> <b><i>Pezoporus occidentalis</i></b> (possibly extinct)<br/> <b><i>Pezoporus wallicus</i></b><br/> <b><i>Pionopsitta pileata</i></b><br/> <b><i>Primolius couloni</i></b><br/> <b><i>Primolius maracana</i></b><br/> <b><i>Psephotus chrysopterygius</i></b><br/> <b><i>Psephotus dissimilis</i></b><br/> <b><i>Psephotus pulcherrimus</i></b> (possibly extinct)<br/> <b><i>Psittacula echo</i></b><br/> <b><i>Pyrrhura cruentata</i></b><br/> <b><i>Rhynchopsitta</i> spp.</b><br/> <b><i>Strigops habroptilus</i></b></p> |  |     |
| RHEIFORMES   |  |     |
| Rheidae Rheas  |  |     |
| <p><b><i>Pterocnemia pennata</i></b> (Except <i>Pterocnemia pennata pennata</i> which is included in Appendix II)</p>  | <p><b><i>Pterocnemia pennata pennata</i></b><br/> <b><i>Rhea americana</i></b></p> |     |
| SPHENISCIFORMES  |  |     |
| Spheniscidae Penguins  |  |     |
| <p><b><i>Spheniscus humboldti</i></b></p>  | <p><b><i>Spheniscus demersus</i></b></p>   |     |
| STRIGIFORMES Owls  |  |     |
|  | <p><b>STRIGIFORMES spp.</b> (Except the species included in Appendix I)</p>        |     |
| Strigidae Owls   |  |     |
| <p><b><i>Heteroglaux blewitti</i></b><br/> <b><i>Mimizuku gurneyi</i></b><br/> <b><i>Ninox natalis</i></b><br/> <b><i>Ninox novaeseelandiae undulata</i></b></p>   |  |     |
| Tytonidae Barn owls  |  |     |
| <p><b><i>Tyto soumagnei</i></b></p>  |  |     |

| I   | Appendices<br>II   |  | III |
|---|--|--|-----|
| STRUTHIONIFORMES  |  |  |     |
| Struthionidae Ostrich   |  |  |     |
| <b><i>Struthio camelus</i></b> (Only the populations of Algeria, Burkina Faso, Cameroon, the Central African Republic, Chad, Mali, Mauritania, Morocco, the Niger, Nigeria, Senegal and the Sudan; all other populations are not included in the Appendices)  |  |  |     |
| TINAMIFORMES  |  |  |     |
| Tinamidae Tinamous  |  |  |     |
| <b><i>Tinamus solitarius</i></b>  |  |  |     |
| TROGONIFORMES   |  |  |     |
| Trogonidae Quetzals   |  |  |     |
| <b><i>Pharomachrus mocinno</i></b>  |  |  |     |
| <b>CLASS REPTILIA<br/>(REPTILES)</b>  |  |  |     |
| CROCODYLIA Alligators, caimans, crocodiles  |  |  |     |
|   | <b>CROCODYLIA spp.</b> (Except the species included in Appendix I) |  |     |
| Alligatoridae Alligators, caimans   |  |  |     |
| <b><i>Alligator sinensis</i></b><br><b><i>Caiman crocodilus apaporiensis</i></b><br><b><i>Caiman latirostris</i></b> (Except the population of Argentina, which is included in Appendix II)<br><b><i>Melanosuchus niger</i></b> (Except the population of Brazil, which is included in Appendix II, and the population of Ecuador, which is included in Appendix II and is subject to a zero annual export quota until an annual export quota has been approved by the CITES Secretariat and the IUCN/SSC Crocodile Specialist Group) |  |  |     |
| Crocodylidae Crocodiles   |  |  |     |
| <b><i>Crocodylus acutus</i></b> (Except the population of Cuba, which is included in Appendix II)<br><b><i>Crocodylus cataphractus</i></b><br><b><i>Crocodylus intermedius</i></b><br><b><i>Crocodylus mindorensis</i></b><br><b><i>Crocodylus moreletii</i></b> (Except the populations of Belize and Mexico, which are included in Appendix II with a zero quota for wild specimens traded for commercial purposes)   |  |  |     |

| I  | Appendices<br>II  |  | III |
|--|---|--|-----|
| <p><b><i>Crocodylus niloticus</i></b> [Except the populations of Botswana, Egypt (subject to a zero quota for wild specimens traded for commercial purposes), Ethiopia, Kenya, Madagascar, Malawi, Mozambique, Namibia, South Africa, Uganda, the United Republic of Tanzania (subject to an annual export quota of no more than 1,600 wild specimens including hunting trophies, in addition to ranched specimens), Zambia and Zimbabwe, which are included in Appendix II]</p> <p><b><i>Crocodylus palustris</i></b></p> <p><b><i>Crocodylus porosus</i></b> (Except the populations of Australia, Indonesia and Papua New Guinea, which are included in Appendix II)</p> <p><b><i>Crocodylus rhombifer</i></b></p> <p><b><i>Crocodylus siamensis</i></b></p> <p><b><i>Osteolaemus tetraspis</i></b></p> <p><b><i>Tomistoma schlegelii</i></b></p> |   |  |     |
| Gavialidae Gavial  |   |  |     |
| <b><i>Gavialis gangeticus</i></b>  |   |  |     |
| RHYNCHOCEPHALIA  |   |  |     |
| Sphenodontidae Tuatara   |   |  |     |
| <b><i>Sphenodon</i> spp.</b>   |   |  |     |
| SAURIA   |   |  |     |
| Agamidae Agamas, mastigures  |   |  |     |
|  | <b><i>Uromastyx</i> spp.</b>  |  |     |
| Chamaeleonidae Chameleons  |   |  |     |
|  | <b><i>Bradypodion</i> spp.</b>  |  |     |
| <b><i>Brookesia perarmata</i></b>  | <b><i>Brookesia</i> spp.</b> (Except the species included in Appendix I)    |  |     |
|  | <b><i>Calumma</i> spp.</b>  |  |     |
|  | <b><i>Chamaeleo</i> spp.</b>  |  |     |
|  | <b><i>Furcifer</i> spp.</b>   |  |     |
|  | <b><i>Kinyongia</i> spp.</b>  |  |     |
|  | <b><i>Nadzikambia</i> spp.</b>  |  |     |
| Cordylidae Spiny-tailed lizards  |   |  |     |
|  | <b><i>Cordylus</i> spp.</b>   |  |     |
| Gekkonidae Geckos  |   |  |     |
|  | <b><i>Cyrtodactylus serpensinsula</i></b>                                   | <b><i>Hoplodactylus</i> spp.</b> (New Zealand) |     |
|  |   | <b><i>Naultinus</i> spp.</b> (New Zealand)     |     |
|  | <b><i>Phelsuma</i> spp.</b>   |  |     |
|  | <b><i>Uroplatus</i> spp.</b>  |  |     |
| Helodermatidae Beaded lizard, gila monster   |   |  |     |
|  | <b><i>Heloderma</i> spp.</b> (Except the subspecies included in Appendix I) |  |     |
| <b><i>Heloderma horridum</i></b>   |   |  |     |
| <b><i>charlesbogerti</i></b>   |   |  |     |

| I   | Appendices<br>II  |  | III |
|---|---|--|-----|
| Iguanidae Iguanas                                   | <p><i>Amblyrhynchus cristatus</i></p> <p><i>Conolophus</i> spp.<br/><i>Ctenosaura bakeri</i><br/><i>Ctenosaura oedirhina</i><br/><i>Ctenosaura melanosterna</i><br/><i>Ctenosaura palearis</i></p> <p><i>Iguana</i> spp.<br/><i>Phrynosoma blainvillii</i><br/><i>Phrynosoma cerroense</i><br/><i>Phrynosoma coronatum</i><br/><i>Phrynosoma wigginsi</i></p> |  |     |
| Lacertidae Lizards                                  | <p><i>Gallotia simonyi</i></p> <p><i>Podarcis lilfordi</i><br/><i>Podarcis pityusensis</i></p>  |  |     |
| Scincidae Skinks                                    | <p><i>Corucia zebrata</i></p>   |  |     |
| Teiidae Caiman lizards, tegu lizards                | <p><i>Crocodilurus amazonicus</i><br/><i>Dracaena</i> spp.<br/><i>Tupinambis</i> spp.</p>   |  |     |
| Varanidae Monitor lizards                           | <p><i>Varanus</i> spp. (Except the species included in Appendix I)</p> <p><i>Varanus bengalensis</i><br/><i>Varanus flavescens</i><br/><i>Varanus griseus</i><br/><i>Varanus komodoensis</i><br/><i>Varanus nebulosus</i></p>   |  |     |
| Xenosauridae Chinese crocodile lizard               | <p><i>Shinisaurus crocodilurus</i></p>  |  |     |
| SERPENTES Snakes                                    |   |  |     |
| Boidae Boas   | <p><i>Boidae</i> spp. (Except the species included in Appendix I)</p> <p><i>Acrantophis</i> spp.<br/><i>Boa constrictor occidentalis</i><br/><i>Epicrates inornatus</i><br/><i>Epicrates monensis</i><br/><i>Epicrates subflavus</i><br/><i>Sanzinia madagascariensis</i></p>   |  |     |
| Bolyeriidae Round Island boas                       | <p><i>Bolyeriidae</i> spp. (Except the species included in Appendix I)</p> <p><i>Bolyeria multocarinata</i><br/><i>Casarea dussumieri</i></p>   |  |     |
| Colubridae Typical snakes, water snakes, whipsnakes | <p><i>Clelia clelia</i><br/><i>Cyclagras gigas</i></p>  | <p><i>Atretium schistosum</i> (India)<br/><i>Cerberus rynchops</i> (India)</p> |     |



| I  | Appendices<br>II   |  | III |
|--|--|--|-----|
|  | <i>Elachistodon westermanni</i><br><i>Ptyas mucosus</i>  | <i>Xenochrophis piscator</i> (India)   |     |
| Elapidae Cobras, coral snakes  |  |  |     |
|  | <i>Hoplocephalus bungaroides</i><br><br><i>Naja atra</i><br><i>Naja kaouthia</i><br><i>Naja mandalayensis</i><br><i>Naja naja</i><br><i>Naja oxiana</i><br><i>Naja philippinensis</i><br><i>Naja sagittifera</i><br><i>Naja samarensis</i><br><i>Naja siamensis</i><br><i>Naja sputatrix</i><br><i>Naja sumatrana</i><br><i>Ophiophagus hannah</i> | <i>Micrurus diastema</i> (Honduras)<br><i>Micrurus nigrocinctus</i> (Honduras) |     |
| Loxocemidae Mexican dwarf boa  |  |  |     |
|  | Loxocemidae spp.   |  |     |
| Pythonidae Pythons   |  |  |     |
| <i>Python molurus molurus</i>  | Pythonidae spp. (Except the subspecies included in Appendix I)   |  |     |
| Tropidophiidae Wood boas   |  |  |     |
|  | Tropidophiidae spp.  |  |     |
| Viperidae Vipers   |  |  |     |
| <i>Vipera ursinii</i> (Only the population of Europe, except the area which formerly constituted the Union of Soviet Socialist Republics; these latter populations are not included in the Appendices) | <i>Vipera wagneri</i>  | <i>Crotalus durissus</i> (Honduras)<br><i>Daboia russelii</i> (India)          |     |
| TESTUDINES   |  |  |     |
| Carettochelyidae Pig-nosed turtles   |  |  |     |
|  | <i>Carettochelys insculpta</i>   |  |     |
| Chelidae Austro-American side-necked turtles   |  |  |     |
| <i>Pseudemydura umbrina</i>  | <i>Chelodina mccordi</i>   |  |     |
| Cheloniidae Marine turtles   |  |  |     |
|  | Cheloniidae spp.   |  |     |
| Chelydridae Snapping turtles   |  |  |     |
|  |  | <i>Macrochelys temminckii</i> (United States of America)                       |     |
| Dermatemydidae Central American river turtle   |  |  |     |
|  | <i>Dermatemys mawii</i>  |  |     |
| Dermochelyidae Leatherback turtle  |  |  |     |
| <i>Dermochelys coriacea</i>  |  |  |     |

| I  | Appendices<br>II   |   | III |
|--|--|---|-----|
| Emydidae Box turtles, freshwater turtles   |  |   |     |
| <p><i>Glyptemys muhlenbergii</i></p> <p><i>Terrapene coahuila</i></p>  | <p><i>Glyptemys insculpta</i></p> <p><i>Terrapene</i> spp. (Except the species included in Appendix I)</p>   | <p><i>Graptemys</i> spp. (United States of America)</p>   |     |
| Geoemydidae Box turtles, freshwater turtles  |  |   |     |
| <p><i>Batagur affinis</i><br/><i>Batagur baska</i></p> <p><i>Geoclemys hamiltonii</i></p> <p><i>Melanochelys tricarinata</i><br/><i>Morenia ocellata</i></p> <p><i>Pangshura tecta</i></p> | <p><i>Batagur</i> spp. (Except the species included in Appendix I)</p> <p><i>Cuora</i> spp.</p> <p><i>Heosemys annandalii</i><br/><i>Heosemys depressa</i><br/><i>Heosemys grandis</i><br/><i>Heosemys spinosa</i><br/><i>Leucocephalon yuwonoi</i><br/><i>Malayemys macrocephala</i><br/><i>Malayemys subtrijuga</i><br/><i>Mauremys annamensis</i></p> <p><i>Mauremys mutica</i></p> <p><i>Notochelys platynota</i></p> <p><i>Orlitia borneensis</i><br/><i>Pangshura</i> spp. (Except the species included in Appendix I)</p> <p><i>Siebenrockiella crassicollis</i><br/><i>Siebenrockiella leytensis</i></p> | <p><i>Geoemyda spengleri</i> (China)</p> <p><i>Mauremys iversoni</i> (China)<br/><i>Mauremys megaloccephala</i> (China)</p> <p><i>Mauremys nigricans</i> (China)<br/><i>Mauremys pritchardi</i> (China)<br/><i>Mauremys reevesii</i> (China)<br/><i>Mauremys sinensis</i> (China)</p> <p><i>Ocadia glyphistoma</i> (China)<br/><i>Ocadia philippeni</i> (China)</p> <p><i>Sacalia bealei</i> (China)<br/><i>Sacalia pseudocellata</i> (China)<br/><i>Sacalia quadriocellata</i> (China)</p> |     |
| Platysternidae Big-headed turtle   |  |   |     |
|  | <p><i>Platysternon megacephalum</i></p>  |   |     |
| Podocnemididae Afro-American side-necked turtles   |  |   |     |
|  | <p><i>Erymnochelys madagascariensis</i><br/><i>Peltocephalus dumerilianus</i><br/><i>Podocnemis</i> spp.</p>   |   |     |

| I   | Appendices<br>II  | III  |
|---|---|--|
| Testudinidae Tortoises  | <p><b>Testudinidae spp.</b> (Except the species included in Appendix I. A zero annual export quota has been established for <i>Geochelone sulcata</i> for specimens removed from the wild and traded for primarily commercial purposes)</p> |  |
| <p><i>Astrochelys radiata</i><br/> <i>Astrochelys yniphora</i><br/> <i>Chelonoidis nigra</i><br/> <i>Gopherus flavomarginatus</i><br/> <i>Psammobates geometricus</i><br/> <i>Pyxis arachnoides</i><br/> <i>Pyxis planicauda</i><br/> <i>Testudo kleinmanni</i></p> | <p><i>Amyda cartilaginea</i></p> <p><i>Chitra</i> spp.<br/> <i>Lissemys punctata</i><br/> <i>Lissemys scutata</i></p> <p><i>Pelochelys</i> spp.</p>   | <p><i>Palea steindachneri</i> (China)</p> <p><i>Pelodiscus axenaria</i> (China)<br/> <i>Pelodiscus maackii</i> (China)<br/> <i>Pelodiscus parviformis</i> (China)<br/> <i>Rafetus swinhoei</i> (China)</p> |
| <b>CLASS AMPHIBIA<br/>(AMPHIBIANS)</b>  |   |  |
| ANURA   |   |  |
| Bufonidae Toads   |   |  |
| <p><i>Altiphrynoides</i> spp.<br/> <i>Atelopus zeteki</i><br/> <i>Bufo periglenes</i><br/> <i>Bufo superciliaris</i><br/> <i>Nectophrynoides</i> spp.<br/> <i>Nimbaphrynoides</i> spp.<br/> <i>Spinophrynoides</i> spp.</p>   |   |  |
| Calyptocephalellidae Chilean toads  |   |  |
|   |   | <i>Calyptocephalella gayi</i> (Chile)  |
| Dendrobatidae Poison frogs  |   |  |
|   | <p><i>Allobates femoralis</i><br/> <i>Allobates zaparo</i><br/> <i>Cryptophyllobates azureiventris</i><br/> <i>Dendrobates</i> spp.<br/> <i>Epipedobates</i> spp.<br/> <i>Phyllobates</i> spp.</p>  |  |
| Hylidae Tree frogs  |   |  |
|   | <i>Agalychnis</i> spp.  |  |
| Mantellidae Mantellas   |   |  |
|   | <i>Mantella</i> spp.  |  |

| I  | Appendices  |     |
|--|---|-----|
|  | II  | III |
| Microhylidae Red rain frog, tomato frog                            |   |     |
| <i>Dyscophus antongilii</i>  | <i>Scaphiophryne gottlebei</i>  |     |
| Ranidae Frogs  |   |     |
|  | <i>Euphlyctis hexadactylus</i><br><i>Hoplobatrachus tigerinus</i>   |     |
| Rheobatrachidae Gastric-brooding frogs                             |   |     |
|  | <i>Rheobatrachus spp.</i>   |     |
| CAUDATA  |   |     |
| Ambystomatidae Axolotls  |   |     |
|  | <i>Ambystoma dumerilii</i><br><i>Ambystoma mexicanum</i>  |     |
| Cryptobranchidae Giant salamanders                                 |   |     |
| <i>Andrias spp.</i>  |   |     |
| Salamandridae Newts and salamanders                                |   |     |
| <i>Neurergus kaiseri</i>   |   |     |
| <b>CLASS ELASMOBRANCHII<br/>(SHARKS)</b>                           |   |     |
| LAMNIFORMES  |   |     |
| Cetorhinidae Basking shark   |   |     |
|  | <i>Cetorhinus maximus</i>   |     |
| Lamnidae Great white shark   |   |     |
|  | <i>Carcharodon carcharias</i>   |     |
| ORECTOLOBIFORMES   |   |     |
| Rhincodontidae Whale shark   |   |     |
|  | <i>Rhincodon typus</i>  |     |
| RAJIFORMES   |   |     |
| Pristidae Sawfishes  |   |     |
| <b>Pristidae spp.</b> (Except the species included in Appendix II) |   |     |
|  | <i>Pristis microdon</i> (For the exclusive purpose of allowing international trade in live animals to appropriate and acceptable aquaria for primarily conservation purposes) |     |
| <b>CLASS ACTINOPTERYGII<br/>(FISHES)</b>                           |   |     |
| ACIPENSERIFORMES Paddlefishes, sturgeons                           |   |     |
|  | <b>ACIPENSERIFORMES spp.</b> (Except the species included in Appendix I)  |     |
| Acipenseridae Sturgeons  |   |     |
| <i>Acipenser brevirostrum</i><br><i>Acipenser sturio</i>           |   |     |
| ANGUILLIFORMES   |   |     |
| Anguillidae Freshwater eels  |   |     |
|  | <i>Anguilla anguilla</i>  |     |
| CYPRINIFORMES  |   |     |
| Catostomidae Cui-ui  |   |     |
| <i>Chasmistes cujus</i>  |   |     |

| I  | Appendices<br>II  | III                                  |
|--|---|--------------------------------------|
| Cyprinidae Blind carps, plaeesok   | <i>Caecobarbus geertsii</i>   |                                      |
| <b><i>Probarbus jullieni</i></b>   |   |                                      |
| OSTEOGLOSSIFORMES  |   |                                      |
| Osteoglossidae Arapaima, bonytongue                                      | <i>Arapaima gigas</i>   |                                      |
| <b><i>Scleropages formosus</i></b>                                       |   |                                      |
| PERCIFORMES  |   |                                      |
| Labridae Wrasses   | <i>Cheilinus undulatus</i>  |                                      |
| Sciaenidae Totoaba   |   |                                      |
| <b><i>Totoaba macdonaldi</i></b>   |   |                                      |
| SILURIFORMES   |   |                                      |
| Pangasiidae Pangasid catfish   |   |                                      |
| <b><i>Pangasianodon gigas</i></b>  |   |                                      |
| SYNGNATHIFORMES  |   |                                      |
| Syngnathidae Pipefishes, seahorses                                       | <i>Hippocampus spp.</i>   |                                      |
| <b>CLASS SARCOPTERYGII<br/>(LUNGFISHES)</b>                              |   |                                      |
| CERATODONTIFORMES  |   |                                      |
| Ceratodontidae Australian lungfish                                       | <i>Neoceratodus forsteri</i>  |                                      |
| COELACANTHIFORMES  |   |                                      |
| Latimeriidae Coelacanths   |   |                                      |
| <b><i>Latimeria spp.</i></b>   |   |                                      |
| <b>PHYLUM ECHINODERMATA<br/>CLASS HOLOTHUROIDEA<br/>(SEA CUCUMBERS)</b>  |   |                                      |
| ASPIDOCHIROTIDA  |   |                                      |
| Stichopodidae Sea cucumbers  |   | <i>Isostichopus fuscus</i> (Ecuador) |
| <b>PHYLUM ARTHROPODA<br/>CLASS ARACHNIDA<br/>(SCORPIONS AND SPIDERS)</b> |   |                                      |
| ARANEAE  |   |                                      |
| Theraphosidae Red-kneed tarantulas, tarantulas                           | <i>Aphonopelma albiceps</i><br><i>Aphonopelma pallidum</i><br><i>Brachypelma spp.</i> |                                      |
| SCORPIONES   |   |                                      |
| Scorpionidae Scorpions   | <i>Pandinus dictator</i><br><i>Pandinus gambiensis</i><br><i>Pandinus imperator</i>   |                                      |
| <b>CLASS INSECTA<br/>(INSECTS)</b>                                       |   |                                      |
| COLEOPTERA   |   |                                      |
| Lucanidae Cape stag beetles  |   | <i>Colophon spp.</i> (South Africa)  |

| I   | Appendices<br>II  |  | III  |
|---|---|--|--|
| Scarabaeidae Scarab beetles   |   |  |  |
|   | <i>Dynastes satanas</i>   |  |  |
| LEPIDOPTERA   |   |  |  |
| Nymphalidae Brush-footed butterflies  |   |  |  |
|   |   |  | <b><i>Agrias amydon boliviensis</i></b><br>(Plurinational State of Bolivia)<br><b><i>Morpho godartii lachaumei</i></b><br>(Plurinational State of Bolivia)<br><b><i>Prepona praeneste buckleyana</i></b><br>(Plurinational State of Bolivia) |
| Papilionidae Birdwing butterflies, swallowtail butterflies  |   |  |  |
| <b><i>Ornithoptera alexandrae</i></b><br><b><i>Papilio chikae</i></b><br><b><i>Papilio homerus</i></b><br><b><i>Papilio hospiton</i></b>  | <b><i>Atrophaneura jophon</i></b><br><b><i>Atrophaneura pandiyana</i></b><br><b><i>Bhutanitis</i> spp.</b><br><b><i>Ornithoptera</i> spp.</b> (Except the species included in Appendix I)<br><br><b><i>Parnassius apollo</i></b><br><b><i>Teinopalpus</i> spp.</b><br><b><i>Trogonoptera</i> spp.</b><br><b><i>Troides</i> spp.</b> |  |  |
| <b>PHYLUM ANNELIDA</b><br><b>CLASS HIRUDINOIDEA</b><br><b>(LEECHES)</b>   |   |  |  |
| ARHYNCHOBDELLIDA  |   |  |  |
| Hirudinidae Medicinal leeches   |   |  |  |
|   | <b><i>Hirudo medicinalis</i></b><br><b><i>Hirudo verbana</i></b>  |  |  |
| <b>PHYLUM MOLLUSCA</b><br><b>CLASS BIVALVIA</b><br><b>(CLAMS AND MUSSELS)</b>   |   |  |  |
| MYTILOIDA   |   |  |  |
| Mytilidae Marine mussels  |   |  |  |
|   | <b><i>Lithophaga lithophaga</i></b>   |  |  |
| UNIONOIDA   |   |  |  |
| Unionidae Freshwater mussels, pearly mussels  |   |  |  |
| <b><i>Conradilla caelata</i></b><br><br><b><i>Dromus dromas</i></b><br><b><i>Epioblasma curtisi</i></b><br><b><i>Epioblasma florentina</i></b><br><b><i>Epioblasma sampsonii</i></b><br><b><i>Epioblasma sulcata perobliqua</i></b><br><b><i>Epioblasma torulosa gubernaculum</i></b><br><br><b><i>Epioblasma torulosa torulosa</i></b><br><b><i>Epioblasma turgidula</i></b><br><b><i>Epioblasma walkeri</i></b><br><b><i>Fusconaia cuneolus</i></b> | <b><i>Cyprogenia aberti</i></b><br><br><br><br><br><br><br><br><br><br><b><i>Epioblasma torulosa rangiana</i></b>   |  |  |

| I  | Appendices<br>II        |  | III |
|--|-------------------------|--|-----|
| <i>Fusconaia edgariana</i><br><i>Lampsilis higginsii</i><br><i>Lampsilis orbiculata orbiculata</i><br><i>Lampsilis satur</i><br><i>Lampsilis virescens</i><br><i>Plethobasus cicatricosus</i><br><i>Plethobasus cooperianus</i><br><br><i>Pleurobema plenum</i><br><i>Potamilus capax</i><br><i>Quadrula intermedia</i><br><i>Quadrula sparsa</i><br><i>Toxolasma cylindrella</i><br><i>Unio nickliniana</i><br><i>Unio tampicoensis</i><br><i>tecomatensis</i><br><i>Villosa trabalis</i> | <i>Pleurobema clava</i> |  |     |
| VENEROIDA  |                         |  |     |
| Tridacnidae Giant clams  |                         |  |     |
|  |                         | Tridacnidae spp.   |     |
| <b>CLASS GASTROPODA<br/>(SNAILS AND CONCHES)</b>   |                         |  |     |
| MESOGASTROPODA   |                         |  |     |
| Strombidae Queen conch   |                         |  |     |
|  |                         | <i>Strombus gigas</i>  |     |
| STYLOMMATOPHORA  |                         |  |     |
| Achatinellidae Agate snails, oahu tree snails  |                         |  |     |
| <i>Achatinella</i> spp.  |                         |  |     |
| Camaenidae Green tree snail  |                         |  |     |
|  |                         | <i>Papustyla pulcherrima</i>   |     |
| <b>PHYLUM CNIDARIA<br/>CLASS ANTHOZOA<br/>(CORALS AND SEA ANEMONES)</b>  |                         |  |     |
| ANTIPATHARIA Black corals  |                         |  |     |
|  |                         | ANTIPATHARIA spp.  |     |
| GORGONACEAE  |                         |  |     |
| Coralliidae  |                         |  |     |
|  |                         | <i>Corallium elatius</i> (China)<br><i>Corallium japonicum</i> (China)<br><i>Corallium konjoi</i> (China)<br><i>Corallium secundum</i> (China) |     |
| HELIOPORACEA   |                         |  |     |
| Helioporidae Blue corals   |                         |  |     |
|  |                         | <b>Helioporidae spp.</b> (Includes only the species <i>Heliopora coerulea</i> . Fossils are not subject to the provisions of the Convention)   |     |
| SCLERACTINIA Stony corals  |                         |  |     |
|  |                         | <b>SCLERACTINIA spp.</b> (Fossils are not subject to the provisions of the Convention)   |     |

| I   | Appendices<br>II  | III |
|---|---|-----|
| STOLONIFERA   |   |     |
| Tubiporidae Organ-pipe corals   |   |     |
|   | <b>Tubiporidae spp.</b> (Fossils are not subject to the provisions of the Convention)   |     |
| <b>CLASS HYDROZOA<br/>(SEA FERNS, FIRE CORALS AND STINGING MEDUSAE)</b> |   |     |
| MILLEPORINA   |   |     |
| Milleporidae Fire corals  |   |     |
|   | <b>Milleporidae spp.</b> (Fossils are not subject to the provisions of the Convention)  |     |
| STYLASTERINA  |   |     |
| Stylasteridae Lace corals   |   |     |
|   | <b>Stylasteridae spp.</b> (Fossils are not subject to the provisions of the Convention) |     |



| Appendices   |  |     |
|--|--|-----|
| I  | II   | III |
| <b>F L O R A (PLANTS)</b>  |  |     |
| AGAVACEAE Agaves   |  |     |
| <b><i>Agave parviflora</i></b>   | <b><i>Agave victoriae-reginae</i></b> #4<br><b><i>Nolina interrata</i></b>   |     |
| AMARYLLIDACEAE Snowdrops, sternbergias   |  |     |
|  | <b><i>Galanthus</i> spp.</b> #4<br><b><i>Sternbergia</i> spp.</b> #4   |     |
| ANACARDIACEAE Cashews  |  |     |
|  | <b><i>Operculicarya hyphaenoides</i></b><br><b><i>Operculicarya pachypus</i></b>   |     |
| APOCYNACEAE Elephant trunks, hoodias   |  |     |
| <b><i>Pachypodium ambongense</i></b><br><b><i>Pachypodium baronii</i></b><br><b><i>Pachypodium decaryi</i></b> | <b><i>Hoodia</i> spp.</b> #9<br><b><i>Pachypodium</i> spp.</b> #4 (Except the species included in Appendix I)<br><br><b><i>Rauvolfia serpentina</i></b> #2   |     |
| ARALIACEAE Ginseng   |  |     |
|  | <b><i>Panax ginseng</i></b> #3 (Only the population of the Russian Federation; no other population is included in the Appendices)<br><b><i>Panax quinquefolius</i></b> #3  |     |
| ARAUCARIACEAE Monkey-puzzle tree   |  |     |
| <b><i>Araucaria araucana</i></b>   |  |     |
| BERBERIDACEAE May-apple  |  |     |
|  | <b><i>Podophyllum hexandrum</i></b> #2   |     |
| BROMELIACEAE Air plants, bromelias   |  |     |
|  | <b><i>Tillandsia harrisii</i></b> #4<br><b><i>Tillandsia kammii</i></b> #4<br><b><i>Tillandsia kautskyi</i></b> #4<br><b><i>Tillandsia mauryana</i></b> #4<br><b><i>Tillandsia sprengeliana</i></b> #4<br><b><i>Tillandsia sucrei</i></b> #4<br><b><i>Tillandsia xerographica</i></b> #4 |     |

- #4 All parts and derivatives, except:
- seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from *Beccariophoenix madagascariensis* and *Neodypsis decaryi* exported from Madagascar;
  - seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers;
  - cut flowers of artificially propagated plants;
  - fruits, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genus *Vanilla* (Orchidaceae) and of the family Cactaceae;
  - stems, flowers, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genera *Opuntia* subgenus *Opuntia* and *Selenicereus* (Cactaceae); and
  - finished products of *Euphorbia antisyphilitica* packaged and ready for retail trade.
- #9 All parts and derivatives except those bearing a label "Produced from *Hoodia* spp. material obtained through controlled harvesting and production in collaboration with the CITES Management Authorities of Botswana/Namibia/South Africa under agreement no. BW/NA/ZA xxxxxx".
- #2 All parts and derivatives except:
- seeds and pollen; and
  - finished products packaged and ready for retail trade.
- #3 Whole and sliced roots and parts of roots.

| I  | Appendices<br>II  | III |
|--|---|-----|
| <p>CACTACEAE Cacti</p> <p><i>Ariocarpus</i> spp.<br/> <i>Astrophytum asterias</i><br/> <i>Aztekium ritteri</i><br/> <i>Coryphantha werdermannii</i><br/> <i>Discocactus</i> spp.<br/> <i>Echinocereus ferreirianus</i><br/> <i>ssp. lindsayi</i><br/> <i>Echinocereus schmollii</i><br/> <i>Escobaria minima</i><br/> <i>Escobaria sneedii</i><br/> <i>Mammillaria pectinifera</i><br/> <i>Mammillaria solisioides</i><br/> <i>Melocactus conoideus</i><br/> <i>Melocactus deinacanthus</i><br/> <i>Melocactus glaucescens</i><br/> <i>Melocactus paucispinus</i><br/> <i>Obregonia denegrii</i><br/> <i>Pachycereus militaris</i><br/> <i>Pediocactus bradyi</i><br/> <i>Pediocactus knowltonii</i><br/> <i>Pediocactus paradinei</i><br/> <i>Pediocactus peeblesianus</i><br/> <i>Pediocactus sileri</i><br/> <i>Pelecyphora</i> spp.<br/> <i>Sclerocactus brevihamatus</i><br/> <i>ssp. tobuschii</i><br/> <i>Sclerocactus erectocentrus</i><br/> <i>Sclerocactus glaucus</i><br/> <i>Sclerocactus mariposensis</i><br/> <i>Sclerocactus mesae-verdae</i><br/> <i>Sclerocactus nyensis</i><br/> <i>Sclerocactus papyracanthus</i></p> | <p>CACTACEAE spp.<sup>6 #4</sup> (Except the species included in Appendix I and except <i>Pereskia</i> spp., <i>Peresklopsis</i> spp. and <i>Quiabentia</i> spp.)</p> |     |

<sup>6</sup> Artificially propagated specimens of the following hybrids and/or cultivars are not subject to the provisions of the Convention:

- *Hatiora* x *graeseri*
- *Schlumbergera* x *buckleyi*
- *Schlumbergera russelliana* x *Schlumbergera truncata*
- *Schlumbergera orssichiana* x *Schlumbergera truncata*
- *Schlumbergera opuntiioides* x *Schlumbergera truncata*
- *Schlumbergera truncata* (cultivars)
- Cactaceae spp. colour mutants grafted on the following grafting stocks: *Harrisia* 'Jusbertii', *Hylocereus trigonus* or *Hylocereus undatus*
- *Opuntia microdasys* (cultivars).

<sup>#4</sup> All parts and derivatives, except:

- a) seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from *Beccariophoenix madagascariensis* and *Neodypsis decaryi* exported from Madagascar;
- b) seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers;
- c) cut flowers of artificially propagated plants;
- d) fruits, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genus *Vanilla* (Orchidaceae) and of the family Cactaceae;
- e) stems, flowers, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genera *Opuntia* subgenus *Opuntia* and *Selenicereus* (Cactaceae); and
- f) finished products of *Euphorbia antisyphilitica* packaged and ready for retail trade.

| Appendices   |   |     |
|--|---|-----|
| I  | II  | III |
| <i>Sclerocactus pubispinus</i><br><i>Sclerocactus wrightiae</i><br><i>Strombocactus</i> spp.<br><i>Turbinicarpus</i> spp.<br><i>Uebelmannia</i> spp. |   |     |
| CARYOCARACEAE Ajo  | <i>Caryocar costaricense</i> #4   |     |
| COMPOSITAE (Asteraceae) Kuth   |   |     |
| <i>Saussurea costus</i>  |   |     |
| CRASSULACEAE Dudleyas  | <i>Dudleya stolonifera</i><br><i>Dudleya traskiae</i>   |     |
| CUCURBITACEAE Melons, gourds, cucurbits  | <i>Zygosicyos pubescens</i><br><i>Zygosicyos tripartitus</i>  |     |
| CUPRESSACEAE Alerce, cypresses   |   |     |
| <i>Fitzroya cupressoides</i><br><i>Pilgerodendron uviferum</i>   |   |     |
| CYATHEACEAE Tree-ferns   | <i>Cyathea</i> spp. #4  |     |
| CYCADACEAE Cycads  | CYCADACEAE spp. #4 (Except the species included in Appendix I)  |     |
| <i>Cycas beddomei</i>  |   |     |
| DICKSONIACEAE Tree-ferns   | <i>Cibotium barometz</i> #4<br><i>Dicksonia</i> spp. #4 (Only the populations of the Americas; no other population is included in the Appendices) |     |
| DIDIEREACEAE Alluaudias, didiereas   | DIDIEREACEAE spp. #4  |     |
| DIOSCOREACEAE Elephant's foot, kniss   | <i>Dioscorea deltoidea</i> #4   |     |
| DROSERACEAE Venus' flytrap   | <i>Dionaea muscipula</i> #4   |     |

#4

All parts and derivatives, except:

- seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from *Beccariophoenix madagascariensis* and *Neodypsis decaryi* exported from Madagascar;
- seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers;
- cut flowers of artificially propagated plants;
- fruits, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genus *Vanilla* (Orchidaceae) and of the family Cactaceae;
- stems, flowers, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genera *Opuntia* subgenus *Opuntia* and *Selenicereus* (Cactaceae); and
- finished products of *Euphorbia antisyphilitica* packaged and ready for retail trade.



| Appendices  |   |   |
|---|---|---|
| I   | II  | III   |
| GNETACEAE Gnetums   |   | <i>Gnetum montanum</i> <sup>#1</sup> (Nepal)  |
| JUGLANDACEAE Gvilan   | <i>Oreomunnea pterocarpa</i> <sup>#4</sup>  |   |
| LAURACEAE Laurels   | <i>Aniba rosaeodora</i> <sup>#12</sup>  |   |
| LEGUMINOSAE (Fabaceae) Afrormosia, cristobal, rosewood, sandalwood  | <i>Caesalpinia echinata</i> <sup>#10</sup>  | <i>Dalbergia retusa</i> <sup>#5</sup> [population of Guatemala (Guatemala)]<br><i>Dalbergia stevensonii</i> <sup>#5</sup> [population of Guatemala (Guatemala)]<br><i>Dipteryx panamensis</i> (Costa Rica, Nicaragua) |
| <i>Dalbergia nigra</i>  | <i>Pericopsis elata</i> <sup>#5</sup><br><i>Platymiscium pleiostachyum</i> <sup>#4</sup><br><i>Pterocarpus santalinus</i> <sup>#7</sup>   |   |
| LILIACEAE Aloes   | <i>Aloe</i> spp. <sup>#4</sup> (Except the species included in Appendix I. Also excludes <i>Aloe vera</i> , also referenced as <i>Aloe barbadensis</i> which is not included in the Appendices) |   |
| <i>Aloe albida</i><br><i>Aloe albiflora</i><br><i>Aloe alfredii</i><br><i>Aloe bakeri</i><br><i>Aloe bellatula</i><br><i>Aloe calcairophila</i><br><i>Aloe compressa</i> (Includes the vars. <i>paucituberculata</i> , <i>rugosquamosa</i> and <i>schistophila</i> )<br><i>Aloe delphinensis</i><br><i>Aloe descoingsii</i> |   |   |

<sup>#1</sup> All parts and derivatives, except:

- seeds, spores and pollen (including pollinia);
- seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers;
- cut flowers of artificially propagated plants; and
- fruits, and parts and derivatives thereof, of artificially propagated plants of the genus *Vanilla*.

<sup>#4</sup> All parts and derivatives, except:

- seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from *Beccariophoenix madagascariensis* and *Neodypsis decaryi* exported from Madagascar;
- seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers;
- cut flowers of artificially propagated plants;
- fruits, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genus *Vanilla* (Orchidaceae) and of the family Cactaceae;
- stems, flowers, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genera *Opuntia* subgenus *Opuntia* and *Selenicereus* (Cactaceae); and
- finished products of *Euphorbia antisyphilitica* packaged and ready for retail trade.

<sup>#12</sup> Logs, sawn wood, veneer sheets, plywood and essential oil (excluding finished products packaged and ready for retail trade).

<sup>#10</sup> Logs, sawn wood, veneer sheets, including unfinished wood articles used for the fabrication of bows for stringed musical instruments.

<sup>#5</sup> Logs, sawn wood and veneer sheets.

<sup>#7</sup> Logs, wood-chips, powder and extracts.

| Appendices  |   |  |
|---|---|--|
| I   | II  | III  |
| <b><i>Aloe fragilis</i></b><br><b><i>Aloe haworthioides</i></b> (Includes the var. <i>aurantiaca</i> )<br><b><i>Aloe helenae</i></b><br><b><i>Aloe laeta</i></b> (Includes the var. <i>maniaensis</i> )<br><b><i>Aloe parallelifolia</i></b><br><b><i>Aloe parvula</i></b><br><b><i>Aloe pillansii</i></b><br><b><i>Aloe polyphylla</i></b><br><b><i>Aloe rauhii</i></b><br><b><i>Aloe suzannae</i></b><br><b><i>Aloe versicolor</i></b><br><b><i>Aloe vossii</i></b> |   |  |
| MAGNOLIACEAE Magnolia   |   |  |
|   |   | <b><i>Magnolia liliifera</i></b> var. <b><i>obovata</i></b> <sup>#1</sup> (Nepal)  |
| MELIACEAE Mahoganies, West Indian cedar   |   |  |
|   |   | <b><i>Cedrela fissilis</i></b> <sup>#5</sup> (Plurinational State of Bolivia)  |
|   |   | <b><i>Cedrela lilloi</i></b> <sup>#5</sup> (Plurinational State of Bolivia)  |
|   |   | <b><i>Cedrela odorata</i></b> <sup>#5</sup> (Brazil and the Plurinational State of Bolivia. In addition, the following countries have listed their national populations: Colombia, Guatemala and Peru) |
|   | <b><i>Swietenia humilis</i></b> <sup>#4</sup><br><b><i>Swietenia macrophylla</i></b> <sup>#6</sup><br>(Populations of the Neotropics)<br><b><i>Swietenia mahagoni</i></b> <sup>#5</sup> |  |
| NEPENTHACEAE Pitcher-plants (Old World)   |   |  |
| <b><i>Nepenthes khasiana</i></b><br><b><i>Nepenthes rajah</i></b>   | <b><i>Nepenthes</i></b> spp. <sup>#4</sup> (Except the species included in Appendix I)  |  |

<sup>#1</sup> All parts and derivatives, except:  
a) seeds, spores and pollen (including pollinia);  
b) seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers;  
c) cut flowers of artificially propagated plants; and  
d) fruits, and parts and derivatives thereof, of artificially propagated plants of the genus *Vanilla*.

<sup>#5</sup> Logs, sawn wood and veneer sheets.

<sup>#4</sup> All parts and derivatives, except:  
a) seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from *Beccariophoenix madagascariensis* and *Neodypsis decaryi* exported from Madagascar;  
b) seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers;  
c) cut flowers of artificially propagated plants;  
d) fruits, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genus *Vanilla* (Orchidaceae) and of the family Cactaceae;  
e) stems, flowers, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genera *Opuntia* subgenus *Opuntia* and *Selenicereus* (Cactaceae); and  
f) finished products of *Euphorbia antisyphilitica* packaged and ready for retail trade.

<sup>#6</sup> Logs, sawn wood, veneer sheets and plywood.

| I  | Appendices  |  |
|--|---|--|
|  | II  | III  |
| <p>ORCHIDACEAE Orchids</p> <p>(For all of the following Appendix-I species, seedling or tissue cultures obtained <i>in vitro</i>, in solid or liquid media, and transported in sterile containers are not subject to the provisions of the Convention only if the specimens meet the definition of 'artificially propagated' agreed by the Conference of the Parties)</p> <p><b><i>Aerangis ellisii</i></b><br/> <b><i>Dendrobium cruentum</i></b><br/> <b><i>Laelia jongheana</i></b><br/> <b><i>Laelia lobata</i></b><br/> <b><i>Paphiopedilum</i> spp.</b><br/> <b><i>Peristeria elata</i></b><br/> <b><i>Phragmipedium</i> spp.</b><br/> <b><i>Renanthera imschootiana</i></b></p> | <p><b>ORCHIDACEAE spp.</b><sup>7 #4</sup>(Except the species included in Appendix I)</p>  |  |
| <p>OROBANCHACEAE Broomrape</p>   | <p><b><i>Cistanche deserticola</i></b><sup>#4</sup></p>   |  |
| <p>PALMAE (Areaceae) Palms</p> <p><b><i>Chrysalidocarpus decipiens</i></b></p>   | <p><b><i>Beccariophoenix madagascariensis</i></b><sup>#4</sup></p> <p><b><i>Lemurophoenix halleuxii</i></b></p> <p><b><i>Marojejya darianii</i></b><br/> <b><i>Neodypsis decaryi</i></b><sup>#4</sup><br/> <b><i>Ravenea louvelii</i></b></p> | <p><b><i>Lodoicea maldivica</i></b><sup>#13</sup><br/>(Seychelles)</p> |

<sup>7</sup> Artificially propagated hybrids of the following genera are not subject to the provisions of the Convention, if conditions, as indicated under a) and b), are met: *Cymbidium*, *Dendrobium*, *Phalaenopsis* and *Vanda*:

- a) Specimens are readily recognizable as artificially propagated and do not show any signs of having been collected in the wild such as mechanical damage or strong dehydration resulting from collection, irregular growth and heterogeneous size and shape within a taxon and shipment, algae or other epiphyllous organisms adhering to leaves, or damage by insects or other pests; and
- b)
  - i) when shipped in non-flowering state, the specimens must be traded in shipments consisting of individual containers (such as cartons, boxes, crates or individual shelves of CC-containers) each containing 20 or more plants of the same hybrid; the plants within each container must exhibit a high degree of uniformity and healthiness; and the shipment must be accompanied by documentation, such as an invoice, which clearly states the number of plants of each hybrid; or
  - ii) when shipped in flowering state, with at least one fully open flower per specimen, no minimum number of specimens per shipment is required but specimens must be professionally processed for commercial retail sale, e.g. labelled with printed labels or packaged with printed packages indicating the name of the hybrid and the country of final processing. This should be clearly visible and allow easy verification.

Plants not clearly qualifying for the exemption must be accompanied by appropriate CITES documents.

<sup>#4</sup> All parts and derivatives, except:

- a) seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from *Beccariophoenix madagascariensis* and *Neodypsis decaryi* exported from Madagascar;
- b) seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers;
- c) cut flowers of artificially propagated plants;
- d) fruits, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genus *Vanilla* (Orchidaceae) and of the family Cactaceae;
- e) stems, flowers, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genera *Opuntia* subgenus *Opuntia* and *Selenicereus* (Cactaceae); and
- f) finished products of *Euphorbia antisyphilitica* packaged and ready for retail trade.

<sup>#13</sup> The kernel (also known as 'endosperm', 'pulp' or 'copra') and any derivative thereof.

| I  | Appendices<br>II  | III   |
|--|---|---|
|  | <i>Ravenea rivularis</i><br><i>Satranala decussilvae</i><br><i>Voanioala gerardii</i> |   |
| PAPAVERACEAE Poppy                                     |   | <i>Meconopsis regia</i> #1 (Nepal)              |
| PASSIFLORACEAE Passion-flowers                         | <i>Adenia olaboensis</i>  |   |
| PINACEAE Firs and pines                                | <i>Abies guatemalensis</i>  | <i>Pinus koraiensis</i> #5 (Russian Federation) |
| PODOCARPACEAE Podocarps                                | <i>Podocarpus parlatorei</i>  | <i>Podocarpus neriifolius</i> #1 (Nepal)        |
| PORTULACACEAE Lewisias, portulacas, purslanes          | <i>Anacampseros</i> spp. #4<br><i>Avonia</i> spp. #4<br><i>Lewisia serrata</i> #4     |   |
| PRIMULACEAE Cyclamens                                  | <i>Cyclamen</i> spp. #8 #4  |   |
| RANUNCULACEAE Golden seals, yellow adonis, yellow root | <i>Adonis vernalis</i> #2<br><i>Hydrastis canadensis</i> #8                           |   |
| ROSACEAE African cherry, stinkwood                     | <i>Prunus africana</i> #4   |   |
| RUBIACEAE Ayugue                                       | <i>Balmea stormiae</i>  |   |
| SARRACENIACEAE Pitcher-plants (New World)              | <i>Sarracenia</i> spp. #4 (Except the species included in Appendix I)                 |   |
|  | <i>Sarracenia oreophila</i>   |   |

- #1 All parts and derivatives, except:
- seeds, spores and pollen (including pollinia);
  - seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers;
  - cut flowers of artificially propagated plants; and
  - fruits, and parts and derivatives thereof, of artificially propagated plants of the genus *Vanilla*.

#5 Logs, sawn wood and veneer sheets.

- #4 All parts and derivatives, except:
- seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from *Beccariophoenix madagascariensis* and *Neodypsis decaryi* exported from Madagascar;
  - seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers;
  - cut flowers of artificially propagated plants;
  - fruits, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genus *Vanilla* (Orchidaceae) and of the family Cactaceae;
  - stems, flowers, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genera *Opuntia* subgenus *Opuntia* and *Selenicereus* (Cactaceae); and
  - finished products of *Euphorbia antisyphilitica* packaged and ready for retail trade.

#8 Artificially propagated specimens of cultivars of *Cyclamen persicum* are not subject to the provisions of the Convention. However, the exemption does not apply to such specimens traded as dormant tubers.

- #2 All parts and derivatives except:
- seeds and pollen; and
  - finished products packaged and ready for retail trade.

#8 Underground parts (i.e. roots, rhizomes): whole, parts and powdered.



| Appendices   |   |   |
|--|---|---|
| I  | II  | III   |
| <b><i>Sarracenia rubra</i></b><br><b>ssp. <i>alabamensis</i></b><br><b><i>Sarracenia rubra</i> ssp. <i>jonesii</i></b> |   |   |
| SCROPHULARIACEAE Kutki   |   |   |
|  | <b><i>Picrorhiza kurroa</i></b> #2 (Excludes<br><i>Picrorhiza scrophulariiflora</i> )   |   |
| STANGERIACEAE Stangerias   |   |   |
| <b><i>Stangeria eriopus</i></b>  | <b><i>Bowenia</i> spp.</b> #4   |   |
| TAXACEAE Himalayan yew   |   |   |
|  | <b><i>Taxus chinensis</i></b> and infraspecific<br>taxa of this species #2<br><b><i>Taxus cuspidata</i></b> and infraspecific<br>taxa of this species #9 #2<br><b><i>Taxus fuana</i></b> and infraspecific<br>taxa of this species #2<br><b><i>Taxus sumatrana</i></b> and<br>infraspecific taxa of this species #2<br><b><i>Taxus wallichiana</i></b> #2 |   |
| THYMELAEACEAE (Aquilariaceae) Agarwood, ramin  |   |   |
|  | <b><i>Aquilaria</i> spp.</b> #4<br><b><i>Gonystylus</i> spp.</b> #4<br><b><i>Gyrinops</i> spp.</b> #4   |   |
| TROCHODENDRACEAE (Tetracentraceae) Tetracentron  |   |   |
|  |   | <b><i>Tetracentron sinense</i></b> #1 (Nepal) |
| VALERIANACEAE Himalayan spikenard  |   |   |
|  | <b><i>Nardostachys grandiflora</i></b> #2   |   |
| VITACEAE Grapes  |   |   |
|  | <b><i>Cyphostemma elephantopus</i></b><br><b><i>Cyphostemma montagnacii</i></b>   |   |
| WELWITSCHIAEAE Welwitschia   |   |   |
|  | <b><i>Welwitschia mirabilis</i></b> #4  |   |

#2 All parts and derivatives except:  
a) seeds and pollen; and  
b) finished products packaged and ready for retail trade.

#4 All parts and derivatives, except:  
a) seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from *Beccariophoenix madagascariensis* and *Neodypsis decaryi* exported from Madagascar;  
b) seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers;  
c) cut flowers of artificially propagated plants;  
d) fruits, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genus *Vanilla* (Orchidaceae) and of the family Cactaceae;  
e) stems, flowers, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genera *Opuntia* subgenus *Opuntia* and *Selenicereus* (Cactaceae); and  
f) finished products of *Euphorbia antisyphilitica* packaged and ready for retail trade.

#9 Artificially propagated hybrids and cultivars of *Taxus cuspidata*, live, in pots or other small containers, each consignment being accompanied by a label or document stating the name of the taxon or taxa and the text 'artificially propagated', are not subject to the provisions of the Convention.

#1 All parts and derivatives, except:  
a) seeds, spores and pollen (including pollinia);  
b) seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers;  
c) cut flowers of artificially propagated plants; and  
d) fruits, and parts and derivatives thereof, of artificially propagated plants of the genus *Vanilla*.

| I  | Appendices<br>II   | III |
|--|--|-----|
| ZAMIACEAE Cycads   | <b>ZAMIACEAE spp.</b> <sup>#4</sup> (Except the species included in Appendix I)  |     |
| <b>Ceratozamia spp.</b><br><b>Chigua spp.</b><br><b>Encephalartos spp.</b><br><b>Microcycas calocoma</b> |  |     |
| ZINGIBERACEAE Ginger lily  | <b>Hedychium philippinense</b> <sup>#4</sup>                                     |     |
| ZYGOPHYLLACEAE Lignum-vitae  | <b>Bulnesia sarmientoi</b> <sup>#11</sup><br><b>Guaiaacum spp.</b> <sup>#2</sup> |     |

<sup>#4</sup> All parts and derivatives, except:

- seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from *Beccariophoenix madagascariensis* and *Neodypsis decaryi* exported from Madagascar;
- seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers;
- cut flowers of artificially propagated plants;
- fruits, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genus *Vanilla* (Orchidaceae) and of the family Cactaceae;
- stems, flowers, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genera *Opuntia* subgenus *Opuntia* and *Selenicereus* (Cactaceae); and
- finished products of *Euphorbia antisyphilitica* packaged and ready for retail trade.

<sup>#11</sup> Logs, sawn wood, veneer sheets, plywood, powder and extracts.

<sup>#2</sup> All parts and derivatives except:

- seeds and pollen; and
- finished products packaged and ready for retail trade.