

CONVENTION ON INTERNATIONAL TRADE IN ENDANGERED SPECIES
OF WILD FAUNA AND FLORA



Twenty-first meeting of the Plants Committee
Veracruz (Mexico), 2-8 May 2014

NET EXPORTS OF APPENDIX II PLANT SPECIES, 2007-2012 RAW DATA

1. The attached information document has been submitted by the Secretariat and has been prepared by UNEP-WCMC in relation to agenda item 12.
2. In accordance with Resolution *Review of Significant Trade in specimens of Appendix-II species* the Secretariat requested UNEP-WCMC to produce a summary from the CITES Trade Database of annual report statistics showing the recorded net level of exports for Appendix-II species over the five most recent years for which reasonably complete data are available (2008-2013). The present document presents the raw data that was used to prepare the Annex of the document PC21 Doc.12.4.

* *The geographical designations employed in this document do not imply the expression of any opinion whatsoever on the part of the CITES Secretariat or the United Nations Environment Programme concerning the legal status of any country, territory, or area, or concerning the delimitation of its frontiers or boundaries. The responsibility for the contents of the document rests exclusively with its author.*

Net Exports of Appendix II FLORA (direct trade only), 2007-2012 - raw data

Note: 2012 data is incomplete. Data extracted from the CITES Trade Database on 2 December 2013.

| Family | Taxon | App. Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|----------------|---------------------------------------|-----------|------|---------|----------|----------|----------|----------|----------|----------|
| Amaryllidaceae | <i>Galanthus alpinus</i> | II | LIV | GE | | | | | | 60 |
| Amaryllidaceae | <i>Galanthus alpinus</i> | II | ROO | GE | 20 | | | 16 | | 95 |
| Amaryllidaceae | <i>Galanthus alpinus var. alpinus</i> | II | DPL | GE | | | 1 | | | |
| Amaryllidaceae | <i>Galanthus alpinus var. alpinus</i> | II | ROO | GE | | | | 44 | | |
| Amaryllidaceae | <i>Galanthus elwesii</i> | II | LIV | TR | 5700000 | 5104120 | 2912615 | 4245840 | 5250000 | 3589246 |
| Amaryllidaceae | <i>Galanthus elwesii</i> | II | ROO | TR | | | 5600000 | | 4329975 | |
| Amaryllidaceae | <i>Galanthus kemulariae</i> | II | LIV | GE | | 1 | | | | 35 |
| Amaryllidaceae | <i>Galanthus kemulariae</i> | II | ROO | GE | | | | 37 | | 35 |
| Amaryllidaceae | <i>Galanthus ketzhoveli</i> | II | ROO | GE | | | | 27 | | |
| Amaryllidaceae | <i>Galanthus krasnovii</i> | II | LIV | GE | | | | | | 45 |
| Amaryllidaceae | <i>Galanthus krasnovii</i> | II | ROO | GE | | | | 20 | | 45 |
| Amaryllidaceae | <i>Galanthus lagodechianus</i> | II | DPL | GE | | | 1 | | | |
| Amaryllidaceae | <i>Galanthus lagodechianus</i> | II | LIV | GE | | | | | | 60 |
| Amaryllidaceae | <i>Galanthus lagodechianus</i> | II | ROO | GE | 10 | | | 50 | | 60 |
| Amaryllidaceae | <i>Galanthus platyphyllus</i> | II | LIV | GE | | | | | | 20 |
| Amaryllidaceae | <i>Galanthus platyphyllus</i> | II | ROO | GE | | | | 13 | | 20 |
| Amaryllidaceae | <i>Galanthus rizehensis</i> | II | ROO | GE | | | | 24 | | |
| Amaryllidaceae | <i>Galanthus schaoricus</i> | II | LIV | GE | | 1 | | | | 35 |
| Amaryllidaceae | <i>Galanthus schaoricus</i> | II | ROO | GE | | | | 26 | | |
| Amaryllidaceae | <i>Galanthus woronowii</i> | II | LIV | GE | | 14950767 | 5921720 | 4684840 | | 15000060 |
| Amaryllidaceae | <i>Galanthus woronowii</i> | II | LIV | TR | 2000000 | | 1999200 | 5421402 | 3000000 | |
| Amaryllidaceae | <i>Galanthus woronowii</i> | II | ROO | GE | 15000020 | | 14999995 | 55 | 15000000 | 60 |
| Amaryllidaceae | <i>Sternbergia colchiciflora</i> | II | LIV | GE | | | | | | 30 |
| Amaryllidaceae | <i>Sternbergia colchiciflora</i> | II | ROO | GE | | | | | | 30 |
| Anacardiaceae | <i>Operculicarya hyphaenoides</i> | II | LIV | MG | | | | | 275 | 106 |
| Anacardiaceae | <i>Operculicarya pachypus</i> | II | LIV | MG | | | | 100 | 306 | 405 |
| Apocynaceae | <i>Hoodia spp.</i> | II | DER | KIL | | | | | 4.5 | |
| Apocynaceae | <i>Hoodia spp.</i> | II | DER | KIL | | | 0.916 | | | 30.04 |
| Apocynaceae | <i>Hoodia spp.</i> | II | POW | KIL | | | | 4 | | |
| Apocynaceae | <i>Hoodia gordonii</i> | II | CHP | KIL | | | 3 | | | |
| Apocynaceae | <i>Hoodia gordonii</i> | II | DER | | | | | 150 | | |
| Apocynaceae | <i>Hoodia gordonii</i> | II | DER | ZA | 360 | | | | | |
| Apocynaceae | <i>Hoodia gordonii</i> | II | DER | BOT | 6 | 12 | | | | |
| Apocynaceae | <i>Hoodia gordonii</i> | II | DER | GRM | | | | 2.475 | 7427.97 | |
| Apocynaceae | <i>Hoodia gordonii</i> | II | DER | KIL | 66.13 | 298.838 | 100.2575 | 67.75725 | 1933.65 | |
| Apocynaceae | <i>Hoodia gordonii</i> | II | DER | LTR | | | | 25 | | |
| Apocynaceae | <i>Hoodia gordonii</i> | II | DPL | KIL | 250 | 0.8 | | | | |
| Apocynaceae | <i>Hoodia gordonii</i> | II | DPL | KIL | 104.3 | 32790 | | | | |
| Apocynaceae | <i>Hoodia gordonii</i> | II | EXT | ZA | | | | | 300 | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-------------|-----------------------------------|------|------|------|---------|-----------|-----------|-----------|------------|-----------|--------|
| Apocynaceae | <i>Hoodia gordonii</i> | II | EXT | GRM | ZA | | | 27 | 225 | 49.2 | |
| Apocynaceae | <i>Hoodia gordonii</i> | II | EXT | KIL | ZA | 140 | 250 | | 26.8295 | 60 | 5.1 |
| Apocynaceae | <i>Hoodia gordonii</i> | II | EXT | LTR | ZA | | | | 5 | 2 | |
| Apocynaceae | <i>Hoodia gordonii</i> | II | LIV | | ZA | 5 | | | | | |
| Apocynaceae | <i>Hoodia gordonii</i> | II | LVS | KIL | ZA | 30 | | | 40 | | |
| Apocynaceae | <i>Hoodia gordonii</i> | II | MED | KIL | NA | | | | 325 | | |
| Apocynaceae | <i>Hoodia gordonii</i> | II | MED | KIL | XV | | | | 677.16 | | |
| Apocynaceae | <i>Hoodia gordonii</i> | II | MED | KIL | ZA | | | | | 75 | |
| Apocynaceae | <i>Hoodia gordonii</i> | II | POW | | ZA | | | | 3061 | | |
| Apocynaceae | <i>Hoodia gordonii</i> | II | POW | GRM | ZA | | | 22 | 94.2 | 10806.495 | |
| Apocynaceae | <i>Hoodia gordonii</i> | II | POW | KIL | NA | | 2.12 | 203.368 | 73.605 | | |
| Apocynaceae | <i>Hoodia gordonii</i> | II | POW | KIL | ZA | 23384.505 | 32517.807 | 2404.3674 | 14733.7725 | 6289.05 | 6019.1 |
| Apocynaceae | <i>Hoodia gordonii</i> | II | ROO | KIL | ZA | 60 | | | | | |
| Apocynaceae | <i>Hoodia gordonii</i> | II | SEE | | ZA | 30010000 | 30000000 | | | | |
| Apocynaceae | <i>Hoodia gordonii</i> | II | SPE | KIL | NA | | 0.141 | | | | |
| Apocynaceae | <i>Hoodia gordonii</i> | II | SPE | KIL | ZA | 0.28 | | | | | |
| Apocynaceae | <i>Hoodia gordonii</i> | II | STE | KIL | NA | | | 200 | | | |
| Apocynaceae | <i>Hoodia grandis</i> | II | LIV | | ZA | 2 | | | | | |
| Apocynaceae | <i>Hoodia juttae</i> | II | LIV | | US | | | | | | 20 |
| Apocynaceae | <i>Hoodia pilifera</i> | II | LIV | | ZA | 20 | | | | | |
| Apocynaceae | <i>Pachypodium spp.</i> | II | LIV | | MG | 899 | 813 | 230 | 351 | 497 | 575 |
| Apocynaceae | <i>Pachypodium spp.</i> | II | SEE | | MG | | 52000 | | | | |
| Apocynaceae | <i>Pachypodium baronii</i> | II | LIV | | MG | | | | 13 | | |
| Apocynaceae | <i>Pachypodium bispinosum</i> | II | LIV | | ZA | 1640 | | | | 30 | |
| Apocynaceae | <i>Pachypodium brevicaule</i> | II | LIV | | MG | 658 | 1499 | 110 | 850 | 919 | 1015 |
| Apocynaceae | <i>Pachypodium densiflorum</i> | II | LIV | | MG | 1275 | 380 | 190 | 403 | 380 | 448 |
| Apocynaceae | <i>Pachypodium eburneum</i> | II | LIV | | MG | | | | | 50 | 180 |
| Apocynaceae | <i>Pachypodium horombense</i> | II | LIV | | MG | 158 | 247 | | 230 | 155 | 180 |
| Apocynaceae | <i>Pachypodium inopinatum</i> | II | LIV | | MG | | | | | 71 | 120 |
| Apocynaceae | <i>Pachypodium itremensis</i> | II | LIV | | MG | | | | 100 | | |
| Apocynaceae | <i>Pachypodium lamerei</i> | II | LIV | | MG | 800 | | | | | |
| Apocynaceae | <i>Pachypodium makayense</i> | II | LIV | | MG | | 62 | 50 | 30 | 148 | |
| Apocynaceae | <i>Pachypodium rosulatum</i> | II | LIV | | MG | 1172 | 167 | 105 | 8 | 111 | 80 |
| Apocynaceae | <i>Pachypodium rosulatum</i> | II | SEE | KIL | MG | | 0.1 | | | | |
| Apocynaceae | <i>Pachypodium rutenbergianum</i> | II | LIV | | MG | 10 | | | | | |
| Apocynaceae | <i>Pachypodium succulentum</i> | II | LIV | | ZA | 40 | | | | 30 | |
| Apocynaceae | <i>Rauvolfia serpentina</i> | II | ROO | GRM | TH | | | | | 50000 | |
| Apocynaceae | <i>Rauvolfia serpentina</i> | II | ROO | KIL | TH | 4900 | 1000 | 5037 | 670.5 | 180.785 | 0.2 |
| Apocynaceae | <i>Apocynaceae spp.</i> | II | DPL | | MG | | | | 6 | | |
| Araliaceae | <i>Panax quinquefolius</i> | II | MED | KIL | XV | | | | | 236.87 | |
| Araliaceae | <i>Panax quinquefolius</i> | II | POW | KIL | CA | | | | | | 2 |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|---------------|---------------------------------|------|------|------|---------|-----------|-------|-----------|-----------|----------|-------|
| Araliaceae | <i>Panax quinquefolius</i> | II | ROO | | US | | | | 32 | 3 | |
| Araliaceae | <i>Panax quinquefolius</i> | II | ROO | GRM | US | 1021 | 454 | | | | 2074 |
| Araliaceae | <i>Panax quinquefolius</i> | II | ROO | KIL | US | 25255.072 | 12993 | 48024.523 | 32149.646 | 22816.69 | 20558 |
| Berberidaceae | <i>Podophyllum hexandrum</i> | II | EXT | KIL | IN | | | | 702 | | 667 |
| Bromeliaceae | <i>Tillandsia spp.</i> | II | LIV | | CO | | | | | | 3 |
| Bromeliaceae | <i>Tillandsia spp.</i> | II | LIV | | MX | | | | | | 4 |
| Bromeliaceae | <i>Tillandsia harrisii</i> | II | LIV | | CO | | | | | | 50 |
| Bromeliaceae | <i>Tillandsia kautskyi</i> | II | LIV | | CO | | | | | 50 | |
| Bromeliaceae | <i>Tillandsia sucrei</i> | II | LIV | | CO | | | | | 30 | |
| Bromeliaceae | <i>Tillandsia xerographica</i> | II | LIV | | CO | | | | | 135 | 120 |
| Cactaceae | <i>Cactaceae spp.</i> | II | DPL | | GT | 290 | | | | | |
| Cactaceae | <i>Cactaceae spp.</i> | II | DPL | | MG | | 2 | | | | |
| Cactaceae | <i>Cactaceae spp.</i> | II | DPL | | PE | 7 | | 4 | | | |
| Cactaceae | <i>Cactaceae spp.</i> | II | DPL | | SR | 1 | | | | | |
| Cactaceae | <i>Cactaceae spp.</i> | II | EXT | | PE | | | 6 | | | |
| Cactaceae | <i>Cactaceae spp.</i> | II | LIV | | BZ | 1 | | | | | |
| Cactaceae | <i>Cactaceae spp.</i> | II | LIV | | EE | | 10 | | | | |
| Cactaceae | <i>Cactaceae spp.</i> | II | LIV | | FR | | | | | | 66 |
| Cactaceae | <i>Cactaceae spp.</i> | II | LIV | | ZA | | | | | | 3 |
| Cactaceae | <i>Cactaceae spp.</i> | II | SEE | GRM | MG | | | | 1 | | |
| Cactaceae | <i>Cactaceae spp.</i> | II | SPE | | MG | | | 8 | | | 5 |
| Cactaceae | <i>Cactaceae spp.</i> | II | SPE | | PE | | | | 4 | | |
| Cactaceae | <i>Astrophytum capricorne</i> | II | LIV | | JP | | | | 1 | | |
| Cactaceae | <i>Astrophytum myriostigma</i> | II | LIV | | JP | | | | 7 | | |
| Cactaceae | <i>Astrophytum myriostigma</i> | II | SEE | KIL | MX | 200 | | | | | |
| Cactaceae | <i>Astrophytum ornatum</i> | II | LIV | | JP | | | | 3 | | |
| Cactaceae | <i>Blossfeldia liliputana</i> | II | LIV | | PE | 40 | | | | | |
| Cactaceae | <i>Browningia viridis</i> | II | DPL | | PE | | 1 | | | | |
| Cactaceae | <i>Carnegiea gigantea</i> | II | LIV | | US | | | | | | 2 |
| Cactaceae | <i>Carnegiea gigantea</i> | II | STE | | MX | 2 | | | | | |
| Cactaceae | <i>Carnegiea gigantea</i> | II | STE | KIL | MX | | | | | 5600 | 2800 |
| Cactaceae | <i>Carnegiea gigantea</i> | II | TIM | KIL | MX | | | | | 2800 | |
| Cactaceae | <i>Carnegiea gigantea</i> | II | TIP | | MX | 40000 | | | | | |
| Cactaceae | <i>Cereus hexagonus</i> | II | DPL | | SR | | | | | | 5 |
| Cactaceae | <i>Cereus lanosus</i> | II | DPL | | PY | | | | 1 | | |
| Cactaceae | <i>Cleistocactus acanthurus</i> | II | DPL | | PE | 1 | | | | | |
| Cactaceae | <i>Cleistocactus candelilla</i> | II | LIV | | PE | 3 | | | | | |
| Cactaceae | <i>Copiapoa cinerascens</i> | II | STE | | CL | | 5 | | | | |
| Cactaceae | <i>Copiapoa cinerea</i> | II | STE | | CL | | 5 | | | | |
| Cactaceae | <i>Copiapoa coquimbana</i> | II | STE | | CL | | 4 | | | | |
| Cactaceae | <i>Copiapoa serpentisulcata</i> | II | LIV | | PE | | | 30 | | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-----------|--------------------------------------|------|------|------|---------|-------|-------|----------|-----------|---------|-------|
| Cactaceae | <i>Copiapoa solaris</i> | II | STE | | CL | | 4 | | | | |
| Cactaceae | <i>Corryocactus brevistylus</i> | II | CAR | | PE | 1568 | | | 1300 | | |
| Cactaceae | <i>Corryocactus brevistylus</i> | II | DPL | | PE | | | | | | 150 |
| Cactaceae | <i>Corryocactus brevistylus</i> | II | STE | | PE | 4858 | 1650 | 735 | 430 | 1370 | 150 |
| Cactaceae | <i>Corryocactus brevistylus</i> | | | | | | | | | | |
| Cactaceae | <i>puquiensis</i> | II | STE | | PE | | | 490 | | | |
| Cactaceae | <i>Corryocactus pulquinensis</i> | II | STE | | PE | 750 | 400 | | | | |
| Cactaceae | <i>Coryphantha erecta</i> | II | SEE | GRM | MX | | | | 200 | | |
| Cactaceae | <i>Coryphantha poselgeriana</i> | II | LIV | | JP | | | | 2 | | |
| Cactaceae | <i>Coryphantha radians</i> | II | SEE | KIL | MX | 200 | | | | | |
| Cactaceae | <i>Disocactus aurantiacus</i> | II | LIV | | ID | | 5 | | | | |
| Cactaceae | <i>Echinocactus grusonii</i> | II | LIV | | CN | | | | | | 100 |
| Cactaceae | <i>Echinocactus grusonii</i> | II | LIV | | JP | | | | 1 | | |
| Cactaceae | <i>Echinocactus horizonthalonius</i> | II | LIV | | JP | | | | 17 | | |
| Cactaceae | <i>Echinocactus platyacanthus</i> | II | SEE | GRM | MX | | | | 200 | | |
| Cactaceae | <i>Echinocactus platyacanthus</i> | II | SEE | KIL | MX | 200 | | | | | |
| Cactaceae | <i>Echinocactus texensis</i> | II | LIV | | JP | | | | 12 | | |
| Cactaceae | <i>Echinocereus spp.</i> | II | LIV | | MX | | | | | | 1 |
| Cactaceae | <i>Echinocereus cinerascens</i> | II | SEE | GRM | MX | | | | 200 | | |
| Cactaceae | <i>Echinocereus rigidissimus</i> | II | LIV | | JP | | | | 2 | | |
| Cactaceae | <i>Echinocereus rigidissimus</i> | II | LIV | | MX | | | | | | 1 |
| Cactaceae | <i>Echinopsis spp.</i> | II | STE | | PE | 110 | | | 10 | | |
| Cactaceae | <i>Echinopsis chamaecereus</i> | II | LIV | | CN | | | | | 400 | |
| Cactaceae | <i>Echinopsis chiloensis</i> | II | CAR | | CL | | 13299 | 9622 | 3722 | 440 | 1390 |
| Cactaceae | <i>Echinopsis chiloensis</i> | II | CAR | MTR | CL | | | | | 5337.49 | 2400 |
| Cactaceae | <i>Echinopsis chiloensis</i> | II | DPL | | CL | | 900 | | | | 160 |
| Cactaceae | <i>Echinopsis chiloensis</i> | II | LIV | | CL | | | 40 | 42 | | |
| Cactaceae | <i>Echinopsis chiloensis</i> | II | STE | | CL | 28180 | 3225 | 4925 | 500 | 300 | |
| Cactaceae | <i>Echinopsis chiloensis</i> | II | STE | MTR | CL | 15093 | 13703 | 10882.05 | 11683.635 | | |
| Cactaceae | <i>Echinopsis chiloensis</i> | II | TIM | | CL | | | | 2050 | 4825 | |
| Cactaceae | <i>Echinopsis hertrichiana</i> | II | LIV | | PE | 10 | | | | | |
| Cactaceae | <i>Echinopsis mamillosa</i> | II | LIV | | PE | 10 | | | | | |
| Cactaceae | <i>Echinopsis marsoneri</i> | II | LIV | | PE | 10 | | | | | |
| Cactaceae | <i>Echinopsis pachanoi</i> | II | BAR | KIL | PE | | 70 | 10 | | | |
| Cactaceae | <i>Echinopsis pachanoi</i> | II | DER | | PE | | | 200 | | | |
| Cactaceae | <i>Echinopsis pachanoi</i> | II | DPL | KIL | PE | | | | | | 28.5 |
| Cactaceae | <i>Echinopsis pachanoi</i> | II | POW | KIL | PE | 136.9 | | | 189.6 | 236.8 | 150.4 |
| Cactaceae | <i>Echinopsis pachanoi</i> | II | STE | | PE | 1350 | 400 | | 3406 | | |
| Cactaceae | <i>Echinopsis pachanoi</i> | II | STE | KIL | PE | 125 | | | 78.85 | 32.1 | |
| Cactaceae | <i>Echinopsis pachanoi</i> | II | TIM | KIL | PE | | 25 | | | | |
| Cactaceae | <i>Echinopsis peruviana</i> | II | CAR | | PE | 850 | | | | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-----------|--|------|------|------|---------|----------|-------|---------|-----------|-----------|---------|
| Cactaceae | <i>Echinopsis peruviana</i> | II | DER | | PE | | | 370 | | | |
| Cactaceae | <i>Echinopsis peruviana</i> | II | DPL | | PE | | | | 196 | | |
| Cactaceae | <i>Echinopsis peruviana</i> | II | LIV | | PE | | 40 | | | | |
| Cactaceae | <i>Echinopsis peruviana</i> | II | STE | | PE | | 110 | | | | |
| Cactaceae | <i>Echinopsis peruviana</i> | II | TIM | | PE | | | | | 184 | |
| Cactaceae | <i>Echinopsis peruviana puquiensis</i> | II | CAR | | PE | | | | 400 | | |
| Cactaceae | <i>Echinopsis peruviana puquiensis</i> | II | STE | | PE | 1536 | 2000 | 850 | 1961 | 1780 | |
| Cactaceae | <i>Echinopsis tegeleriana</i> | II | LIV | | PE | 10 | | | | | |
| Cactaceae | <i>Epiphyllum spp.</i> | II | DPL | | SR | 1 | | | | | |
| Cactaceae | <i>Epiphyllum spp.</i> | II | EXT | GRM | JP | | | | 0.003 | | |
| Cactaceae | <i>Epiphyllum spp.</i> | II | LIV | | BZ | 1 | | | | | |
| Cactaceae | <i>Epiphyllum oxypetalum</i> | II | DER | GRM | JP | | | | | 0.48 | |
| Cactaceae | <i>Epiphyllum oxypetalum</i> | II | EXT | GRM | JP | | | | 3.011 | | |
| Cactaceae | <i>Epithelantha micromeris</i> | II | LIV | | JP | | | | 6 | | |
| Cactaceae | <i>Eriosyce islayensis</i> | II | LIV | | PE | 20 | | | | | |
| Cactaceae | <i>Escontria chiotilla</i> | II | SEE | GRM | MX | | | | 400 | | |
| Cactaceae | <i>Espostoa melanostele</i> | II | DPL | | PE | 1 | | | | | |
| Cactaceae | <i>Eulychnia acida</i> | II | CAR | | CL | | 23163 | 22846 | 31115 | 12650 | 12865 |
| Cactaceae | <i>Eulychnia acida</i> | II | CAR | MTR | CL | | | | | 22111.577 | 22682.8 |
| Cactaceae | <i>Eulychnia acida</i> | II | DER | | CL | 160 | 695 | 665 | 405 | 15 | |
| Cactaceae | <i>Eulychnia acida</i> | II | DER | | CN | | | | 326 | | |
| Cactaceae | <i>Eulychnia acida</i> | II | DER | MLT | CL | | | | | 187.5 | |
| Cactaceae | <i>Eulychnia acida</i> | II | DPL | | CL | | | 1948 | 800 | 565 | |
| Cactaceae | <i>Eulychnia acida</i> | II | EXT | MLT | CL | | | | | | 298.75 |
| Cactaceae | <i>Eulychnia acida</i> | II | LIV | | CL | | | 50 | 42 | | |
| Cactaceae | <i>Eulychnia acida</i> | II | STE | | CL | 72911 | 12101 | 13810 | 2029 | | 6644 |
| Cactaceae | <i>Eulychnia acida</i> | II | STE | KIL | CL | | | 1500 | 2556 | 2295 | 1402 |
| Cactaceae | <i>Eulychnia acida</i> | II | STE | MTR | CL | 44612.01 | 38662 | 30268.7 | 32070.945 | | |
| Cactaceae | <i>Eulychnia acida</i> | II | TIM | | CL | | | | 3712 | 1720 | 400 |
| Cactaceae | <i>Eulychnia breviflora</i> | II | STE | | CL | | 16 | | | | |
| Cactaceae | <i>Ferocactus chrysacanthus</i> | II | LIV | | JP | | | | 1 | | |
| Cactaceae | <i>Ferocactus flavovirens</i> | II | SEE | GRM | MX | | | | 200 | | |
| Cactaceae | <i>Ferocactus gracilis</i> | II | LIV | | JP | | | | 5 | | |
| Cactaceae | <i>Ferocactus histrix</i> | II | SEE | KIL | MX | 200 | | | | | |
| Cactaceae | <i>Ferocactus latispinus</i> | II | SEE | GRM | MX | | | | 600 | | 5.1 |
| Cactaceae | <i>Ferocactus peninsulae</i> | II | SEE | GRM | MX | | | | 200 | | |
| Cactaceae | <i>Frailea castanea</i> | II | LIV | | JP | | | | 10 | | |
| Cactaceae | <i>Frailea cataphracta</i> | II | LIV | | JP | | | | 2 | | |
| Cactaceae | <i>Geohintonia mexicana</i> | II | LIV | | JP | | | | 14 | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-----------|---------------------------------------|------|------|------|---------|------|------|------|------|------|-------|
| Cactaceae | <i>Haageocereus acranthus</i> | II | DPL | | PE | 1 | | | | | |
| Cactaceae | <i>Haageocereus pseudomelanostele</i> | II | DPL | | PE | 1 | | | | | |
| Cactaceae | <i>Harrisia gracilis</i> | II | STE | | JM | | | | 2 | | |
| Cactaceae | <i>Harrisia martinii</i> | II | DPL | | PY | | | | 1 | | |
| Cactaceae | <i>Harrisia nashii</i> | II | DPL | | DO | | 50 | | | | |
| Cactaceae | <i>Harrisia nashii</i> | II | FLO | | DO | | | | 7 | | |
| Cactaceae | <i>Harrisia nashii</i> | II | FRU | | DO | | | | 4 | | |
| Cactaceae | <i>Harrisia nashii</i> | II | STE | | DO | | | | 15 | | |
| Cactaceae | <i>Hattoria spp.</i> | II | SPE | | BR | | 10 | | | | |
| Cactaceae | <i>Hylocereus triangularis</i> | II | ROO | GRM | MG | | | | | 250 | |
| Cactaceae | <i>Hylocereus undatus</i> | II | SEE | GRM | MX | | | | | | 16 |
| Cactaceae | <i>Lepismium spp.</i> | II | SPE | | BR | | 10 | | | | |
| Cactaceae | <i>Mammillaria albicans fraileana</i> | II | SEE | GRM | MX | | | | 200 | | |
| Cactaceae | <i>Mammillaria bocasana</i> | II | SEE | KIL | MX | 200 | | | | | |
| Cactaceae | <i>Mammillaria carmenae</i> | II | LIV | | JP | | | | 1 | | |
| Cactaceae | <i>Mammillaria carnea</i> | II | SEE | GRM | MX | | | | 200 | | 0.985 |
| Cactaceae | <i>Mammillaria grahamii</i> | II | LIV | | MX | | | | | | 4 |
| Cactaceae | <i>Mammillaria herrerae</i> | II | LIV | | JP | | | | 5 | | |
| Cactaceae | <i>Mammillaria nivosa</i> | II | SPE | | TC | | | 1 | | | |
| Cactaceae | <i>Mammillaria plumosa</i> | II | LIV | | CN | | | | | 600 | |
| Cactaceae | <i>Matucana formosa</i> | II | LIV | | PE | 10 | | | | | |
| Cactaceae | <i>Matucana krahnii</i> | II | LIV | | PE | 10 | | | | | |
| Cactaceae | <i>Matucana paucicostata</i> | II | LIV | | PE | 10 | | | | | |
| Cactaceae | <i>Melocactus spp.</i> | II | DPL | | DO | | 50 | | | | |
| Cactaceae | <i>Melocactus spp.</i> | II | LIV | | JP | | | | 1 | | |
| Cactaceae | <i>Melocactus spp.</i> | II | LIV | | LC | 2 | | | | | |
| Cactaceae | <i>Melocactus intortus</i> | II | SPE | | TC | | | 1 | | | |
| Cactaceae | <i>Melocactus matanzanus</i> | II | LIV | | JP | | | | 1 | | |
| Cactaceae | <i>Melocactus peruvianus</i> | II | DPL | | PE | 1 | | | | | |
| Cactaceae | <i>Mila nealeana</i> | II | DPL | | PE | 1 | | | | | |
| Cactaceae | <i>Myrtillocactus geometrizans</i> | II | SEE | GRM | MX | | | | 400 | | |
| Cactaceae | <i>Myrtillocactus geometrizans</i> | II | SEE | KIL | MX | 200 | | | | | |
| Cactaceae | <i>Myrtillocactus schenckii</i> | II | SEE | GRM | MX | | | | 200 | | |
| Cactaceae | <i>Myrtillocactus schenckii</i> | II | SEE | KIL | MX | 200 | | | | | |
| Cactaceae | <i>Neobuxbaumia tetetzc</i> | II | SEE | GRM | MX | | | | | | 18.9 |
| Cactaceae | <i>Neoraimondia arequipensis</i> | II | DPL | | PE | 1 | | | | | |
| Cactaceae | <i>Obregonia denegrii</i> | II | SEE | KIL | MX | 200 | | | | | |
| Cactaceae | <i>Opuntia spp.</i> | II | DER | | MX | | | 4800 | | | |
| Cactaceae | <i>Opuntia spp.</i> | II | DER | BOT | MX | | 6960 | | | | |
| Cactaceae | <i>Opuntia spp.</i> | II | LVS | GRM | EC | | 100 | | | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-----------|-------------------------------|------|------|------|---------|-------|-------|-------|-------|-------|---------|
| Cactaceae | <i>Opuntia spp.</i> | II | STE | | MX | | 4800 | 60 | | | |
| Cactaceae | <i>Opuntia spp.</i> | II | STE | CUM | MX | | | 23 | | | |
| Cactaceae | <i>Opuntia spp.</i> | II | STE | KIL | MX | | 30000 | 45000 | | 10678 | 42487.6 |
| Cactaceae | <i>Opuntia spp.</i> | II | TIM | KIL | MX | 54727 | | | | | |
| Cactaceae | <i>Opuntia spp.</i> | II | TIP | KIL | MX | 75000 | | | | | |
| Cactaceae | <i>Opuntia anacantha</i> | II | DPL | | PY | | | | 1 | | |
| Cactaceae | <i>Opuntia brasiliensis</i> | II | DPL | | PY | | | | 1 | | |
| Cactaceae | <i>Opuntia cardiosperma</i> | II | DPL | | PY | | | | 1 | | |
| Cactaceae | <i>Opuntia caribaea</i> | II | DPL | | DO | | 50 | | | | |
| Cactaceae | <i>Opuntia cholla</i> | II | POW | KIL | MX | | | 2200 | | | |
| Cactaceae | <i>Opuntia cochenillifera</i> | II | STE | KIL | NI | | | | 25 | | |
| Cactaceae | <i>Opuntia decumbens</i> | II | SEE | GRM | MX | | | | 400 | | |
| Cactaceae | <i>Opuntia echios</i> | II | DER | | EC | | 195 | | | | |
| Cactaceae | <i>Opuntia echios</i> | II | SPE | | EC | | 195 | | | | |
| Cactaceae | <i>Opuntia engelmannii</i> | II | FRU | | MX | 60 | | | | | |
| Cactaceae | <i>Opuntia engelmannii</i> | II | SEE | GRM | MX | | | | 200 | | |
| Cactaceae | <i>Opuntia ficus-indica</i> | II | DPL | KIL | MA | 2000 | 2000 | 2500 | 6000 | | |
| Cactaceae | <i>Opuntia ficus-indica</i> | II | FLO | KIL | MA | 2000 | 10040 | | 13828 | 13860 | 3500 |
| Cactaceae | <i>Opuntia fulgida</i> | II | SPE | | MX | 15 | | | | | |
| Cactaceae | <i>Opuntia fulgida</i> | II | STE | KIL | MX | | | | 1100 | | |
| Cactaceae | <i>Opuntia galapageia</i> | II | DER | | EC | | 12 | | | | |
| Cactaceae | <i>Opuntia galapageia</i> | II | SPE | | EC | | 12 | | | | |
| Cactaceae | <i>Opuntia humifusa</i> | II | DPL | GRM | MG | 20 | | | | | |
| Cactaceae | <i>Opuntia imbricata</i> | II | SEE | GRM | MX | | | | 200 | | |
| Cactaceae | <i>Opuntia imbricata</i> | II | STE | KIL | NA | | | | | 6000 | |
| Cactaceae | <i>Opuntia imbricata</i> | II | TIP | KIL | MX | 8797 | | | | | |
| Cactaceae | <i>Opuntia insularis</i> | II | DER | | EC | | 10 | | | | |
| Cactaceae | <i>Opuntia insularis</i> | II | SPE | | EC | | 10 | | | | |
| Cactaceae | <i>Opuntia kleiniae</i> | II | SEE | GRM | MX | | | | 200 | | |
| Cactaceae | <i>Opuntia megasperma</i> | II | DER | | EC | | 5 | | | | |
| Cactaceae | <i>Opuntia megasperma</i> | II | SPE | | EC | | 5 | | | | |
| Cactaceae | <i>Opuntia miquelii</i> | II | STE | | CL | | 3 | | | | |
| Cactaceae | <i>Opuntia moniliformis</i> | II | DER | GRM | DO | | | 500 | | | |
| Cactaceae | <i>Opuntia moniliformis</i> | II | DPL | | DO | | 50 | | | | |
| Cactaceae | <i>Opuntia pilifera</i> | II | SEE | GRM | MX | | | | 200 | | |
| Cactaceae | <i>Opuntia quimilo</i> | II | DPL | | AR | 1 | | | | | |
| Cactaceae | <i>Opuntia rastrera</i> | II | SEE | GRM | MX | | | | | | 87.7 |
| Cactaceae | <i>Opuntia streptacantha</i> | II | BOD | KIL | MX | | | | 300 | | |
| Cactaceae | <i>Opuntia streptacantha</i> | II | DER | KIL | MX | | | | | 500 | |
| Cactaceae | <i>Opuntia streptacantha</i> | II | DPL | KIL | MX | | 300 | | 900 | | 900 |
| Cactaceae | <i>Opuntia streptacantha</i> | II | POW | KIL | MX | | | 1800 | 600 | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-----------|---------------------------------------|------|------|------|---------|------|------|------|------|------|------|
| Cactaceae | <i>Opuntia streptacantha</i> | II | STE | KIL | MX | | 300 | | | | |
| Cactaceae | <i>Opuntia sulphurea</i> | II | DPL | | AR | 1 | | | | | |
| Cactaceae | <i>Opuntia velutina</i> | II | SEE | GRM | MX | | | | 200 | | |
| Cactaceae | <i>Oroya peruviana</i> | II | LIV | | PE | 20 | | | | | |
| Cactaceae | <i>Pachycereus marginatus</i> | II | STE | | MX | | | | | 1000 | |
| Cactaceae | <i>Pachycereus pecten-aboriginum</i> | II | SEE | GRM | MX | | | | 200 | | |
| Cactaceae | <i>Pachycereus pringlei</i> | II | SEE | GRM | MX | 19 | | | | | |
| Cactaceae | <i>Pachycereus pringlei</i> | II | STE | | MX | 2 | | | | | |
| Cactaceae | <i>Pachycereus schottii</i> | II | STE | | MX | 10 | 3 | | | | |
| Cactaceae | <i>Pachycereus weberi</i> | II | SEE | GRM | MX | | | | 400 | | |
| Cactaceae | <i>Parodia erinacea</i> | II | LIV | | PE | 20 | | | | | |
| Cactaceae | <i>Pelecypora strobiliformis</i> | II | SEE | KIL | MX | 200 | | | | | |
| Cactaceae | <i>Pilosocereus polygonus</i> | II | LVS | GRM | DO | | | 500 | | | |
| Cactaceae | <i>Pilosocereus quadricentralis</i> | II | SEE | GRM | MX | | | | 200 | | |
| Cactaceae | <i>Polaskia chende</i> | II | SEE | GRM | MX | | | | | | 9.31 |
| Cactaceae | <i>Polaskia chende</i> | II | SEE | KIL | MX | 200 | | | | | |
| Cactaceae | <i>Polaskia chichipe</i> | II | SEE | GRM | MX | | | | | | 8.8 |
| Cactaceae | <i>Polaskia chichipe</i> | II | SEE | KIL | MX | 200 | | | | | |
| Cactaceae | <i>Praecereus euchlorus euchlorus</i> | II | DPL | | PY | | | | 1 | | |
| Cactaceae | <i>Rebutia albopectinata</i> | II | LIV | | PE | 10 | | | | | |
| Cactaceae | <i>Rebutia canigeralii</i> | II | LIV | | PE | 2 | | | | | |
| Cactaceae | <i>Rebutia mentosa</i> | II | LIV | | PE | 10 | | | | | |
| Cactaceae | <i>Rhipsalis spp.</i> | II | DPL | | MG | 3 | | | | | |
| Cactaceae | <i>Rhipsalis spp.</i> | II | SPE | | BR | | 320 | | | | |
| Cactaceae | <i>Rhipsalis baccifera</i> | II | DPL | | MG | 5 | | | | | |
| Cactaceae | <i>Schlumbergera spp.</i> | II | LIV | | EE | | 6 | | | | |
| Cactaceae | <i>Schlumbergera spp.</i> | II | SPE | | BR | | 10 | | | | |
| Cactaceae | <i>Sclerocactus spp.</i> | II | LIV | | ID | | 5 | 5 | | | 4 |
| Cactaceae | <i>Selenicereus grandiflorus</i> | II | FLO | KIL | MA | | | | | 6000 | |
| Cactaceae | <i>Stenocactus multicostatus</i> | II | LIV | | JP | | | | 1 | | |
| Cactaceae | <i>Stenocereus spp.</i> | II | LIV | | MX | | | | | | 1 |
| Cactaceae | <i>Stenocereus alamosensis</i> | II | STE | | MX | 20 | 13 | 10 | | | |
| Cactaceae | <i>Stenocereus beneckeii</i> | II | SEE | GRM | MX | | | | 200 | | |
| Cactaceae | <i>Stenocereus dumortieri</i> | II | SEE | GRM | MX | | | | 200 | | |
| Cactaceae | <i>Stenocereus eruca</i> | II | LIV | | US | | | | | | 10 |
| Cactaceae | <i>Stenocereus fimbriatus</i> | II | LVS | GRM | DO | | | 500 | | | |
| Cactaceae | <i>Stenocereus gummosus</i> | II | SEE | GRM | MX | 5 | | | | | |
| Cactaceae | <i>Stenocereus gummosus</i> | II | STE | | MX | 20 | 10 | 10 | | | |
| Cactaceae | <i>Stenocereus pruinosus</i> | II | SEE | GRM | MX | | | | 400 | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|---------------|-------------------------------|------|------|------|---------|--------|--------|--------|------|--------|------|
| Cactaceae | <i>Stenocereus stellatus</i> | II | SEE | GRM | MX | | | | 200 | | |
| Cactaceae | <i>Stenocereus thurberi</i> | II | STE | | MX | 5 | 10 | 10 | | | |
| Cactaceae | <i>Stenocereus treleasei</i> | II | SEE | GRM | MX | | | | 200 | | |
| Cucurbitaceae | <i>Zygosicyos tripartitus</i> | II | LIV | | MG | | | | | 55 | 20 |
| Cyatheaceae | <i>Cyatheaceae spp.</i> | II | CAR | | VU | 109 | | | 20 | 4 | |
| Cyatheaceae | <i>Cyatheaceae spp.</i> | II | DPL | | CM | 3 | | | | | |
| Cyatheaceae | <i>Cyatheaceae spp.</i> | II | DPL | | GT | 488 | | | | | |
| Cyatheaceae | <i>Cyatheaceae spp.</i> | II | DPL | | MG | | 16 | | 2 | | |
| Cyatheaceae | <i>Cyatheaceae spp.</i> | II | LIV | | VU | 143 | 3 | | | | |
| Cyatheaceae | <i>Cyatheaceae spp.</i> | II | SPE | | CM | 3 | | | | | |
| Cyatheaceae | <i>Cyatheaceae spp.</i> | II | SPE | | MG | | | | | 8 | |
| Cyatheaceae | <i>Cyatheaceae spp.</i> | II | SPE | | VU | 19 | | | | | |
| Cyatheaceae | <i>Alsophila spp.</i> | II | LVS | | BR | | 1 | 2 | | | |
| Cyatheaceae | <i>Cyathea spp.</i> | II | CAR | | SB | | | | 2 | | |
| Cyatheaceae | <i>Cyathea spp.</i> | II | CAR | | VU | 181 | | | | | 170 |
| Cyatheaceae | <i>Cyathea spp.</i> | II | DPL | | BR | | 35 | 11 | | | |
| Cyatheaceae | <i>Cyathea spp.</i> | II | DPL | | MG | 18 | | | | | |
| Cyatheaceae | <i>Cyathea spp.</i> | II | DPL | | PE | 200 | 39 | 10 | 10 | 91 | 5 |
| Cyatheaceae | <i>Cyathea spp.</i> | II | DPL | | VN | | 25000 | 25000 | | | |
| Cyatheaceae | <i>Cyathea spp.</i> | II | DPL | KIL | FR | | | | | | 3 |
| Cyatheaceae | <i>Cyathea spp.</i> | II | DPL | KIL | ID | 14308 | 5990 | 4000 | | 1950 | |
| Cyatheaceae | <i>Cyathea spp.</i> | II | FIB | CUM | GT | 123.76 | 230.39 | 20.98 | | | |
| Cyatheaceae | <i>Cyathea spp.</i> | II | FPT | CUM | GT | | | | 39 | | |
| Cyatheaceae | <i>Cyathea spp.</i> | II | LIV | | AU | | | | 146 | | |
| Cyatheaceae | <i>Cyathea spp.</i> | II | LIV | | NZ | 260 | | | 100 | | |
| Cyatheaceae | <i>Cyathea spp.</i> | II | LOG | | MY | 150 | | | | | |
| Cyatheaceae | <i>Cyathea spp.</i> | II | LVS | | BR | | 12 | 20 | | 25 | |
| Cyatheaceae | <i>Cyathea spp.</i> | II | SPE | | EC | | 64 | | | | |
| Cyatheaceae | <i>Cyathea spp.</i> | II | SPE | | FR | | | | | | 11 |
| Cyatheaceae | <i>Cyathea spp.</i> | II | SPE | | MG | | | 1 | | | |
| Cyatheaceae | <i>Cyathea spp.</i> | II | SPE | | PE | | | | 10 | 91 | |
| Cyatheaceae | <i>Cyathea arborea</i> | II | FIB | CUM | GT | 26 | | | | 116.57 | |
| Cyatheaceae | <i>Cyathea australis</i> | II | LIV | | AU | 341 | 320 | 7588 | 299 | | 22 |
| Cyatheaceae | <i>Cyathea brownii</i> | II | LIV | | AU | 10 | | | | | |
| Cyatheaceae | <i>Cyathea colensoi</i> | II | LIV | | NZ | | | | 100 | | |
| Cyatheaceae | <i>Cyathea concinna</i> | II | CHP | KIL | ID | | | | | | 2000 |
| Cyatheaceae | <i>Cyathea concinna</i> | II | STE | KIL | ID | | | | | 6677 | |
| Cyatheaceae | <i>Cyathea contaminans</i> | II | CAR | | ID | | | 160 | | | |
| Cyatheaceae | <i>Cyathea contaminans</i> | II | CHP | KIL | ID | | 56700 | 43560 | | | |
| Cyatheaceae | <i>Cyathea contaminans</i> | II | CHP | KIL | TW | | | | | | 3.33 |
| Cyatheaceae | <i>Cyathea contaminans</i> | II | DER | | ID | 1250 | | 183898 | | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|---------------|------------------------------|------|------|------|---------|----------|----------|------|--------|------------|--------|
| Cyatheaceae | <i>Cyathea contaminans</i> | II | SAW | | JP | | | | | 10 | |
| Cyatheaceae | <i>Cyathea contaminans</i> | II | SAW | KIL | ID | | | | | 18442 | 9000 |
| Cyatheaceae | <i>Cyathea contaminans</i> | II | STE | | ID | 42700 | | | | | |
| Cyatheaceae | <i>Cyathea contaminans</i> | II | STE | KIL | ID | 77150 | | | 28000 | | |
| Cyatheaceae | <i>Cyathea contaminans</i> | II | TIM | KIL | ID | | | | | | 2000 |
| Cyatheaceae | <i>Cyathea contaminans</i> | II | TIP | KIL | ID | 505141.6 | 299549.8 | | 241469 | 187927 | |
| Cyatheaceae | <i>Cyathea corcovadensis</i> | II | LVS | | BR | | | | | 10 | |
| Cyatheaceae | <i>Cyathea cunninghamii</i> | II | LIV | | AU | 20 | | | 5 | | |
| Cyatheaceae | <i>Cyathea cunninghamii</i> | II | LIV | | NZ | 3 | | | | 156 | 375 |
| Cyatheaceae | <i>Cyathea dealbata</i> | II | DPL | | NZ | 1 | | | | | |
| Cyatheaceae | <i>Cyathea dealbata</i> | II | LIV | | NZ | 810 | 350 | 504 | 226 | 236 | 455 |
| Cyatheaceae | <i>Cyathea dregei</i> | II | LIV | | MG | 20 | | | | | |
| Cyatheaceae | <i>Cyathea lepifera</i> | II | CHP | | TW | 2072 | | | | | |
| Cyatheaceae | <i>Cyathea lepifera</i> | II | LIV | | TW | 620 | | | | | |
| Cyatheaceae | <i>Cyathea lepifera</i> | II | POW | | TW | 57 | | | | | |
| Cyatheaceae | <i>Cyathea lepifera</i> | II | TIM | | TW | 1100 | | | | | |
| Cyatheaceae | <i>Cyathea medullaris</i> | II | DPL | | NZ | 1 | | | | | |
| Cyatheaceae | <i>Cyathea medullaris</i> | II | DPL | KIL | NZ | | 1000 | 1265 | 500 | 3 | 100 |
| Cyatheaceae | <i>Cyathea medullaris</i> | II | EXT | KIL | NZ | | | 70 | 500 | 10 | 331 |
| Cyatheaceae | <i>Cyathea medullaris</i> | II | LIV | | AU | | | | 20 | | |
| Cyatheaceae | <i>Cyathea medullaris</i> | II | LIV | | NZ | 794 | 425 | 300 | 95 | 252 | 711 |
| Cyatheaceae | <i>Cyathea medullaris</i> | II | POW | KIL | NZ | | 2000 | 870 | | | |
| Cyatheaceae | <i>Cyathea sechellarum</i> | II | SPE | | SC | 11 | | | | | |
| Cyatheaceae | <i>Cyathea smithii</i> | II | LIV | | NZ | | 95 | 130 | | 243 | 50 |
| Cycadaceae | <i>Cycadaceae spp.</i> | II | DPL | | GT | 5 | | | | | |
| Cycadaceae | <i>Cycadaceae spp.</i> | II | LIV | | MY | | | 7 | | | |
| Cycadaceae | <i>Cycadaceae spp.</i> | II | SEE | | GT | | 15000 | | | | |
| Cycadaceae | <i>Cycas spp.</i> | II | DPL | | VN | 70 | | | | | |
| Cycadaceae | <i>Cycas revoluta</i> | II | LIV | | CR | | 295 | 6039 | | 22120 | |
| Cycadaceae | <i>Cycas revoluta</i> | II | LIV | | HN | | | | | 56570 | 291260 |
| Cycadaceae | <i>Cycas revoluta</i> | II | LIV | | SV | | | | 48000 | | |
| Cycadaceae | <i>Cycas revoluta</i> | II | LIV | | TH | | | 2907 | | | |
| Cycadaceae | <i>Cycas revoluta</i> | II | LIV | KIL | HN | | | | | 1253430.11 | |
| Cycadaceae | <i>Cycas revoluta</i> | II | LVS | | CR | | | | | 22100 | |
| Cycadaceae | <i>Cycas revoluta</i> | II | STE | | CR | | | | | 600 | |
| Cycadaceae | <i>Cycas siamensis</i> | II | LIV | | TH | | | | 1 | | |
| Cycadaceae | <i>Cycas thouarsii</i> | II | LIV | | AU | 150 | | | | | |
| Cycadaceae | <i>Cycas thouarsii</i> | II | LIV | | MG | | 1 | | | | |
| Dicksoniaceae | <i>Dicksoniaceae spp.</i> | II | DPL | | GT | 24 | | | | | |
| Dicksoniaceae | <i>Cibotium barometz</i> | II | DER | | CN | | | | | | 59 |
| Dicksoniaceae | <i>Cibotium barometz</i> | II | DER | | ID | | | 12 | | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|---------------|----------------------------------|------|------|------|---------|--------|-------|-------|---------|--------|------|
| Dicksoniaceae | <i>Cibotium barometz</i> | II | DER | KIL | CN | | | | | | 5 |
| Dicksoniaceae | <i>Cibotium barometz</i> | II | DPL | | VN | | | | 1796500 | | |
| Dicksoniaceae | <i>Cibotium barometz</i> | II | DPL | KIL | ID | | 950 | 300 | 1100 | 500 | |
| Dicksoniaceae | <i>Cibotium barometz</i> | II | DPL | KIL | VN | | 67500 | 47000 | 500 | 179800 | |
| Dicksoniaceae | <i>Cibotium barometz</i> | II | LIV | KIL | VN | | | | 1000 | | |
| Dicksoniaceae | <i>Cibotium barometz</i> | II | ROO | KIL | VN | 61000 | 68500 | 87196 | 146976 | | |
| Dicksoniaceae | <i>Cibotium barometz</i> | II | TIP | | ID | | | | 500 | | |
| Dicksoniaceae | <i>Cibotium barometz</i> | II | TIP | KIL | ID | 500 | | | | | |
| Dicksoniaceae | <i>Dicksonia spp.</i> | II | DPL | | PE | 7 | 5 | 5 | 5 | 6 | |
| Dicksoniaceae | <i>Dicksonia spp.</i> | II | LIV | | FJ | 133832 | | | | | |
| Dicksoniaceae | <i>Dicksonia spp.</i> | II | LIV | KIL | FJ | 1575 | | | | | |
| Dicksoniaceae | <i>Dicksonia spp.</i> | II | LVS | | BR | | | 1 | | | |
| Dicksoniaceae | <i>Dicksonia spp.</i> | II | SPE | | PE | | | | 5 | 6 | |
| Dicksoniaceae | <i>Dicksonia antarctica</i> | II | LIV | | AU | 456 | | | | | |
| Dicksoniaceae | <i>Dicksonia brackenridgei</i> | II | LIV | | FJ | | 13881 | | 210 | | |
| Dicksoniaceae | <i>Dicksonia sellowiana</i> | II | LVS | | BR | | 1 | | | | |
| Dicksoniaceae | <i>Dicksonia squarrosa</i> | II | DPL | | NZ | 1 | | | | | |
| Didiereaceae | <i>Alluaudia ascendens</i> | II | DPL | | MG | 3 | | | | | |
| Didiereaceae | <i>Alluaudia ascendens</i> | II | LIV | | MG | 720 | | | | | |
| Didiereaceae | <i>Alluaudia ascendens</i> | II | LVS | | MG | 1 | | | | | |
| Didiereaceae | <i>Alluaudia ascendens</i> | II | LVS | GRM | MG | | | | | | 80 |
| Didiereaceae | <i>Alluaudia comosa</i> | II | DPL | | MG | 1 | | | | | |
| Didiereaceae | <i>Alluaudia comosa</i> | II | LVS | | MG | 1 | | | | | |
| Didiereaceae | <i>Alluaudia comosa</i> | II | SEE | GRM | MG | | 16 | | | | |
| Didiereaceae | <i>Alluaudia dumosa</i> | II | DPL | | MG | 1 | | | | | |
| Didiereaceae | <i>Alluaudia dumosa</i> | II | LIV | | MG | 40 | | | | | |
| Didiereaceae | <i>Alluaudia dumosa</i> | II | LVS | | MG | 1 | | | | | |
| Didiereaceae | <i>Alluaudia humbertii</i> | II | DPL | | MG | 1 | | | 4 | | |
| Didiereaceae | <i>Alluaudia humbertii</i> | II | LVS | | MG | 1 | | | | | |
| Didiereaceae | <i>Alluaudia humbertii</i> | II | LVS | GRM | MG | | | | | | 40 |
| Didiereaceae | <i>Alluaudia humbertii</i> | II | SEE | GRM | MG | | | | 19 | | |
| Didiereaceae | <i>Alluaudia montagnacii</i> | II | DPL | | MG | 2 | | | | | |
| Didiereaceae | <i>Alluaudia montagnacii</i> | II | LVS | | MG | 1 | | | | | |
| Didiereaceae | <i>Alluaudia procera</i> | II | DPL | | MG | 2 | | | | | |
| Didiereaceae | <i>Alluaudia procera</i> | II | DPL | GRM | MG | 20 | | | | | |
| Didiereaceae | <i>Alluaudia procera</i> | II | FLO | GRM | MG | | | | | | 210 |
| Didiereaceae | <i>Alluaudia procera</i> | II | LIV | | MG | 27 | | | | | |
| Didiereaceae | <i>Alluaudia procera</i> | II | LVS | | MG | 1 | | 5 | | | |
| Didiereaceae | <i>Alluaudia procera</i> | II | LVS | GRM | MG | | | | | | 4320 |
| Didiereaceae | <i>Alluaudia procera</i> | II | SPE | | MG | | | 2 | | | |
| Didiereaceae | <i>Alluaudiopsis marnieriana</i> | II | DPL | | MG | 1 | | | | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|---------------|----------------------------------|------|------|------|---------|------|-------|------------|---------|-------|------|
| Didiereaceae | <i>Alluaudiopsis marnieriana</i> | II | LVS | | MG | 1 | | | | | |
| Didiereaceae | <i>Decarya madagascariensis</i> | II | DPL | | MG | 1 | | | | | |
| Didiereaceae | <i>Decarya madagascariensis</i> | II | LVS | | MG | 1 | | | | | |
| Didiereaceae | <i>Didierea madagascariensis</i> | II | DPL | | MG | 3 | | | | | |
| Didiereaceae | <i>Didierea madagascariensis</i> | II | LVS | | MG | 1 | | | | | |
| Didiereaceae | <i>Didierea madagascariensis</i> | II | SPE | | MG | | | | | 1 | |
| Didiereaceae | <i>Didierea trollii</i> | II | DPL | | MG | 1 | | | | | |
| Didiereaceae | <i>Didierea trollii</i> | II | LIV | | MG | 60 | | | 50 | | |
| Didiereaceae | <i>Didierea trollii</i> | II | LVS | | MG | 1 | | | | | |
| Euphorbiaceae | <i>Euphorbia spp.</i> | II | DER | KIL | US | | | | | 1000 | |
| Euphorbiaceae | <i>Euphorbia spp.</i> | II | DPL | | MG | 68 | 22 | | 253 | 4 | |
| Euphorbiaceae | <i>Euphorbia spp.</i> | II | DPL | | NA | 1 | | | | | |
| Euphorbiaceae | <i>Euphorbia spp.</i> | II | EXT | | HK | | | | 694 | | |
| Euphorbiaceae | <i>Euphorbia spp.</i> | II | LIV | | EE | | 2 | | | | |
| Euphorbiaceae | <i>Euphorbia spp.</i> | II | LIV | | FR | | | | | 12 | |
| Euphorbiaceae | <i>Euphorbia spp.</i> | II | LIV | | MG | 300 | 20 | | 19 | | 55 |
| Euphorbiaceae | <i>Euphorbia spp.</i> | II | LIV | | ZA | 25 | | | | | |
| Euphorbiaceae | <i>Euphorbia spp.</i> | II | LVS | | MG | | | 93 | | | |
| Euphorbiaceae | <i>Euphorbia spp.</i> | II | ROO | | GE | | | | | | 21 |
| Euphorbiaceae | <i>Euphorbia spp.</i> | II | SEE | | MG | | 600 | | | | |
| Euphorbiaceae | <i>Euphorbia spp.</i> | II | SPE | | MG | | 68 | 712 | 107 | 40 | |
| Euphorbiaceae | <i>Euphorbia spp.</i> | II | STE | | US | | | | 30 | | |
| Euphorbiaceae | <i>Euphorbia spp.</i> | II | WAX | KIL | MX | | | 1000 | | | |
| Euphorbiaceae | <i>Euphorbia spp.</i> | II | WAX | KIL | US | | | | 1000 | | |
| Euphorbiaceae | <i>Euphorbia abdelkuri</i> | II | DPL | KIL | CN | | | 70 | | | |
| Euphorbiaceae | <i>Euphorbia alata</i> | II | LIV | | JM | | | 5 | | | |
| Euphorbiaceae | <i>Euphorbia albipollinifera</i> | II | LIV | | ZA | 25 | | | | | |
| Euphorbiaceae | <i>Euphorbia ankarensis</i> | II | LIV | | MG | 82 | | | 10 | | 20 |
| Euphorbiaceae | <i>Euphorbia antiquorum</i> | II | DER | KIL | HK | | | | 0.0132 | | |
| Euphorbiaceae | <i>Euphorbia antiquorum</i> | II | WAX | KIL | MX | | | 34000 | | 15000 | |
| Euphorbiaceae | <i>Euphorbia antisiphilitica</i> | II | DER | | BY | | | 1290 | | | |
| Euphorbiaceae | <i>Euphorbia antisiphilitica</i> | II | DER | | JP | | | 132 | 2 | | |
| Euphorbiaceae | <i>Euphorbia antisiphilitica</i> | II | DER | | MX | | | | 891 | | |
| Euphorbiaceae | <i>Euphorbia antisiphilitica</i> | II | DER | KIL | HK | | | | 0.69322 | | |
| Euphorbiaceae | <i>Euphorbia antisiphilitica</i> | II | DER | KIL | ID | | | 125.8 | | | |
| Euphorbiaceae | <i>Euphorbia antisiphilitica</i> | II | DER | KIL | JP | | | 9809.19173 | | | |
| Euphorbiaceae | <i>Euphorbia antisiphilitica</i> | II | DER | KIL | MX | | | 0.07227 | | | |
| Euphorbiaceae | <i>Euphorbia antisiphilitica</i> | II | DER | KIL | US | | | | | 1000 | 3000 |
| Euphorbiaceae | <i>Euphorbia antisiphilitica</i> | II | DPL | KIL | MX | | 15000 | | | | |
| Euphorbiaceae | <i>Euphorbia antisiphilitica</i> | II | EXT | | BY | | | 1230 | | | |
| Euphorbiaceae | <i>Euphorbia antisiphilitica</i> | II | EXT | | HK | | | | 136 | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|---------------|------------------------------------|------|------|------|---------|--------|---------|-----------|---------|-----------|-----------|
| Euphorbiaceae | <i>Euphorbia antisyphilitica</i> | II | EXT | | JP | | | | 2228 | | |
| Euphorbiaceae | <i>Euphorbia antisyphilitica</i> | II | EXT | KIL | MX | | | | | | 20000 |
| Euphorbiaceae | <i>Euphorbia antisyphilitica</i> | II | EXT | KIL | XV | | | | 39.36 | | |
| Euphorbiaceae | <i>Euphorbia antisyphilitica</i> | II | STE | KIL | MX | | | | | 10 | |
| Euphorbiaceae | <i>Euphorbia antisyphilitica</i> | II | WAX | | MX | | | 10368 | 3732 | 20000 | 19500 |
| Euphorbiaceae | <i>Euphorbia antisyphilitica</i> | II | WAX | GRM | AU | | | | 8410.5 | | |
| Euphorbiaceae | <i>Euphorbia antisyphilitica</i> | II | WAX | GRM | MX | | | 14.302 | 234.534 | | |
| Euphorbiaceae | <i>Euphorbia antisyphilitica</i> | II | WAX | KIL | AU | | | | 113735 | | |
| Euphorbiaceae | <i>Euphorbia antisyphilitica</i> | II | WAX | KIL | ID | | | 219.78 | | | |
| Euphorbiaceae | <i>Euphorbia antisyphilitica</i> | II | WAX | KIL | MX | 689200 | 1005865 | 1672245.8 | 1797543 | 1646023.5 | 1740565.2 |
| Euphorbiaceae | <i>Euphorbia antisyphilitica</i> | II | WAX | MGM | MX | | | | 966 | | |
| Euphorbiaceae | <i>Euphorbia antso</i> | II | LIV | | MG | 5 | | | 10 | | |
| Euphorbiaceae | <i>Euphorbia antso</i> | II | SPE | | MG | | | | | 1 | |
| Euphorbiaceae | <i>Euphorbia astrophora</i> | II | LIV | | ZA | 25 | | | | | |
| Euphorbiaceae | <i>Euphorbia atrispina</i> | II | DPL | | ZA | | 3 | | | | |
| Euphorbiaceae | <i>Euphorbia aureoviridiflora</i> | II | LIV | | MG | | 100 | | | | |
| Euphorbiaceae | <i>Euphorbia boinensis</i> | II | DPL | | MG | 2 | | | | | |
| Euphorbiaceae | <i>Euphorbia bongolavensis</i> | II | LIV | | MG | 10 | | 10 | | | 30 |
| Euphorbiaceae | <i>Euphorbia brachiata</i> | II | DPL | | ZA | | 3 | | | | |
| Euphorbiaceae | <i>Euphorbia braunsii</i> | II | LIV | | ZA | 15 | | | | 80 | |
| Euphorbiaceae | <i>Euphorbia bubalina</i> | II | LIV | | ZA | | | | | 10 | |
| Euphorbiaceae | <i>Euphorbia bupleurifolia</i> | II | DPL | | ZA | | 3 | | | | |
| Euphorbiaceae | <i>Euphorbia bupleurifolia</i> | II | LIV | | ZA | 5 | | | | 755 | |
| Euphorbiaceae | <i>Euphorbia caerulans</i> | II | DPL | | ZA | | 3 | | | | |
| Euphorbiaceae | <i>Euphorbia capmanambatoensis</i> | II | LIV | | MG | 5 | | | | | |
| Euphorbiaceae | <i>Euphorbia capuronii</i> | II | SPE | | MG | | | | | 1 | |
| Euphorbiaceae | <i>Euphorbia caput-medusae</i> | II | DPL | | ZA | | 3 | | | | |
| Euphorbiaceae | <i>Euphorbia caterviflora</i> | II | DPL | | ZA | | 3 | | | | |
| Euphorbiaceae | <i>Euphorbia colliculina</i> | II | LIV | | ZA | 62 | | | | | |
| Euphorbiaceae | <i>Euphorbia crassipes</i> | II | LIV | | ZA | 25 | | | | | |
| Euphorbiaceae | <i>Euphorbia croizatii</i> | II | LIV | | MG | 200 | | | | | |
| Euphorbiaceae | <i>Euphorbia damarana</i> | II | SPE | GRM | NA | | | | | 113 | 113.00456 |
| Euphorbiaceae | <i>Euphorbia damarana</i> | II | STE | | NA | | | | | | 14 |
| Euphorbiaceae | <i>Euphorbia decepta</i> | II | LIV | | ZA | 3 | | | | | |
| Euphorbiaceae | <i>Euphorbia decorsei</i> | II | LVS | | MG | | | 1 | | | |
| Euphorbiaceae | <i>Euphorbia decorsei</i> | II | SPE | | MG | | | 2 | | | |
| Euphorbiaceae | <i>Euphorbia ecklonii</i> | II | LIV | | ZA | | | | | 70 | |
| Euphorbiaceae | <i>Euphorbia enterophora</i> | II | DPL | | MG | 2 | | | | | |
| Euphorbiaceae | <i>Euphorbia fusca</i> | II | LIV | | ZA | 60 | | | | | |
| Euphorbiaceae | <i>Euphorbia geroldii</i> | II | LIV | | MG | 2120 | | | | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|---------------|---|------|------|------|---------|------|------|------|------|------|------|
| Euphorbiaceae | <i>Euphorbia globosa</i> | II | LIV | | ZA | | | | | 526 | |
| Euphorbiaceae | <i>Euphorbia gorgonis</i> | II | LIV | | ZA | 15 | | | | 1130 | |
| Euphorbiaceae | <i>Euphorbia gracilicaulis</i> | II | LIV | | MG | | 100 | | | | |
| Euphorbiaceae | <i>Euphorbia guerichiana</i> | II | DPL | | NA | 1 | | | | | |
| Euphorbiaceae | <i>Euphorbia guillauminiana</i> | II | DER | | MG | | | | | 10 | |
| Euphorbiaceae | <i>Euphorbia guillauminiana</i> | II | LIV | | MG | 218 | 120 | | 45 | 180 | |
| Euphorbiaceae | <i>Euphorbia guillemetii</i> | II | LIV | | MG | | | 10 | | | |
| Euphorbiaceae | <i>Euphorbia hallii</i> | II | DPL | | ZA | | 3 | | | | |
| Euphorbiaceae | <i>Euphorbia hamata</i> | II | DPL | | ZA | | 3 | | | | |
| Euphorbiaceae | <i>Euphorbia hedyotoides</i> | II | LIV | | MG | 75 | 60 | 20 | | | 75 |
| Euphorbiaceae | <i>Euphorbia heptagona</i> | II | DPL | | ZA | | 3 | | | | |
| Euphorbiaceae | <i>Euphorbia hofstaetteri</i> | II | LIV | | MG | 14 | | | | | |
| Euphorbiaceae | <i>Euphorbia horombensis</i> | II | LIV | | MG | | | 50 | 50 | | |
| Euphorbiaceae | <i>Euphorbia hybrida</i> | II | LIV | | MG | | | | 10 | | |
| Euphorbiaceae | <i>Euphorbia iharanae</i> | II | LIV | | MG | 200 | | | | | |
| Euphorbiaceae | <i>Euphorbia indecora</i> | II | DPL | | ZA | | 3 | | | | |
| Euphorbiaceae | <i>Euphorbia inermis</i> | II | LIV | | ZA | | | | | 35 | |
| Euphorbiaceae | <i>Euphorbia itremensis</i> | II | LIV | | MG | 290 | 125 | 150 | 310 | 180 | 180 |
| Euphorbiaceae | <i>Euphorbia kondoii</i> | II | LIV | | MG | 15 | 10 | | 10 | | |
| Euphorbiaceae | <i>Euphorbia labatii</i> | II | LIV | | MG | 150 | | 150 | 80 | 200 | 450 |
| Euphorbiaceae | <i>Euphorbia leucodendron</i> | II | DPL | | MG | | | | 8 | | |
| Euphorbiaceae | <i>Euphorbia lophogona</i> | II | LIV | | MG | 750 | | | 20 | | |
| Euphorbiaceae | <i>Euphorbia loricata</i> | II | DPL | | ZA | | 3 | | | | |
| Euphorbiaceae | <i>Euphorbia mahabobokensis</i> | II | LIV | | MG | | 50 | | | | |
| Euphorbiaceae | <i>Euphorbia mainty</i> | II | LIV | | MG | | 100 | | | | |
| Euphorbiaceae | <i>Euphorbia mammillaris</i> | II | DPL | | ZA | | 3 | | | | |
| Euphorbiaceae | <i>Euphorbia marsabitensis</i> | II | DPL | | GE | | | | | 1 | |
| Euphorbiaceae | <i>Euphorbia mauritanica</i> | II | DPL | | ZA | | 3 | | | | |
| Euphorbiaceae | <i>Euphorbia meridionalis</i> | II | LIV | | MG | | | | | 50 | |
| Euphorbiaceae | <i>Euphorbia milii</i> | II | LIV | | MG | 10 | | 10 | | | |
| Euphorbiaceae | <i>Euphorbia milii var. milii</i> | II | LIV | | MG | | 2 | | | | |
| Euphorbiaceae | <i>Euphorbia milii var. tananarivae</i> | II | LIV | | MG | | | | 20 | | |
| Euphorbiaceae | <i>Euphorbia milii var. tenuispina</i> | II | LIV | | MG | | | | 10 | | |
| Euphorbiaceae | <i>Euphorbia millotii</i> | II | LIV | | MG | | 100 | | | | |
| Euphorbiaceae | <i>Euphorbia multiceps</i> | II | LIV | | ZA | 81 | | | | 7 | |
| Euphorbiaceae | <i>Euphorbia multifolia</i> | II | LIV | | ZA | 129 | | | | | |
| Euphorbiaceae | <i>Euphorbia neohumbertii</i> | II | LIV | | MG | | | | 10 | | |
| Euphorbiaceae | <i>Euphorbia nesemannii</i> | II | DPL | | ZA | | 3 | | | | |
| Euphorbiaceae | <i>Euphorbia pachypodioides</i> | II | LIV | | MG | 65 | | | 10 | | |
| Euphorbiaceae | <i>Euphorbia paulianii</i> | II | LIV | | MG | | | 60 | 10 | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|----------------|---|------|------|------|---------|------|------|------|------|------|--------|
| Euphorbiaceae | <i>Euphorbia pedilanthoides</i> | II | LIV | | MG | 35 | | | 10 | | 50 |
| Euphorbiaceae | <i>Euphorbia perrieri</i> | II | LIV | | MG | 20 | | | | | |
| Euphorbiaceae | <i>Euphorbia polygona</i> | II | LIV | | ZA | | | | | 5 | |
| Euphorbiaceae | <i>Euphorbia primulifolia</i> | II | LIV | | MG | 292 | 694 | 310 | 710 | 487 | 690 |
| Euphorbiaceae | <i>Euphorbia primulifolia var. begardii</i> | II | LIV | | MG | 200 | | | 20 | 80 | |
| Euphorbiaceae | <i>Euphorbia primulifolia var. begardii</i> | II | SPE | | MG | | | | | 3 | |
| Euphorbiaceae | <i>Euphorbia razafindratsirae</i> | II | LIV | | MG | 43 | 10 | | 10 | | |
| Euphorbiaceae | <i>Euphorbia razafinjohani</i> | II | DPL | | MG | 4 | | | | | |
| Euphorbiaceae | <i>Euphorbia resinifera</i> | II | EXT | GRM | DE | | | | | 180 | |
| Euphorbiaceae | <i>Euphorbia resinifera</i> | II | EXT | GRM | MA | | | | 0.16 | | |
| Euphorbiaceae | <i>Euphorbia resinifera</i> | II | EXT | GRM | ZA | | | | | 20 | |
| Euphorbiaceae | <i>Euphorbia resinifera</i> | II | EXT | KIL | XX | | 0.04 | | | | |
| Euphorbiaceae | <i>Euphorbia rhombifolia</i> | II | DPL | | ZA | | 3 | | | | |
| Euphorbiaceae | <i>Euphorbia sakarahaensis</i> | II | LIV | | MG | 24 | | | 10 | | 50 |
| Euphorbiaceae | <i>Euphorbia schoenlandii</i> | II | DPL | | ZA | | 3 | | | | |
| Euphorbiaceae | <i>Euphorbia schoenlandii</i> | II | LIV | | ZA | 75 | | | | | |
| Euphorbiaceae | <i>Euphorbia seguierana</i> | II | ROO | | GE | | | | | | 5 |
| Euphorbiaceae | <i>Euphorbia silenifolia</i> | II | LIV | | ZA | | | | | 25 | |
| Euphorbiaceae | <i>Euphorbia squarrosa</i> | II | LIV | | ZA | | | | | 50 | |
| Euphorbiaceae | <i>Euphorbia stellata</i> | II | LIV | | ZA | | | | | 2050 | |
| Euphorbiaceae | <i>Euphorbia stellispina</i> | II | DPL | | ZA | | 3 | | | | |
| Euphorbiaceae | <i>Euphorbia stellispina</i> | II | LIV | | ZA | 65 | | | | | |
| Euphorbiaceae | <i>Euphorbia susannae</i> | II | DPL | | ZA | | 3 | | | | |
| Euphorbiaceae | <i>Euphorbia susannae</i> | II | LIV | | ZA | 40 | | | | | |
| Euphorbiaceae | <i>Euphorbia susannae-marnierae</i> | II | LIV | | MG | 30 | 30 | | 10 | | |
| Euphorbiaceae | <i>Euphorbia tirucalli</i> | II | LVS | | MG | | | 48 | | | |
| Euphorbiaceae | <i>Euphorbia tirucalli</i> | II | LVS | GRM | MG | | | 10 | | | |
| Euphorbiaceae | <i>Euphorbia tirucalli</i> | II | SPE | | ID | | 2 | | | | |
| Euphorbiaceae | <i>Euphorbia tirucalli</i> | II | SPE | | MG | | | 2 | | | |
| Euphorbiaceae | <i>Euphorbia tuberculata</i> | II | DPL | | ZA | | 3 | | | | |
| Euphorbiaceae | <i>Euphorbia viguieri</i> | II | LIV | | MG | 300 | | | 20 | | |
| Euphorbiaceae | <i>Euphorbia virosa</i> | II | SPE | GRM | NA | | | | | 0.14 | 0.1422 |
| Euphorbiaceae | <i>Euphorbia virosa</i> | II | STE | | NA | | | | | | 5 |
| Euphorbiaceae | <i>Euphorbia waringiae</i> | II | LIV | | MG | 3860 | 10 | | 10 | | |
| Fouquieriaceae | <i>Fouquieria columnaris</i> | II | LIV | | MX | | | | | | 2 |
| Haemodoraceae | <i>Anigozanthos rufus</i> | II | DPL | | AU | 375 | | | | | |
| Lauraceae | <i>Aniba rosaeodora</i> | II | OIL | KIL | BR | | | | 97 | | |
| Leguminosae | <i>Caesalpinia echinata</i> | II | LVS | | BR | | | | 9 | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-------------|-------------------------------|------|------|------|---------|-----------|-----------|-----------|----------|------------|-------------|
| Leguminosae | <i>Dalbergia stevensonii</i> | II | SAW | CUM | GT | | | | | | 11.2 |
| Leguminosae | <i>Pericopsis elata</i> | II | CAR | | CI | 15 | | | | | |
| Leguminosae | <i>Pericopsis elata</i> | II | LIV | | CM | | | | 27.618 | | |
| Leguminosae | <i>Pericopsis elata</i> | II | LOG | | CD | | 140.39 | | | | |
| Leguminosae | <i>Pericopsis elata</i> | II | LOG | CUM | CD | 16334.231 | 14285.362 | 10894.421 | 1428.719 | 2373.22199 | 2958.979 |
| Leguminosae | <i>Pericopsis elata</i> | II | LOG | CUM | CG | 498.732 | 3148.15 | 539.766 | | 177.477 | |
| Leguminosae | <i>Pericopsis elata</i> | II | SAW | | CD | | | | 21.352 | | 136.397 |
| Leguminosae | <i>Pericopsis elata</i> | II | SAW | | GH | | | | 14 | | |
| Leguminosae | <i>Pericopsis elata</i> | II | SAW | CUM | CD | 4753.869 | 5037.503 | 1904.4 | 4897.082 | 2552.692 | 3348.58264 |
| Leguminosae | <i>Pericopsis elata</i> | II | SAW | CUM | CG | | | | 948.449 | 653.952 | 24.475 |
| Leguminosae | <i>Pericopsis elata</i> | II | SAW | CUM | CI | 13.795 | | | | | |
| Leguminosae | <i>Pericopsis elata</i> | II | SAW | CUM | CM | 8155.126 | 3973.615 | 4424.833 | 5348.304 | 5420.34898 | 57034.88203 |
| Leguminosae | <i>Pericopsis elata</i> | II | SAW | CUM | GH | | 28.627 | | 64.653 | 17.535 | |
| Leguminosae | <i>Pericopsis elata</i> | II | TIM | CUM | CD | 106.36 | | | | 671.6 | |
| Leguminosae | <i>Pericopsis elata</i> | II | TIM | CUM | CG | 667.637 | | 732.298 | 428.921 | 193.4 | |
| Leguminosae | <i>Pericopsis elata</i> | II | TIM | CUM | CM | 25.714 | 76.009 | | | | |
| Leguminosae | <i>Pericopsis elata</i> | II | VEN | | GA | | | | | | 24 |
| Leguminosae | <i>Pericopsis elata</i> | II | VEN | CUM | CD | | | 5.211 | 5.211 | | |
| Leguminosae | <i>Pericopsis elata</i> | II | VEN | CUM | CM | | | | | 10.457 | |
| Leguminosae | <i>Pericopsis elata</i> | II | VEN | SQM | CI | 3953.375 | | | | | |
| Leguminosae | <i>Pterocarpus santalinus</i> | II | CAR | KIL | NP | | | | | | 1.8 |
| Leguminosae | <i>Pterocarpus santalinus</i> | II | CHP | | BT | | | | | | 1 |
| Leguminosae | <i>Pterocarpus santalinus</i> | II | EXT | | NE | | | | | | 105 |
| Leguminosae | <i>Pterocarpus santalinus</i> | II | LOG | KIL | IN | | 177490 | | | | |
| Leguminosae | <i>Pterocarpus santalinus</i> | II | LOG | KIL | NE | 25000 | | | | | |
| Leguminosae | <i>Pterocarpus santalinus</i> | II | LOG | KIL | NP | | | 28600 | 13073 | | |
| Leguminosae | <i>Pterocarpus santalinus</i> | II | POW | GRM | IN | | | | | | 230 |
| Leguminosae | <i>Pterocarpus santalinus</i> | II | UNS | KIL | ZA | | | | | 16.5 | |
| Liliaceae | <i>Aloe spp.</i> | II | DPL | | MG | | 6 | | 4 | | |
| Liliaceae | <i>Aloe spp.</i> | II | LIV | | MG | 380 | 130 | | | 100 | 50 |
| Liliaceae | <i>Aloe spp.</i> | II | LIV | | MZ | 4 | | | | | |
| Liliaceae | <i>Aloe spp.</i> | II | SEE | | MG | | 1300 | | | | |
| Liliaceae | <i>Aloe spp.</i> | II | SEE | GRM | MG | | 1 | | 2 | 5 | |
| Liliaceae | <i>Aloe spp.</i> | II | SPE | | MG | | | | | 3 | |
| Liliaceae | <i>Liliaceae spp.</i> | II | LIV | | FR | | | | | 3 | |
| Liliaceae | <i>Aloe acutissima</i> | II | LIV | | MG | 4 | | | | | |
| Liliaceae | <i>Aloe acutissima</i> | II | SEE | GRM | MG | | | | 5 | | |
| Liliaceae | <i>Aloe andongensis</i> | II | EXT | GRM | JP | | | | 0.166 | | 0.034 |
| Liliaceae | <i>Aloe andongensis</i> | II | EXT | MGM | JP | | | | | 10.08 | 11.52 |
| Liliaceae | <i>Aloe arborescens</i> | II | DER | GRM | JP | | | | 9.604 | 7.07472 | |
| Liliaceae | <i>Aloe arborescens</i> | II | DER | KIL | JP | | | | 0.01 | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-----------|---|------|------|------|---------|----------|-----------|----------|-----------|------------|------------|
| Liliaceae | <i>Aloe arborescens</i> | II | LIV | | ZA | 200 | | | | | |
| Liliaceae | <i>Aloe arborescens</i> | II | LVS | KIL | GE | | | 7000 | | | |
| Liliaceae | <i>Aloe arborescens</i> | II | POW | KIL | ZA | | 10600 | 13260 | 8515 | 7800 | 40 |
| Liliaceae | <i>Aloe barbertoniae</i> | II | LIV | | ZA | 1 | | | | | |
| Liliaceae | <i>Aloe betsileensis</i> | II | LIV | | MG | | | 10 | | | |
| Liliaceae | <i>Aloe betsileensis</i> | II | SEE | GRM | MG | | | | 3 | | |
| Liliaceae | <i>Aloe capitata</i> var. <i>capitata</i> | II | LIV | | MG | | | 5 | | | |
| Liliaceae | <i>Aloe castanea</i> | II | LIV | | ZA | | 1 | | | | |
| Liliaceae | <i>Aloe ciliaris</i> | II | LIV | | ZA | 200 | | | | | |
| Liliaceae | <i>Aloe compressa</i> | II | LIV | | MG | | | 5 | | | |
| Liliaceae | <i>Aloe deltoideodonta</i> | II | LIV | | MG | 510 | | | | | |
| Liliaceae | <i>Aloe dichotoma</i> | II | LIV | | SA | | | | | | 1 |
| Liliaceae | <i>Aloe divaricata</i> | II | SEE | GRM | MG | | 15 | | | | |
| Liliaceae | <i>Aloe ferox</i> | II | DER | | US | | | | | | 1 |
| Liliaceae | <i>Aloe ferox</i> | II | DER | | ZA | 16368 | 23211.35 | 13115 | 14966 | 14790 | 41 |
| Liliaceae | <i>Aloe ferox</i> | II | DER | GRM | JP | | | | 0.028 | | |
| Liliaceae | <i>Aloe ferox</i> | II | DER | GRM | ZA | | 0.8 | 3 | 112 | 22235.4 | |
| Liliaceae | <i>Aloe ferox</i> | II | DER | KIL | ZA | 1985.475 | 25523.834 | 27053.75 | 64000.074 | 22386.114 | 50.974 |
| Liliaceae | <i>Aloe ferox</i> | II | DER | LTR | ZA | 20 | | 14400 | | 2915 | |
| Liliaceae | <i>Aloe ferox</i> | II | DPL | | ZA | | | 6820 | 11660 | 1500 | 1200 |
| Liliaceae | <i>Aloe ferox</i> | II | DPL | KIL | ZA | | | | 500 | | 40 |
| Liliaceae | <i>Aloe ferox</i> | II | EXT | | JP | | | | | | 120 |
| Liliaceae | <i>Aloe ferox</i> | II | EXT | | ZA | 984 | 629 | 1256 | 2044 | 970 | 474 |
| Liliaceae | <i>Aloe ferox</i> | II | EXT | GRM | ZA | | | | 65.09 | | 864 |
| Liliaceae | <i>Aloe ferox</i> | II | EXT | KIL | ZA | 380498.3 | 385157.15 | 321601.5 | 383577.63 | 485771.536 | 115832.505 |
| Liliaceae | <i>Aloe ferox</i> | II | EXT | LTR | ZA | 85233.1 | 51050 | 62030.74 | 66788 | 33434.75 | 54 |
| Liliaceae | <i>Aloe ferox</i> | II | EXT | MGM | CH | | | | | 939 | 529 |
| Liliaceae | <i>Aloe ferox</i> | II | EXT | MLT | ZA | | | | | | 21000 |
| Liliaceae | <i>Aloe ferox</i> | II | LIV | | ZA | 202 | 1 | | | | |
| Liliaceae | <i>Aloe ferox</i> | II | LVS | | ZA | 108190 | 69625 | 61121 | 118300 | 100060 | 43455 |
| Liliaceae | <i>Aloe ferox</i> | II | LVS | KIL | ZA | 24043 | 33115.1 | 10100 | 15890 | 4500 | |
| Liliaceae | <i>Aloe ferox</i> | II | MED | KIL | US | | | | 189.006 | | |
| Liliaceae | <i>Aloe ferox</i> | II | POW | KIL | ZA | 40928 | 35849 | 276394 | 46577.2 | 70340.562 | 20005.1 |
| Liliaceae | <i>Aloe ferox</i> | II | STE | | ZA | | | | 9606 | | |
| Liliaceae | <i>Aloe fleurentinorum</i> | II | LIV | | MG | 200 | | | | | |
| Liliaceae | <i>Aloe fragilis</i> | II | LIV | | MG | 300 | | | | | |
| Liliaceae | <i>Aloe inexpectata</i> | II | LIV | | MG | | | | | 50 | |
| Liliaceae | <i>Aloe itremensis</i> | II | DPL | | MG | | 7 | | | | |
| Liliaceae | <i>Aloe macroclada</i> | II | CUL | | MG | | | | | | 50 |
| Liliaceae | <i>Aloe macroclada</i> | II | LIV | | MG | 4 | | | | | |
| Liliaceae | <i>Aloe macroclada</i> | II | LVS | | MG | | | | 5 | 6 | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-----------|------------------------------|------|------|------|---------|----------|-----------|-----------|----------|---------|----------|
| Liliaceae | <i>Aloe marlothii</i> | II | LIV | | ZA | 1 | 1 | | | | |
| Liliaceae | <i>Aloe parallelifolia</i> | II | DPL | | MG | | 2 | | | | |
| Liliaceae | <i>Aloe perrieri</i> | II | LIV | | MG | 250 | | | | | |
| Liliaceae | <i>Aloe pretoriensis</i> | II | LIV | | ZA | | 1 | | | | |
| Liliaceae | <i>Aloe pronkii</i> | II | LIV | | MG | | | | | 50 | |
| Liliaceae | <i>Aloe suarezensis</i> | II | SEE | GRM | MG | 33 | | | | | |
| Liliaceae | <i>Aloe vaombe</i> | II | DPL | GRM | MG | 20 | | | | | |
| Meliaceae | <i>Swietenia spp.</i> | II | CAR | | IL | | | 4 | | | |
| Meliaceae | <i>Swietenia spp.</i> | II | LIV | | GT | | | | | 9891.18 | |
| Meliaceae | <i>Swietenia humilis</i> | II | CAR | | SE | | | | 1 | | |
| Meliaceae | <i>Swietenia humilis</i> | II | SAW | CUM | GT | 121.1 | 401.03 | 310.23 | 152.94 | 32.19 | |
| Meliaceae | <i>Swietenia macrophylla</i> | II | CAR | | HN | | | 7102 | | | |
| Meliaceae | <i>Swietenia macrophylla</i> | II | CAR | CUM | BO | | | | | 3 | |
| Meliaceae | <i>Swietenia macrophylla</i> | II | CAR | CUM | EC | | | 3 | | | |
| Meliaceae | <i>Swietenia macrophylla</i> | II | CAR | CUM | HN | | | 387.50765 | | | |
| Meliaceae | <i>Swietenia macrophylla</i> | II | CAR | KIL | HN | | | 454.55 | | | |
| Meliaceae | <i>Swietenia macrophylla</i> | II | DER | KIL | BZ | | 1360.78 | | | | |
| Meliaceae | <i>Swietenia macrophylla</i> | II | LOG | CUM | GW | | | | | 42 | |
| Meliaceae | <i>Swietenia macrophylla</i> | II | LOG | CUM | MX | 200.945 | 175.511 | 139.863 | | 22 | 2.938 |
| Meliaceae | <i>Swietenia macrophylla</i> | II | LVS | | BR | | | 10 | | | |
| Meliaceae | <i>Swietenia macrophylla</i> | II | PLY | CUM | BO | 3.58 | | | 44.86 | | |
| Meliaceae | <i>Swietenia macrophylla</i> | II | PLY | CUM | PE | 11.293 | | | | | |
| Meliaceae | <i>Swietenia macrophylla</i> | II | SAW | | BZ | | 13009.85 | | | | |
| Meliaceae | <i>Swietenia macrophylla</i> | II | SAW | | DO | | | | | | 1 |
| Meliaceae | <i>Swietenia macrophylla</i> | II | SAW | CCM | GT | | | | | | 480000 |
| Meliaceae | <i>Swietenia macrophylla</i> | II | SAW | CUM | BO | 7355.528 | 5565.81 | 3750 | 49701.16 | 1430.75 | |
| Meliaceae | <i>Swietenia macrophylla</i> | II | SAW | CUM | BR | 1136.074 | 435.55 | | 61.61 | 29.886 | |
| Meliaceae | <i>Swietenia macrophylla</i> | II | SAW | CUM | BZ | 319.5 | 755.35 | 320.68 | 859 | 883.834 | 1337 |
| Meliaceae | <i>Swietenia macrophylla</i> | II | SAW | CUM | EC | 296.68 | 518.16 | 33.44 | | | |
| Meliaceae | <i>Swietenia macrophylla</i> | II | SAW | CUM | FJ | 6504.04 | 8698.1829 | | | | |
| Meliaceae | <i>Swietenia macrophylla</i> | II | SAW | CUM | GT | 7637.19 | 5583.91 | 4483.33 | 4544.378 | 3490.15 | 3038 |
| Meliaceae | <i>Swietenia macrophylla</i> | II | SAW | CUM | HN | | | | 53.45 | 117.59 | 129 |
| Meliaceae | <i>Swietenia macrophylla</i> | II | SAW | CUM | MX | 1837.12 | 1986.684 | 2410.158 | 1563.548 | 758.748 | 1814.614 |
| Meliaceae | <i>Swietenia macrophylla</i> | II | SAW | CUM | NI | 1341 | 930.966 | 403.311 | 474.42 | 219.565 | 17 |
| Meliaceae | <i>Swietenia macrophylla</i> | II | SAW | CUM | PA | | 272 | | | | |
| Meliaceae | <i>Swietenia macrophylla</i> | II | SAW | CUM | PE | 5073.516 | 3764.01 | 1873.86 | 1699.931 | 931.739 | 207.59 |
| Meliaceae | <i>Swietenia macrophylla</i> | II | SAW | CUM | PH | 1679.104 | | | | | |
| Meliaceae | <i>Swietenia macrophylla</i> | II | SAW | KIL | PA | | 65000 | | | | |
| Meliaceae | <i>Swietenia macrophylla</i> | II | SAW | SQF | US | | 14026 | | | | |
| Meliaceae | <i>Swietenia macrophylla</i> | II | SAW | SQM | MX | | 2000 | | | | |
| Meliaceae | <i>Swietenia macrophylla</i> | II | SAW | SQM | PE | | | 36.573 | | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|--------------|--------------------------------|------|------|------|---------|------------|-----------|----------|----------|----------|----------|
| Meliaceae | <i>Swietenia macrophylla</i> | II | SPE | | PA | | | | 5 | | |
| Meliaceae | <i>Swietenia macrophylla</i> | II | TIM | CUM | BO | 1.65 | | 395.046 | 607.693 | 235.54 | |
| Meliaceae | <i>Swietenia macrophylla</i> | II | TIM | CUM | BR | | | | 61.605 | | |
| Meliaceae | <i>Swietenia macrophylla</i> | II | TIM | CUM | BZ | | | | | | 145.005 |
| Meliaceae | <i>Swietenia macrophylla</i> | II | TIM | CUM | CI | | | 45.993 | | | |
| Meliaceae | <i>Swietenia macrophylla</i> | II | TIM | CUM | CL | | | | 45.95 | | |
| Meliaceae | <i>Swietenia macrophylla</i> | II | TIM | CUM | DK | | | | 116.663 | | |
| Meliaceae | <i>Swietenia macrophylla</i> | II | TIM | CUM | FJ | | | | 7.17 | | 31.078 |
| Meliaceae | <i>Swietenia macrophylla</i> | II | TIM | CUM | GT | | | 1596.318 | 1128.771 | 397.92 | 789.38 |
| Meliaceae | <i>Swietenia macrophylla</i> | II | TIM | CUM | ID | 12.285 | | | | | |
| Meliaceae | <i>Swietenia macrophylla</i> | II | TIM | CUM | MX | | 20628.235 | | | | |
| Meliaceae | <i>Swietenia macrophylla</i> | II | TIM | CUM | NI | 1388.722 | 1284.0268 | 646.8527 | 23447.34 | | |
| Meliaceae | <i>Swietenia macrophylla</i> | II | TIM | CUM | PA | | | | 123.44 | 25.91 | |
| Meliaceae | <i>Swietenia macrophylla</i> | II | TIM | CUM | PE | | | 535.66 | 261.859 | 39.39 | |
| Meliaceae | <i>Swietenia macrophylla</i> | II | TIM | CUM | PH | | | 290.13 | | | |
| Meliaceae | <i>Swietenia macrophylla</i> | II | TIM | CUM | US | | | | 100.35 | 47.06 | |
| Meliaceae | <i>Swietenia macrophylla</i> | II | TIM | KIL | BZ | | 680 | | | | |
| Meliaceae | <i>Swietenia macrophylla</i> | II | TIM | KIL | HN | | | | | 35271.28 | 55508.04 |
| Meliaceae | <i>Swietenia macrophylla</i> | II | VEN | CUM | BO | | 3.4 | | | | |
| Meliaceae | <i>Swietenia macrophylla</i> | II | VEN | CUM | BR | | 65.99 | | | | |
| Meliaceae | <i>Swietenia macrophylla</i> | II | VEN | CUM | GT | | 8 | | | | |
| Meliaceae | <i>Swietenia macrophylla</i> | II | VEN | CUM | MX | | | | | 17.24 | |
| Meliaceae | <i>Swietenia macrophylla</i> | II | VEN | CUM | PE | | | 6 | | | |
| Meliaceae | <i>Swietenia macrophylla</i> | II | VEN | SQM | BO | 14900 | 3340 | | | | |
| Meliaceae | <i>Swietenia mahagoni</i> | II | CAR | | BS | | | | | 1 | |
| Meliaceae | <i>Swietenia mahagoni</i> | II | SAW | KIL | FR | | | 160 | | | |
| Meliaceae | <i>Swietenia mahagoni</i> | II | SPE | | BS | | | 64 | | | |
| Meliaceae | <i>Swietenia mahagoni</i> | II | TIM | KIL | PW | 18143.6948 | | | | | |
| Meliaceae | <i>Swietenia mahagoni</i> | II | VEN | KIL | FR | | 13.55 | 10.4 | | 5.8 | |
| Nepenthaceae | <i>Nepenthes spp.</i> | II | FLO | | AU | | | 40 | | | |
| Nepenthaceae | <i>Nepenthes spp.</i> | II | LIV | | AU | | 704 | 93 | 2 | | |
| Nepenthaceae | <i>Nepenthes spp.</i> | II | LIV | | MY | 47 | | | | | |
| Nepenthaceae | <i>Nepenthes hybrid</i> | II | LIV | | BN | | | | | | 13 |
| Nepenthaceae | <i>Nepenthes albomarginata</i> | II | LIV | | MY | 2 | | | | | |
| Nepenthaceae | <i>Nepenthes albomarginata</i> | II | POW | | BN | | | | | | 10 |
| Nepenthaceae | <i>Nepenthes albomarginata</i> | II | POW | MLT | BN | | | | | | 10 |
| Nepenthaceae | <i>Nepenthes ampullaria</i> | II | DPL | | BN | 4 | | 10 | | | |
| Nepenthaceae | <i>Nepenthes ampullaria</i> | II | LIV | | BN | | | | | | 116 |
| Nepenthaceae | <i>Nepenthes ampullaria</i> | II | LIV | | MY | 35 | | | | | |
| Nepenthaceae | <i>Nepenthes ampullaria</i> | II | POW | | BN | | | | | | 10 |
| Nepenthaceae | <i>Nepenthes ampullaria</i> | II | POW | MLT | BN | | | | | | 10 |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|--------------|------------------------------|------|------|------|---------|------|------|------|------|------|------|
| Nepenthaceae | <i>Nepenthes ampullaria</i> | II | SEE | | BN | 3 | | | | | |
| Nepenthaceae | <i>Nepenthes ampullaria</i> | II | SPE | | BN | | | 10 | | | |
| Nepenthaceae | <i>Nepenthes bellii</i> | II | LIV | | MY | 4 | | | | | |
| Nepenthaceae | <i>Nepenthes bicalcarata</i> | II | DPL | | BN | | | 410 | 200 | | |
| Nepenthaceae | <i>Nepenthes bicalcarata</i> | II | LIV | | BN | | | | | | 183 |
| Nepenthaceae | <i>Nepenthes bicalcarata</i> | II | LIV | | MY | 5 | | | | | |
| Nepenthaceae | <i>Nepenthes bicalcarata</i> | II | LVS | | BN | | | | | | 162 |
| Nepenthaceae | <i>Nepenthes bicalcarata</i> | II | POW | | BN | | | | | 40 | |
| Nepenthaceae | <i>Nepenthes bicalcarata</i> | II | SPE | | BN | | | 10 | | | |
| Nepenthaceae | <i>Nepenthes boschiana</i> | II | LIV | | MY | 2 | | | | | |
| Nepenthaceae | <i>Nepenthes gracilis</i> | II | DPL | | BN | 3 | | 10 | | | |
| Nepenthaceae | <i>Nepenthes gracilis</i> | II | LIV | | AU | | | 2 | | | |
| Nepenthaceae | <i>Nepenthes gracilis</i> | II | LIV | | BN | | | | | | 106 |
| Nepenthaceae | <i>Nepenthes gracilis</i> | II | LIV | | MY | 2 | | | | | |
| Nepenthaceae | <i>Nepenthes gracilis</i> | II | POW | | BN | | | | | | 10 |
| Nepenthaceae | <i>Nepenthes gracilis</i> | II | POW | MLT | BN | | | | | | 10 |
| Nepenthaceae | <i>Nepenthes gracilis</i> | II | SEE | | BN | 3 | | | | | |
| Nepenthaceae | <i>Nepenthes gracilis</i> | II | SPE | | BN | | | 10 | | | |
| Nepenthaceae | <i>Nepenthes hirsuta</i> | II | LIV | | MY | 15 | | | | | |
| Nepenthaceae | <i>Nepenthes masaolensis</i> | II | SEE | GRM | MG | | | 20 | | | |
| Nepenthaceae | <i>Nepenthes masaolensis</i> | II | SPE | | MG | | | 1 | | | |
| Nepenthaceae | <i>Nepenthes maxima</i> | II | LIV | | MY | 18 | | | | | |
| Nepenthaceae | <i>Nepenthes mirabilis</i> | II | DPL | | BN | | | 10 | | | |
| Nepenthaceae | <i>Nepenthes mirabilis</i> | II | DPL | | PW | | 1 | | | | |
| Nepenthaceae | <i>Nepenthes mirabilis</i> | II | FLO | | AU | | | 1 | | | |
| Nepenthaceae | <i>Nepenthes mirabilis</i> | II | LIV | | BN | | | | | | 12 |
| Nepenthaceae | <i>Nepenthes mirabilis</i> | II | LIV | | MY | 12 | | | | | |
| Nepenthaceae | <i>Nepenthes mirabilis</i> | II | POW | | BN | | | | | | 10 |
| Nepenthaceae | <i>Nepenthes mirabilis</i> | II | POW | MLT | BN | | | | | | 10 |
| Nepenthaceae | <i>Nepenthes mirabilis</i> | II | SPE | | BN | | | 10 | | | |
| Nepenthaceae | <i>Nepenthes rafflesiana</i> | II | DPL | | AU | | | 25 | | | |
| Nepenthaceae | <i>Nepenthes rafflesiana</i> | II | DPL | | BN | 7 | | 90 | | | |
| Nepenthaceae | <i>Nepenthes rafflesiana</i> | II | LIV | | BN | | | | | | 158 |
| Nepenthaceae | <i>Nepenthes rafflesiana</i> | II | LIV | | MY | 34 | | | | | |
| Nepenthaceae | <i>Nepenthes rafflesiana</i> | II | POW | | BN | | | | | | 10 |
| Nepenthaceae | <i>Nepenthes rafflesiana</i> | II | POW | MLT | BN | | | | | | 10 |
| Nepenthaceae | <i>Nepenthes rafflesiana</i> | II | SEE | | BN | 3 | | | | | |
| Nepenthaceae | <i>Nepenthes rafflesiana</i> | II | SPE | | BN | | | 20 | | | |
| Nepenthaceae | <i>Nepenthes sumatrana</i> | II | LIV | | MY | 10 | | | | | |
| Nepenthaceae | <i>Nepenthes truncata</i> | II | LIV | | MY | 20 | | | | | |
| Nepenthaceae | <i>Nepenthes veitchii</i> | II | LIV | | AU | | | | 10 | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|--------------|-----------------------------|------|------|------|---------|------|------|------|------|------|------|
| Nepenthaceae | <i>Nepenthes veitchii</i> | II | LIV | | MY | 10 | | | | | |
| Nepenthaceae | <i>Nepenthes ventricosa</i> | II | LIV | | AU | | | | 1 | | |
| Nepenthaceae | <i>Nepenthes ventricosa</i> | II | LIV | | MY | 14 | | | | | |
| Nepenthaceae | <i>Nepenthes viillardii</i> | II | LIV | | MY | 2 | | | | | |
| Orchidaceae | <i>Orchidaceae spp.</i> | II | DER | | HK | | | | | | 18 |
| Orchidaceae | <i>Orchidaceae spp.</i> | II | DER | | ID | | | | | 15 | |
| Orchidaceae | <i>Orchidaceae spp.</i> | II | DER | KIL | CN | | 0.9 | | | | |
| Orchidaceae | <i>Orchidaceae spp.</i> | II | DPL | | CM | 15 | | | | | |
| Orchidaceae | <i>Orchidaceae spp.</i> | II | DPL | | EC | | | | 751 | | |
| Orchidaceae | <i>Orchidaceae spp.</i> | II | DPL | | GT | 182 | | | | | |
| Orchidaceae | <i>Orchidaceae spp.</i> | II | DPL | | MG | 757 | 332 | | 898 | 4 | |
| Orchidaceae | <i>Orchidaceae spp.</i> | II | DPL | | PE | 217 | 21 | 169 | 200 | 884 | 31 |
| Orchidaceae | <i>Orchidaceae spp.</i> | II | DPL | | SR | 4 | | | | | |
| Orchidaceae | <i>Orchidaceae spp.</i> | II | DPL | KIL | HK | | | | | | 20 |
| Orchidaceae | <i>Orchidaceae spp.</i> | II | DPL | KIL | MG | 106 | | | | | |
| Orchidaceae | <i>Orchidaceae spp.</i> | II | EXT | | MM | | | | | 30 | |
| Orchidaceae | <i>Orchidaceae spp.</i> | II | EXT | | PE | | | 5 | | | |
| Orchidaceae | <i>Orchidaceae spp.</i> | II | FIB | | PG | | | | | 5 | |
| Orchidaceae | <i>Orchidaceae spp.</i> | II | FLO | | MG | 22 | | | 33 | | |
| Orchidaceae | <i>Orchidaceae spp.</i> | II | FLO | | MX | 1 | | | | | |
| Orchidaceae | <i>Orchidaceae spp.</i> | II | FLO | | PG | | 6 | | | | |
| Orchidaceae | <i>Orchidaceae spp.</i> | II | FRU | | PA | | | | | 428 | |
| Orchidaceae | <i>Orchidaceae spp.</i> | II | LIV | | BZ | 15 | | 2007 | | | |
| Orchidaceae | <i>Orchidaceae spp.</i> | II | LIV | | EC | | | | | | 3 |
| Orchidaceae | <i>Orchidaceae spp.</i> | II | LIV | | ID | | | | | 960 | 9084 |
| Orchidaceae | <i>Orchidaceae spp.</i> | II | LIV | | MG | 359 | 103 | 124 | 204 | 246 | |
| Orchidaceae | <i>Orchidaceae spp.</i> | II | LIV | | MX | | | | | | 9 |
| Orchidaceae | <i>Orchidaceae spp.</i> | II | LIV | | NZ | 8 | 20 | | | 3 | |
| Orchidaceae | <i>Orchidaceae spp.</i> | II | LIV | | PA | | 18 | | | 129 | |
| Orchidaceae | <i>Orchidaceae spp.</i> | II | LIV | | PH | | | | | | 10 |
| Orchidaceae | <i>Orchidaceae spp.</i> | II | LIV | | TW | | 85 | 160 | | 803 | 2592 |
| Orchidaceae | <i>Orchidaceae spp.</i> | II | LIV | | US | | | | | 1 | |
| Orchidaceae | <i>Orchidaceae spp.</i> | II | LIV | GRM | CN | | | | | | 500 |
| Orchidaceae | <i>Orchidaceae spp.</i> | II | LVS | | LR | | | | | 61 | |
| Orchidaceae | <i>Orchidaceae spp.</i> | II | LVS | | MG | 61 | | 2 | 45 | 39 | |
| Orchidaceae | <i>Orchidaceae spp.</i> | II | ROO | | MG | | | | | 60 | |
| Orchidaceae | <i>Orchidaceae spp.</i> | II | SEE | | MG | | | | | 50 | |
| Orchidaceae | <i>Orchidaceae spp.</i> | II | SEE | GRM | MG | | | | 4.5 | 6 | |
| Orchidaceae | <i>Orchidaceae spp.</i> | II | SPE | | CM | 15 | | | | 591 | |
| Orchidaceae | <i>Orchidaceae spp.</i> | II | SPE | | GN | | 21 | | | | |
| Orchidaceae | <i>Orchidaceae spp.</i> | II | SPE | | MG | | 556 | 687 | 4 | 129 | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-------------|----------------------------|------|------|------|---------|------|------|------|------|------|------|
| Orchidaceae | <i>Orchidaceae spp.</i> | II | SPE | | PA | | | | 184 | | |
| Orchidaceae | <i>Orchidaceae spp.</i> | II | SPE | | PE | 47 | | | 169 | | |
| Orchidaceae | <i>Orchidaceae spp.</i> | II | SPE | | VN | | 37 | | | | |
| Orchidaceae | <i>Orchidaceae spp.</i> | II | SPE | | VU | 59 | | | | | |
| Orchidaceae | <i>Orchidaceae hybrid</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Orchidaceae hybrid</i> | II | LIV | | AU | | | 8 | | | |
| Orchidaceae | <i>Orchidaceae hybrid</i> | II | LIV | | EC | | 1 | | | | |
| Orchidaceae | <i>Orchidaceae hybrid</i> | II | LIV | | MG | | | | 8 | | |
| Orchidaceae | <i>Orchidaceae hybrid</i> | II | LIV | | TH | | | | | | 2 |
| Orchidaceae | <i>Orchidaceae hybrid</i> | II | LIV | | TW | | | | | | 20 |
| Orchidaceae | <i>Orchidaceae hybrid</i> | II | LVS | | MG | | | 58 | | | |
| Orchidaceae | <i>Orchidaceae hybrid</i> | II | SPE | | MG | | | 164 | | | |
| Orchidaceae | <i>Orchidaceae hybrid</i> | II | STE | | PG | | 80 | | | | |
| Orchidaceae | <i>Aa spp.</i> | II | DPL | | PE | 7 | 2 | | | | |
| Orchidaceae | <i>Aa spp.</i> | II | SPE | | PE | 2 | 1 | | | | |
| Orchidaceae | <i>Aa matthewsii</i> | II | DPL | | PE | | | | 1 | | |
| Orchidaceae | <i>Acampe pachyglossa</i> | II | SEE | GRM | MG | | | | 0.5 | | |
| Orchidaceae | <i>Acineta spp.</i> | II | LIV | | EC | | | | | | 1 |
| Orchidaceae | <i>Acineta superba</i> | II | SPE | | EC | | 2 | | | | |
| Orchidaceae | <i>Acriopsis spp.</i> | II | FLO | | PG | | 6 | | | | |
| Orchidaceae | <i>Acriopsis spp.</i> | II | LIV | | PG | | 6 | | | | |
| Orchidaceae | <i>Acrolophia spp.</i> | II | DPL | | MG | 3 | | | | | |
| Orchidaceae | <i>Ada spp.</i> | II | DPL | | PE | 4 | 2 | | | | |
| Orchidaceae | <i>Ada spp.</i> | II | SPE | | EC | | 2 | | | | |
| Orchidaceae | <i>Ada ocanensis</i> | II | DPL | | PE | | | | 60 | | |
| Orchidaceae | <i>Aerangis spp.</i> | II | DPL | | MG | 2 | | | | | |
| Orchidaceae | <i>Aerangis spp.</i> | II | LIV | | BI | | | | | | 4 |
| Orchidaceae | <i>Aerangis spp.</i> | II | LIV | | MZ | 4 | | | | | |
| Orchidaceae | <i>Aerangis spp.</i> | II | LIV | | TW | | | 250 | | | |
| Orchidaceae | <i>Aerangis articulata</i> | II | LIV | | MG | | 30 | | | | |
| Orchidaceae | <i>Aerangis articulata</i> | II | SPE | GRM | MG | | 115 | | | | |
| Orchidaceae | <i>Aerangis citrata</i> | II | DPL | | MG | 1 | | | | | |
| Orchidaceae | <i>Aerangis citrata</i> | II | LIV | | MG | | 2 | | | 10 | |
| Orchidaceae | <i>Aerangis cryptodon</i> | II | DPL | | MG | | 4 | | | | |
| Orchidaceae | <i>Aerangis cryptodon</i> | II | LIV | | MG | 23 | | | | | |
| Orchidaceae | <i>Aerangis cryptodon</i> | II | SEE | GRM | MG | | | | | 0.3 | |
| Orchidaceae | <i>Aerangis curnowiana</i> | II | LIV | | MG | 23 | | 20 | 20 | 20 | |
| Orchidaceae | <i>Aerangis fastuosa</i> | II | LIV | | MG | 9 | 2 | 1 | | | |
| Orchidaceae | <i>Aerangis fuscata</i> | II | LIV | | MG | 3 | 10 | | 10 | 20 | |
| Orchidaceae | <i>Aerangis hyaloides</i> | II | LIV | | MG | 18 | 2 | | 20 | | |
| Orchidaceae | <i>Aerangis hyaloides</i> | II | SPE | GRM | MG | | 137 | | | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-------------|----------------------------------|------|------|------|---------|------|------|-------|------|------|------|
| Orchidaceae | <i>Aerangis macrocentra</i> | II | DPL | | MG | 4 | | | | | |
| Orchidaceae | <i>Aerangis macrocentra</i> | II | LIV | | MG | | 2 | | | | |
| Orchidaceae | <i>Aerangis modesta</i> | II | LIV | | MG | | 10 | | | | |
| Orchidaceae | <i>Aerangis pallidiflora</i> | II | LIV | | MG | | | | | 6 | |
| Orchidaceae | <i>Aerangis punctata</i> | II | LIV | | MG | | | | | 6 | |
| Orchidaceae | <i>Aerangis rostellaris</i> | II | SPE | GRM | MG | | 10 | | | | |
| Orchidaceae | <i>Aerangis stylosa</i> | II | DPL | | MG | 3 | | | | | |
| Orchidaceae | <i>Aerangis stylosa</i> | II | LIV | | MG | 4 | | | | | |
| Orchidaceae | <i>Aerangis stylosa</i> | II | SPE | GRM | MG | | 18 | | | | |
| Orchidaceae | <i>Aeranthes spp.</i> | II | DPL | | MG | 6 | | | | | |
| Orchidaceae | <i>Aeranthes antennophora</i> | II | SPE | | MG | | | | 1 | | |
| Orchidaceae | <i>Aeranthes carnosa</i> | II | DPL | | MG | 1 | | | | | |
| Orchidaceae | <i>Aeranthes caudata</i> | II | LIV | | MG | 5 | | | | 6 | |
| Orchidaceae | <i>Aeranthes grandiflora</i> | II | LIV | | MG | 5 | 13 | | | | |
| Orchidaceae | <i>Aeranthes henrici</i> | II | LIV | | MG | 34 | 32 | 30 | 40 | 40 | |
| Orchidaceae | <i>Aeranthes henrici</i> | II | LVS | | MG | 201 | | | | | |
| Orchidaceae | <i>Aeranthes henrici</i> | II | SEE | | MG | | 27 | | | | |
| Orchidaceae | <i>Aeranthes henrici</i> | II | SPE | | MG | | 5 | | | | |
| Orchidaceae | <i>Aeranthes peyrotii</i> | II | LIV | | MG | | 1 | | | | |
| Orchidaceae | <i>Aeranthes ramosa</i> | II | LIV | | MG | 22 | 46 | 21 | 20 | 26 | |
| Orchidaceae | <i>Aerides odorata</i> | II | LIV | | VN | | | | | | 2 |
| Orchidaceae | <i>Agrostophyllum spp.</i> | II | FLO | | PG | | 55 | | | | |
| Orchidaceae | <i>Agrostophyllum spp.</i> | II | LIV | | PG | | 15 | | | | 57 |
| Orchidaceae | <i>Altensteinia spp.</i> | II | DPL | | PE | 2 | | | | | |
| Orchidaceae | <i>Altensteinia spp.</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Altensteinia fimbriata</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Altensteinia fimbriata</i> | II | SPE | | EC | | | | 3 | | |
| Orchidaceae | <i>Altensteinia fimbriata</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Anacamptis coryophora</i> | II | DPL | | GE | 1 | | | | | |
| Orchidaceae | <i>Anacamptis papilionacea</i> | II | DPL | | JO | | | | 400 | | |
| Orchidaceae | <i>Anacamptis sancta</i> | II | LIV | | JO | | 1 | | | | |
| Orchidaceae | <i>Anacamptis sancta</i> | II | SEE | | JO | | | | 400 | | |
| Orchidaceae | <i>Andinia spp.</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Angraecum spp.</i> | II | DPL | | MG | 12 | 2 | | 7 | | |
| Orchidaceae | <i>Angraecum spp.</i> | II | LIV | | BI | | | | | | 2 |
| Orchidaceae | <i>Angraecum spp.</i> | II | LIV | | MG | | 10 | | 6 | | |
| Orchidaceae | <i>Angraecum spp.</i> | II | LIV | | TW | | | 650 | | | |
| Orchidaceae | <i>Angraecum spp.</i> | II | SEE | GRM | MG | | | 1 | | | |
| Orchidaceae | <i>Angraecum spp.</i> | II | SPE | KIL | MG | | 6.58 | 0.515 | | | |
| Orchidaceae | <i>Angraecum appendiculoides</i> | II | LIV | | MG | | | | | 6 | |
| Orchidaceae | <i>Angraecum appendiculoides</i> | II | SPE | GRM | MG | | 25 | | | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-------------|------------------------------------|------|------|------|---------|------|-------|------|------|------|------|
| Orchidaceae | <i>Angraecum breve</i> | II | LIV | | MG | | 10 | | | | |
| Orchidaceae | <i>Angraecum calceolus</i> | II | DPL | | MG | 2 | | | | | |
| Orchidaceae | <i>Angraecum calceolus</i> | II | LIV | | MG | | | | | 6 | |
| Orchidaceae | <i>Angraecum calceolus</i> | II | SPE | GRM | MG | | 97 | | | | |
| Orchidaceae | <i>Angraecum chaetopodium</i> | II | SEE | GRM | MG | | | | | 0.1 | |
| Orchidaceae | <i>Angraecum clavigerum</i> | II | SPE | GRM | MG | | 64 | | | | |
| Orchidaceae | <i>Angraecum compactum</i> | II | LIV | | MG | 20 | 21 | 10 | 20 | 10 | |
| Orchidaceae | <i>Angraecum compactum</i> | II | SPE | KIL | MG | | 0.202 | | | | |
| Orchidaceae | <i>Angraecum coutrixii</i> | II | DPL | | MG | | 1 | | | | |
| Orchidaceae | <i>Angraecum danguyanum</i> | II | SPE | GRM | MG | | 62 | | | | |
| Orchidaceae | <i>Angraecum dendrobiopsis</i> | II | SPE | GRM | MG | | 116 | | | | |
| Orchidaceae | <i>Angraecum drouhardii</i> | II | LIV | | MG | | 20 | | | | |
| Orchidaceae | <i>Angraecum eburneum</i> | II | LIV | | MG | 2 | 2 | | | | |
| Orchidaceae | <i>Angraecum eburneum</i> | II | SPE | GRM | MG | | 131 | | | | |
| Orchidaceae | <i>Angraecum eburneum eburneum</i> | II | DPL | | MG | 1 | | | | | |
| Orchidaceae | <i>Angraecum eburneum superbum</i> | II | LIV | | MG | 2 | 2 | | | | |
| Orchidaceae | <i>Angraecum eburneum superbum</i> | | | | | | | | | | |
| Orchidaceae | <i>var. longicalcar</i> | II | LVS | | MG | | | | 83 | | |
| Orchidaceae | <i>Angraecum equitans</i> | II | LIV | | MG | | 15 | | | | |
| Orchidaceae | <i>Angraecum fillicornu</i> | II | SPE | GRM | MG | | 10 | | | | |
| Orchidaceae | <i>Angraecum germinyanum</i> | II | LIV | | MG | 3 | 15 | 1 | | | |
| Orchidaceae | <i>Angraecum germinyanum</i> | II | SPE | GRM | MG | | 82 | | | | |
| Orchidaceae | <i>Angraecum humblotianum</i> | II | SPE | GRM | MG | | 130 | | | | |
| Orchidaceae | <i>Angraecum leonis</i> | II | LIV | | MG | 1 | 5 | 2 | | | |
| Orchidaceae | <i>Angraecum madagascariense</i> | II | SPE | GRM | MG | | 161 | | | | |
| Orchidaceae | <i>Angraecum magdalenae</i> | II | LIV | | MG | 3 | | | 10 | 10 | |
| Orchidaceae | <i>Angraecum mauritianum</i> | II | SPE | GRM | MG | | 230 | | | | |
| Orchidaceae | <i>Angraecum musculiferum</i> | II | SPE | GRM | MG | | 15 | | | | |
| Orchidaceae | <i>Angraecum obesum</i> | II | LIV | | MG | 20 | 20 | | | | |
| Orchidaceae | <i>Angraecum obesum</i> | II | SPE | GRM | MG | | 25 | | | | |
| Orchidaceae | <i>Angraecum oblongifolium</i> | II | LIV | | MG | | | | | 1 | |
| Orchidaceae | <i>Angraecum panicifolium</i> | II | DPL | | MG | 3 | | | | | |
| Orchidaceae | <i>Angraecum panicifolium</i> | II | SPE | KIL | MG | | 0.314 | | | | |
| Orchidaceae | <i>Angraecum pauciramosum</i> | II | SPE | GRM | MG | | 129 | | | | |
| Orchidaceae | <i>Angraecum pinifolium</i> | II | LIV | | MG | 2 | | | | | |
| Orchidaceae | <i>Angraecum potamophilum</i> | II | SPE | KIL | MG | | 0.237 | | | | |
| Orchidaceae | <i>Angraecum praestans</i> | II | SPE | GRM | MG | | 102 | | | | |
| Orchidaceae | <i>Angraecum protensum</i> | II | SEE | GRM | MG | | | | 1 | | |
| Orchidaceae | <i>Angraecum protensum</i> | II | SPE | GRM | MG | | 105 | | | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-------------|----------------------------------|------|------|------|---------|------|------|------|------|------|------|
| Orchidaceae | <i>Angraecum pseudofilicornu</i> | II | LIV | | MG | 3 | 10 | | | 10 | |
| Orchidaceae | <i>Angraecum pseudofilicornu</i> | II | SPE | GRM | MG | | 21 | | | | |
| Orchidaceae | <i>Angraecum ramosum</i> | II | LIV | | MG | 1 | 10 | | | | |
| Orchidaceae | <i>Angraecum ramosum</i> | II | SPE | GRM | MG | | 36 | | | | |
| Orchidaceae | <i>Angraecum rhizomaniacurr.</i> | II | SPE | GRM | MG | | 159 | | | | |
| Orchidaceae | <i>Angraecum rhynchoglossum</i> | II | SPE | GRM | MG | | 109 | | | | |
| Orchidaceae | <i>Angraecum rostratum</i> | II | DPL | | MG | 4 | | | | | |
| Orchidaceae | <i>Angraecum rutenbergianum</i> | II | LIV | | MG | 4 | 20 | 1 | | | |
| Orchidaceae | <i>Angraecum rutenbergianum</i> | II | SEE | GRM | MG | | | | | 0.2 | |
| Orchidaceae | <i>Angraecum scottianum</i> | II | SPE | GRM | MG | | 37 | | | | |
| Orchidaceae | <i>Angraecum sedifolium</i> | II | SPE | | MG | | | 108 | | | |
| Orchidaceae | <i>Angraecum sesquipedale</i> | II | LIV | | MG | 4 | 2 | | | | |
| Orchidaceae | <i>Angraecum sesquipedale</i> | II | LVS | | MG | 18 | 150 | | 141 | | |
| Orchidaceae | <i>Angraecum sesquipedale</i> | II | SPE | GRM | MG | | 6 | | | | |
| Orchidaceae | <i>Angraecum sororium</i> | II | LIV | | MG | | 10 | | | | |
| Orchidaceae | <i>Angraecum teretifolium.</i> | II | LIV | | MG | 22 | 20 | | | 10 | |
| Orchidaceae | <i>Angraecum teretifolium.</i> | II | SPE | GRM | MG | | 66 | | | | |
| Orchidaceae | <i>Angraecum viguieri</i> | II | LIV | | MG | 21 | 20 | | | | |
| Orchidaceae | <i>Angraecum viguieri</i> | II | SPE | GRM | MG | | 92 | | | | |
| Orchidaceae | <i>Anguloa clowesii</i> | II | SPE | | EC | | 2 | | | | |
| Orchidaceae | <i>Anguloa uniflora</i> | II | LIV | | EC | | | | | | 2 |
| Orchidaceae | <i>Anguloa uniflora</i> | II | SPE | | EC | | 4 | | | | |
| Orchidaceae | <i>Antillanorchis gundlachii</i> | II | DPL | | DO | 3 | | | | | |
| Orchidaceae | <i>Apostasia odorata</i> | II | LIV | | VN | | | | | | 2 |
| Orchidaceae | <i>Appendicula spp.</i> | II | FLO | | PG | | 20 | | | | |
| Orchidaceae | <i>Appendicula reflexa</i> | II | LIV | | VN | | | | | | 2 |
| Orchidaceae | <i>Ascocentrum miniatum</i> | II | LIV | | LA | 5 | | | | | |
| Orchidaceae | <i>Aspasia spp.</i> | II | DPL | | PA | | | | 2 | | |
| Orchidaceae | <i>Aspasia spp.</i> | II | LVS | | PA | | | | | 13 | |
| Orchidaceae | <i>Aspasia lunata</i> | II | LIV | | EC | | 1 | | | | |
| Orchidaceae | <i>Barbosella spp.</i> | II | DPL | | PE | | 1 | | | | |
| Orchidaceae | <i>Barbosella spp.</i> | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Barbosella spp.</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Barbosella cucullata</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Barbosella cucullata</i> | II | SPE | | EC | | | | 1 | | |
| Orchidaceae | <i>Barbosella cucullata</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Baskervilla spp.</i> | II | DPL | | PE | | 1 | | | | |
| Orchidaceae | <i>Beclardia macrostachya</i> | II | LIV | | MG | 13 | | | | 10 | |
| Orchidaceae | <i>Benthamia spp.</i> | II | SEE | GRM | MG | | | | 1 | | |
| Orchidaceae | <i>Bletia spp.</i> | II | DPL | | PE | 2 | | | | | |
| Orchidaceae | <i>Bletia spp.</i> | II | LIV | | JM | | | | | 60 | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-------------|------------------------------------|------|------|------|---------|------|------|------|------|------|------|
| Orchidaceae | <i>Bletia florida</i> | II | LIV | | JM | 4 | | | | 30 | |
| Orchidaceae | <i>Bletia purpurea</i> | II | LIV | | JM | | | | | 30 | |
| Orchidaceae | <i>Bletilla striata</i> | II | DER | | TW | | | | | | 1 |
| Orchidaceae | <i>Bletilla striata</i> | II | EXT | | JP | | | | | | 230 |
| Orchidaceae | <i>Bletilla striata</i> | II | EXT | KIL | JP | | | | | | 3000 |
| Orchidaceae | <i>Brachionidium spp.</i> | II | DPL | | PE | 3 | 1 | | | | |
| Orchidaceae | <i>Brachionidium spp.</i> | II | SPE | | EC | | | | 10 | | |
| Orchidaceae | <i>Brachionidium spp.</i> | II | SPE | | PE | | | | | | 3 |
| Orchidaceae | <i>Brachycorythis galeandra</i> | II | LIV | | VN | | | | | | 3 |
| Orchidaceae | <i>Brachypeza indusiata</i> | II | FLO | | MY | | 1 | | | | |
| Orchidaceae | <i>Brachypeza indusiata</i> | II | LVS | | MY | | 5 | | | | |
| Orchidaceae | <i>Brassavola cordata</i> | II | LIV | | JM | 1 | | | | 40 | |
| Orchidaceae | <i>Brassavola nodosa</i> | II | LIV | | BZ | | | 400 | | | |
| Orchidaceae | <i>Brassavola tuberculata</i> | II | LIV | | JM | | 10 | | | | |
| Orchidaceae | <i>Brassia caudata</i> | II | LIV | | JM | 4 | | | | 50 | |
| Orchidaceae | <i>Brassia longissima</i> | II | SPE | | EC | | 2 | | | | |
| Orchidaceae | <i>Brassia maculata</i> | II | LIV | | BZ | | | 100 | | | |
| Orchidaceae | <i>Broughtonia negrilensis</i> | II | LIV | | JM | | | 50 | | | |
| Orchidaceae | <i>Broughtonia sanguinea</i> | II | LIV | | JM | | | 100 | | 50 | |
| Orchidaceae | <i>Bulbophyllum spp.</i> | II | DPL | | MG | 76 | | 1055 | 3 | | |
| Orchidaceae | <i>Bulbophyllum spp.</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Bulbophyllum spp.</i> | II | DPL | | UG | | | 13 | | | |
| Orchidaceae | <i>Bulbophyllum spp.</i> | II | FLO | | MG | 12 | | | | | |
| Orchidaceae | <i>Bulbophyllum spp.</i> | II | FLO | | PG | | 295 | | | | |
| Orchidaceae | <i>Bulbophyllum spp.</i> | II | LIV | | BI | | | | | | 4 |
| Orchidaceae | <i>Bulbophyllum spp.</i> | II | LIV | | MG | | 42 | | | | |
| Orchidaceae | <i>Bulbophyllum spp.</i> | II | LIV | | PG | | | | | | 569 |
| Orchidaceae | <i>Bulbophyllum spp.</i> | II | LVS | | MG | 12 | | | | | |
| Orchidaceae | <i>Bulbophyllum spp.</i> | II | SEE | GRM | MG | | | 1 | | | |
| Orchidaceae | <i>Bulbophyllum spp.</i> | II | SPE | | MG | 180 | | 1055 | | | |
| Orchidaceae | <i>Bulbophyllum spp.</i> | II | STE | | PG | | 10 | | | | |
| Orchidaceae | <i>Bulbophyllum alexandrae</i> | II | FLO | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum alexandrae</i> | II | LIV | | MG | 10 | 1 | | | | |
| Orchidaceae | <i>Bulbophyllum alexandrae</i> | II | LVS | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum appendiculatum</i> | II | DPL | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum aubrevillei</i> | II | DPL | | MG | 1 | | | | | |
| Orchidaceae | <i>Bulbophyllum auratum</i> | II | DPL | | MG | 1 | | | | | |
| Orchidaceae | <i>Bulbophyllum auriflorum</i> | II | SPE | | MG | | | | | 2 | |
| Orchidaceae | <i>Bulbophyllum baronii</i> | II | DPL | | MG | 3 | 1 | | | | |
| Orchidaceae | <i>Bulbophyllum baronii</i> | II | FLO | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum baronii</i> | II | LIV | | MG | | 10 | | | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-------------|------------------------------------|------|------|------|---------|------|------|------|------|------|------|
| Orchidaceae | <i>Bulbophyllum baronii</i> | II | LVS | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum citrellum</i> | II | DPL | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum comatum</i> | II | FLO | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum comatum</i> | II | LVS | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum complanatum</i> | II | DPL | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum coriophorum</i> | II | DPL | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum coriophorum</i> | II | FLO | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum coriophorum</i> | II | LIV | | MG | | 22 | | | | |
| Orchidaceae | <i>Bulbophyllum coriophorum</i> | II | LVS | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum erectum</i> | II | DPL | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum erectum</i> | II | FLO | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum erectum</i> | II | LVS | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum flavescens</i> | II | DPL | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum gracilipes</i> | II | DPL | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum hamelinii</i> | II | LIV | | MG | 10 | 20 | 20 | 10 | 10 | |
| Orchidaceae | <i>Bulbophyllum haniffii</i> | II | LIV | | VN | | | | | | 2 |
| Orchidaceae | <i>Bulbophyllum lichenophylax</i> | II | FLO | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum lichenophylax</i> | II | LVS | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum liparidioides</i> | II | DPL | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum longiflorum</i> | II | DPL | | MG | 1 | | | | | |
| Orchidaceae | <i>Bulbophyllum lyperocephalum</i> | II | DPL | | MG | 3 | | | | | |
| Orchidaceae | <i>Bulbophyllum membranaceum</i> | II | DPL | | PW | | 1 | | | | |
| Orchidaceae | <i>Bulbophyllum mimiense</i> | II | DPL | | MG | 3 | | | | | |
| Orchidaceae | <i>Bulbophyllum minax</i> | II | DPL | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum minax</i> | II | FLO | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum minax</i> | II | LVS | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum multiflorum</i> | II | DPL | | MG | 1 | | | | | |
| Orchidaceae | <i>Bulbophyllum nigriflorum</i> | II | DPL | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum nigriflorum</i> | II | FLO | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum nigriflorum</i> | II | LVS | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum nitens</i> | II | FLO | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum nitens</i> | II | LVS | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum occlusum</i> | II | DPL | | MG | 3 | | | | | |
| Orchidaceae | <i>Bulbophyllum occlusum</i> | II | FLO | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum occlusum</i> | II | LIV | | MG | 10 | 11 | | | | |
| Orchidaceae | <i>Bulbophyllum occlusum</i> | II | LVS | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum occlusum</i> | II | SPE | | MG | | | | | 2 | |
| Orchidaceae | <i>Bulbophyllum ochrochlamys</i> | II | FLO | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum ochrochlamys</i> | II | LVS | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum pantoblepharon</i> | II | DPL | | MG | 2 | | | | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-------------|--------------------------------------|------|------|------|---------|------|------|------|------|------|------|
| Orchidaceae | <i>Bulbophyllum peyrotii</i> | II | DPL | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum peyrotii</i> | II | SPE | | MG | | | | 35 | | |
| Orchidaceae | <i>Bulbophyllum pleurothalloides</i> | II | FLO | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum pleurothalloides</i> | II | LVS | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum pleurothallopsis</i> | II | DPL | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum protectum</i> | II | DPL | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum protectum</i> | II | FLO | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum protectum</i> | II | LVS | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum reflexiflorum</i> | II | DPL | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum reflexiflorum</i> | II | FLO | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum reflexiflorum</i> | II | LVS | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum refractum</i> | II | LIV | | VN | | | | | | 2 |
| Orchidaceae | <i>Bulbophyllum rhodostachys</i> | II | DPL | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum rhodostachys</i> | II | FLO | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum rhodostachys</i> | II | LVS | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum rubrum</i> | II | DPL | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum rubrum</i> | II | FLO | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum rubrum</i> | II | LVS | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum sandrangatense</i> | II | DPL | | MG | 1 | | | | | |
| Orchidaceae | <i>Bulbophyllum sandrangatense</i> | II | SPE | | MG | | | | 8 | | |
| Orchidaceae | <i>Bulbophyllum sanguineum</i> | II | DPL | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum sanguineum</i> | II | FLO | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum sanguineum</i> | II | LVS | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum scaberulum</i> | II | LIV | | MZ | 4 | | | | | |
| Orchidaceae | <i>Bulbophyllum simondii</i> | II | LIV | | VN | | | | | | 2 |
| Orchidaceae | <i>Bulbophyllum sterile</i> | II | DPL | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum subcrenulatum</i> | II | DPL | | MG | 1 | | | | | |
| Orchidaceae | <i>Bulbophyllum sulfureum</i> | II | DPL | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum sulfureum</i> | II | FLO | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum sulfureum</i> | II | LVS | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum trichochlamys</i> | II | DPL | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum trifarium</i> | II | SEE | GRM | MG | | | | | 0.2 | |
| Orchidaceae | <i>Bulbophyllum ventriosum</i> | II | DPL | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum ventriosum</i> | II | FLO | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum ventriosum</i> | II | LVS | | MG | 2 | | | | | |
| Orchidaceae | <i>Bulbophyllum violaceum</i> | II | DPL | | MG | 2 | | | | | |
| Orchidaceae | <i>Cadetia spp.</i> | II | FLO | | PG | | 13 | | | | |
| Orchidaceae | <i>Cadetia spp.</i> | II | STE | | PG | | 2 | | | | |
| Orchidaceae | <i>Caladenia spp.</i> | II | LIV | | AU | | | 4 | | | |
| Orchidaceae | <i>Caladenia flava</i> | II | FLO | GRM | AU | | | 20 | | | |
| Orchidaceae | <i>Caladenia latifolia</i> | II | LIV | | AU | | | | | 6 | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-------------|------------------------------------|------|------|------|---------|------|------|------|------|------|------|
| Orchidaceae | <i>Calanthe spp.</i> | II | DPL | | MG | 4 | | | | | |
| Orchidaceae | <i>Calanthe spp.</i> | II | FLO | | PG | | 15 | | | | |
| Orchidaceae | <i>Calanthe spp.</i> | II | LIV | | JP | | 45 | | | | |
| Orchidaceae | <i>Calanthe spp.</i> | II | LIV | | PG | | | | | | 59 |
| Orchidaceae | <i>Calanthe calanthoides</i> | II | DPL | | DO | | | | | 1 | |
| Orchidaceae | <i>Calanthe calanthoides</i> | II | LVS | GRM | DO | | | | | 7 | |
| Orchidaceae | <i>Calanthe densiflora</i> | II | LIV | | VN | | | | | | 2 |
| Orchidaceae | <i>Calanthe madagascariensis</i> | II | LIV | | MG | | 20 | 20 | | 5 | |
| Orchidaceae | <i>Calanthe sylvatica</i> | II | LIV | | MG | | 2 | | | | |
| Orchidaceae | <i>Caluera spp.</i> | II | SPE | | BR | | 1 | | | | |
| Orchidaceae | <i>Campylocentrum spp.</i> | II | LIV | | JM | | | 40 | | | |
| Orchidaceae | <i>Campylocentrum spp.</i> | II | LVS | | PA | | | | | 3 | |
| Orchidaceae | <i>Campylocentrum micranthum</i> | II | LIV | | JM | | | 20 | | | |
| Orchidaceae | <i>Campylocentrum pachyrrhizum</i> | II | LIV | | JM | 10 | | 20 | | | |
| Orchidaceae | <i>Catasetum spp.</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Catasetum saccatum</i> | II | SPE | | EC | | 2 | | | | |
| Orchidaceae | <i>Catasetum schunkei</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Catasetum tenebrosum</i> | II | SPE | | PE | | 7 | | | | |
| Orchidaceae | <i>Catasetum viridiflavum</i> | II | LVS | | PA | | | | | 3 | |
| Orchidaceae | <i>Cattleya spp.</i> | II | FLO | | US | | | | | | 3 |
| Orchidaceae | <i>Cattleya spp.</i> | II | LIV | | TW | | | 15 | | | |
| Orchidaceae | <i>Cattleya spp.</i> | II | ROO | | CI | | 9 | | | | |
| Orchidaceae | <i>Cattleya hybrid</i> | II | LIV | | US | | | | | | 5000 |
| Orchidaceae | <i>Cattleya maxima</i> | II | LIV | | EC | | 1 | | | | |
| Orchidaceae | <i>Cattleya maxima</i> | II | SPE | | EC | | 3 | | | | |
| Orchidaceae | <i>Caucaea olivacea</i> | II | LIV | | EC | | 2 | | | | |
| Orchidaceae | <i>Caucaea phalaenopsis</i> | II | LIV | | EC | | 1 | | | | |
| Orchidaceae | <i>Caularthron bilamellatum</i> | II | DPL | | PA | | | | 6 | | |
| Orchidaceae | <i>Caularthron bilamellatum</i> | II | LIV | | PA | | | | 10 | | |
| Orchidaceae | <i>Caularthron bilamellatum</i> | II | LVS | | PA | | | | | 1 | |
| Orchidaceae | <i>Caularthron bilamellatum</i> | II | SPE | | PA | | | | 50 | | |
| Orchidaceae | <i>Centroglossa spp.</i> | II | SPE | | BR | | 2 | | | | |
| Orchidaceae | <i>Centroglossa castellensis</i> | II | SPE | | BR | | 1 | | | | |
| Orchidaceae | <i>Centroglossa macroceras</i> | II | SPE | | BR | | 2 | | | | |
| Orchidaceae | <i>Cephalantheropsis obcordata</i> | II | LIV | | VN | | | | | | 2 |
| Orchidaceae | <i>Ceratostylis spp.</i> | II | LIV | | PG | | | | | | 41 |
| Orchidaceae | <i>Cheirostylis spp.</i> | II | DPL | | MG | 1 | | | | | |
| Orchidaceae | <i>Chelyorchis ampliata</i> | II | DPL | | PA | | | | 1 | | |
| Orchidaceae | <i>Chiloglottis spp.</i> | II | LIV | | AU | | | 3 | | | |
| Orchidaceae | <i>Chiloglottis hybrid</i> | II | LIV | | AU | | | | | 4 | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-------------|------------------------------------|------|------|------|---------|------|------|------|------|------|------|
| Orchidaceae | <i>Chiloglottis platyptera</i> | II | LIV | | AU | | | | | 2 | |
| Orchidaceae | <i>Chiloglottis trapeziformis</i> | II | LIV | | AU | | | | | 3 | |
| Orchidaceae | <i>Chiloschista exuperei</i> | II | LIV | | VN | | | | | | 3 |
| Orchidaceae | <i>Chrysocynis spp.</i> | II | SPE | | EC | | | | 1 | | |
| Orchidaceae | <i>Chysis bractescens</i> | II | LIV | | BZ | | | 300 | | | |
| Orchidaceae | <i>Chytroglossa spp.</i> | II | SPE | | BR | | 2 | | | | |
| Orchidaceae | <i>Chytroglossa marileoniae</i> | II | SPE | | BR | | 1 | | | | |
| Orchidaceae | <i>Cleisostoma spp.</i> | II | FLO | | MY | | 2 | | | | |
| Orchidaceae | <i>Cleisostoma spp.</i> | II | FLO | | PG | | 4 | | | | |
| Orchidaceae | <i>Cleisostoma spp.</i> | II | LVS | | MY | | 5 | | | | |
| Orchidaceae | <i>Cleisostoma bicorne</i> | II | COR | | ID | | | | | | 270 |
| Orchidaceae | <i>Cleisostoma birmanicum</i> | II | LIV | | VN | | | | | | 2 |
| Orchidaceae | <i>Cochleanthes flabelliformis</i> | II | LIV | | JM | 8 | | | | | |
| Orchidaceae | <i>Cochlioda rosea</i> | II | SPE | | EC | | 2 | | 2 | | |
| Orchidaceae | <i>Cochlioda vulcanica</i> | II | SPE | | EC | | 2 | | | | |
| Orchidaceae | <i>Coelogyne spp.</i> | II | FLO | | PG | | 21 | | | | |
| Orchidaceae | <i>Coelogyne spp.</i> | II | LIV | | PG | | | | | | 26 |
| Orchidaceae | <i>Coelogyne mooreana</i> | II | LIV | | VN | | | | | | 2 |
| Orchidaceae | <i>Collabium chloranthum</i> | II | LIV | | VN | | | | | | 2 |
| Orchidaceae | <i>Comparettia macroplectron</i> | II | LIV | | CO | | | 3 | | | |
| Orchidaceae | <i>Coryanthes spp.</i> | II | LIV | | MY | | | 100 | | | |
| Orchidaceae | <i>Corybas spp.</i> | II | LIV | | AU | | | 12 | | | |
| Orchidaceae | <i>Corybas spp.</i> | II | LIV | | PG | | | | | | 131 |
| Orchidaceae | <i>Corybas diemenicus</i> | II | LIV | | AU | | | | | 6 | |
| Orchidaceae | <i>Corybas incurvus</i> | II | LIV | | AU | | | | | 6 | |
| Orchidaceae | <i>Corymborkis corymbis</i> | II | SEE | GRM | MG | | | | | 1 | |
| Orchidaceae | <i>Cranichis spp.</i> | II | DPL | | PE | 8 | 3 | | | | |
| Orchidaceae | <i>Cranichis spp.</i> | II | SPE | | PE | 3 | | | | | |
| Orchidaceae | <i>Crybe spp.</i> | II | DPL | | UG | | | 1 | | | |
| Orchidaceae | <i>Crybe spp.</i> | II | SEE | | UG | | | 20 | | | |
| Orchidaceae | <i>Cryptocentrum spp.</i> | II | DPL | | PE | | 1 | | | | |
| Orchidaceae | <i>Cryptocentrum spp.</i> | II | SPE | | EC | | | | 6 | | |
| Orchidaceae | <i>Cyclopogon spp.</i> | II | DPL | | PE | 3 | | | | | |
| Orchidaceae | <i>Cyclopogon spp.</i> | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Cyclopogon spp.</i> | II | SPE | | PE | 3 | | | | | |
| Orchidaceae | <i>Cycnoches spp.</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Cymbidiella spp.</i> | II | LIV | | MG | 5 | 15 | | | | |
| Orchidaceae | <i>Cymbidiella falcigera</i> | II | DPL | | MG | 1 | | | | | |
| Orchidaceae | <i>Cymbidiella falcigera</i> | II | LIV | | MG | 8 | 15 | | | | |
| Orchidaceae | <i>Cymbidiella flabellata</i> | II | LIV | | MG | 2 | | | | | |
| Orchidaceae | <i>Cymbidiella pardalina</i> | II | LIV | | MG | 1 | 1 | | | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-------------|-----------------------------------|------|------|------|---------|------|------|------|------|------|------|
| Orchidaceae | <i>Cymbidium spp.</i> | II | FLO | | ZA | | 1000 | | | | |
| Orchidaceae | <i>Cymbidium spp.</i> | II | LIV | | ZA | | | | | 3 | |
| Orchidaceae | <i>Cymbidium spp.</i> | II | ROO | | CI | | 1 | | | | |
| Orchidaceae | <i>Cymbidium aloifolium</i> | II | LIV | | VN | | | | | | 2 |
| Orchidaceae | <i>Cymbidium ensifolium</i> | II | LIV | | VN | | | | | | 2 |
| Orchidaceae | <i>Cynorkis spp.</i> | II | DPL | | MG | 11 | 1 | | 6 | | |
| Orchidaceae | <i>Cynorkis spp.</i> | II | LIV | | MG | 3 | 30 | | | | |
| Orchidaceae | <i>Cynorkis spp.</i> | II | SPE | | MG | | | 2 | | | |
| Orchidaceae | <i>Cynorkis angustipetala</i> | II | SEE | GRM | MG | | 1 | | | | |
| Orchidaceae | <i>Cynorkis flexuosa</i> | II | DPL | | MG | 3 | | | | | |
| Orchidaceae | <i>Cynorkis gibbosa</i> | II | LIV | | MG | 3 | 15 | | | | |
| Orchidaceae | <i>Cynorkis gigas</i> | II | SEE | GRM | MG | | | | 2 | | |
| Orchidaceae | <i>Cynorkis lowiana</i> | II | DPL | | MG | 3 | | | | | |
| Orchidaceae | <i>Cynorkis uncinata</i> | II | LIV | | MG | 3 | 15 | | | | |
| Orchidaceae | <i>Cypripedium parviflorum</i> | II | LIV | | US | 61 | | | | | |
| Orchidaceae | <i>Cypripedium reginae</i> | II | LIV | | US | 25 | | 5 | | | |
| Orchidaceae | <i>Cyrtidiorchis spp.</i> | II | DPL | | PE | 1 | 2 | | | | |
| Orchidaceae | <i>Cyrtidiorchis rhomboglossa</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Cyrtidiorchis rhomboglossa</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Cyrtidiorchis stumpfleii</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Cyrtochilum spp.</i> | II | DPL | | PE | 6 | 4 | | | | |
| Orchidaceae | <i>Cyrtochilum spp.</i> | II | SPE | | EC | | | | 21 | | |
| Orchidaceae | <i>Cyrtochilum spp.</i> | II | SPE | | PE | 3 | | | | | |
| Orchidaceae | <i>Cyrtochilum anthoxanthum</i> | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Cyrtochilum aureum</i> | II | SPE | | PE | 2 | | | | | |
| Orchidaceae | <i>Cyrtochilum auropurpureum</i> | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Cyrtochilum camiciferum</i> | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Cyrtochilum cordatum</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Cyrtochilum flexuosum</i> | II | DPL | | PE | 2 | | | | | |
| Orchidaceae | <i>Cyrtochilum flexuosum</i> | II | SPE | | PE | 2 | | | | | |
| Orchidaceae | <i>Cyrtochilum hoeijeri</i> | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Cyrtochilum loxense</i> | II | SPE | | EC | | 10 | | | | |
| Orchidaceae | <i>Cyrtochilum macranthum</i> | II | LIV | | EC | | 2 | | | | |
| Orchidaceae | <i>Cyrtochilum minax</i> | II | DPL | | PE | 3 | | | | | |
| Orchidaceae | <i>Cyrtochilum minax</i> | II | SPE | | PE | 3 | | | | | |
| Orchidaceae | <i>Cyrtochilum serratum</i> | II | LIV | | EC | | 2 | | | | |
| Orchidaceae | <i>Cyrtochilum tetraplasium</i> | II | DPL | | PE | 2 | | | | | |
| Orchidaceae | <i>Cyrtochilum tetraplasium</i> | II | SPE | | PE | 2 | | | | | |
| Orchidaceae | <i>Cyrtochilum tricostatum</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Cyrtorchis spp.</i> | II | DPL | | UG | | | 1 | | | |
| Orchidaceae | <i>Cyrtorchis arcuata</i> | II | LIV | | MZ | 4 | | | | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-------------|---------------------------------|------|------|------|---------|--------|-------|-------|-------|------|------|
| Orchidaceae | <i>Cyrtostylis reniformis</i> | II | LIV | | AU | | | | | 2 | |
| Orchidaceae | <i>Cyrtostylis robusta</i> | II | LIV | | AU | | | | | 2 | |
| Orchidaceae | <i>Dactylophiza flavescens</i> | II | DPL | | GE | | | | | 1 | |
| Orchidaceae | <i>Dactylophiza urvilleana</i> | II | DPL | | GE | 1 | | | | | |
| Orchidaceae | <i>Dendrobium spp.</i> | II | DER | | MM | | | | | 30 | |
| Orchidaceae | <i>Dendrobium spp.</i> | II | DER | KIL | CN | 6.48 | | | | | |
| Orchidaceae | <i>Dendrobium spp.</i> | II | DPL | KIL | HK | | | | | | 30 |
| Orchidaceae | <i>Dendrobium spp.</i> | II | FIB | | PG | 12 | 2 | 18 | 15 | | |
| Orchidaceae | <i>Dendrobium spp.</i> | II | FLO | | PG | | 548 | 3 | | | |
| Orchidaceae | <i>Dendrobium spp.</i> | II | LIV | | AU | | | 31 | | | |
| Orchidaceae | <i>Dendrobium spp.</i> | II | LIV | | PG | | | | | | 410 |
| Orchidaceae | <i>Dendrobium spp.</i> | II | LIV | | TW | | | | | | 1 |
| Orchidaceae | <i>Dendrobium spp.</i> | II | LIV | KIL | TH | 100000 | | | | | |
| Orchidaceae | <i>Dendrobium spp.</i> | II | LIV | SET | PG | 1 | | | | | |
| Orchidaceae | <i>Dendrobium spp.</i> | II | POW | KIL | CN | | | | 11.16 | | |
| Orchidaceae | <i>Dendrobium spp.</i> | II | ROO | | CI | | 6 | | | | |
| Orchidaceae | <i>Dendrobium spp.</i> | II | SPE | | LA | | 5 | | | | |
| Orchidaceae | <i>Dendrobium spp.</i> | II | STE | | PG | | 40 | | | | |
| Orchidaceae | <i>Dendrobium spp.</i> | II | STE | KIL | CN | | | 11.16 | | | |
| Orchidaceae | <i>Dendrobium hybrid</i> | II | STE | KIL | HK | | | | | | 10 |
| Orchidaceae | <i>Dendrobium anosmum</i> | II | LIV | | VN | | | | | | 2 |
| Orchidaceae | <i>Dendrobium antennatum</i> | II | STE | | PG | | 22 | | | | |
| Orchidaceae | <i>Dendrobium aphyllum</i> | II | LIV | KIL | NP | | 9492 | | | | |
| Orchidaceae | <i>Dendrobium aphyllum</i> | II | STE | KIL | NP | | | | 1585 | | |
| Orchidaceae | <i>Dendrobium canaliculatum</i> | II | STE | | PG | | 2 | | | | |
| Orchidaceae | <i>Dendrobium capillipes</i> | II | ROO | KIL | LA | 8000 | | | | | |
| Orchidaceae | <i>Dendrobium carronii</i> | II | STE | | PG | | 2 | | | | |
| Orchidaceae | <i>Dendrobium chrysotoxum</i> | II | LIV | | LA | 5 | | | | | |
| Orchidaceae | <i>Dendrobium chrysotoxum</i> | II | LIV | KIL | LA | 150000 | | | | | |
| Orchidaceae | <i>Dendrobium chrysotoxum</i> | II | ROO | KIL | LA | 7000 | | | | | |
| Orchidaceae | <i>Dendrobium cochliodes</i> | II | STE | | PG | | 10 | | | | |
| Orchidaceae | <i>Dendrobium convolutum</i> | II | STE | | PG | | 5 | | | | |
| Orchidaceae | <i>Dendrobium cuthbertsonii</i> | II | STE | | PG | | 10 | | | | |
| Orchidaceae | <i>Dendrobium decockii</i> | II | STE | | PG | | 2 | | | | |
| Orchidaceae | <i>Dendrobium discolor</i> | II | STE | | PG | | 40 | | | | |
| Orchidaceae | <i>Dendrobium eriiflorum</i> | II | ROO | KIL | NP | | | 5000 | | | |
| Orchidaceae | <i>Dendrobium eriiflorum</i> | II | STE | KIL | NP | | 18990 | | | | |
| Orchidaceae | <i>Dendrobium farinatum</i> | II | LIV | | VN | | | | | | 2 |
| Orchidaceae | <i>Dendrobium fimbriatum</i> | II | COR | | ID | | | | | | 30 |
| Orchidaceae | <i>Dendrobium fimbriatum</i> | II | ROO | KIL | LA | 8000 | | | | | |
| Orchidaceae | <i>Dendrobium finisterrae</i> | II | STE | | PG | | 2 | | | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-------------|---------------------------------|------|------|------|---------|--------|------|------|------|------|------|
| Orchidaceae | <i>Dendrobium glomeratum</i> | II | LIV | | EC | | 1 | | | | |
| Orchidaceae | <i>Dendrobium gouldii</i> | II | STE | | PG | | 22 | | | | |
| Orchidaceae | <i>Dendrobium hellwigianum</i> | II | STE | | PG | | 2 | | | | |
| Orchidaceae | <i>Dendrobium hercoglossum</i> | II | ROO | KIL | LA | 7000 | | | | | |
| Orchidaceae | <i>Dendrobium lasianthera</i> | II | STE | | PG | | 35 | | | | |
| Orchidaceae | <i>Dendrobium lawesii</i> | II | STE | | PG | | 1 | | | | |
| Orchidaceae | <i>Dendrobium lineale</i> | II | STE | | PG | | 52 | | | | |
| Orchidaceae | <i>Dendrobium macrophyllum</i> | II | STE | | PG | | 9 | | | | |
| Orchidaceae | <i>Dendrobium masarangense</i> | II | STE | | PG | | 2 | | | | |
| Orchidaceae | <i>Dendrobium mirbelianum</i> | II | STE | | PG | | 10 | | | | |
| Orchidaceae | <i>Dendrobium moniliforme</i> | II | POW | KIL | HK | | | | | | 4 |
| Orchidaceae | <i>Dendrobium moschatum</i> | II | LIV | KIL | LA | 150000 | | | | | |
| Orchidaceae | <i>Dendrobium nobile</i> | II | DPL | KIL | VN | 4000 | | | | | |
| Orchidaceae | <i>Dendrobium nobile</i> | II | LIV | | LC | | 6 | | | | |
| Orchidaceae | <i>Dendrobium nobile</i> | II | STE | GRM | CN | | | | 5940 | | |
| Orchidaceae | <i>Dendrobium nobile</i> | II | STE | KIL | CN | | | | | 35 | |
| Orchidaceae | <i>Dendrobium speciosum</i> | II | LIV | | AU | 151 | 17 | | | | |
| Orchidaceae | <i>Dendrobium subacaule</i> | II | STE | | PG | | 2 | | | | |
| Orchidaceae | <i>Dendrobium subclausum</i> | II | STE | | PG | | 4 | | | | |
| Orchidaceae | <i>Dendrobium sulphureum</i> | II | STE | | PG | | 2 | | | | |
| Orchidaceae | <i>Dendrobium sylvanum</i> | II | STE | | PG | | 20 | | | | |
| Orchidaceae | <i>Dendrobium vexillarius</i> | II | STE | | PG | | 5 | | | | |
| Orchidaceae | <i>Dendrobium violaceum</i> | II | STE | | PG | | 2 | | | | |
| Orchidaceae | <i>Dendrobium williamsianum</i> | II | STE | | PG | | 10 | | | | |
| Orchidaceae | <i>Dendrochilum spp.</i> | II | LIV | | TW | | | 100 | | | |
| Orchidaceae | <i>Dendrophylax funalis</i> | II | LIV | | JM | | 10 | 50 | | | |
| Orchidaceae | <i>Diaphananthe spp.</i> | II | DPL | | UG | | | 2 | | | |
| Orchidaceae | <i>Dichaea spp.</i> | II | DPL | | PA | | | | 9 | | |
| Orchidaceae | <i>Dichaea spp.</i> | II | DPL | | PE | 9 | 2 | 1 | 1 | | |
| Orchidaceae | <i>Dichaea spp.</i> | II | LIV | | BZ | 4 | | | | | |
| Orchidaceae | <i>Dichaea spp.</i> | II | LVS | | PA | | | | | 24 | |
| Orchidaceae | <i>Dichaea spp.</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Dilomilis spp.</i> | II | LIV | | JM | | | 10 | | | |
| Orchidaceae | <i>Dilomilis montana</i> | II | LIV | | JM | | | 10 | | | |
| Orchidaceae | <i>Dimerandra spp.</i> | II | DPL | | PA | | | | 67 | | |
| Orchidaceae | <i>Dimerandra spp.</i> | II | LVS | | PA | | | | | 2 | |
| Orchidaceae | <i>Dinema polybulbor</i> | II | LIV | | JM | | | 26 | | 50 | |
| Orchidaceae | <i>Diplocaulobium spp.</i> | II | FLO | | PG | | 72 | | | | |
| Orchidaceae | <i>Diplocaulobium spp.</i> | II | STE | | PG | | 5 | | | | |
| Orchidaceae | <i>Disa spp.</i> | II | DPL | | UG | | | 5 | | | |
| Orchidaceae | <i>Disa bracteata</i> | II | FLO | GRM | AU | | | 20 | | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-------------|-----------------------------------|------|------|------|---------|------|------|------|------|------|------|
| Orchidaceae | <i>Disa incarnata</i> | II | SEE | GRM | MG | | | | 1 | | |
| Orchidaceae | <i>Diuris spp.</i> | II | LIV | | AU | | | 7 | | | |
| Orchidaceae | <i>Diuris behrii</i> | II | LIV | | AU | | | | | 2 | |
| Orchidaceae | <i>Diuris magnifica</i> | II | FLO | GRM | AU | | | 20 | | | |
| Orchidaceae | <i>Diuris orientis</i> | II | LIV | | AU | | | | | 4 | |
| Orchidaceae | <i>Diuris sulphurea</i> | II | LIV | | AU | | | | | 2 | |
| Orchidaceae | <i>Dryadella spp.</i> | II | LIV | | EC | | | | 12 | | |
| Orchidaceae | <i>Earina mucronata</i> | II | LIV | | NZ | | 20 | | | | |
| Orchidaceae | <i>Elleanthus spp.</i> | II | DPL | | PA | | | | 2 | | |
| Orchidaceae | <i>Elleanthus spp.</i> | II | DPL | | PE | 28 | 15 | 1 | 1 | | |
| Orchidaceae | <i>Elleanthus spp.</i> | II | LIV | | BZ | 2 | | | | | |
| Orchidaceae | <i>Elleanthus spp.</i> | II | LIV | | JM | | | 40 | | 20 | |
| Orchidaceae | <i>Elleanthus spp.</i> | II | LVS | | PA | | | | | 5 | |
| Orchidaceae | <i>Elleanthus spp.</i> | II | SPE | | EC | | | | 16 | | |
| Orchidaceae | <i>Elleanthus spp.</i> | II | SPE | | PE | 18 | | | | | |
| Orchidaceae | <i>Elleanthus amethystinus</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Elleanthus aurantiacus</i> | II | SPE | | EC | | | | 3 | | |
| Orchidaceae | <i>Elleanthus capitatus</i> | II | LIV | | BZ | 2 | | | | | |
| Orchidaceae | <i>Elleanthus capitatus</i> | II | LIV | | JM | | | 20 | | | |
| Orchidaceae | <i>Elleanthus graminifolius</i> | II | SPE | | EC | | | | 1 | | |
| Orchidaceae | <i>Elleanthus laetus</i> | II | LIV | | EC | | | | | | 2 |
| Orchidaceae | <i>Elleanthus longibracteatus</i> | II | LIV | | JM | 7 | | 20 | | 20 | |
| Orchidaceae | <i>Elleanthus maculatus</i> | II | DPL | | PE | | | | 1 | | |
| Orchidaceae | <i>Elleanthus scopula</i> | II | DPL | | PE | | | | 1 | | |
| Orchidaceae | <i>Elleanthus smithii</i> | II | DPL | | PE | | | | 1 | | |
| Orchidaceae | <i>Eltroplectris calcarata</i> | II | LIV | | JM | | 3 | | | | |
| Orchidaceae | <i>Elythranthera brunonis</i> | II | FLO | GRM | AU | | | 20 | | | |
| Orchidaceae | <i>Encyclia spp.</i> | II | DPL | | PE | | 3 | | | | |
| Orchidaceae | <i>Encyclia spp.</i> | II | DPL | | TC | | | 4 | | | |
| Orchidaceae | <i>Encyclia spp.</i> | II | LIV | | BZ | 2 | | | | | |
| Orchidaceae | <i>Encyclia spp.</i> | II | LVS | | PA | | | | | 11 | |
| Orchidaceae | <i>Encyclia spp.</i> | II | SPE | | TC | | | 5 | | | |
| Orchidaceae | <i>Encyclia alata</i> | II | LIV | | BZ | | | 200 | | | |
| Orchidaceae | <i>Encyclia amanda</i> | II | LIV | | BZ | | | 100 | | | |
| Orchidaceae | <i>Encyclia bractescens</i> | II | LIV | | BZ | | | 200 | | | |
| Orchidaceae | <i>Encyclia caicensis</i> | II | DPL | | TC | | | 9 | | | |
| Orchidaceae | <i>Encyclia caicensis</i> | II | SPE | | TC | | | 3 | | | |
| Orchidaceae | <i>Encyclia chacaoensis</i> | II | DPL | | PA | | | | 1 | | |
| Orchidaceae | <i>Encyclia fragrans</i> | II | LIV | | JM | 6 | | | | 50 | |
| Orchidaceae | <i>Encyclia kingsii</i> | II | DPL | | KY | | | | | | 24 |
| Orchidaceae | <i>Encyclia ochracea</i> | II | SPE | | EC | | | | 5 | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-------------|----------------------------------|------|------|------|---------|------|------|------|------|------|------|
| Orchidaceae | <i>Encyclia radiata</i> | II | LIV | | BZ | | | 300 | | | |
| Orchidaceae | <i>Epiblastus spp.</i> | II | FLO | | PG | | 2 | | | | |
| Orchidaceae | <i>Epiblastus spp.</i> | II | LIV | | PG | | | | | | 6 |
| Orchidaceae | <i>Epidendrum spp.</i> | II | DPL | | MG | 8 | | | | | |
| Orchidaceae | <i>Epidendrum spp.</i> | II | DPL | | PE | 112 | 52 | 1 | 1 | | 1 |
| Orchidaceae | <i>Epidendrum spp.</i> | II | SPE | | EC | | | | 69 | | |
| Orchidaceae | <i>Epidendrum spp.</i> | II | SPE | | PE | 36 | | | | | |
| Orchidaceae | <i>Epidendrum hybrid</i> | II | LIV | | NL | | | | | | 96 |
| Orchidaceae | <i>Epidendrum acuminatum</i> | II | DPL | | PE | | | | 1 | | |
| Orchidaceae | <i>Epidendrum anderssonii</i> | II | DPL | | PE | 2 | | | | | |
| Orchidaceae | <i>Epidendrum anderssonii</i> | II | SPE | | PE | 3 | | | | | |
| Orchidaceae | <i>Epidendrum angustifolium</i> | II | LIV | | JM | 2 | | | | | |
| Orchidaceae | <i>Epidendrum bambusiforme</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Epidendrum bambusiforme</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Epidendrum chiguindense</i> | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Epidendrum cristatum</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Epidendrum denticulatum</i> | II | LIV | KIL | BR | | | 1 | | | |
| Orchidaceae | <i>Epidendrum diffusum</i> | II | LIV | | BZ | | | 100 | | | |
| Orchidaceae | <i>Epidendrum diffusum</i> | II | LIV | | JM | 6 | 8 | | | 25 | |
| Orchidaceae | <i>Epidendrum embreei</i> | II | LIV | | EC | | 2 | | | | |
| Orchidaceae | <i>Epidendrum fimbriatum</i> | II | DPL | | PE | 2 | | | 1 | | |
| Orchidaceae | <i>Epidendrum fimbriatum</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Epidendrum firmum</i> | II | FRU | | CR | | | | 100 | | |
| Orchidaceae | <i>Epidendrum firmum</i> | II | LVS | | CR | | | | 900 | | |
| Orchidaceae | <i>Epidendrum firmum</i> | II | ROO | | CR | | | | 100 | | |
| Orchidaceae | <i>Epidendrum funkii</i> | II | DPL | | PE | 2 | | | | | |
| Orchidaceae | <i>Epidendrum funkii</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Epidendrum garayi</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Epidendrum garayi</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Epidendrum goodspeedianum</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Epidendrum goodspeedianum</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Epidendrum ibaguense</i> | II | SPE | | PE | 2 | | | | | |
| Orchidaceae | <i>Epidendrum inaguense</i> | II | DPL | | TC | | | 8 | | | |
| Orchidaceae | <i>Epidendrum inaguense</i> | II | SPE | | TC | | | 17 | | | |
| Orchidaceae | <i>Epidendrum jajense</i> | II | DPL | | PE | 2 | | | | | |
| Orchidaceae | <i>Epidendrum jajense</i> | II | SPE | | EC | | | | 1 | | |
| Orchidaceae | <i>Epidendrum jajense</i> | II | SPE | | PE | 2 | | | | | |
| Orchidaceae | <i>Epidendrum lacustre</i> | II | SPE | | EC | | | | 1 | | |
| Orchidaceae | <i>Epidendrum lanipes</i> | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Epidendrum laxicaule</i> | II | DPL | | PE | 2 | | | | | |
| Orchidaceae | <i>Epidendrum laxicaule</i> | II | SPE | | PE | 2 | | | | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-------------|------------------------------------|------|------|------|---------|------|------|------|------|------|------|
| Orchidaceae | <i>Epidendrum macrostachyum</i> | II | DPL | | PE | | | | 1 | | |
| Orchidaceae | <i>Epidendrum mancum</i> | II | SPE | | EC | | | | 5 | | |
| Orchidaceae | <i>Epidendrum nocturnum</i> | II | DPL | | PA | | | | 1 | | |
| Orchidaceae | <i>Epidendrum nocturnum</i> | II | LIV | | JM | 4 | | | | | |
| Orchidaceae | <i>Epidendrum nocturnum</i> | II | LVS | | PA | | | | | 9 | |
| Orchidaceae | <i>Epidendrum parkinsonianum</i> | II | LIV | | EC | | 1 | | | | |
| Orchidaceae | <i>Epidendrum platyclinium</i> | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Epidendrum polyanthogastrum</i> | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Epidendrum porphyreum</i> | II | LIV | | EC | | 2 | | | | |
| Orchidaceae | <i>Epidendrum quitensium</i> | II | SPE | | EC | | | | 1 | | |
| Orchidaceae | <i>Epidendrum repens</i> | II | SPE | | EC | | | | 1 | | |
| Orchidaceae | <i>Epidendrum rigidum</i> | II | DPL | | PA | | | | 1 | | |
| Orchidaceae | <i>Epidendrum rigidum</i> | II | LIV | | JM | 4 | | | | | |
| Orchidaceae | <i>Epidendrum romanii</i> | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Epidendrum saxicola</i> | II | DPL | | PE | 5 | | | | | |
| Orchidaceae | <i>Epidendrum saxicola</i> | II | SPE | | PE | 5 | | | | | |
| Orchidaceae | <i>Epidendrum schlimii</i> | II | DPL | | PE | 2 | | | | | |
| Orchidaceae | <i>Epidendrum schlimii</i> | II | SPE | | PE | 2 | | | | | |
| Orchidaceae | <i>Epidendrum secundum</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Epidendrum secundum</i> | II | LIV | | EC | | 3 | | | | |
| Orchidaceae | <i>Epidendrum secundum</i> | II | SPE | | PE | 2 | | | | | |
| Orchidaceae | <i>Epidendrum sophronitoides</i> | II | SPE | | EC | | | | 1 | | |
| Orchidaceae | <i>Epidendrum syringothyrsis</i> | II | DPL | | PE | 2 | | | | | |
| Orchidaceae | <i>Epidendrum syringothyrsis</i> | II | SPE | | PE | 2 | | | | | |
| Orchidaceae | <i>Epidendrum trachysepalum</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Epidendrum trachysepalum</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Epidendrum unguiculatum</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Epidendrum weberbauerianum</i> | II | DPL | | PE | | | | 1 | | |
| Orchidaceae | <i>Epidendrum zosterifolium</i> | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Epipactis atromarginata</i> | II | LIV | | VN | | | | | | 2 |
| Orchidaceae | <i>Epistephium spp.</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Erasanthe henrici</i> | II | LVS | | MG | | | | 256 | | |
| Orchidaceae | <i>Eria spp.</i> | II | DPL | | PE | | | | | | 3 |
| Orchidaceae | <i>Eria spp.</i> | II | FLO | | PG | | 37 | | | | |
| Orchidaceae | <i>Eria spp.</i> | II | LIV | | PG | | | | | | 27 |
| Orchidaceae | <i>Eria hyacinthoides</i> | II | LIV | | MY | | | 20 | | | |
| Orchidaceae | <i>Eria lactiflora</i> | II | LIV | | VN | | | | | | 2 |
| Orchidaceae | <i>Eriopsis spp.</i> | II | SPE | | PE | 2 | | | | | |
| Orchidaceae | <i>Eriopsis biloba</i> | II | LIV | | BZ | 3 | | | | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-------------|-----------------------------------|------|------|------|---------|------|------|------|------|-------|------|
| Orchidaceae | <i>Erycina pusilla</i> | II | LIV | | BZ | | | 100 | | | |
| Orchidaceae | <i>Erycina pusilla</i> | II | LIV | | EC | | 1 | | | | |
| Orchidaceae | <i>Erythrorchis altissima</i> | II | LIV | | VN | | | | | | 2 |
| Orchidaceae | <i>Eulophia</i> spp. | II | DPL | | MG | 3 | 4 | | | | |
| Orchidaceae | <i>Eulophia</i> spp. | II | DPL | | PE | | 1 | | | | |
| Orchidaceae | <i>Eulophia</i> spp. | II | DPL | | UG | | | 3 | | | |
| Orchidaceae | <i>Eulophia</i> spp. | II | LIV | | MZ | 1 | | | | | |
| Orchidaceae | <i>Eulophia beravensis</i> | II | SEE | GRM | MG | | | 1 | | | |
| Orchidaceae | <i>Eulophia guineensis</i> | II | ROO | | CI | | 2 | | | | |
| Orchidaceae | <i>Eulophia palmicola</i> | II | DPL | | MG | 2 | | | | | |
| Orchidaceae | <i>Eulophia pileata</i> | II | DPL | | MG | | 4 | | | | |
| Orchidaceae | <i>Eulophia spectabilis</i> | II | LIV | | VN | | | | | | 2 |
| Orchidaceae | <i>Eulophia streptopetala</i> | II | LIV | | US | | | | | | 1 |
| Orchidaceae | <i>Eulophia taitensis</i> | II | LIV | | US | | | | | | 1 |
| Orchidaceae | <i>Eulophiella</i> spp. | II | FLO | | MG | | | | 1 | | |
| Orchidaceae | <i>Eulophiella elisabethae</i> | II | LIV | | MG | 1 | | 2 | | 2 | |
| Orchidaceae | <i>Eulophiella roempleriana</i> | II | LIV | | MG | 2 | 3 | 2 | 4 | 2 | |
| Orchidaceae | <i>Eurystyles</i> spp. | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Fernandezia</i> spp. | II | DPL | | PE | 2 | | | | | |
| Orchidaceae | <i>Fernandezia</i> spp. | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Fernandezia ionanthera</i> | II | SPE | | PE | 3 | | | | | |
| Orchidaceae | <i>Flickingeria</i> spp. | II | FLO | | PG | | 16 | | | | |
| Orchidaceae | <i>Frondaria caulescens</i> | II | DPL | | PE | | | | 1 | | |
| Orchidaceae | <i>Frondaria caulescens</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Galeandra</i> spp. | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Galeandra batemanii</i> | II | LIV | | BZ | | | 100 | | | |
| Orchidaceae | <i>Gastrochilus</i> spp. | II | LIV | | TW | | | 150 | | | |
| Orchidaceae | <i>Gastrodia</i> spp. | II | DER | KIL | HK | | | | | | 3 |
| Orchidaceae | <i>Gastrodia elata</i> | II | DER | | CN | | | | | | 1 |
| Orchidaceae | <i>Gastrodia elata</i> | II | DER | | HK | | | | | | 72 |
| Orchidaceae | <i>Gastrodia elata</i> | II | DER | GRM | HK | | | | | 88.41 | |
| Orchidaceae | <i>Gastrodia elata</i> | II | DER | KIL | CN | | | | | | 4 |
| Orchidaceae | <i>Gastrodia elata</i> | II | EXT | KIL | KR | | | | | | 89 |
| Orchidaceae | <i>Gastrodia elata</i> | II | ROO | KIL | CN | | | | | | 10 |
| Orchidaceae | <i>Gastrodia elata</i> | II | SPE | KIL | CN | | | | 1.2 | | |
| Orchidaceae | <i>Gastrorchis francoisii</i> | II | LIV | | MG | 2 | 12 | | | 5 | |
| Orchidaceae | <i>Gastrorchis humblotii</i> | II | DPL | | MG | 1 | | | | | |
| Orchidaceae | <i>Gastrorchis humblotii</i> | II | LIV | | MG | 2 | 10 | | | 5 | |
| Orchidaceae | <i>Gastrorchis humblotii</i> var. | | | | | | | | | | |
| Orchidaceae | <i>schlechteri</i> | II | LIV | | MG | 3 | 12 | | | | |
| Orchidaceae | <i>Gastrorchis pulchra</i> | II | DPL | | MG | 1 | | | | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-------------|---|------|------|------|---------|------|------|------|------|------|------|
| Orchidaceae | <i>Glomera spp.</i> | II | FLO | | PG | | 16 | | | | |
| Orchidaceae | <i>Glomera spp.</i> | II | LIV | | PG | | | | | | 167 |
| Orchidaceae | <i>Gomphichis spp.</i> | II | DPL | | PE | 3 | | | | | |
| Orchidaceae | <i>Gomphichis spp.</i> | II | SPE | | EC | | | | 3 | | |
| Orchidaceae | <i>Gomphichis spp.</i> | II | SPE | | PE | 2 | | | | | |
| Orchidaceae | <i>Gomphichis goodyeroides</i> | II | DPL | | PE | | | | 1 | | |
| Orchidaceae | <i>Gongora spp.</i> | II | DER | | ID | | | | 25 | | |
| Orchidaceae | <i>Gongora spp.</i> | II | DPL | | PE | 1 | 1 | | | | |
| Orchidaceae | <i>Gongora spp.</i> | II | LIV | | ID | 39 | | | | | |
| Orchidaceae | <i>Gongora cassidea</i> | II | LIV | | BZ | 2 | | | | | |
| Orchidaceae | <i>Gongora quinquenervis</i> | II | LVS | | PA | | | | | 4 | |
| Orchidaceae | <i>Gongora truncata</i> | II | LIV | | BZ | | | 100 | | | |
| Orchidaceae | <i>Gongora unicolor</i> | II | LIV | | BZ | | | 100 | | | |
| Orchidaceae | <i>Goodyera spp.</i> | II | FLO | | PG | | 16 | | | | |
| Orchidaceae | <i>Goodyera spp.</i> | II | LIV | | PG | | | | | | 62 |
| Orchidaceae | <i>Goodyera fumata</i> | II | LIV | | VN | | | | | | 2 |
| Orchidaceae | <i>Grammangis spp.</i> | II | DPL | | MG | 1 | | | | | |
| Orchidaceae | <i>Grammangis spp.</i> | II | LIV | | MG | 5 | | | | | |
| Orchidaceae | <i>Grammangis ellisii</i> | II | LIV | | MG | 9 | 2 | 1 | | | |
| Orchidaceae | <i>Grammatophyllum spp.</i> | II | FLO | | PG | | 7 | | | | |
| Orchidaceae | <i>Graphorkis spp.</i> | II | DPL | | UG | | | 1 | | | |
| Orchidaceae | <i>Graphorkis concolor var. alphabetica</i> | II | LIV | | MG | 2 | | | | | |
| Orchidaceae | <i>Gymnochilus spp.</i> | II | DPL | | MG | 1 | | | | | |
| Orchidaceae | <i>Habenaria spp.</i> | II | DPL | | MG | 2 | | | | | |
| Orchidaceae | <i>Habenaria spp.</i> | II | DPL | | PE | 10 | 4 | | | | |
| Orchidaceae | <i>Habenaria spp.</i> | II | DPL | | UG | | | 8 | | | |
| Orchidaceae | <i>Habenaria spp.</i> | II | SPE | | EC | | | | 5 | | |
| Orchidaceae | <i>Habenaria spp.</i> | II | SPE | | PE | 6 | | | | | |
| Orchidaceae | <i>Habenaria ambositrana</i> | II | SEE | GRM | MG | | | | 1 | | |
| Orchidaceae | <i>Habenaria ciliolaris</i> | II | LIV | | VN | | | | | | 3 |
| Orchidaceae | <i>Habenaria incarnata</i> | II | SEE | GRM | MG | | 1 | | | | |
| Orchidaceae | <i>Habenaria simplex</i> | II | SEE | GRM | MG | | 1 | | | | |
| Orchidaceae | <i>Hederorkis scandens</i> | II | DPL | | MG | 2 | | | | | |
| Orchidaceae | <i>Hederorkis seychellensis</i> | II | DPL | | SC | | | | 1 | | |
| Orchidaceae | <i>Hemiscleria nutans</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Hemiscleria nutans</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Heterotaxis crassifolia</i> | II | LIV | | JM | | | | | 20 | |
| Orchidaceae | <i>Hippeophyllum spp.</i> | II | FLO | | PG | | 4 | | | | |
| Orchidaceae | <i>Hofmeisterella spp.</i> | II | DPL | | PE | 1 | 1 | | | | |
| Orchidaceae | <i>Hofmeisterella spp.</i> | II | SPE | | PE | 1 | | | | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-------------|---------------------------------|------|------|------|---------|------|------|------|------|------|------|
| Orchidaceae | <i>Homalopetalum spp.</i> | II | DPL | | PE | | 1 | | | | |
| Orchidaceae | <i>Huntleya spp.</i> | II | DPL | | PE | 2 | | | | | |
| Orchidaceae | <i>Ida spp.</i> | II | DPL | | PE | | 2 | | | | |
| Orchidaceae | <i>Ionopsis spp.</i> | II | LIV | | BZ | | | 50 | | | |
| Orchidaceae | <i>Ionopsis spp.</i> | II | LIV | | JM | | | 30 | | | |
| Orchidaceae | <i>Ionopsis satyrioides</i> | II | LIV | | JM | | | 30 | | | |
| Orchidaceae | <i>Ionopsis utricularioides</i> | II | LIV | | BZ | 4 | | 200 | | | |
| Orchidaceae | <i>Ionopsis utricularioides</i> | II | LIV | | JM | 12 | | 50 | | 50 | |
| Orchidaceae | <i>Isochilus spp.</i> | II | LIV | | BZ | 2 | | | | | |
| Orchidaceae | <i>Isochilus linearis</i> | II | LIV | | BZ | | | 100 | | | |
| Orchidaceae | <i>Isochilus linearis</i> | II | LIV | | JM | 3 | | | | | |
| Orchidaceae | <i>Jumellea spp.</i> | II | DPL | | MG | 1 | | | 12 | | |
| Orchidaceae | <i>Jumellea spp.</i> | II | LIV | | MG | | 30 | | | | |
| Orchidaceae | <i>Jumellea spp.</i> | II | SPE | | MG | | | 74 | | | |
| Orchidaceae | <i>Jumellea brachycentra</i> | II | DPL | | MG | 1 | | | | | |
| Orchidaceae | <i>Jumellea brachycentra</i> | II | LIV | | MG | 2 | | | | | |
| Orchidaceae | <i>Jumellea densifoliata</i> | II | LIV | | MG | | | | | 1 | |
| Orchidaceae | <i>Jumellea gracilipes</i> | II | DPL | | MG | 1 | | | | | |
| Orchidaceae | <i>Jumellea jumelleana</i> | II | LIV | | MG | | 20 | | | | |
| Orchidaceae | <i>Jumellea jumelleana</i> | II | SPE | GRM | MG | | 81 | | | | |
| Orchidaceae | <i>Jumellea lignosa</i> | II | SPE | GRM | MG | | 124 | | | | |
| Orchidaceae | <i>Jumellea major</i> | II | LIV | | MG | 3 | | | | | |
| Orchidaceae | <i>Jumellea pandurata</i> | II | LIV | | MG | | 20 | | | | |
| Orchidaceae | <i>Jumellea punctata</i> | II | LIV | | MG | | 10 | | | | |
| Orchidaceae | <i>Kalopternix sophronites</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Kalopternix sophronites</i> | II | SPE | | PE | 2 | | | | | |
| Orchidaceae | <i>Kefersteinia spp.</i> | II | SPE | | EC | | | | 3 | | |
| Orchidaceae | <i>Kefersteinia aurorae</i> | II | SPE | | EC | | 3 | | | | |
| Orchidaceae | <i>Koellensteinia spp.</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Laelia spp.</i> | II | LIV | | BR | | | 6 | | | |
| Orchidaceae | <i>Lanium avicula</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Lecanorchis malaccensis</i> | II | DPL | | TH | | | 1 | | | |
| Orchidaceae | <i>Lecanorchis malaccensis</i> | II | LVS | | TH | | | 1 | | | |
| Orchidaceae | <i>Lemurella virescens</i> | II | DPL | | MG | 1 | | | | | |
| Orchidaceae | <i>Leochilus spp.</i> | II | LIV | | JM | | | 20 | | | |
| Orchidaceae | <i>Leochilus labiatus</i> | II | LIV | | BZ | | | 100 | | | |
| Orchidaceae | <i>Leochilus labiatus</i> | II | LIV | | JM | | | 20 | | | |
| Orchidaceae | <i>Lepanthes spp.</i> | II | DPL | | PE | 43 | 7 | | 1 | | |
| Orchidaceae | <i>Lepanthes spp.</i> | II | LIV | | JM | | | | | 15 | |
| Orchidaceae | <i>Lepanthes spp.</i> | II | SPE | | EC | | | | 29 | | |
| Orchidaceae | <i>Lepanthes spp.</i> | II | SPE | | PE | 26 | | | | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-------------|---------------------------------|------|------|------|---------|------|------|------|------|------|------|
| Orchidaceae | <i>Lepanthes aculeata</i> | II | SPE | | EC | | | | 1 | | |
| Orchidaceae | <i>Lepanthes caudatisepala</i> | II | DPL | | PE | 2 | | | | | |
| Orchidaceae | <i>Lepanthes caudatisepala</i> | II | SPE | | PE | 3 | | | | | |
| Orchidaceae | <i>Lepanthes cochlearifolia</i> | II | LIV | | JM | | 1 | | | 5 | |
| Orchidaceae | <i>Lepanthes dalessandroi</i> | II | SPE | | EC | | 2 | | | | |
| Orchidaceae | <i>Lepanthes elegantula</i> | II | SPE | | EC | | 2 | | | | |
| Orchidaceae | <i>Lepanthes elliptica</i> | II | LIV | | JM | | | | | 5 | |
| Orchidaceae | <i>Lepanthes falcata</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Lepanthes intermedia</i> | II | LIV | | JM | | 2 | | | | |
| Orchidaceae | <i>Lepanthes monitor</i> | II | SPE | | EC | | | | 1 | | |
| Orchidaceae | <i>Lepanthes mucronata</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Lepanthes mucronata</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Lepanthes ovalis</i> | II | LIV | | JM | | | | | 5 | |
| Orchidaceae | <i>Lepanthes ptyxis</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Lepanthes ptyxis</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Lepanthes pumila</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Lepanthes quadrata</i> | II | LIV | | JM | | | | | 5 | |
| Orchidaceae | <i>Lepanthopsis spp.</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Lepanthopsis spp.</i> | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Lepanthopsis spp.</i> | II | SPE | | PE | 2 | | | | | |
| Orchidaceae | <i>Lepanthopsis floripecten</i> | II | SPE | | EC | | 2 | | | | |
| Orchidaceae | <i>Leptoceras menziesii</i> | II | LIV | | AU | | | | | 7 | |
| Orchidaceae | <i>Leucohyle spp.</i> | II | DPL | | PA | | | | 1 | | |
| Orchidaceae | <i>Liparis spp.</i> | II | DPL | | MG | 4 | | | | | |
| Orchidaceae | <i>Liparis spp.</i> | II | DPL | | PE | 4 | 1 | | 1 | | |
| Orchidaceae | <i>Liparis spp.</i> | II | FLO | | PG | | 10 | | | | |
| Orchidaceae | <i>Liparis spp.</i> | II | LIV | | PG | | | | | | 12 |
| Orchidaceae | <i>Liparis spp.</i> | II | SPE | | PE | 2 | | | | | |
| Orchidaceae | <i>Liparis elegantula</i> | II | DPL | | PE | | | | 1 | | |
| Orchidaceae | <i>Liparis flava</i> | II | LIV | | VN | | | | | | 2 |
| Orchidaceae | <i>Liparis mamillata</i> | II | LIV | | VN | | | | | | 2 |
| Orchidaceae | <i>Lockhartia spp.</i> | II | DPL | | PE | | 2 | | | | |
| Orchidaceae | <i>Lockhartia spp.</i> | II | LIV | | BZ | 1 | | | | | |
| Orchidaceae | <i>Lockhartia acuta</i> | II | LEA | | PA | | | | | 3 | |
| Orchidaceae | <i>Luisia spp.</i> | II | FLO | | PG | | 2 | | | | |
| Orchidaceae | <i>Luisia spp.</i> | II | LVS | | TH | | | 5 | | | |
| Orchidaceae | <i>Luisia curtisii</i> | II | LVS | | TH | | | 3 | | | |
| Orchidaceae | <i>Luisia thailandica</i> | II | LVS | | TH | | | 2 | | | |
| Orchidaceae | <i>Lycaste spp.</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Lycaste spp.</i> | II | LIV | | TW | | | 20 | | | |
| Orchidaceae | <i>Lycaste spp.</i> | II | SPE | | PE | 1 | | | | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-------------|--------------------------------|------|------|------|---------|------|------|------|------|------|------|
| Orchidaceae | <i>Lycaste aromatica</i> | II | LIV | | BZ | | | 200 | | | |
| Orchidaceae | <i>Lycaste barringtoniae</i> | II | LIV | | JM | 3 | | 20 | | 20 | |
| Orchidaceae | <i>Lycaste longipetala</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Macradenia spp.</i> | II | LIV | | JM | | | 30 | | | |
| Orchidaceae | <i>Macradenia lutescens</i> | II | LIV | | JM | 2 | 12 | 30 | | | |
| Orchidaceae | <i>Malaxis spp.</i> | II | DPL | | PE | 7 | | | 1 | | |
| Orchidaceae | <i>Malaxis spp.</i> | II | FLO | | PG | | 8 | | | | |
| Orchidaceae | <i>Malaxis spp.</i> | II | SPE | | PE | 6 | | | | | |
| Orchidaceae | <i>Malaxis acuminata</i> | II | LIV | | VN | | | | | | 2 |
| Orchidaceae | <i>Malaxis monophyllos</i> | II | SPE | | NO | | | | 13 | | |
| Orchidaceae | <i>Malleola spp.</i> | II | FLO | | MY | | 3 | | | | |
| Orchidaceae | <i>Malleola spp.</i> | II | LVS | | MY | | 5 | | | | |
| Orchidaceae | <i>Malleola dentifera</i> | II | LIV | | VN | | | | | | 2 |
| Orchidaceae | <i>Masdevallia spp.</i> | II | DPL | | PE | 11 | 1 | | | | |
| Orchidaceae | <i>Masdevallia spp.</i> | II | LIV | | EC | | 2 | | | | |
| Orchidaceae | <i>Masdevallia spp.</i> | II | LVS | | BO | | | | 360 | | |
| Orchidaceae | <i>Masdevallia spp.</i> | II | SPE | | EC | | | | 18 | | |
| Orchidaceae | <i>Masdevallia spp.</i> | II | SPE | | PE | 4 | | | | | 1 |
| Orchidaceae | <i>Masdevallia barlaeana</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Masdevallia bicolor</i> | II | SPE | | EC | | 3 | | | | |
| Orchidaceae | <i>Masdevallia brachyura</i> | II | SPE | | EC | | 2 | | | | |
| Orchidaceae | <i>Masdevallia carmenensis</i> | II | SPE | | EC | | 2 | | | | |
| Orchidaceae | <i>Masdevallia citrinella</i> | II | SPE | | EC | | 4 | | | | |
| Orchidaceae | <i>Masdevallia coccinea</i> | II | LIV | | EC | | 1 | | | | |
| Orchidaceae | <i>Masdevallia deformis</i> | II | SPE | | EC | | 2 | | 1 | | |
| Orchidaceae | <i>Masdevallia guttulata</i> | II | SPE | | EC | | 2 | | | | |
| Orchidaceae | <i>Masdevallia leucantha</i> | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Masdevallia mooreana</i> | II | LIV | | EC | | 1 | | | | |
| Orchidaceae | <i>Masdevallia nidifica</i> | II | SPE | | EC | | 2 | | | | |
| Orchidaceae | <i>Masdevallia persicina</i> | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Masdevallia picturata</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Masdevallia picturata</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Masdevallia pyxis</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Masdevallia scandens</i> | II | SPE | | BO | | | | 63 | | |
| Orchidaceae | <i>Masdevallia semiteres</i> | II | SPE | | PE | 2 | | | | | |
| Orchidaceae | <i>Masdevallia solomonii</i> | II | SPE | | BO | | | | 144 | | |
| Orchidaceae | <i>Masdevallia strobilii</i> | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Masdevallia tubulosa</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Masdevallia ustulata</i> | II | DPL | | PE | | | | 1 | | |
| Orchidaceae | <i>Masdevallia veitchiana</i> | II | LIV | | EC | | 1 | | | | |
| Orchidaceae | <i>Masdevallia yungasensis</i> | II | SPE | | BO | | | | 153 | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-------------|-----------------------------------|------|------|------|---------|------|------|------|------|------|------|
| Orchidaceae | <i>Maxillaria</i> spp. | II | DPL | | PA | | | | 7 | | |
| Orchidaceae | <i>Maxillaria</i> spp. | II | DPL | | PE | 115 | 37 | | 4 | | |
| Orchidaceae | <i>Maxillaria</i> spp. | II | LIV | | DE | | | 1 | | | |
| Orchidaceae | <i>Maxillaria</i> spp. | II | LIV | | EC | | | | | | 1 |
| Orchidaceae | <i>Maxillaria</i> spp. | II | LIV | | JM | | | | | 40 | |
| Orchidaceae | <i>Maxillaria</i> spp. | II | LVS | | PA | | | | | 12 | |
| Orchidaceae | <i>Maxillaria</i> spp. | II | SPE | | EC | | | | 38 | | |
| Orchidaceae | <i>Maxillaria</i> spp. | II | SPE | | PE | 29 | | | | | |
| Orchidaceae | <i>Maxillaria aggregata</i> | II | SPE | | EC | | | | 1 | | |
| Orchidaceae | <i>Maxillaria aggregata</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Maxillaria alpestris</i> | II | DPL | | PE | 2 | | | | | |
| Orchidaceae | <i>Maxillaria alpestris</i> | II | SPE | | EC | | | | 1 | | |
| Orchidaceae | <i>Maxillaria alpestris</i> | II | SPE | | PE | 2 | | | | | |
| Orchidaceae | <i>Maxillaria aurea</i> | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Maxillaria aurea</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Maxillaria brevifolia</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Maxillaria brevifolia</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Maxillaria caespitifica</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Maxillaria calantha</i> | II | DPL | | PE | | | | 1 | | |
| Orchidaceae | <i>Maxillaria christobalensis</i> | II | DPL | | PE | 2 | | | | | |
| Orchidaceae | <i>Maxillaria christobalensis</i> | II | SPE | | PE | 2 | | | | | |
| Orchidaceae | <i>Maxillaria conferta</i> | II | LIV | | JM | 3 | 2 | | | 20 | |
| Orchidaceae | <i>Maxillaria exaltata</i> | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Maxillaria floribunda</i> | II | DPL | | PE | 2 | | | | | |
| Orchidaceae | <i>Maxillaria floribunda</i> | II | SPE | | PE | 2 | | | | | |
| Orchidaceae | <i>Maxillaria fractiflexa</i> | II | LIV | | EC | | 1 | | | | |
| Orchidaceae | <i>Maxillaria funicaulis</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Maxillaria gigantea</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Maxillaria gigantea</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Maxillaria graminifolia</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Maxillaria graminifolia</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Maxillaria haemathodes</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Maxillaria longibracteata</i> | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Maxillaria molitor</i> | II | LIV | | EC | | 2 | | | | |
| Orchidaceae | <i>Maxillaria notylioglossa</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Maxillaria notylioglossa</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Maxillaria ochracea</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Maxillaria platypetala</i> | II | DPL | | PE | | | | 1 | | |
| Orchidaceae | <i>Maxillaria platypetala</i> | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Maxillaria plicata</i> | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Maxillaria pulla</i> | II | SPE | | EC | | | | 2 | | |

| Family | Taxon | App. Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-------------|----------------------------------|-----------|------|---------|------|------|------|------|------|------|
| Orchidaceae | <i>Maxillaria rufescens</i> | II | LIV | EC | | | | | | 2 |
| Orchidaceae | <i>Maxillaria rufescens</i> | II | LIV | JM | | 3 | | | | |
| Orchidaceae | <i>Maxillaria setigera</i> | II | SPE | EC | | | | 2 | | |
| Orchidaceae | <i>Maxillaria tenuifolia</i> | II | LIV | BZ | | | 200 | | | |
| Orchidaceae | <i>Maxillaria trigona</i> | II | DPL | PE | 2 | | | | | |
| Orchidaceae | <i>Maxillaria trigona</i> | II | SPE | PE | 2 | | | | | |
| Orchidaceae | <i>Maxillaria uncata</i> | II | LVS | PA | | | | | 40 | |
| Orchidaceae | <i>Maxillaria yanganensis</i> | II | SPE | EC | | | | 2 | | |
| Orchidaceae | <i>Mediocalcar spp.</i> | II | FLO | PG | | 8 | | | | |
| Orchidaceae | <i>Mesadenus polyanthus</i> | II | DPL | TC | | | 1 | | | |
| Orchidaceae | <i>Mesadenus polyanthus</i> | II | SPE | TC | | | 4 | | | |
| Orchidaceae | <i>Microcoelia spp.</i> | II | DPL | MG | 2 | | | | | |
| Orchidaceae | <i>Microcoelia spp.</i> | II | LIV | MG | | 20 | | | | |
| Orchidaceae | <i>Microcoelia gilpinae</i> | II | LIV | MG | 20 | 20 | 10 | 10 | 10 | |
| Orchidaceae | <i>Microcoelia macrantha</i> | II | DPL | MG | 1 | | | | | |
| Orchidaceae | <i>Microcoelia macrantha</i> | II | LIV | MG | | 30 | 10 | 10 | | |
| Orchidaceae | <i>Microtis media</i> | II | FLO | GRM AU | | | 20 | | | |
| Orchidaceae | <i>Miltoniopsis phalaenopsis</i> | II | LIV | EC | | 1 | | | | |
| Orchidaceae | <i>Miltoniopsis vexillaria</i> | II | SPE | EC | | 2 | | | | |
| Orchidaceae | <i>Moretzia peruviana</i> | II | DPL | PE | 1 | | | | | |
| Orchidaceae | <i>Moretzia peruviana</i> | II | SPE | PE | 1 | | | | | |
| Orchidaceae | <i>Mormodes spp.</i> | II | DPL | PE | 1 | | | | | |
| Orchidaceae | <i>Mormodes spp.</i> | II | LIV | MY | | | 100 | | | |
| Orchidaceae | <i>Mormodes variabilis</i> | II | LIV | EC | | | | | | 1 |
| Orchidaceae | <i>Myoxanthus spp.</i> | II | DPL | PE | 5 | 1 | | | | |
| Orchidaceae | <i>Myoxanthus spp.</i> | II | SPE | EC | | | | 9 | | |
| Orchidaceae | <i>Myoxanthus spp.</i> | II | SPE | PE | 3 | | | | | 1 |
| Orchidaceae | <i>Myoxanthus frutex</i> | II | DPL | PE | 2 | | | | | |
| Orchidaceae | <i>Myoxanthus frutex</i> | II | SPE | PE | 2 | | | | | |
| Orchidaceae | <i>Myoxanthus gyas</i> | II | DPL | PE | 1 | | | | | |
| Orchidaceae | <i>Myoxanthus gyas</i> | II | SPE | PE | 1 | | | | | |
| Orchidaceae | <i>Myrmecophila tibicinis</i> | II | LIV | BZ | | | 600 | | | |
| Orchidaceae | <i>Myrosmodes nubigenum</i> | II | DPL | PE | | 1 | | | | |
| Orchidaceae | <i>Myrosmodes nubigenum</i> | II | SPE | PE | | 1 | | | | |
| Orchidaceae | <i>Nanodes discolor</i> | II | DPL | PA | | | | 3 | | |
| Orchidaceae | <i>Neo-Urbania adendrobium</i> | II | SPE | EC | | | | 2 | | |
| Orchidaceae | <i>Neobathiea grandidierana</i> | II | LIV | MG | | 1 | | | 10 | |
| Orchidaceae | <i>Neobathiea perrieri</i> | II | LIV | MG | 2 | | | | | |
| Orchidaceae | <i>Neocogniauxia monophylla</i> | II | LIV | JM | | | 80 | | 40 | |
| Orchidaceae | <i>Neodryas spp.</i> | II | DPL | PE | 5 | 2 | | | | |
| Orchidaceae | <i>Neodryas spp.</i> | II | SPE | PE | 3 | | | | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-------------|--------------------------------------|------|------|------|---------|------|------|------|------|------|------|
| Orchidaceae | <i>Neolehmannia difformis</i> | II | LIV | | JM | 10 | | | | 25 | |
| Orchidaceae | <i>Neolehmannia difformis</i> | II | LVS | | PA | | | | | 12 | |
| Orchidaceae | <i>Neolehmannia microcattleya</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Neottia latilabra</i> | II | LIV | | VN | | | | | | 2 |
| Orchidaceae | <i>Nephelaphyllum tenuiflorum</i> | II | LIV | | VN | | | | | | 2 |
| Orchidaceae | <i>Nervilia spp.</i> | II | DPL | | MG | 1 | | | | | |
| Orchidaceae | <i>Nervilia spp.</i> | II | FLO | | PG | | 2 | | | | |
| Orchidaceae | <i>Nervilia fordii</i> | II | DER | KIL | CN | | | | | | 29 |
| Orchidaceae | <i>Neuwiedia spp.</i> | II | LVS | | MY | | 5 | | | | |
| Orchidaceae | <i>Neuwiedia annamensis</i> | II | LIV | | VN | | | | | | 2 |
| Orchidaceae | <i>Neuwiedia veratrifolia</i> | II | FLO | | MY | | 20 | | | | |
| Orchidaceae | <i>Neuwiedia veratrifolia</i> | II | LVS | | MY | | 5 | | | | |
| Orchidaceae | <i>Nidema ottonis</i> | II | LIV | | JM | 5 | | | | | |
| Orchidaceae | <i>Notylia spp.</i> | II | LIV | | BZ | | | 200 | | | |
| Orchidaceae | <i>Notylia spp.</i> | II | SPE | | EC | | | | 1 | | |
| Orchidaceae | <i>Notylia barkeri</i> | II | LEA | | PA | | | | | 5 | |
| Orchidaceae | <i>Oberonia spp.</i> | II | FLO | | PG | | 40 | | | | |
| Orchidaceae | <i>Oberonia spp.</i> | II | LIV | | PG | | | | | | 35 |
| Orchidaceae | <i>Oberonia disticha</i> | II | DPL | | MG | 3 | | | | | |
| Orchidaceae | <i>Oberonia jenkinsiana</i> | II | LIV | | VN | | | | | | 2 |
| Orchidaceae | <i>Octomeria spp.</i> | II | DPL | | PE | | | 2 | 2 | | |
| Orchidaceae | <i>Octomeria spp.</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Odontoglossum spp.</i> | II | DPL | | PE | 5 | 4 | | | | |
| Orchidaceae | <i>Odontoglossum spp.</i> | II | SPE | | EC | | | | 4 | | |
| Orchidaceae | <i>Odontoglossum spp.</i> | II | SPE | | PE | 3 | | | | | |
| Orchidaceae | <i>Odontoglossum angustatum</i> | II | LIV | | EC | | 1 | | | | |
| Orchidaceae | <i>Odontoglossum cristatellum</i> | II | LIV | | EC | | 1 | | | | |
| Orchidaceae | <i>Odontoglossum hallii</i> | II | LIV | | EC | | 2 | | | | |
| Orchidaceae | <i>Odontoglossum machupicchuense</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Odontoglossum machupicchuense</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Odontoglossum mirandum</i> | II | LIV | | EC | | 1 | | | | |
| Orchidaceae | <i>Odontoglossum mystacinum</i> | II | DPL | | PE | 2 | | | | | |
| Orchidaceae | <i>Odontoglossum mystacinum</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Odontoglossum ramosissimum</i> | II | LIV | | EC | | 1 | | | | |
| Orchidaceae | <i>Odontoglossum subuligerum</i> | II | DPL | | PE | 7 | | | | | |
| Orchidaceae | <i>Odontoglossum subuligerum</i> | II | SPE | | PE | 6 | | | | | |
| Orchidaceae | <i>Oeceoclades spp.</i> | II | LIV | | MG | 10 | | | 1 | | |
| Orchidaceae | <i>Oeceoclades spp.</i> | II | SEE | GRM | MG | | | 1 | | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-------------|-------------------------------------|------|------|------|---------|------|------|------|------|------|------|
| Orchidaceae | <i>Oeceoclades boinensis</i> | II | LIV | | MG | | | 5 | | | |
| Orchidaceae | <i>Oeceoclades calcarata</i> | II | LIV | | MG | | | | 10 | | |
| Orchidaceae | <i>Oeceoclades calcarata</i> | II | SEE | GRM | MG | | | | | 2 | |
| Orchidaceae | <i>Oeceoclades decaryana</i> | II | LIV | | MG | 50 | | 25 | 30 | | |
| Orchidaceae | <i>Oeceoclades longibracteata</i> | II | DPL | | MG | | 1 | | | | |
| Orchidaceae | <i>Oeceoclades maculata</i> | II | DPL | | TC | | | 3 | | | |
| Orchidaceae | <i>Oeceoclades maculata</i> | II | LIV | | BZ | 2 | | | | | |
| Orchidaceae | <i>Oeceoclades perrieri</i> | II | LIV | | MG | 30 | | | 10 | | |
| Orchidaceae | <i>Oeceoclades peyrotii</i> | II | LIV | | MG | | | | | 5 | |
| Orchidaceae | <i>Oeceoclades roseovariegata</i> | II | LIV | | MG | 40 | | | 10 | 5 | |
| Orchidaceae | <i>Oeceoclades spathulifera</i> | II | LIV | | MG | 80 | | | 10 | | |
| Orchidaceae | <i>Oeonia rosea</i> | II | LIV | | MG | 3 | | | | 10 | |
| Orchidaceae | <i>Oeonia volucris</i> | II | DPL | | MG | 2 | | | | | |
| Orchidaceae | <i>Oeoniella polystachys</i> | II | LIV | | MG | 7 | 2 | | | | |
| Orchidaceae | <i>Oncidium spp.</i> | II | DPL | | PE | 4 | 3 | | | | |
| Orchidaceae | <i>Oncidium spp.</i> | II | LIV | | EC | | 1 | | | | |
| Orchidaceae | <i>Oncidium spp.</i> | II | LIV | | JM | | | 50 | | 130 | |
| Orchidaceae | <i>Oncidium spp.</i> | II | LIV | | TW | | | | | | 4 |
| Orchidaceae | <i>Oncidium spp.</i> | II | SPE | | EC | | | | 11 | | |
| Orchidaceae | <i>Oncidium spp.</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Oncidium abortivum</i> | II | LIV | | EC | | 1 | | | | |
| Orchidaceae | <i>Oncidium cucullatum</i> | II | LIV | | EC | | 1 | | | | |
| Orchidaceae | <i>Oncidium cultratum</i> | II | LIV | | EC | | 3 | | | | |
| Orchidaceae | <i>Oncidium deltoideum</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Oncidium excavatum</i> | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Oncidium excavatum</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Oncidium heteranthum</i> | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Oncidium marshallianum</i> | II | LIV | | EC | | 1 | | | | |
| Orchidaceae | <i>Oncidium nubigenum</i> | II | LIV | | EC | | 4 | | | | |
| Orchidaceae | <i>Oncidium pentadactylon</i> | II | LIV | | EC | | 1 | | | | |
| Orchidaceae | <i>Oncidium pulchellum</i> | II | LIV | | JM | | 8 | 50 | | | |
| Orchidaceae | <i>Oncidium retusum</i> | II | DPL | | PE | 2 | | | | | |
| Orchidaceae | <i>Oncidium retusum</i> | II | SPE | | PE | 2 | | | | | |
| Orchidaceae | <i>Oncidium tetrapetalum</i> | II | LIV | | JM | 10 | | 50 | | | |
| Orchidaceae | <i>Oncidium triquetrum</i> | II | LIV | | JM | | | 50 | | | |
| Orchidaceae | <i>Ophrys umbilicata</i> | II | LIV | | JO | | 1 | | | | |
| Orchidaceae | <i>Ornithocephalus spp.</i> | II | DPL | | PE | 1 | 1 | | | | |
| Orchidaceae | <i>Ornithocephalus spp.</i> | II | SPE | | BR | | 2 | | | | |
| Orchidaceae | <i>Ornithocephalus ciliatus</i> | II | SPE | | BR | | 1 | | | | |
| Orchidaceae | <i>Ornithocephalus gladius</i> | II | SPE | | BR | | 1 | | | | |
| Orchidaceae | <i>Ornithocephalus grandiflorus</i> | II | SPE | | BR | | 2 | | | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-------------|----------------------------------|------|------|------|---------|------|------|------|------|------|------|
| Orchidaceae | <i>Ornithocephalus myrticola</i> | II | SPE | | BR | | 1 | | | | |
| Orchidaceae | <i>Otoglossum spp.</i> | II | DPL | | PE | 2 | 1 | | | | |
| Orchidaceae | <i>Otoglossum spp.</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Pachyphyllum spp.</i> | II | DPL | | PE | 30 | 7 | | 3 | | |
| Orchidaceae | <i>Pachyphyllum spp.</i> | II | SPE | | EC | | | | 7 | | |
| Orchidaceae | <i>Pachyphyllum spp.</i> | II | SPE | | PE | 22 | | | | | |
| Orchidaceae | <i>Pachyphyllum falcifolium</i> | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Pachyphyllum subbiflorum</i> | II | SPE | | EC | | | | 1 | | |
| Orchidaceae | <i>Paphiopedilum spp.</i> | II | STE | | PG | | 5 | | | | |
| Orchidaceae | <i>Papilionanthe teres</i> | II | ROO | | CI | | 1 | | | | |
| Orchidaceae | <i>Pecteilis cochinchinensis</i> | II | LIV | | VN | | | | | | 2 |
| Orchidaceae | <i>Pedilochilus spp.</i> | II | FLO | | PG | | 12 | | | | |
| Orchidaceae | <i>Pelexia spp.</i> | II | DPL | | PE | | 1 | | | | |
| Orchidaceae | <i>Pelexia spp.</i> | II | LIV | | EC | | 1 | | | | |
| Orchidaceae | <i>Peristylus goodyeroides</i> | II | LIV | | VN | | | | | | 2 |
| Orchidaceae | <i>Pescatoria ecuadorana</i> | II | SPE | | EC | | 2 | | | | |
| Orchidaceae | <i>Phaius spp.</i> | II | FLO | | PG | | 6 | | | | |
| Orchidaceae | <i>Phaius tankervilleae</i> | II | LIV | | JM | | | | | 30 | |
| Orchidaceae | <i>Phaius tonkinensis</i> | II | LIV | | VN | | | | | | 2 |
| Orchidaceae | <i>Phalaenopsis spp.</i> | II | EXT | | JP | | | | 60 | | |
| Orchidaceae | <i>Phalaenopsis spp.</i> | II | FLO | | US | | | | | | 1 |
| Orchidaceae | <i>Phalaenopsis spp.</i> | II | LIV | | BN | | | | | 25 | |
| Orchidaceae | <i>Phalaenopsis spp.</i> | II | LIV | | CN | 1000 | | | | | |
| Orchidaceae | <i>Phalaenopsis spp.</i> | II | LIV | | TW | | | 25 | | | 3 |
| Orchidaceae | <i>Phalaenopsis spp.</i> | II | SPE | | EC | | 2 | | | | |
| Orchidaceae | <i>Phalaenopsis hybrida</i> | II | LIV | | CN | | | | | | 4900 |
| Orchidaceae | <i>Phalaenopsis hybrida</i> | II | LIV | | NL | | | | | | 40 |
| Orchidaceae | <i>Phalaenopsis amabilis</i> | II | LIV | | TW | | | | | 80 | |
| Orchidaceae | <i>Phalaenopsis chibae</i> | II | LIV | | VN | | | | | | 2 |
| Orchidaceae | <i>Phalaenopsis gigantea</i> | II | LIV | | MY | | | | | | 25 |
| Orchidaceae | <i>Phalaenopsis mannii</i> | II | LIV | | VN | | | | | | 2 |
| Orchidaceae | <i>Pholidota spp.</i> | II | FLO | | PG | | 9 | | | | |
| Orchidaceae | <i>Pholidota spp.</i> | II | LIV | | DE | | | 1 | | | |
| Orchidaceae | <i>Pholidota spp.</i> | II | LIV | | PG | | | | | | 1 |
| Orchidaceae | <i>Phreatia spp.</i> | II | FLO | | PG | | 59 | | | | |
| Orchidaceae | <i>Phreatia spp.</i> | II | LIV | | PG | | | | | | 118 |
| Orchidaceae | <i>Phymatidium spp.</i> | II | SPE | | BR | | 1 | | | | |
| Orchidaceae | <i>Phymatidium delicatulum</i> | II | SPE | | BR | | 1 | | | | |
| Orchidaceae | <i>Phymatidium falcifolium</i> | II | SPE | | BR | | 2 | | | | |
| Orchidaceae | <i>Phymatidium hysteroanthum</i> | II | SPE | | BR | | 1 | | | | |
| Orchidaceae | <i>Phymatidium limae</i> | II | SPE | | BR | | 1 | | | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-------------|-----------------------------------|------|------|------|---------|------|------|------|------|------|------|
| Orchidaceae | <i>Phymatidium microphyllum</i> | II | SPE | | BR | | 2 | | | | |
| Orchidaceae | <i>Pityphyllum pinoides</i> | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Platanthera bifolia</i> | II | LVS | | PL | 200 | | | | | |
| Orchidaceae | <i>Platanthera chlorantha</i> | II | LVS | | PL | 200 | | | | | |
| Orchidaceae | <i>Platyrhiza quadricolor</i> | II | SPE | | BR | | 2 | | | | |
| Orchidaceae | <i>Platystele spp.</i> | II | DPL | | PE | 4 | | | | | |
| Orchidaceae | <i>Platystele spp.</i> | II | LIV | | EC | | 1 | | 18 | | |
| Orchidaceae | <i>Platystele spp.</i> | II | SPE | | EC | | | | 6 | | |
| Orchidaceae | <i>Platystele spp.</i> | II | SPE | | PE | 3 | | | | | |
| Orchidaceae | <i>Platystele alucitae</i> | II | LIV | | EC | | 1 | | | | |
| Orchidaceae | <i>Platystele oxyglossa</i> | II | LIV | | EC | | 1 | | | | |
| Orchidaceae | <i>Platystele rauhii</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Pleurothallis spp.</i> | II | DPL | | PA | | | | 29 | | |
| Orchidaceae | <i>Pleurothallis spp.</i> | II | DPL | | PE | 92 | 33 | 3 | 4 | | |
| Orchidaceae | <i>Pleurothallis spp.</i> | II | LIV | | BZ | 2 | | | | | |
| Orchidaceae | <i>Pleurothallis spp.</i> | II | LIV | | EC | | | | 36 | | |
| Orchidaceae | <i>Pleurothallis spp.</i> | II | LIV | | JM | | | | | 5 | |
| Orchidaceae | <i>Pleurothallis spp.</i> | II | LVS | | PA | | | | | 38 | |
| Orchidaceae | <i>Pleurothallis spp.</i> | II | SPE | | EC | | | | 109 | | |
| Orchidaceae | <i>Pleurothallis spp.</i> | II | SPE | | PE | 31 | | | | | 1 |
| Orchidaceae | <i>Pleurothallis acanthodes</i> | II | LIV | | EC | | | | 5 | | |
| Orchidaceae | <i>Pleurothallis acuminata</i> | II | DPL | | PE | 4 | | | | | |
| Orchidaceae | <i>Pleurothallis acuminata</i> | II | SPE | | PE | 4 | | | | | |
| Orchidaceae | <i>Pleurothallis adeleae</i> | II | SPE | | EC | | 2 | | | | |
| Orchidaceae | <i>Pleurothallis angustilabia</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Pleurothallis angustilabia</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Pleurothallis aspergillum</i> | II | SPE | | EC | | 2 | | | | |
| Orchidaceae | <i>Pleurothallis auriculata</i> | II | SPE | | BR | | | | 1 | | |
| Orchidaceae | <i>Pleurothallis bivalvis</i> | II | SPE | | EC | | | | 18 | | |
| Orchidaceae | <i>Pleurothallis canaligera</i> | II | SPE | | EC | | 2 | | | | |
| Orchidaceae | <i>Pleurothallis cordata</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Pleurothallis cordata</i> | II | SPE | | PE | 2 | | | | | |
| Orchidaceae | <i>Pleurothallis coriacardia</i> | II | DPL | | PE | 3 | | | | | |
| Orchidaceae | <i>Pleurothallis coriacardia</i> | II | SPE | | PE | 3 | | | | | |
| Orchidaceae | <i>Pleurothallis corniculata</i> | II | LIV | | JM | 10 | | | | 5 | |
| Orchidaceae | <i>Pleurothallis cyathiflora</i> | II | DPL | | PE | 2 | | | | | |
| Orchidaceae | <i>Pleurothallis cyathiflora</i> | II | SPE | | PE | 2 | | | | | |
| Orchidaceae | <i>Pleurothallis deflexa</i> | II | SPE | | EC | | 2 | | | | |
| Orchidaceae | <i>Pleurothallis flexuosa</i> | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Pleurothallis grobyi</i> | II | LIV | | BZ | | | 100 | | | |
| Orchidaceae | <i>Pleurothallis grobyi</i> | II | LIV | | EC | | | | 9 | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-------------|-------------------------------------|------|------|------|---------|------|------|------|------|------|------|
| Orchidaceae | <i>Pleurothallis guatopensis</i> | II | LIV | | EC | | 1 | | | | |
| Orchidaceae | <i>Pleurothallis hemirhoda</i> | II | SPE | | EC | | 2 | | | | |
| Orchidaceae | <i>Pleurothallis hymenantha</i> | II | SPE | | US | | | | 1 | | |
| Orchidaceae | <i>Pleurothallis imraei</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Pleurothallis lamellaris</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Pleurothallis lamellaris</i> | II | SPE | | PE | 3 | | | | | |
| Orchidaceae | <i>Pleurothallis lilijae</i> | II | SPE | | EC | | | | 6 | | |
| Orchidaceae | <i>Pleurothallis macroblepharis</i> | II | SPE | | EC | | 2 | | | | |
| Orchidaceae | <i>Pleurothallis niveoglobula</i> | II | SPE | | EC | | 2 | | | | |
| Orchidaceae | <i>Pleurothallis peroniocephala</i> | II | SPE | | EC | | | | 4 | | |
| Orchidaceae | <i>Pleurothallis pruinosa</i> | II | LIV | | JM | 10 | 11 | | | | |
| Orchidaceae | <i>Pleurothallis quadrata</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Pleurothallis quadrata</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Pleurothallis quadrifida</i> | II | LIV | | JM | | 4 | | | 5 | |
| Orchidaceae | <i>Pleurothallis rubens</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Pleurothallis sertularioides</i> | II | LIV | | JM | | 5 | | | 5 | |
| Orchidaceae | <i>Pleurothallis talpinaria</i> | II | SPE | | EC | | 2 | | | | |
| Orchidaceae | <i>Pleurothallis tribuloides</i> | II | LIV | | JM | | 5 | | | 5 | |
| Orchidaceae | <i>Pleurothallis truncata</i> | II | SPE | | EC | | 2 | | | | |
| Orchidaceae | <i>Pleurothallis vargasii</i> | II | DPL | | PE | 2 | | | | | |
| Orchidaceae | <i>Pleurothallis vargasii</i> | II | SPE | | PE | 3 | | | | | |
| Orchidaceae | <i>Pleurothallis virgata</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Pleurothallis xanthochlora</i> | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Plocoglottis spp.</i> | II | FLO | | PG | | 4 | | | | |
| Orchidaceae | <i>Podochilus spp.</i> | II | FLO | | PG | | 2 | | | | |
| Orchidaceae | <i>Polystachya spp.</i> | II | DPL | | MG | 17 | | | | | |
| Orchidaceae | <i>Polystachya spp.</i> | II | DPL | | PA | | | | 10 | | |
| Orchidaceae | <i>Polystachya spp.</i> | II | DPL | | PE | | 1 | 1 | 1 | | |
| Orchidaceae | <i>Polystachya spp.</i> | II | DPL | | UG | | | 3 | | | |
| Orchidaceae | <i>Polystachya spp.</i> | II | LIV | | BI | | | | | | 1 |
| Orchidaceae | <i>Polystachya spp.</i> | II | LIV | | BZ | 1 | | | | | |
| Orchidaceae | <i>Polystachya spp.</i> | II | LIV | | MG | | 1 | | | | |
| Orchidaceae | <i>Polystachya spp.</i> | II | LVS | | PA | | | | | 3 | |
| Orchidaceae | <i>Polystachya spp.</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Polystachya concreta</i> | II | DPL | | MG | 3 | | | | | |
| Orchidaceae | <i>Polystachya concreta</i> | II | DPL | | SC | | | | 1 | | |
| Orchidaceae | <i>Polystachya concreta</i> | II | DPL | GRM | LK | | | 200 | | | |
| Orchidaceae | <i>Polystachya concreta</i> | II | LIV | | JM | 2 | | | | | |
| Orchidaceae | <i>Polystachya concreta</i> | II | LVS | | BR | | | | | 20 | |
| Orchidaceae | <i>Polystachya concreta</i> | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Polystachya cultriformis</i> | II | DPL | | MG | 1 | | | | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-------------|---------------------------------|------|------|------|---------|------|------|------|------|------|------|
| Orchidaceae | <i>Polystachya humbertii</i> | II | DPL | | MG | 1 | | | | | |
| Orchidaceae | <i>Polystachya rosea</i> | II | DPL | | SC | | | | 1 | | |
| Orchidaceae | <i>Pomatocalpa</i> spp. | II | FLO | | PG | | 12 | | | | |
| Orchidaceae | <i>Pomatocalpa kunstleri</i> | II | FLO | | MY | | 3 | | | | |
| Orchidaceae | <i>Pomatocalpa kunstleri</i> | II | LVS | | MY | | 5 | | | | |
| Orchidaceae | <i>Ponthieva</i> spp. | II | DPL | | PE | 4 | 1 | | | | |
| Orchidaceae | <i>Ponthieva</i> spp. | II | SPE | | PE | 2 | | | | | |
| Orchidaceae | <i>Ponthieva brittoniae</i> | II | DPL | | TC | | | 5 | | | |
| Orchidaceae | <i>Ponthieva brittoniae</i> | II | SPE | | TC | | | 7 | | | |
| Orchidaceae | <i>Ponthieva cornuta</i> | II | DPL | | PE | | | | 1 | | |
| Orchidaceae | <i>Ponthieva garayana</i> | II | DPL | | PE | 3 | | | | | |
| Orchidaceae | <i>Ponthieva garayana</i> | II | SPE | | PE | 3 | | | | | |
| Orchidaceae | <i>Porpax lanii</i> | II | LIV | | VN | | | | | | 2 |
| Orchidaceae | <i>Porphyrostachys pilifera</i> | II | DPL | | PE | | 4 | | | | |
| Orchidaceae | <i>Porphyrostachys pilifera</i> | II | SPE | | PE | | 4 | | | | |
| Orchidaceae | <i>Porroglossum</i> spp. | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Porroglossum muscosum</i> | II | SPE | | EC | | 2 | | | | |
| Orchidaceae | <i>Porroglossum portillae</i> | II | SPE | | EC | | 2 | | | | |
| Orchidaceae | <i>Prescottia</i> spp. | II | DPL | | PE | 3 | | | | | |
| Orchidaceae | <i>Prescottia</i> spp. | II | SPE | | PE | 2 | | | | | |
| Orchidaceae | <i>Prosthechea</i> spp. | II | DPL | | PE | 5 | 3 | | | | |
| Orchidaceae | <i>Prosthechea</i> spp. | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Prosthechea</i> spp. | II | SPE | | PE | 4 | | | | | |
| Orchidaceae | <i>Prosthechea cochleata</i> | II | LIV | | JM | | 5 | | | | |
| Orchidaceae | <i>Prosthechea farfanii</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Prosthechea farfanii</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Prosthechea fragrans</i> | II | LIV | | JM | | 2 | | | | |
| Orchidaceae | <i>Prosthechea hartwegii</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Prosthechea hartwegii</i> | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Prosthechea hartwegii</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Prosthechea vespa</i> | II | SPE | | EC | | | | 5 | | |
| Orchidaceae | <i>Pseuderia</i> spp. | II | FLO | | PG | | 6 | | | | |
| Orchidaceae | <i>Psygmorchis</i> spp. | II | DPL | | PE | 1 | | 1 | | | |
| Orchidaceae | <i>Psygmorchis pumilio</i> | II | DPL | | PE | | | | 1 | | |
| Orchidaceae | <i>Psygmorchis pusilla</i> | II | DPL | | PE | | | | 1 | | |
| Orchidaceae | <i>Pterichis</i> spp. | II | DPL | | PE | 2 | | | | | |
| Orchidaceae | <i>Pterichis</i> spp. | II | SPE | | PE | 2 | | | | | |
| Orchidaceae | <i>Pterichis leucoptera</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Pterostylis</i> spp. | II | LIV | | AU | | | 2 | | | |
| Orchidaceae | <i>Pterostylis baptistii</i> | II | LIV | | AU | 4 | | | | | |
| Orchidaceae | <i>Pterostylis curta</i> | II | LIV | | AU | | | 3 | | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-------------|---------------------------------------|------|------|------|---------|------|------|------|------|------|------|
| Orchidaceae | <i>Pterostylis pedunculata</i> | II | LIV | | AU | | | | | 1 | |
| Orchidaceae | <i>Pterostylis scabra</i> | II | LIV | | AU | | | | | 1 | |
| Orchidaceae | <i>Pterostylis truncata</i> | II | LIV | | AU | | | | | 1 | |
| Orchidaceae | <i>Pyrorchis nigricans</i> | II | FLO | GRM | AU | | | 20 | | | |
| Orchidaceae | <i>Rauhiella</i> spp. | II | SPE | | BR | | 1 | | | | |
| Orchidaceae | <i>Rauhiella brasiliensis</i> | II | SPE | | BR | | 1 | | | | |
| Orchidaceae | <i>Rauhiella silvana</i> | II | SPE | | BR | | 1 | | | | |
| Orchidaceae | <i>Renanthera hybrida</i> | II | LIV | | TH | | | | | | 2 |
| Orchidaceae | <i>Renanthera vietnamensis</i> | II | LIV | | VN | | | | | | 2 |
| Orchidaceae | <i>Restrepia</i> spp. | II | LIV | | EC | | 1 | | | | |
| Orchidaceae | <i>Restrepia guttulata</i> | II | LIV | | EC | | 1 | | | | |
| Orchidaceae | <i>Restrepia trichoglossa</i> | II | LIV | | EC | | 1 | | | | |
| Orchidaceae | <i>Restrepia xanthophthalma</i> | II | LIV | | EC | | 1 | | | | |
| Orchidaceae | <i>Rhipidoglossum</i> spp. | II | LIV | | BI | | | | | | 1 |
| Orchidaceae | <i>Rhyncholaelia digbyana</i> | II | LIV | | HN | | | 1 | | | |
| Orchidaceae | <i>Rhyncholaelia glauca</i> | II | LIV | | BZ | | | 100 | | | |
| Orchidaceae | <i>Rhynchostylis gigantea</i> | II | LIV | | LA | 5 | | | | | |
| Orchidaceae | <i>Rhynchostylis retusa</i> | II | LIV | | LA | 5 | | | | | |
| Orchidaceae | <i>Robiquetia</i> spp. | II | FLO | | PG | | 69 | | | | |
| Orchidaceae | <i>Robiquetia</i> spp. | II | LIV | | PG | | | | | | 47 |
| Orchidaceae | <i>Rodriguezia</i> spp. | II | DPL | | PE | 1 | 1 | | | | |
| Orchidaceae | <i>Rodriguezia refracta</i> | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Rusbyella</i> spp. | II | DPL | | PE | 4 | 3 | | | | |
| Orchidaceae | <i>Rusbyella</i> spp. | II | SPE | | PE | 2 | | | | | |
| Orchidaceae | <i>Salpistele</i> spp. | II | SPE | | EC | | | | 4 | | |
| Orchidaceae | <i>Sarcanthopsis</i> spp. | II | FLO | | PG | | 8 | | | | |
| Orchidaceae | <i>Sarcophyton</i> spp. | II | LIV | | AU | | | 35 | 26 | | |
| Orchidaceae | <i>Sauroglossum</i> spp. | II | DPL | | PE | 2 | | | | | |
| Orchidaceae | <i>Sauroglossum</i> spp. | II | LIV | | EC | | 1 | | | | |
| Orchidaceae | <i>Sauroglossum</i> spp. | II | SPE | | PE | 3 | | | | | |
| Orchidaceae | <i>Scaphosepalum</i> spp. | II | LIV | | EC | | 3 | | 5 | | |
| Orchidaceae | <i>Scaphosepalum beluosum</i> | II | LIV | | EC | | 1 | | | | |
| Orchidaceae | <i>Scaphosepalum dalstroemii</i> | II | LIV | | EC | | 1 | | 17 | | |
| Orchidaceae | <i>Scaphosepalum fimbriatum</i> | II | LIV | | EC | | | | 2 | | |
| Orchidaceae | <i>Scaphosepalum ovulare</i> | II | LIV | | EC | | | | 3 | | |
| Orchidaceae | <i>Scaphosepalum pleurothalloides</i> | II | LIV | | EC | | | | 3 | | |
| Orchidaceae | <i>Scaphyglottis</i> spp. | II | DPL | | PA | | | | 31 | | |
| Orchidaceae | <i>Scaphyglottis</i> spp. | II | DPL | | PE | 8 | 1 | | | | |
| Orchidaceae | <i>Scaphyglottis</i> spp. | II | LVS | | PA | | | | | 70 | |
| Orchidaceae | <i>Scaphyglottis</i> spp. | II | SPE | | EC | | | | 3 | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-------------|----------------------------------|------|------|------|---------|------|------|------|------|------|------|
| Orchidaceae | <i>Scaphyglottis spp.</i> | II | SPE | | PE | 4 | | | | | |
| Orchidaceae | <i>Scaphyglottis aurea</i> | II | DPL | | PE | | | | 1 | | |
| Orchidaceae | <i>Scaphyglottis prolifera</i> | II | LVS | | PA | | | | | 15 | |
| Orchidaceae | <i>Scaphyglottis sublifera</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Scaphyglottis sublifera</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Scaphyglottis summersii</i> | II | DPL | | PE | 2 | | | | | |
| Orchidaceae | <i>Scaphyglottis summersii</i> | II | SPE | | PE | 2 | | | | | |
| Orchidaceae | <i>Scelochilus spp.</i> | II | DPL | | PE | | 6 | | | | |
| Orchidaceae | <i>Scelochilus spp.</i> | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Schomburgkia spp.</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Schomburgkia spp.</i> | II | LIV | | JM | | | 30 | | 30 | |
| Orchidaceae | <i>Schomburgkia lyonsii</i> | II | LIV | | JM | 1 | 1 | 30 | | 30 | |
| Orchidaceae | <i>Serapias lingua</i> | II | LIV | | AU | | | | | 2 | |
| Orchidaceae | <i>Serapias neglecta</i> | II | LIV | | AU | | | | | 2 | |
| Orchidaceae | <i>Serapias vomeracea</i> | II | LIV | | AU | | | | | 2 | |
| Orchidaceae | <i>Sertifera virgata</i> | II | SPE | | EC | | | | 1 | | |
| Orchidaceae | <i>Sigmatostalix spp.</i> | II | DPL | | PE | | 1 | | | | |
| Orchidaceae | <i>Sigmatostalix spp.</i> | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Sigmatostalix eliae</i> | II | SPE | | EC | | 2 | | | | |
| Orchidaceae | <i>Sobennikoffia spp.</i> | II | LIV | | MG | 20 | | | | | |
| Orchidaceae | <i>Sobennikoffia spp.</i> | II | SPE | | MG | | | | | 4 | |
| Orchidaceae | <i>Sobennikoffia humbertiana</i> | II | DPL | | MG | | | | 4 | | |
| Orchidaceae | <i>Sobennikoffia humbertiana</i> | II | LIV | | MG | 22 | | | 20 | | |
| Orchidaceae | <i>Sobennikoffia humbertiana</i> | II | SEE | GRM | MG | | | 1 | | | |
| Orchidaceae | <i>Sobennikoffia robusta</i> | II | LIV | | MG | 20 | | 15 | 10 | 10 | |
| Orchidaceae | <i>Sobennikoffia robusta</i> | II | SEE | GRM | MG | | | | | 1 | |
| Orchidaceae | <i>Sobralia spp.</i> | II | DPL | | PA | | | | 3 | | |
| Orchidaceae | <i>Sobralia spp.</i> | II | DPL | | PE | 13 | 4 | | | | |
| Orchidaceae | <i>Sobralia spp.</i> | II | LVS | | PA | | | | | 6 | |
| Orchidaceae | <i>Sobralia spp.</i> | II | SPE | | EC | | | | 1 | | |
| Orchidaceae | <i>Sobralia spp.</i> | II | SPE | | PE | 7 | | | | | |
| Orchidaceae | <i>Sobralia crocea</i> | II | SPE | | EC | | | | 3 | | |
| Orchidaceae | <i>Sobralia fragrans</i> | II | DPL | | PA | | | | 1 | | |
| Orchidaceae | <i>Sobralia fragrans</i> | II | LVS | | PA | | | | | 17 | |
| Orchidaceae | <i>Sobralia luerorum</i> | II | SPE | | EC | | | | 1 | | |
| Orchidaceae | <i>Sobralia macrophylla</i> | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Sobralia turkeliae</i> | II | SPE | | EC | | | | 1 | | |
| Orchidaceae | <i>Sobralia virginalis</i> | II | SPE | | EC | | | | 1 | | |
| Orchidaceae | <i>Solenangis aphylla</i> | II | SPE | GRM | MG | | 56 | | | | |
| Orchidaceae | <i>Solenidiopsis peruvianum</i> | II | DPL | | PE | | | | 1 | | |
| Orchidaceae | <i>Sophronitis spp.</i> | II | LIV | | DE | | | 2 | | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-------------|----------------------------------|------|------|------|---------|------|------|------|------|------|------|
| Orchidaceae | <i>Spathoglottis plicata</i> | II | LIV | | US | | | | | | 1568 |
| Orchidaceae | <i>Specklinia spp.</i> | II | LIV | | JM | | | | | 5 | |
| Orchidaceae | <i>Specklinia spp.</i> | II | SPE | | EC | | | | 6 | | |
| Orchidaceae | <i>Spiranthes spp.</i> | II | DPL | | PE | | 1 | | | | |
| Orchidaceae | <i>Spiranthes sinensis</i> | II | LIV | | VN | | | | | | 2 |
| Orchidaceae | <i>Stanhopea spp.</i> | II | LIV | | BZ | | | 100 | | | |
| Orchidaceae | <i>Stanhopea spp.</i> | II | LIV | | CR | | | | | | 1 |
| Orchidaceae | <i>Stanhopea oculata</i> | II | LIV | | BZ | | | 100 | | | |
| Orchidaceae | <i>Stelis spp.</i> | II | DPL | | PA | | | | 3 | | |
| Orchidaceae | <i>Stelis spp.</i> | II | DPL | | PE | 168 | 31 | | 3 | | |
| Orchidaceae | <i>Stelis spp.</i> | II | DPL | | SR | 1 | | | | | |
| Orchidaceae | <i>Stelis spp.</i> | II | LIV | | EC | | 2 | | | | |
| Orchidaceae | <i>Stelis spp.</i> | II | LIV | | JM | | | | | 5 | |
| Orchidaceae | <i>Stelis spp.</i> | II | LVS | | PA | | | | | 7 | |
| Orchidaceae | <i>Stelis spp.</i> | II | SPE | | EC | | | | 135 | | |
| Orchidaceae | <i>Stelis spp.</i> | II | SPE | | PE | 31 | | | | | |
| Orchidaceae | <i>Stelis antennata</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Stelis argentata</i> | II | SPE | | EC | | 2 | | | | |
| Orchidaceae | <i>Stelis concinna</i> | II | SPE | | EC | | 2 | | | | |
| Orchidaceae | <i>Stelis excelsa</i> | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Stelis galeata</i> | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Stelis hallii</i> | II | SPE | | EC | | 2 | | | | |
| Orchidaceae | <i>Stelis lentiginosa</i> | II | SPE | | EC | | 2 | | | | |
| Orchidaceae | <i>Stelis lilliputana</i> | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Stelis nexipous</i> | II | SPE | | EC | | | | 1 | | |
| Orchidaceae | <i>Stelis oblonga</i> | II | SPE | | EC | | | | 4 | | |
| Orchidaceae | <i>Stelis ophioglossoides</i> | II | LIV | | JM | 5 | 4 | | | | |
| Orchidaceae | <i>Stelis pachypus</i> | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Stelis pudens</i> | II | SPE | | EC | | | | 1 | | |
| Orchidaceae | <i>Stelis purpurea</i> | II | DPL | | PE | | | | 1 | | |
| Orchidaceae | <i>Stelis purpurea</i> | II | SPE | | PE | 2 | | | | | |
| Orchidaceae | <i>Stelis superbiens</i> | II | SPE | | EC | | 5 | | 31 | | |
| Orchidaceae | <i>Stelis surrogatilabia</i> | II | DPL | | PE | | | | 1 | | |
| Orchidaceae | <i>Stellilabium spp.</i> | II | DPL | | PE | 5 | 1 | | | | |
| Orchidaceae | <i>Stellilabium spp.</i> | II | SPE | | PE | 3 | | | | | |
| Orchidaceae | <i>Stellilabium pogonostalix</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Stellilabium pogonostalix</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Stenia calceolaris</i> | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Stenoglottis spp.</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Stenoptera spp.</i> | II | DPL | | PE | 2 | 1 | 1 | | | |
| Orchidaceae | <i>Stenoptera spp.</i> | II | SPE | | PE | 1 | | | | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-------------|-------------------------------------|------|------|------|---------|------|------|------|------|------|------|
| Orchidaceae | <i>Stenoptera montana</i> | II | DPL | | PE | | 1 | | | | |
| Orchidaceae | <i>Stenoptera montana</i> | II | SPE | | PE | | 1 | | | | |
| Orchidaceae | <i>Stenorrhynchos speciosum</i> | II | LIV | | EC | | 1 | | | | |
| Orchidaceae | <i>Taeniophyllum spp.</i> | II | FLO | | PG | | 4 | | | | |
| Orchidaceae | <i>Telipogon spp.</i> | II | DPL | | PE | 44 | 8 | | | | |
| Orchidaceae | <i>Telipogon spp.</i> | II | SPE | | EC | | | | 3 | | |
| Orchidaceae | <i>Telipogon spp.</i> | II | SPE | | PE | 25 | | | | | |
| Orchidaceae | <i>Telipogon asuayanus</i> | II | LIV | | EC | | 1 | | | | |
| Orchidaceae | <i>Telipogon benedicti</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Telipogon benedicti</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Telipogon bennettii</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Telipogon bowmanii</i> | II | DPL | | PE | 2 | | | | | |
| Orchidaceae | <i>Telipogon bowmanii</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Telipogon cuscoensis</i> | II | DPL | | PE | 2 | | | | | |
| Orchidaceae | <i>Telipogon cuscoensis</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Telipogon machupicchuensis</i> | II | DPL | | PE | 5 | | | | | |
| Orchidaceae | <i>Telipogon machupicchuensis</i> | II | SPE | | PE | 2 | | | | | |
| Orchidaceae | <i>Telipogon peruvianus</i> | II | DPL | | PE | 2 | | | | | |
| Orchidaceae | <i>Telipogon peruvianus</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Telipogon phuyupatamarcensis</i> | II | DPL | | PE | 2 | | | | | |
| Orchidaceae | <i>Telipogon phuyupatamarcensis</i> | II | SPE | | PE | 2 | | | | | |
| Orchidaceae | <i>Telipogon semipictus</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Telipogon semipictus</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Telipogon tessellatus</i> | II | DPL | | PE | 2 | | | | | |
| Orchidaceae | <i>Telipogon tessellatus</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Telipogon vargasii</i> | II | DPL | | PE | 4 | | | | | |
| Orchidaceae | <i>Telipogon vargasii</i> | II | SPE | | PE | 2 | | | | | |
| Orchidaceae | <i>Thelasis spp.</i> | II | FLO | | PG | | 8 | | | | |
| Orchidaceae | <i>Thelymitra spp.</i> | II | FLO | GRM | AU | | | 20 | | | |
| Orchidaceae | <i>Thelymitra spp.</i> | II | LIV | | AU | | 4 | 16 | | | |
| Orchidaceae | <i>Thelymitra hybrid</i> | II | LIV | | AU | | | | | 3 | |
| Orchidaceae | <i>Thelymitra frenchii</i> | II | LIV | | AU | | | | | 6 | |
| Orchidaceae | <i>Thelymitra macmillanii</i> | II | LIV | | AU | | | 3 | | | |
| Orchidaceae | <i>Thelymitra nuda</i> | II | LIV | | AU | | | | | 1 | |
| Orchidaceae | <i>Thrixspermum spp.</i> | II | FLO | | PG | | 10 | | | | |
| Orchidaceae | <i>Thrixspermum fragrans</i> | II | LIV | | VN | | | | | | 2 |
| Orchidaceae | <i>Thysanoglossa spp.</i> | II | SPE | | BR | | 2 | | | | |
| Orchidaceae | <i>Thysanoglossa jordanensis</i> | II | SPE | | BR | | 1 | | | | |
| Orchidaceae | <i>Thysanoglossa organensis</i> | II | SPE | | BR | | 2 | | | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-------------|--------------------------------------|------|------|------|---------|------|------|------|------|------|------|
| Orchidaceae | <i>Tolumnia guttata</i> | II | LIV | | JM | | | | | 50 | |
| Orchidaceae | <i>Tolumnia triquetra</i> | II | LIV | | JM | | | | | 40 | |
| Orchidaceae | <i>Traunsteinera sphaerica</i> | II | DPL | | GE | 1 | | | | | |
| Orchidaceae | <i>Trichocentrum spp.</i> | II | LVS | | PA | | | | | 2 | |
| Orchidaceae | <i>Trichocentrum carthagenense</i> | II | LIV | | BZ | | | 100 | | | |
| Orchidaceae | <i>Trichocentrum microchilum</i> | II | LIV | | BZ | | | 200 | | | |
| Orchidaceae | <i>Trichocentrum microchilum</i> | II | LIV | | JM | 3 | 6 | 50 | | 50 | |
| Orchidaceae | <i>Trichoceros spp.</i> | II | DPL | | PE | 2 | | | | | |
| Orchidaceae | <i>Trichoceros spp.</i> | II | SPE | | PE | 3 | | | | | |
| Orchidaceae | <i>Trichoceros antennifer</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Trichoglottis spp.</i> | II | FLO | | PG | | 6 | | | | |
| Orchidaceae | <i>Trichopilia spp.</i> | II | DPL | | PA | | | | 4 | | |
| Orchidaceae | <i>Trichopilia spp.</i> | II | DPL | | PE | | 1 | | | | |
| Orchidaceae | <i>Trichopilia spp.</i> | II | LVS | | PA | | | | | 8 | |
| Orchidaceae | <i>Trichopilia fragrans</i> | II | SPE | | EC | | 2 | | | | |
| Orchidaceae | <i>Trichosalpinx spp.</i> | II | DPL | | PE | 3 | 2 | | | | |
| Orchidaceae | <i>Trichosalpinx spp.</i> | II | LVS | | PA | | | | | 21 | |
| Orchidaceae | <i>Trichosalpinx spp.</i> | II | SPE | | EC | | | | 11 | | |
| Orchidaceae | <i>Trichosalpinx spp.</i> | II | SPE | | PE | 2 | | | | | |
| Orchidaceae | <i>Trichosalpinx amygdalodora</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Trichosalpinx amygdalodora</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Trichosalpinx arbuscula</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Trichosalpinx arbuscula</i> | II | SPE | | PE | 2 | | | | | |
| Orchidaceae | <i>Trichosalpinx barbelifera</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Trichosalpinx barbelifera</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Trichosalpinx chamaelepanthes</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Trichosalpinx dirhamphis</i> | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Trichosalpinx intricata</i> | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Trichosalpinx lenticularis</i> | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Trichosalpinx robledorum</i> | II | SPE | | EC | | | | 1 | | |
| Orchidaceae | <i>Trichosalpinx scabridula</i> | II | SPE | | EC | | | | 1 | | |
| Orchidaceae | <i>Trichosalpinx wernerii</i> | II | SPE | | EC | | | | 2 | | |
| Orchidaceae | <i>Trichotosia spp.</i> | II | LIV | | PG | | | | | | 10 |
| Orchidaceae | <i>Trichotosia microphylla</i> | II | LIV | | VN | | | | | | 2 |
| Orchidaceae | <i>Tridactyle spp.</i> | II | DPL | | UG | | | 5 | | | |
| Orchidaceae | <i>Trigonidium spp.</i> | II | DPL | | PA | | | | 1 | | |
| Orchidaceae | <i>Trigonidium spp.</i> | II | LVS | | PA | | | | | 16 | |
| Orchidaceae | <i>Trisetella spp.</i> | II | LIV | | EC | | 1 | | | | |
| Orchidaceae | <i>Tropidia spp.</i> | II | FLO | | PG | | 2 | | | | |
| Orchidaceae | <i>Tuberolabium rhopalorrhachis</i> | II | LIV | | VN | | | | | | 2 |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-------------|-------------------------------|------|------|------|---------|------|------|------|------|------|------|
| Orchidaceae | <i>Vanda</i> spp. | II | FLO | | PG | | 4 | | | | |
| Orchidaceae | <i>Vanda</i> spp. | II | FLO | | US | | | | | | 15 |
| Orchidaceae | <i>Vanda</i> spp. | II | LIV | | TH | | | 700 | | | |
| Orchidaceae | <i>Vanda</i> spp. | II | ROO | | CI | | 2 | | | | |
| Orchidaceae | <i>Vanda</i> spp. | II | STE | | PG | | 30 | | | | |
| Orchidaceae | <i>Vanda coerulea</i> | II | LIV | | ID | | | 7 | | | |
| Orchidaceae | <i>Vanda lilacina</i> | II | LIV | | VN | | | | | | 2 |
| Orchidaceae | <i>Vanda luzonica</i> | II | ROO | | CI | | 1 | | | | |
| Orchidaceae | <i>Vanda tricolor</i> | II | ROO | | CI | | 1 | | | | |
| Orchidaceae | <i>Vanilla</i> spp. | II | DPL | | CU | | | | 23 | | |
| Orchidaceae | <i>Vanilla</i> spp. | II | DPL | | MG | 1 | | | | | |
| Orchidaceae | <i>Vanilla</i> spp. | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Vanilla</i> spp. | II | LIV | | CR | | | | | 2600 | |
| Orchidaceae | <i>Vanilla</i> spp. | II | LIV | | JM | | | | | 30 | |
| Orchidaceae | <i>Vanilla</i> spp. | II | LIV | | NC | 3 | | | | | |
| Orchidaceae | <i>Vanilla</i> spp. | II | SEE | GRM | MG | | | 2 | | | |
| Orchidaceae | <i>Vanilla</i> spp. | II | SEE | SET | NC | 70 | | | | | |
| Orchidaceae | <i>Vanilla</i> spp. | II | SPE | | PE | 8 | | | | | |
| Orchidaceae | <i>Vanilla annamica</i> | II | LIV | | VN | | | | | | 2 |
| Orchidaceae | <i>Vanilla bicolor</i> | II | DPL | | CU | | | | 3 | | |
| Orchidaceae | <i>Vanilla claviculata</i> | II | LIV | | JM | | | 40 | | 30 | |
| Orchidaceae | <i>Vanilla humblotii</i> | II | SPE | | XX | | | | 150 | | |
| Orchidaceae | <i>Vanilla planifolia</i> | II | DPL | | PE | 2 | 2 | | | | |
| Orchidaceae | <i>Vanilla planifolia</i> | II | LIV | | BZ | | | 100 | | | |
| Orchidaceae | <i>Vanilla planifolia</i> | II | SPE | | MG | | | | | 1 | |
| Orchidaceae | <i>Vanilla poitaei</i> | II | DPL | | CU | | | | 1 | | |
| Orchidaceae | <i>Vargasiella peruviana</i> | II | DPL | | PE | 2 | | | | | |
| Orchidaceae | <i>Vargasiella peruviana</i> | II | SPE | | PE | 3 | | | | | |
| Orchidaceae | <i>Vietorchis aurea</i> | II | LIV | | VN | | | | | | 2 |
| Orchidaceae | <i>Xylobium</i> spp. | II | DPL | | PE | | 1 | | | | |
| Orchidaceae | <i>Xylobium</i> spp. | II | SPE | | PE | 2 | | | | | |
| Orchidaceae | <i>Xylobium elatum</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Xylobium elatum</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Xylobium variegatum</i> | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Xylobium variegatum</i> | II | SPE | | PE | 1 | | | | | |
| Orchidaceae | <i>Zeuxine</i> spp. | II | FLO | | PG | | 4 | | | | |
| Orchidaceae | <i>Zeuxine strateumatica</i> | II | LIV | | VN | | | | | | 2 |
| Orchidaceae | <i>Zootrophion</i> spp. | II | DPL | | PE | | 1 | | | | |
| Orchidaceae | <i>Zygopetalum</i> spp. | II | DPL | | PE | 1 | | | | | |
| Orchidaceae | <i>Zygostates</i> spp. | II | SPE | | BR | | 2 | | | | |
| Orchidaceae | <i>Zygostates aderaldoana</i> | II | SPE | | BR | | 1 | | | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|---------------|---|------|------|------|---------|-------|---------|--------|--------|-------|-------|
| Orchidaceae | <i>Zygostates alleniana</i> | II | SPE | | BR | | 2 | | | | |
| Orchidaceae | <i>Zygostates bradei</i> | II | SPE | | BR | | 2 | | | | |
| Orchidaceae | <i>Zygostates cornigera</i> | II | SPE | | BR | | 2 | | | | |
| Orchidaceae | <i>Zygostates cornuta</i> | II | SPE | | BR | | 2 | | | | |
| Orchidaceae | <i>Zygostates dasyrhiza</i> | II | SPE | | BR | | 2 | | | | |
| Orchidaceae | <i>Zygostates kuhlmannii</i> | II | SPE | | BR | | 1 | | | | |
| Orchidaceae | <i>Zygostates linearisepala</i> | II | SPE | | BR | | 1 | | | | |
| Orchidaceae | <i>Zygostates lunata</i> | II | SPE | | BR | | 1 | | | | |
| Orchidaceae | <i>Zygostates multiflora</i> | II | SPE | | BR | | 2 | | | | |
| Orchidaceae | <i>Zygostates ovatipetala</i> | II | SPE | | BR | | 1 | | | | |
| Orchidaceae | <i>Zygostates pellucida</i> | II | SPE | | BR | | 2 | | | | |
| Orchidaceae | <i>Zygostates pustulata</i> | II | SPE | | BR | | 1 | | | | |
| Orobanchaceae | <i>Cistanche deserticola</i> | II | DER | | CN | | | 0.71 | | | 78 |
| Orobanchaceae | <i>Cistanche deserticola</i> | II | DER | | HK | | | | | | 18 |
| Orobanchaceae | <i>Cistanche deserticola</i> | II | DER | | XX | | | | | | 1 |
| Orobanchaceae | <i>Cistanche deserticola</i> | II | DER | GRM | CN | | | 369.13 | | | |
| Orobanchaceae | <i>Cistanche deserticola</i> | II | DER | KIL | CN | 3.627 | 200.895 | 0.359 | | | 1 |
| Orobanchaceae | <i>Cistanche deserticola</i> | II | MED | GRM | CN | | | | | 36354 | |
| Orobanchaceae | <i>Cistanche deserticola</i> | II | ROO | GRM | CN | | | | 2024 | | 30942 |
| Orobanchaceae | <i>Cistanche deserticola</i> | II | ROO | KIL | CN | | | | 29.042 | | |
| Palmae | <i>Beccariophoenix madagascariensis</i> | II | DPL | | MG | 2 | | | | | |
| Palmae | <i>Beccariophoenix madagascariensis</i> | II | LVS | | MG | 1 | | | | | |
| Palmae | <i>Beccariophoenix madagascariensis</i> | II | SEE | | MG | 2 | | | | | |
| Palmae | <i>Beccariophoenix madagascariensis</i> | II | SEE | GRM | MG | 200 | | | | | |
| Palmae | <i>Beccariophoenix madagascariensis</i> | II | SEE | KIL | MG | 30 | 40 | | | | |
| Palmae | <i>Beccariophoenix madagascariensis</i> | II | SPE | | MG | | | 1 | | | |
| Palmae | <i>Chrysalidocarpus decipiens</i> | II | DPL | | MG | 2 | | | | | |
| Palmae | <i>Chrysalidocarpus decipiens</i> | II | SEE | | MG | 1 | | | | | |
| Palmae | <i>Lemurophoenix halleuxii</i> | II | DPL | | MG | | 1 | | | 3 | |
| Palmae | <i>Lemurophoenix halleuxii</i> | II | SEE | GRM | MG | | 146 | | | 1812 | |
| Palmae | <i>Lemurophoenix halleuxii</i> | II | SEE | KIL | MG | 100 | | 0.146 | | | |
| Palmae | <i>Lemurophoenix halleuxii</i> | II | SPE | | MG | | | 161 | | 3 | |
| Palmae | <i>Marojejya darianii</i> | II | DPL | | MG | 4 | 2 | | | | |
| Palmae | <i>Marojejya darianii</i> | II | LVS | | MG | 1 | | | | | |
| Palmae | <i>Marojejya darianii</i> | II | SEE | | MG | 2 | | | | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|---------------|---------------------------------|------|------|------|---------|--------|--------|--------|--------|--------|--------|
| Palmae | <i>Marojejya darianii</i> | II | SEE | GRM | MG | | 21 | 10.5 | | | |
| Palmae | <i>Neodypsis decaryi</i> | II | LIV | | MG | 3 | 2 | | | | |
| Palmae | <i>Neodypsis decaryi</i> | II | SEE | KIL | MG | | 320 | | | | |
| Palmae | <i>Palmae spp.</i> | II | DPL | | MG | | | | 1 | | |
| Palmae | <i>Palmae spp.</i> | II | SPE | | MG | | | 2 | | | |
| Palmae | <i>Ravenea rivularis</i> | II | LIV | | US | 541 | 1200 | 12 | | | |
| Palmae | <i>Ravenea rivularis</i> | II | SEE | KIL | MG | 8925 | 3675 | 4350 | 5825 | 7550 | 2000 |
| Palmae | <i>Satranala decussilvae</i> | II | DPL | | MG | | 1 | | | | |
| Palmae | <i>Satranala decussilvae</i> | II | SEE | GRM | MG | 176 | | | | | |
| Palmae | <i>Satranala decussilvae</i> | II | SEE | KIL | MG | 94 | 1.75 | 1.75 | | | |
| Palmae | <i>Voanioala gerardii</i> | II | DPL | | MG | | 1 | | | | |
| Palmae | <i>Voanioala gerardii</i> | II | SEE | GRM | MG | 162 | | | 907 | | |
| Palmae | <i>Voanioala gerardii</i> | II | SPE | | MG | | | 75 | | | |
| Portulacaceae | <i>Portulacaceae spp.</i> | II | LIV | | FR | | | | | 1 | |
| Portulacaceae | <i>Avonia quinaria alstonii</i> | II | LIV | | ZA | | | | | 635 | |
| Primulaceae | <i>Cyclamen spp.</i> | II | LIV | | GE | | | | | | 30 |
| Primulaceae | <i>Cyclamen spp.</i> | II | ROO | | GE | | | | 20 | | 30 |
| Primulaceae | <i>Cyclamen cilicium</i> | II | DPL | | TR | | 80 | 100 | | | |
| Primulaceae | <i>Cyclamen cilicium</i> | II | LIV | | TR | 250000 | 207843 | 74945 | 68800 | 40380 | 36010 |
| Primulaceae | <i>Cyclamen cilicium</i> | II | ROO | | TR | | 63 | 108995 | | 14020 | |
| Primulaceae | <i>Cyclamen coum</i> | II | LIV | | CA | 70 | | | | | |
| Primulaceae | <i>Cyclamen coum</i> | II | LIV | | GE | | | | | | 2130 |
| Primulaceae | <i>Cyclamen coum</i> | II | LIV | | TR | 500000 | 415560 | 258610 | 331400 | 300795 | 117465 |
| Primulaceae | <i>Cyclamen coum</i> | II | LIV | KIL | TR | | 6636 | | | | |
| Primulaceae | <i>Cyclamen coum</i> | II | ROO | | GE | | | | | | 2130 |
| Primulaceae | <i>Cyclamen coum</i> | II | ROO | | TR | | | 402515 | | 233195 | |
| Primulaceae | <i>Cyclamen graecum</i> | II | DPL | | TR | | 80 | 100 | | | |
| Primulaceae | <i>Cyclamen graecum</i> | II | LIV | | TR | | 5 | | | | |
| Primulaceae | <i>Cyclamen graecum</i> | II | ROO | | TR | | 5 | 75 | | | |
| Primulaceae | <i>Cyclamen hederifolium</i> | II | LIV | | CA | 120 | | | | | |
| Primulaceae | <i>Cyclamen hederifolium</i> | II | LIV | | TR | 800000 | 729160 | 173640 | 261350 | 30 | |
| Primulaceae | <i>Cyclamen hederifolium</i> | II | LIV | KIL | TR | | 1370 | | | | |
| Primulaceae | <i>Cyclamen hederifolium</i> | II | ROO | | TR | | | 373550 | | | |
| Ranunculaceae | <i>Adonis vernalis</i> | II | EXT | KIL | RO | 2 | | | | | |
| Rosaceae | <i>Prunus africana</i> | II | BAR | | MG | | 10 | | | | |
| Rosaceae | <i>Prunus africana</i> | II | BAR | | MW | | | 132 | | | |
| Rosaceae | <i>Prunus africana</i> | II | BAR | KIL | CD | 308000 | 705561 | 30000 | | 160000 | |
| Rosaceae | <i>Prunus africana</i> | II | BAR | KIL | CG | 80000 | 40000 | | | | |
| Rosaceae | <i>Prunus africana</i> | II | BAR | KIL | CM | 700500 | | 499125 | | 300000 | 349342 |
| Rosaceae | <i>Prunus africana</i> | II | BAR | KIL | GQ | | 27990 | | | | |
| Rosaceae | <i>Prunus africana</i> | II | BAR | KIL | KE | | | | 30 | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|----------------|----------------------------|------|------|------|---------|--------|-------|-------|--------|--------|--------|
| Rosaceae | <i>Prunus africana</i> | II | BAR | KIL | TZ | 20000 | 20000 | | | | |
| Rosaceae | <i>Prunus africana</i> | II | BAR | KIL | UG | 118800 | 21600 | 75600 | 129600 | 175886 | 176179 |
| Rosaceae | <i>Prunus africana</i> | II | BAR | KIL | ZW | | 0.4 | | | | |
| Rosaceae | <i>Prunus africana</i> | II | CAR | KIL | KE | | | | 30 | | |
| Rosaceae | <i>Prunus africana</i> | II | CAR | KIL | ZW | | | 12 | | | |
| Rosaceae | <i>Prunus africana</i> | II | DER | | MG | | 20 | | | | |
| Rosaceae | <i>Prunus africana</i> | II | DER | | XX | | | | | | 51750 |
| Rosaceae | <i>Prunus africana</i> | II | DPL | KIL | ZW | | | 1 | | | |
| Rosaceae | <i>Prunus africana</i> | II | EXT | KIL | AU | | | | 20 | | |
| Rosaceae | <i>Prunus africana</i> | II | EXT | KIL | CG | | 1 | | | | |
| Rosaceae | <i>Prunus africana</i> | II | EXT | KIL | CM | | 2 | | | | |
| Rosaceae | <i>Prunus africana</i> | II | EXT | KIL | MG | 46.5 | 668.5 | 579 | | | |
| Rosaceae | <i>Prunus africana</i> | II | EXT | KIL | MZ | | 2 | | | | |
| Rosaceae | <i>Prunus africana</i> | II | EXT | KIL | US | | | 60 | | | |
| Rosaceae | <i>Prunus africana</i> | II | EXT | KIL | XX | 0.3 | | | | | |
| Rosaceae | <i>Prunus africana</i> | II | FRU | KIL | ZW | | 0.4 | | | | |
| Rosaceae | <i>Prunus africana</i> | II | LVS | | CM | | 60 | | | | |
| Rosaceae | <i>Prunus africana</i> | II | LVS | | KE | 60 | | | | | |
| Rosaceae | <i>Prunus africana</i> | II | LVS | | MG | 70 | | | | | |
| Rosaceae | <i>Prunus africana</i> | II | LVS | GRM | UG | | | | | | 300 |
| Rosaceae | <i>Prunus africana</i> | II | LVS | KIL | KE | | | 31 | | | |
| Rosaceae | <i>Prunus africana</i> | II | LVS | KIL | ZW | | 0.2 | | | | |
| Rosaceae | <i>Prunus africana</i> | II | MED | GRM | US | | | | 144 | | |
| Rosaceae | <i>Prunus africana</i> | II | POW | KIL | CM | 706500 | | | | | |
| Rosaceae | <i>Prunus africana</i> | II | SPE | | CM | | 240 | | | | |
| Rosaceae | <i>Prunus africana</i> | II | SPE | | KE | | 280 | | | | |
| Rosaceae | <i>Prunus africana</i> | II | SPE | | MG | | 210 | | | | |
| Rosaceae | <i>Prunus africana</i> | II | TIP | | CM | | 240 | | | | |
| Sarraceniaceae | <i>Sarracenia spp.</i> | II | LIV | | US | | | | | 23 | |
| Sarraceniaceae | <i>Sarracenia purpurea</i> | II | DPL | KIL | CA | 36 | | | | | |
| Stangeriaceae | <i>Bowenia serrulata</i> | II | DPL | | AU | | | 440 | 124 | | |
| Stangeriaceae | <i>Bowenia serrulata</i> | II | FLO | | AU | | | 160 | 44 | | |
| Stangeriaceae | <i>Bowenia serrulata</i> | II | LIV | | AU | 132 | | | | | |
| Stangeriaceae | <i>Bowenia serrulata</i> | II | LVS | | AU | | | 80 | | | |
| Stangeriaceae | <i>Bowenia serrulata</i> | II | STE | | AU | | | 480 | | | |
| Taxaceae | <i>Taxus cuspidata</i> | II | EXT | GRM | CN | | | | 428 | | |
| Taxaceae | <i>Taxus cuspidata</i> | II | EXT | KIL | KP | 36 | | | 60 | 60 | |
| Taxaceae | <i>Taxus cuspidata</i> | II | LIV | | JP | 7 | 17 | | | | |
| Taxaceae | <i>Taxus cuspidata</i> | II | LOG | CUM | KP | 50 | | | | | |
| Taxaceae | <i>Taxus cuspidata</i> | II | TIM | CCM | KP | | | | | | 9200 |
| Taxaceae | <i>Taxus cuspidata</i> | II | TIM | CUM | KP | | | | | 15000 | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|---------------|--------------------------|------|------|------|---------|---------|---------|-----------|----------|-----------|-------|
| Taxaceae | <i>Taxus wallichiana</i> | II | DPL | | MM | | | | | 3 | |
| Taxaceae | <i>Taxus wallichiana</i> | II | EXT | KIL | CN | 6 | | | | | |
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | CAR | | XX | | | | | | 82 |
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | CAR | GRM | XX | | | | | | 1040 |
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | CHP | GRM | AE | | | | | | 60 |
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | CHP | GRM | IR | | | | | | 100 |
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | CHP | GRM | QA | | | | | | 200 |
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | CHP | GRM | SA | | | | | | 2357 |
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | CHP | GRM | XX | | | | | | 703 |
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | CHP | KIL | AE | | | | | | 9 |
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | CHP | KIL | BD | | | 37 | | | |
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | CHP | KIL | BN | | | | 52 | | |
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | CHP | KIL | CN | | | | | | 6.213 |
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | CHP | KIL | ID | 1035 | 3700 | 5390 | 426 | 3514 | |
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | CHP | KIL | IN | 22.7 | | | | | |
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | CHP | KIL | LK | | | | | | 6 |
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | CHP | KIL | MY | 4345.13 | 29500.3 | 180835.95 | 141713.6 | 159276.16 | |
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | CHP | KIL | PG | | | 11.75 | | | |
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | CHP | KIL | TH | 38 | | | | | |
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | CHP | KIL | XX | | | 20000 | | | |
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | DER | | CN | | | | | | 6 |
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | DER | | HK | | | | | | 72 |
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | DER | GRM | CN | | | | | 23850 | |
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | DER | GRM | SA | | | | | | 1071 |
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | DER | KIL | HK | | | | | | 3 |
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | DER | KIL | MY | | | | 6.75 | | |
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | EXT | KIL | MY | | | | 6.75 | | |
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | LIV | | LA | 5 | | | | | |
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | LIV | | TH | | 30000 | 50000 | | | |
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | MED | KIL | MY | | | | | 18 | |
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | OIL | | MY | | | | | 2 | |
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | OIL | | XX | | | | | | 99 |
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | OIL | KIL | BD | | | 0.85 | | | |
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | OIL | KIL | MY | 3.8 | 0.42 | | | | |
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | OIL | KIL | TH | | 5 | | | | |
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | OIL | LTR | MY | 37.86 | 179.8 | 252.5 | 187.095 | 129.5 | |
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | OIL | MLT | AE | | 62.5 | | | | |
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | OIL | MLT | IN | | 337.5 | | | | |
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | OIL | MLT | XX | | | | | | 123 |
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | POW | KIL | MY | | 7500 | | 81220 | 88500 | |
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | POW | KIL | TH | | | | | 15000 | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|---------------|-----------------------------|------|------|------|---------|--------|--------|---------|-----------|----------|-------|
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | SAW | KIL | MY | | | | 10000 | | |
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | STE | GRM | CN | 230.6 | | | | | 15 |
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | STE | KIL | CN | 88.999 | 21.2 | 12.78 | | | |
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | TIM | KIL | ID | | | | 15 | | |
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | TIM | KIL | MY | | | | 17967.016 | 11367.13 | |
| Thymelaeaceae | <i>Aquilaria spp.</i> | II | TIP | KIL | MY | | 3954 | | | | |
| Thymelaeaceae | <i>Aquilaria beccariana</i> | II | LIV | | MY | | | | | | 100 |
| Thymelaeaceae | <i>Aquilaria beccariana</i> | II | SAW | | BN | | | | 3 | | |
| Thymelaeaceae | <i>Aquilaria beccariana</i> | II | TIP | CUM | MY | | | 300 | | | |
| Thymelaeaceae | <i>Aquilaria crassna</i> | II | CHP | KIL | LA | | | 171 | | | |
| Thymelaeaceae | <i>Aquilaria crassna</i> | II | CHP | KIL | MY | | | | | 334 | |
| Thymelaeaceae | <i>Aquilaria crassna</i> | II | CHP | KIL | SG | | | | | | 0.541 |
| Thymelaeaceae | <i>Aquilaria crassna</i> | II | CHP | KIL | TH | 180 | 277 | 221.004 | 18 | 9 | |
| Thymelaeaceae | <i>Aquilaria crassna</i> | II | CHP | KIL | VN | | | | 100 | | |
| Thymelaeaceae | <i>Aquilaria crassna</i> | II | DER | KIL | VN | | | 100 | | | |
| Thymelaeaceae | <i>Aquilaria crassna</i> | II | LIV | | MY | | | | | 1500 | 1000 |
| Thymelaeaceae | <i>Aquilaria crassna</i> | II | LOG | KIL | TH | | | | 3556 | | |
| Thymelaeaceae | <i>Aquilaria crassna</i> | II | LVS | KIL | TH | | | 0.006 | | | |
| Thymelaeaceae | <i>Aquilaria crassna</i> | II | MED | KIL | VN | | | 97 | | | |
| Thymelaeaceae | <i>Aquilaria crassna</i> | II | OIL | GRM | TH | | | | | 240 | |
| Thymelaeaceae | <i>Aquilaria crassna</i> | II | OIL | KIL | TH | 0.12 | 47.3 | 2.52 | 0.6 | 35.4 | |
| Thymelaeaceae | <i>Aquilaria crassna</i> | II | POW | KIL | TH | | | 0.013 | 1.8 | | |
| Thymelaeaceae | <i>Aquilaria filaria</i> | II | CAR | KIL | ID | | | | | 2000 | |
| Thymelaeaceae | <i>Aquilaria filaria</i> | II | CHP | | ID | | | 150 | 500 | | |
| Thymelaeaceae | <i>Aquilaria filaria</i> | II | CHP | | IN | | | | | 19 | |
| Thymelaeaceae | <i>Aquilaria filaria</i> | II | CHP | | SA | | | | | 80 | |
| Thymelaeaceae | <i>Aquilaria filaria</i> | II | CHP | | SG | | | | | 1396.5 | |
| Thymelaeaceae | <i>Aquilaria filaria</i> | II | CHP | GRM | SG | | | | | | 10 |
| Thymelaeaceae | <i>Aquilaria filaria</i> | II | CHP | KIL | ID | 329249 | 217434 | 437449 | 336680.85 | 451122 | 13226 |
| Thymelaeaceae | <i>Aquilaria filaria</i> | II | CHP | KIL | IN | | | 2200 | | | 15 |
| Thymelaeaceae | <i>Aquilaria filaria</i> | II | CHP | KIL | MY | 20.2 | 105 | | | | |
| Thymelaeaceae | <i>Aquilaria filaria</i> | II | CHP | KIL | PG | | | | | 550 | |
| Thymelaeaceae | <i>Aquilaria filaria</i> | II | CHP | KIL | SG | | | | | | 765 |
| Thymelaeaceae | <i>Aquilaria filaria</i> | II | CHP | KIL | XX | | | 100 | 48.4 | | |
| Thymelaeaceae | <i>Aquilaria filaria</i> | II | DER | KIL | ID | | | 803 | | | |
| Thymelaeaceae | <i>Aquilaria filaria</i> | II | EXT | GRM | JP | | | | 161.25 | | |
| Thymelaeaceae | <i>Aquilaria filaria</i> | II | MED | KIL | JP | | | | | 10505 | |
| Thymelaeaceae | <i>Aquilaria filaria</i> | II | OIL | KIL | ID | | | 13 | 14 | 12 | |
| Thymelaeaceae | <i>Aquilaria filaria</i> | II | POW | KIL | ID | 56575 | 200460 | 146871 | 304282.1 | 606226 | |
| Thymelaeaceae | <i>Aquilaria filaria</i> | II | SPE | KIL | ID | | | | | 150 | |
| Thymelaeaceae | <i>Aquilaria filaria</i> | II | SPE | KIL | PG | | | | | 1215 | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|---------------|------------------------------|------|------|------|---------|----------|---------|-----------|----------|----------|---------|
| Thymelaeaceae | <i>Aquilaria filaria</i> | II | TIM | KIL | ID | | | 4550 | 30452.5 | 39407 | 32759 |
| Thymelaeaceae | <i>Aquilaria filaria</i> | II | TIM | KIL | SG | | | | | | 55.9 |
| Thymelaeaceae | <i>Aquilaria filaria</i> | II | TIP | KIL | ID | 10140 | 6710 | 26450 | 133810.5 | 1945 | |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | CAR | | JP | | | | | | 546 |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | CAR | KIL | ID | | | | 50 | 1500 | |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | CAR | KIL | XV | | | | | 30.62 | 17.28 |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | CHP | | BN | | | | 3 | 168.88 | 202.5 |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | CHP | | ID | | | 590 | 200 | 213 | |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | CHP | | MY | | | | | 5 | |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | CHP | | TH | | | | | | 2 |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | CHP | GRM | JP | | | | | | 1059.6 |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | CHP | KIL | BD | 19 | 12.7 | 15600 | 200 | 60000 | |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | CHP | KIL | BH | 59 | | | | | |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | CHP | KIL | BN | | | | | 109.3 | |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | CHP | KIL | ID | 93094 | 76441 | 88316 | 148896 | 161184.5 | 11250 |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | CHP | KIL | IN | 40830.5 | | 1000 | 6106.98 | 4878.1 | |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | CHP | KIL | MY | 91744.82 | 92272.6 | 63868.945 | 75645.9 | 69096.5 | 7260 |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | CHP | KIL | SG | | | | | | 268.6 |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | CHP | KIL | TH | | | 1563 | 10095.34 | 2344.3 | |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | DER | | OM | | | | | 4 | |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | DER | GRM | JP | | | | | 89.52 | |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | DER | KIL | CN | 2.34 | 3.805 | | | | |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | DER | KIL | IN | | | | | | 220 |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | DER | KIL | JP | | | 16.80143 | 11.025 | | |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | DER | KIL | SG | | | 557.49 | | | |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | EXT | KIL | XV | | | | 1.565 | | |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | LIV | | BN | | | | 10 | | |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | LIV | | MY | | | | | 2800 | 190 |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | LIV | KIL | MY | | | | 25 | | |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | LVS | | AE | | | 1 | | | |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | MED | KIL | JP | | | 3.01436 | | | |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | MED | KIL | TH | | | 152.59 | | | |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | MED | KIL | XV | | | 788.88 | | 206773 | 2220.05 |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | OIL | | SG | | | 7.86 | | | |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | OIL | | TH | | | | | | 2 |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | OIL | KIL | BD | | 4.98 | | | | |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | OIL | KIL | ID | | | | 5 | | |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | OIL | KIL | LA | 2 | 4 | 8 | | | |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | OIL | KIL | MY | 25 | | 73 | | | |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | OIL | KIL | TH | | 1 | 1271 | 71.03 | 245.45 | 12 |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | OIL | KIL | XX | | | 10 | | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|---------------|------------------------------|------|------|------|---------|-----------|-----------|------------|-----------|-----------|------------|
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | OIL | LTR | LA | 0.45 | | | | | |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | OIL | LTR | MY | 413.556 | 114.6 | 79 | 68 | 118 | |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | POW | KIL | BD | | | | | 20000 | |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | POW | KIL | ID | 17600 | 64686 | 37051 | 21455 | 9300 | |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | POW | KIL | MY | 49100 | 6100 | 11000 | 35500 | 70500 | |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | POW | KIL | SG | | | | 2373 | | |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | SAW | KIL | BD | | | | | 20000 | |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | SAW | KIL | ID | | | 400 | | | |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | SPE | | JP | | | | 232 | | |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | SPE | KIL | PG | | | | | 0.8 | |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | STE | GRM | CN | | | 208.2 | 1028.8 | 3556 | 4398 |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | STE | KIL | CN | | | 7.8624 | | | |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | TIM | KIL | BN | | | | | | 3.3 |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | TIM | KIL | ID | | | 604 | 17834 | 22002 | 25651 |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | TIM | KIL | MY | | | 3325 | 3325 | 645.1 | |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | TIM | KIL | TH | | | | | 7 | |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | TIP | KIL | ID | 2000 | 2300 | 4561 | 73645 | 170 | |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | TIP | KIL | MY | 10250 | 13068 | 124 | | 5705 | |
| Thymelaeaceae | <i>Aquilaria malaccensis</i> | II | TIP | KIL | TH | 9 | | | | | |
| Thymelaeaceae | <i>Aquilaria microcarpa</i> | II | CHP | KIL | MY | | 2 | | | | |
| Thymelaeaceae | <i>Aquilaria microcarpa</i> | II | TIM | KIL | MY | | | | | 7 | |
| Thymelaeaceae | <i>Aquilaria sinensis</i> | II | CHP | KIL | CN | | | | | | 2 |
| Thymelaeaceae | <i>Aquilaria sinensis</i> | II | DER | KIL | CN | 126.569 | 24.592 | 14.201 | | | |
| Thymelaeaceae | <i>Aquilaria sinensis</i> | II | MED | KIL | CN | | | | | | 33.308 |
| Thymelaeaceae | <i>Aquilaria subintegra</i> | II | CHP | | MY | | | | | | 1 |
| Thymelaeaceae | <i>Aquilaria subintegra</i> | II | CHP | | TH | | | | | | 4300 |
| Thymelaeaceae | <i>Aquilaria subintegra</i> | II | LIV | | MY | | | | | 76050 | 3210 |
| Thymelaeaceae | <i>Aquilaria subintegra</i> | II | LIV | | TH | | | | | 20000 | |
| Thymelaeaceae | <i>Aquilaria subintegra</i> | II | OIL | | MY | | | | | | 1 |
| Thymelaeaceae | <i>Gonystylus spp.</i> | II | CAR | CUM | MY | 113.33 | 0.8 | 94.8 | 864.6786 | 507.03 | 10.99 |
| Thymelaeaceae | <i>Gonystylus spp.</i> | II | CAR | KIL | MY | | | | | 0.66 | |
| Thymelaeaceae | <i>Gonystylus spp.</i> | II | CHP | KIL | MY | | | | | 3700 | |
| Thymelaeaceae | <i>Gonystylus spp.</i> | II | FRN | CUM | MY | 37.75 | | | | | |
| Thymelaeaceae | <i>Gonystylus spp.</i> | II | LIV | CUM | MY | | 9.0253 | | | | |
| Thymelaeaceae | <i>Gonystylus spp.</i> | II | OIL | LTR | MY | | | | | 10 | |
| Thymelaeaceae | <i>Gonystylus spp.</i> | II | PLY | CUM | MY | 5.3582 | | | | | |
| Thymelaeaceae | <i>Gonystylus spp.</i> | II | SAW | CUM | ID | 151.82 | | | | | |
| Thymelaeaceae | <i>Gonystylus spp.</i> | II | SAW | CUM | MY | 3947.5145 | 5408.753 | 161180.661 | 2088.5609 | 3255.5025 | 477.4138 |
| Thymelaeaceae | <i>Gonystylus spp.</i> | II | TIM | CUM | MY | 3369.551 | 1428.8365 | 1456.0763 | 1257.9065 | 835.7978 | 14292.5951 |
| Thymelaeaceae | <i>Gonystylus spp.</i> | II | TIP | CUM | MY | 2639.3971 | 2104.4377 | | 16.212 | | |
| Thymelaeaceae | <i>Gonystylus bancanus</i> | II | CAR | CUM | ID | | 75 | | | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-----------------|---------------------------------|------|------|------|---------|-----------|-------------|-------------|------------|----------|----------|
| Thymelaeaceae | <i>Gonystylus bancanus</i> | II | CAR | CUM | MY | 740 | 790.796 | 872.9121 | 16908.3362 | 352.401 | 230.814 |
| Thymelaeaceae | <i>Gonystylus bancanus</i> | II | CAR | KIL | ID | | 6683.86 | | | | |
| Thymelaeaceae | <i>Gonystylus bancanus</i> | II | CAR | KIL | MY | | | 5783.394 | | 1276 | |
| Thymelaeaceae | <i>Gonystylus bancanus</i> | II | DER | CUM | MY | | | | 16.844 | | |
| Thymelaeaceae | <i>Gonystylus bancanus</i> | II | LIV | CUM | MY | | 20.282 | | | | |
| Thymelaeaceae | <i>Gonystylus bancanus</i> | II | LOG | CUM | MY | 188 | 287.925 | 60.066 | | | |
| Thymelaeaceae | <i>Gonystylus bancanus</i> | II | PLY | CUM | ID | | | | | 962.7144 | |
| Thymelaeaceae | <i>Gonystylus bancanus</i> | II | SAW | | MY | | 10332 | | | | |
| Thymelaeaceae | <i>Gonystylus bancanus</i> | II | SAW | CUM | ID | 528.527 | 928319.6338 | 1623035.434 | 37222.1473 | 20 | |
| Thymelaeaceae | <i>Gonystylus bancanus</i> | II | SAW | CUM | MY | 6324.1049 | 2790.9859 | 184911.3637 | 1462.9761 | 197.6369 | 46.7812 |
| Thymelaeaceae | <i>Gonystylus bancanus</i> | II | SAW | KIL | ID | 1173337 | | | | | |
| Thymelaeaceae | <i>Gonystylus bancanus</i> | II | TIM | CCM | ID | | | | 73.4597 | | |
| Thymelaeaceae | <i>Gonystylus bancanus</i> | II | TIM | CUM | ID | 355.6513 | 36.9732 | 370.6989 | 1106.14244 | 934.1332 | 551.7625 |
| Thymelaeaceae | <i>Gonystylus bancanus</i> | II | TIM | CUM | MY | 648.3826 | 437.9865 | 1107.738 | 447.6404 | 234.242 | 165.7339 |
| Thymelaeaceae | <i>Gonystylus bancanus</i> | II | TIM | CUM | XX | 22.37 | | | | | |
| Thymelaeaceae | <i>Gonystylus bancanus</i> | II | TIP | | ID | 2 | | 2166.1482 | | | |
| Thymelaeaceae | <i>Gonystylus bancanus</i> | II | TIP | CUM | ID | 1154.6631 | 999.7471 | | 1245 | 1624 | |
| Thymelaeaceae | <i>Gonystylus bancanus</i> | II | TIP | CUM | MY | 4438.9653 | 2796.8052 | 1166.3319 | 723.4525 | | |
| Thymelaeaceae | <i>Gonystylus bancanus</i> | II | VEN | CUM | MY | | | | | 17.472 | |
| Thymelaeaceae | <i>Gonystylus forbesii</i> | II | SAW | CUM | MY | 31.7924 | | | | | |
| Thymelaeaceae | <i>Gonystylus forbesii</i> | II | TIP | CUM | MY | 36.015 | | | | | |
| Thymelaeaceae | <i>Gyrinops spp.</i> | II | CHP | KIL | ID | 62806 | 27575 | 3750 | | | |
| Thymelaeaceae | <i>Gyrinops spp.</i> | II | CHP | KIL | MY | 200 | | | | | |
| Thymelaeaceae | <i>Gyrinops spp.</i> | II | CHP | KIL | SG | | | 107 | 500.5 | 233.7 | |
| Thymelaeaceae | <i>Gyrinops spp.</i> | II | POW | KIL | ID | 9000 | 17000 | | | | |
| Thymelaeaceae | <i>Gyrinops spp.</i> | II | SPE | KIL | PG | | | | | 19125 | |
| Thymelaeaceae | <i>Gyrinops spp.</i> | II | TIP | KIL | ID | | 1090 | | | | |
| Thymelaeaceae | <i>Gyrinops audate</i> | II | CHP | KIL | PG | | | | | 8160 | |
| Thymelaeaceae | <i>Gyrinops ledermanii</i> | II | CHP | KIL | PG | | | | | 7017 | |
| Thymelaeaceae | <i>Gyrinops ledermanii</i> | II | SPE | KIL | PG | | | | | 7017 | |
| Thymelaeaceae | <i>Gyrinops versteegii</i> | II | CHP | KIL | ID | | 10000 | 9920 | | | |
| Thymelaeaceae | <i>Gyrinops versteegii</i> | II | CHP | KIL | SG | | | | 127 | | |
| Valerianaceae | <i>Nardostachys grandiflora</i> | II | DER | KIL | NP | | 64501 | 74398 | 45026 | 41557 | |
| Valerianaceae | <i>Nardostachys grandiflora</i> | II | OIL | KIL | NP | | 220.5 | 51 | 713 | 947.55 | |
| Valerianaceae | <i>Nardostachys grandiflora</i> | II | ROO | KIL | NP | | | | | 77380 | |
| Vitaceae | <i>Cyphostemma elephantopus</i> | II | LIV | | MG | | | | | | 26 |
| Vitaceae | <i>Cyphostemma montagnacii</i> | II | LIV | | MG | | | | | | 7 |
| Welwitschiaceae | <i>Welwitschia mirabilis</i> | II | DPL | | NA | | | 55 | | | |
| Welwitschiaceae | <i>Welwitschia mirabilis</i> | II | LVS | | NA | | | | | | 60 |
| Welwitschiaceae | <i>Welwitschia mirabilis</i> | II | ROO | KIL | NA | | | 0.1 | | | |
| Welwitschiaceae | <i>Welwitschia mirabilis</i> | II | SPE | | NA | | | 55 | 50 | | 144 |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|----------------|----------------------------|------|------|------|---------|-------|------|------|---------|-----------|----------|
| Zamiaceae | <i>Zamiaceae spp.</i> | II | LIV | | AU | 2 | | | | | |
| Zamiaceae | <i>Dioon edule</i> | II | LIV | | US | | | | | | 10 |
| Zamiaceae | <i>Macrozamia communis</i> | II | LIV | | AU | 375 | | | | | |
| Zamiaceae | <i>Macrozamia communis</i> | II | LVS | | AU | 70000 | | | | | |
| Zamiaceae | <i>Macrozamia miquelii</i> | II | LIV | | ZA | | | | | 2 | |
| Zamiaceae | <i>Macrozamia riedlei</i> | II | LIV | | AU | 119 | 63 | 48 | 5 | | |
| Zamiaceae | <i>Zamia spp.</i> | II | LIV | | BZ | | 80 | | | | |
| Zamiaceae | <i>Zamia spp.</i> | II | LIV | | PA | | | | | 40 | 20 |
| Zamiaceae | <i>Zamia spp.</i> | II | SPE | | BZ | | 270 | | | | |
| Zamiaceae | <i>Zamia acuminata</i> | II | LIV | | PA | | | | | 10 | 10 |
| Zamiaceae | <i>Zamia debilis</i> | II | LIV | | DO | | | 400 | | | |
| Zamiaceae | <i>Zamia debilis</i> | II | SPE | | DO | | | 520 | | | |
| Zamiaceae | <i>Zamia dressleri</i> | II | LIV | | PA | | | | | 15 | 15 |
| Zamiaceae | <i>Zamia furfuracea</i> | II | LIV | | BZ | | 120 | | | | |
| Zamiaceae | <i>Zamia furfuracea</i> | II | SPE | | BZ | | 280 | | | | |
| Zamiaceae | <i>Zamia integrifolia</i> | II | SEE | | BS | | | 4 | | | |
| Zamiaceae | <i>Zamia integrifolia</i> | II | SPE | | BS | | | 27 | | | |
| Zamiaceae | <i>Zamia lucayana</i> | II | SPE | | BS | | | 176 | | | |
| Zamiaceae | <i>Zamia obliqua</i> | II | LIV | | PA | | | | | | 20 |
| Zamiaceae | <i>Zamia polymorpha</i> | II | LIV | | BZ | | 40 | | | | |
| Zamiaceae | <i>Zamia polymorpha</i> | II | SPE | | BZ | | 266 | | | | |
| Zamiaceae | <i>Zamia variegata</i> | II | LIV | | BZ | | 10 | | | | |
| Zamiaceae | <i>Zamia variegata</i> | II | SPE | | BZ | | 125 | | | | |
| Zygophyllaceae | <i>Bulnesia sarmientoi</i> | II | DER | KIL | AR | | | | 18952 | | |
| Zygophyllaceae | <i>Bulnesia sarmientoi</i> | II | EXT | | PY | | | | | 18299 | |
| Zygophyllaceae | <i>Bulnesia sarmientoi</i> | II | EXT | GRM | PY | | | | | 2090 | |
| Zygophyllaceae | <i>Bulnesia sarmientoi</i> | II | EXT | KIL | PY | | | | 3990 | 347220 | 19000 |
| Zygophyllaceae | <i>Bulnesia sarmientoi</i> | II | LOG | CCM | AR | | | | | | 85.4 |
| Zygophyllaceae | <i>Bulnesia sarmientoi</i> | II | LOG | CCM | PY | | | | | | 40 |
| Zygophyllaceae | <i>Bulnesia sarmientoi</i> | II | LOG | CUM | AR | | | | 70.2 | 602.89 | |
| Zygophyllaceae | <i>Bulnesia sarmientoi</i> | II | LOG | CUM | PY | | | | | 20 | |
| Zygophyllaceae | <i>Bulnesia sarmientoi</i> | II | LOG | KIL | AR | | | | 1079153 | 13289357 | 10769263 |
| Zygophyllaceae | <i>Bulnesia sarmientoi</i> | II | LOG | KIL | PY | | | | | 448080 | 649134 |
| Zygophyllaceae | <i>Bulnesia sarmientoi</i> | II | OIL | GRM | PY | | | | | 760000 | 1140 |
| Zygophyllaceae | <i>Bulnesia sarmientoi</i> | II | OIL | KIL | PY | | | | 23560 | 80200 | 27420 |
| Zygophyllaceae | <i>Bulnesia sarmientoi</i> | II | SAW | CCM | BO | | | | | | 18.23 |
| Zygophyllaceae | <i>Bulnesia sarmientoi</i> | II | SAW | CUM | AR | | | | 180.16 | 314.27 | |
| Zygophyllaceae | <i>Bulnesia sarmientoi</i> | II | SAW | CUM | PY | | | | | | 4 |
| Zygophyllaceae | <i>Bulnesia sarmientoi</i> | II | SAW | KIL | AR | | | | 2316900 | 2832337.5 | 985639 |
| Zygophyllaceae | <i>Bulnesia sarmientoi</i> | II | SAW | KIL | PY | | | | 4006 | 72500 | |
| Zygophyllaceae | <i>Bulnesia sarmientoi</i> | II | TIM | CUM | AR | | | | 440.5 | | |

| Family | Taxon | App. | Term | Unit | Country | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
|----------------|-----------------------------|------|------|------|---------|----------|--------|---------|------------|-----------|---------|
| Zygophyllaceae | <i>Bulnesia sarmientoi</i> | II | TIM | CUM | PY | | | | | 128327.91 | |
| Zygophyllaceae | <i>Bulnesia sarmientoi</i> | II | TIM | KIL | AR | | | | 7654509.47 | 276677.51 | 225596 |
| Zygophyllaceae | <i>Bulnesia sarmientoi</i> | II | TIM | KIL | PY | | | | | 500822 | 25660 |
| Zygophyllaceae | <i>Guaiaicum coulteri</i> | II | SAW | CUM | MX | | | | | | 17.73 |
| Zygophyllaceae | <i>Guaiaicum coulteri</i> | II | TIM | CUM | MX | 18.216 | | | | | |
| Zygophyllaceae | <i>Guaiaicum officinale</i> | II | CAR | | GB | | | | | | 1 |
| Zygophyllaceae | <i>Guaiaicum officinale</i> | II | DPL | | DO | | 50 | | | | |
| Zygophyllaceae | <i>Guaiaicum officinale</i> | II | DPL | | TC | | | 6 | | | |
| Zygophyllaceae | <i>Guaiaicum officinale</i> | II | LVS | GRM | DO | | | 500 | | | |
| Zygophyllaceae | <i>Guaiaicum officinale</i> | II | SPE | | TC | | | 7 | | | |
| Zygophyllaceae | <i>Guaiaicum officinale</i> | II | TIP | KIL | JM | | 48 | | | | |
| Zygophyllaceae | <i>Guaiaicum sanctum</i> | II | DER | KIL | MX | | | | | | 100 |
| Zygophyllaceae | <i>Guaiaicum sanctum</i> | II | DPL | | TC | | | 3 | | | |
| Zygophyllaceae | <i>Guaiaicum sanctum</i> | II | EXT | KIL | MX | | | | 2500 | | |
| Zygophyllaceae | <i>Guaiaicum sanctum</i> | II | LOG | CUM | MX | 15.072 | | 97.856 | | | |
| Zygophyllaceae | <i>Guaiaicum sanctum</i> | II | LOG | KIL | MX | | | 50000 | 100 | | |
| Zygophyllaceae | <i>Guaiaicum sanctum</i> | II | SAW | CUM | MX | 75.098 | 6.978 | 195.821 | 271.701 | 175.118 | 141.049 |
| Zygophyllaceae | <i>Guaiaicum sanctum</i> | II | SAW | KIL | MX | 1076 | | | | | |
| Zygophyllaceae | <i>Guaiaicum sanctum</i> | II | SPE | | BS | | | 80 | | | |
| Zygophyllaceae | <i>Guaiaicum sanctum</i> | II | TIM | CUM | MX | 1769.189 | 64.708 | 56.586 | 58.914 | 28.449 | 21.23 |
| Zygophyllaceae | <i>Guaiaicum sanctum</i> | II | TIP | CUM | MX | 12.817 | | | | | |