CONVENTION ON INTERNATIONAL TRADE IN ENDANGERED SPECIES OF WILD FAUNA AND FLORA



Thirty-third meeting of the Animals Committee Geneva (Switzerland), 12 – 19 July 2024

Aquatic species

Marine ornamental fishes

EVALUATING THE EXTINCTION RISK OF SPECIES TARGETED IN THE MARINE ORNAMENTAL BONY FISH TRADE

1. This information document has been submitted by Switzerland and prepared by the International Union for Conservation of Nature (IUCN) in relation to agenda item 44.*

^{*} The geographical designations employed in this document do not imply the expression of any opinion whatsoever on the part of the CITES Secretariat (or the International Union for Conservation of Nature (IUCN)) concerning the legal status of any country, territory, or area, or concerning the delimitation of its frontiers or boundaries. The responsibility for the contents of the document rests exclusively with its authors.

Evaluating the extinction risk of species targeted in the marine ornamental bony fish trade

Christi Linardich¹, Jemelyn Grace P. Baldisimo¹, Kent E. Carpenter¹, Richard K. B. Jenkins² and Oliver J. S. Tallowin²

Introduction

The marine ornamental fish trade is a global enterprise and multibillion dollar industry that relies heavily on coral reef resources, extracting millions of individual fishes and invertebrates annually. The popular hobby of ornamental fish keeping continues to grow on a global scale. An increasing trade demand, coupled with the effects of climate change and other anthropogenic stressors, highlight the importance of understanding the impact and long-term sustainability of trade on wild reef fish populations.

While trade data can provide an idea of the volume of species traded, there remain discrepancies in the available information. For example, in the Philippines, the Bureau of Fisheries and Aquatic Resources identified 1,200 marine species in the ornamental fish trade with all individuals sourced from the wild and highlighted the lack of species-specific catch data for over 60% of these species (Muyot *et al.* 2018). In addition, mortality rates throughout the supply chain, from initial capture in the wild through to arrival to the consumer, are largely unreported and unmonitored (Rhyne *et al.* 2015, Baillargeon *et al.* 2020). The limited available data and frequent discrepancies are due in part to the lack of legal requirements to report on non-CITES listed species and their import and export volume. The lack of knowledge of the species' conservation status is particularly important considering most individuals are collected from the wild.

For most species, virtually nothing is known on the impacts of the ornamental fish trade on population status and trends. Moreover, the conservation status of fish utilised for the trade has not been determined for many species. Marine aquarium fishes are typically numerous and wide ranging, but many species are ranked highly vulnerable to overfishing from this trade (Dee *et al.* 2019). There is evidence that localized declines in the abundance of targeted species can occur as a result of overexploitation, particularly for restricted-range species such as the Banggai Cardinalfish, *Pterapogon kauderni* (Thornhill 2012). This highly prized fish, endemic to the Banggai Archipelago in Indonesia, was heavily traded in the 1990s, resulting in dramatic declines and local extirpations; it was listed as Endangered on the International Union for Conservation of Nature (IUCN) Red List (Allen and Donaldson 2007).

Given these concerns, there was an urgent need to evaluate the conservation status of species in the marine ornamental fish trade. Through three phases of work, outlined below, IUCN compiled a list of 2,680 bony fish species found in the ornamental fish trade and conducted IUCN Red List assessments for 589 species. The resulting assessments and underlying species-specific data will support improved prioritization, management, sustainability of the trade and conservation of marine ornamental fishes. This work was made possible by the generous financial contributions of the Government of Switzerland.

¹ IUCN Marine Biodiversity Unit/Marine Fishes Red List Authority, Old Dominion University, Norfolk, Virginia, United States of America

² IUCN Science and Data Centre: Biodiversity Assessment & Knowledge Team, The David Attenborough Building, Cambridge, United Kingdom of Great Britain and Northern Ireland

Objective

The overarching objective of this document is to provide an overview of the marine ornamental fishes in the IUCN Red List. The document summarises the conservation status of the recently assessed marine ornamental fish species, discusses the major threats to the group and specifically highlights taxa threatened by overexploitation for international trade.

Methods

During an initial scoping phase, it was identified that no comprehensive list of marine ornamental fish species in trade was available. Thus, as part of phase one of this initiative, we compiled a list of species from three sources:

- The Marine Aquarium Biodiversity and Trade Flow database, which summarizes the volume of marine ornamental species that entered the United States of America between 2000 to 2011 (Rhyne et al. 2015). Recording a total of 2,522 species.
- 2. Biondo (2017), which quantified the trade of marine ornamental fishes in the European region in 2009. Recording a total of 1,302 species.
- 3. Michael (2005), a reference guide to 667 species of reef aquarium fishes.

The 4,491 species recorded in these three sources were compared and 1,809 duplicates were eliminated. The master list of 2,680 species was then cross-checked against the Catalog of Fishes (Fricke *et al.* 2021), a comprehensive source of the current taxonomic status of fish species, and against the IUCN Red List of Threatened species (IUCN 2021). We then identified 589 species to be assessed, focusing primarily on species in families that are reef inhabitants (e.g., Apogonidae, Gobiidae, and Pomacentridae), as species in these families are important to the trade and many had not yet been assessed.

The IUCN Red List methodology provides a comprehensive and transparent mechanism to evaluate the conservation status of all animal, plant, and fungi species (except microorganisms). Grounded in extinction risk theory, symptoms of high extinction risk, such as high rates of population declines, small geographic ranges, or very small population sizes, are organized into five criteria. These criteria are used to assign a species to one of eight IUCN Red List global categories, representing varying levels of extinction risk (Figure 1). Species for which there is no doubt that the last individual has died are listed as Extinct (EX), and if individuals only remain in captivity, the species is listed as Extinct in the Wild (EW). The quantitative thresholds associated with the five criteria establish clear cut-off points for the placement of each species into one of three threatened categories: Critically Endangered (CR), Endangered (EN), and Vulnerable (VU). Species that do not meet the quantitative thresholds associated with at least one of the threatened categories are assigned Near Threatened (NT). Species with a low risk of extinction are assessed as Least Concern (LC). When data are highly uncertain and a species could plausibly qualify for a wide range of Red List categories, the species is listed as Data Deficient (DD) (Mace *et al.* 2008, IUCN 2019).

Results and Discussion

Comparing the three data sources used to identify marine bony fishes in the ornamental trade indicated intersecting, but not completely overlapping species lists (Table 1). After accounting for species replicated across the three data sources and addressing taxonomic discrepancies, a total of 2,680 marine bony fishes in 145 families have been reported in the marine ornamental trade. Almost 50% of the species

are in just seven families – Labridae (wrasses), Pomacentridae (damselfishes), Gobiidae (gobies), Apogonidae (cardinalfishes), Serranidae (sea basses), Chaetodontidae (butterflyfishes), and Blenniidae (blennies). Each of these families is represented by more than 100 species each.

Across the 2,680 marine bony fishes identified as occurring in the marine ornamental trade, 2,092 were published on the IUCN Red List as part of earlier marine bony fish Red Listing initiatives. An initiative to assess the 589 remaining species was carried out in three phases thanks to the generous support of the Government of Switzerland. A total of 275 assessments were completed during the first phase (2020-2021), 174 during the second phase (2021-2022) and 140 during the third phase (2023-2024). As of 27 June 2024, 582 of these assessments are now published on the IUCN Red List version 2024-1.

Of the 589 species assessed as part of this initiative, a total of 556 (94%) were listed as Least Concern (LC, Table 2). These species are widely distributed, and although wild-sourced individuals are collected for the ornamental trade, no evidence of global population declines approaching 30% were recorded. Most of the 20 Data Deficient (DD) species (3%) were listed as such due to high taxonomic uncertainty. Notable DD examples otherwise include the Wideband Clownfish (*Amphiprion latezonatus*), which is known from a relatively limited distribution off eastern Australia and for which little information is available concerning population trends and the potential major threat from exploitation for the marine ornamental trade. Both the Tomini Dottyback (*Pictichromis dinar*) and the Ryukyu Anthias (*Pseudanthias taira*) require further targeted sampling of deep reefs to improve our understanding of their distributions and enable their reclassification in a known Red List category. Furthermore, the Blue Velvet Angelfish (*Centropyge deborae*) is only known from seven specimens discovered for sale in the aquarium trade in Taiwan, Province of China in 2010. These individuals were originally collected in Fiji; however, its true distribution and population status remain unknown.

Overexploitation and habitat degradation are major threats to fishes globally. The majority of the marine ornamental fish trade targets species associated with coral reefs, which are also being negatively impacted by climate-change induced warming waters. Population and harvest data are poorly known for most species with this issue of particular concern for range restricted and endemic species in the ornamental trade. Of the 13 species (2%) listed in categories of elevated extinction risk (i.e., Near Threatened, Vulnerable, Endangered or Critically Endangered), six are damselfishes and clownfishes in the family Pomacentridae that are primarily dependent on live coral and have relatively small ranges. The primary threat to these species is coral reef loss, with exploitation for the ornamental trade a secondary threat. Further investigation to understand the effect of exploitation for the ornamental trade on their global population trends is recommended.

A highlight for conservation concern that resulted from this initiative is the Vulnerable assessment of the Barber Goby (*Elacatinus figaro*), a shallow reef species endemic to Brazil that grows no larger than 4.5 centimeters in length. This brilliantly colored species is popular in the ornamental trade, and due to overexploitation by fishers to supply the international market, it has undergone a global population decline of at least 30% over the past 10 years. Despite a fishing ban in place for this species since 2004, poaching continues, and wild-captured individuals are smuggled via exportation through neighboring countries. Documented degradation of the coral and rocky reefs that the species depends on represents an additional stressor. Species-specific conservation recommendations emphasized in recently published literature include improving legislation and enforcement of fishing regulation, as well as

supporting the development of captive breeding of this species. Population monitoring across the species' range is also needed, especially in areas where its status is poorly known.

Another species assessed as Vulnerable during this initiative is Naoko's Fairy Wrasse (*Cirrhilabrus naokoae*). This coral reef species has a restricted range in Sumatra, Indonesia and was described in 2009 based on a few individuals for sale in the aquarium trade in Japan. It is threatened by pervasive reef degradation and exploitation for the aquarium trade in which it is highly prized due to its rarity. Research on the population status, ecology and threats to this species is urgently needed.

There were 35 different families represented within the top 257 marine bony fishes imported into the United States of America between 2000-2011, which is the primary country importing fish for aquaria use (Rhyne *et al.* 2015). The most diverse group are the damselfishes (60 species), with other significant groups including include the blennies, surgeonfishes, butterflyfishes, gobies, wrasses, and angelfishes (each comprising 10-36 species, see Annex I). Within these 257 species, there are six threatened species, one of which includes the Banggai Cardinalfish. The primary threat to the other five species (*Gobiodon axillaris*, *G. reticulatus*, *Oxymonacanthus longirostris*, *Amblyglyphidodon ternatensis* and *Chrysiptera hemicyanea*) is the loss of branching corals in the genus *Acropora*. These fish species are dependent on acroporid corals for habitat and food, and due to the severe global-level declines in these particularly sensitive coral species, these fish were inferred to have undergone a >30% decline and are listed as Vulnerable. Removal for the aquarium trade is a secondary threat that requires further research to understand the impact to these species' populations.

Across all 2,680 species identified for this initiative, 92 species (3%) are listed in categories of elevated extinction risk (i.e., Near Threatened, Vulnerable, Endangered or Critically Endangered). A total of 2,447 species (91%) are listed as Least Concern, and 141 species (5%) are listed as Data Deficient. The inclusion of some of these species in future versions of a list of marine fish in the ornamentals trade may require further investigation as market demand may have shifted since they were last assessed for the Red List or their use in aquaria may be negligible in general. According to available documentation included in the Red List assessment, 1,597 (60%) of these species occur in international trade for either human consumption and/or the ornamentals trade. International trade is identified as a driver of the Near Threatened or threatened status of 24 species, with exploitation for the ornamentals trade identified for 14 of these species (Table 4), including eight species of seahorses, the Humphead Wrasse (Cheilinus undulatus) and five other reef fishes with restricted ranges. The other 10 species are relatively large-bodied fishes that are heavily exploited by commercial fisheries and have high international market value, including four groupers. Priorities for research include the 52 species listed as Data Deficient that are known to be exploited for the ornamentals trade, especially 9 species that are identified within the top ~250 species frequently imported into the United States of America (Annex 1).

As a result of this initiative, a knowledge gap was filled on the conservation status of the extensive diversity of fishes in the trade. These 589 new assessments also contributed towards completing the world's ~17,000 marine bony fishes, which is the group that represents the largest gap within the world's vertebrates on the IUCN Red List. Therefore, the results from this Red List initiative not only contributed to our understanding of conservation priorities for widely traded marine species, but also highlighted potential biodiversity loss and conservation needs in the marine realm on a global level. Future Red List work is needed to update assessments within the marine ornamental fishes that were assessed 10+ years ago, which represents 48%, or 1,281 of the 2,680 species. The species list may also be updated with more recent published research identifying species in the trade.

References

Allen, G.R. and Donaldson, T.J. 2007. *Pterapogon kauderni*. The IUCN Red List of Threatened Species 2007: e.T63572A12692964.

Baillargeon, G.A., Tlusty, M.F., Dougherty, E.T. and Rhyne, A.L., 2020. Improving the productivity-susceptibility analysis to assess data-limited fisheries. Marine Ecology Progress Series, 644, pp.143-156. https://doi.org/10.3354/meps13362

Biondo, M.V. 2017. Quantifying the trade in marine ornamental fishes into Switzerland and an estimation of imports from the European Union. Global Ecology and Conservation 11:95-105. https://doi.org/10.1016/j.gecco.2017.05.006

Dee, L.E., Karr, K.A., Landesberg, C.J. and Thornhill, D.J. 2019. Assessing vulnerability of fish in the U.S. marine aquarium trade. Frontiers in Marine Science 5:527. doi: 10.3389/fmars.2018.00527

Fricke, R., Eschmeyer, W.N. and Van der Laan, R. (eds) 2021. Eschmeyer's Catalog of Fishes: Genera, species, references.

http://researcharchive.calacademy.org/research/ichthyology/catalog/fishcatmain.asp).

IUCN. 2012. IUCN Red List Categories and Criteria: Version 3.1. Second edition. Gland, Switzerland and Cambridge, UK: IUCN. iv + 32pp.

IUCN. 2021. The IUCN Red List of Threatened Species. Version 2021-2. https://www.iucnredlist.org.

Michael, S.W. 2005. Reef Aquarium Fishes: 500+ Essential-to-Know Species. TFH Publications, Inc. Neptune City, NJ.

Muyot, F.B., Mutia, M.T.M., Manejar, A.J.A, Guirhem, G.L. and Munez, M.J. 2018. Value chain analysis of marine ornamental fish industry in the Philippines. The Philippine Journal of Fisheries 25(2);57-74. DOI: 10.31398/tpjf/25.2.2018A0005

Rhyne, A.L., Tlusty, M.F., Holmberg, R.J. and Szczebak, J.T. 2015. Marine Aquarium Biodiversity and Trade Flow. Available at: https://www.aquariumtradedata.org/.

Thornhill, D.J. 2012. Ecological Impacts and Practices of the Coral Reef Wildlife Trade. Washington, DC: Defenders of Wildlife. doi: 10.1016/j.marpol.2010.06.002

Acknowledgement

IUCN would like to acknowledge the generous support of Switzerland in funding the Red List assessment of 589 species of marine ornamental fish. We also recognize other Marine Biodiversity Unit workers that helped compile the data for this project, including Sam Davis, Cameron Davis and Chandy Jablonski, as well as the many fish experts that advised the assessments.

Tables

Table 1: Marine bony fishes reported as part of the marine ornamental trade in three major data sources.

| DATA SOURCE | NUMBER OF SPECIES | |
|-----------------------------|-------------------|--|
| Rhyne <i>et al</i> . (2015) | 2,522 | |
| Biondo (2017) | 1,302 | |
| Michael (2005) | 667 | |

Table 2: IUCN Red List status of the 589 species assessed as part of phase one, two and three of the ornamental marine fishes Red List initiative.

| CATEGORY | NUMBER OF SPECIES | |
|-----------------------|-------------------|--|
| Critically Endangered | 0 | |
| Endangered | 2 | |
| Vulnerable | 8 | |
| Near Threatened | 3 | |
| Least Concern | 556 | |
| Data Deficient | 20 | |

Table 3: IUCN Red List status of the 2,680 species identified for this ornamental marine fishes Red List initiative.

| CATEGORY | NUMBER OF SPECIES | |
|-----------------------|-------------------|--|
| Critically Endangered | 1 | |
| Endangered | 9 | |
| Vulnerable | 53 | |
| Near Threatened | 29 | |
| Least Concern | 2447 | |
| Data Deficient | 141 | |

Table 4: IUCN Red List status of 14 Near Threatened or threatened species which are primarily threatened by exploitation for the international marine ornamental trade.

| SCIENTIFIC NAME | COMMON NAME | RED LIST CATEGORY (YEAR) | CITES APPENDIX |
|---------------------------|----------------------|--------------------------|----------------|
| Cheilinus undulatus | Humphead Wrasse | Endangered (2004) | II |
| Choerodon schoenleinii | Blackspot Tuskfish | Near Threatened (2004) | Not listed |
| Cirrhilabrus naokoae | Naoko's Fairy Wrasse | Vulnerable (2024) | Not listed |
| Ecsenius tigris | Tiger Blenny | Vulnerable (2014) | Not listed |
| Elacatinus figaro | Barber Goby | Vulnerable (2022) | Not listed |
| Hippocampus barbouri | Barbour's Seahorse | Vulnerable (2017) | II |
| Hippocampus comes | Tiger-tail Seahorse | Vulnerable (2015) | II |
| Hippocampus erectus | Lined Seahorse | Vulnerable (2017) | II |
| Hippocampus histrix | Thorny Seahorse | Vulnerable (2017) | II |
| Hippocampus kuda | Spotted Seahorse | Vulnerable (2014) | II |
| Hippocampus mohnikei | Japanese Seahorse | Vulnerable (2017) | II |
| Hippocampus reidi | Long-snout Seahorse | Near Threatened (2017) | II |
| Hippocampus spinosissimus | Hedgehog Seahorse | Vulnerable (2017) | II |
| Pterapogon kauderni | Banggai Cardinalfish | Endangered (2007) | Not listed |

Figures




Figure 1: Structure of the nine IUCN Red List Categories (IUCN 2012), into which all animal, plant, and fungi species (except microorganisms) can be classified.

Annex 1

The accompanying raw data file includes a list of 2,680 marine bony fish species reported as occurring in the marine ornamental trade, identified in accordance with the methods outlined above (see tab marine ornamental fishes). The data includes the species binomial, CITES Appendix listing, Red List category, assessment year and whether the species is globally threatened or not. Additionally, utilisation type (e.g., human consumption or ornamental trade or both) is categorised, presence in international trade (yes or no) and whether international trade is a threat driver of the status of species listed as Near Threatened, Vulnerable, Endangered or Critically Endangered. The top 257 marine bony fishes imported into the United States of America between 2000-2011, according to Rhyne *et al.* (2015), are also identified. The species updated binomial, as published on the IUCN Red List, is also provided.

During a <u>technical international workshop on marine ornamental fishes</u>, which took place 7-10 May in Brisbane, the IUCN Marine Biodiversity Unit were able to cross reference the list of 2,680 marine bony fish species with lists compiled by other organiations and researchers (see sources below). The additional list of 281 species were those identified that were not included on the original 2,680 species list (see additional 281 species tab). Of the 281 species, 25 are Not Evaluated (9%), 7 have an assessment in progress as of June 2024 (2%) and 249 have Red List assessments (89%).

Sources:

- 1. Ornamental Aquatic Trade Association (OATA). Developing an evidence-led species prioritisation framework (https://ornamentalfish.org/cites-database/);
- Species360 Conservation Science Alliance (2024). The Marine Ornamental Fish Species
 Knowledge Index: Providing Data to Inform CITES Decisions and Recommendations to Manage
 the International Trade of Marine Ornamental Fish. Species360, Minneapolis, MN, USA &
 Department of Biology, University of Southern Denmark, Denmark. (Annex 1. Prioritisation
 spreadsheet);
- 3. Biondo, M.V., Burki, R.P., Aguayo, F. and Calado, R., 2024. An updated review of the marine ornamental fish trade in the European Union. bioRxiv. doi: https://doi.org/10.1101/2024.03.17.585413

Additional information on species range States, presence and origin are provided in the **species range States** tab.