

RAPPELANT la résolution Conf. 11.22, adoptée à la 11e session de la Conférence des Parties (Gigiri, 2000);

CONSTATANT que la nomenclature biologique est dynamique;

SACHANT que la normalisation des noms des genres et des espèces de plusieurs familles est nécessaire et que l'absence actuelle d'une liste de référence normalisée et d'informations adéquates diminue l'efficacité de l'application de la CITES pour la conservation de nombreuses espèces inscrites aux annexes;

RECONNAISSANT que la taxonomie utilisée dans les annexes à la Convention sera très utile aux Parties si elle est normalisée par une nomenclature de référence;

SACHANT que l'ancien Comité de la nomenclature a identifié des noms de taxons dans les annexes à la Convention qui devraient être changés pour refléter l'usage agréé en biologie;

NOTANT que ces changements devraient être adoptés par la Conférence des Parties à la Convention;

RECONNAISSANT que pour plusieurs taxons inscrits aux annexes, il existe des formes domestiquées et que, dans plusieurs cas, les Parties ont choisi de distinguer la forme sauvage de la forme domestiquée en appliquant à cette dernière un nom différent de celui qui figure dans la nomenclature normalisée pour la forme protégée;

RECONNAISSANT qu'en ce qui concerne les nouvelles propositions d'inscription d'espèces aux annexes, les Parties devraient, lorsque c'est possible, utiliser les références normalisées adoptées;

CONSIDÉRANT la grande difficulté pratique de reconnaître bon nombre de sous-espèces inscrites aux annexes lorsqu'elles apparaissent dans le commerce, et la nécessité de parvenir à un équilibre – pour mettre en œuvre les contrôles – entre la facilité d'identifier les sous-espèces et la fiabilité des informations sur la source géographique;

RECONNAISSANT qu'il serait souhaitable d'harmoniser autant que possible la nomenclature des espèces utilisée par les accords multilatéraux sur l'environnement touchant à la biodiversité, et notant que les organes scientifiques consultatifs des conventions touchant à la biodiversité approuvent cet objectif;

### LA CONFÉRENCE DES PARTIES À LA CONVENTION

1. CONVIENT que les espèces de champignons sont couvertes par la Convention;
2. RECOMMANDE que :
  - a) que l'inscription d'une sous-espèce à une annexe ne soit proposée que si sa validité en tant que taxon est généralement reconnue et si elle est facilement identifiable dans sa forme commercialisée;
  - b) qu'en cas de difficulté d'identification, le problème soit résolu soit en inscrivant l'ensemble de l'espèce à l'Annexe I ou à l'Annexe II, soit en circonscrivant l'aire de répartition de la sous-espèce et en inscrivant les populations de cette aire sur une base nationale;
  - c) que lorsqu'il existe des formes domestiquées de taxons inscrits aux annexes, le Comité pour les animaux et le Comité pour les plantes recommandent des noms différents pour les formes sauvage et domestiquée;

---

\* Amendée aux 13e, 14e, 15e, 16e, 17e, 18e et 19e sessions de la Conférence des Parties.

- d) que lorsqu'il soumet une proposition d'amendement des annexes à la Convention, l'auteur cite la référence utilisée pour dénommer à l'entité proposée;
  - e) qu'à la réception de propositions d'amendement des annexes à la Convention, le Secrétariat consulte, s'il y a lieu, le Comité pour les animaux et le Comité pour les plantes au sujet des noms corrects à utiliser pour les espèces et autres taxons en question;
  - f) qu'à chaque fois qu'un changement est proposé pour le nom d'un taxon inscrit aux annexes, le Secrétariat, en consultation avec le Comité pour les animaux ou le Comité pour les plantes, détermine si ce changement modifie la portée de la protection dont bénéficie la faune ou la flore aux termes de la Convention. Lorsque la portée d'un taxon est redéfinie, le Comité pour les animaux ou le Comité pour les plantes détermine si ce changement taxonomique accepté entraîne l'inscription d'autres espèces aux annexes ou la suppression d'espèces déjà inscrites et, si c'est le cas, le gouvernement dépositaire sera prié de soumettre une proposition d'amendement des annexes conformément à la recommandation du Comité pour les animaux ou du Comité pour les plantes de sorte que l'intention originale de l'inscription soit maintenue. Ces propositions devraient être soumises à la session ordinaire suivante de la Conférence des Parties à laquelle les recommandations du Comité pour les animaux et du Comité pour les plantes seront examinées;
  - g) si le Comité pour les animaux ou le Comité pour les plantes propose des changements dans la nomenclature relatifs à des taxons inscrits à l'Annexe III, il devrait indiquer au Secrétariat si ces changements pourraient aussi entraîner des changements dans la répartition géographique susceptibles d'affecter la détermination des pays ayant l'obligation de délivrer les certificats d'origine;
  - h) qu'en cas de désaccord au sujet de la taxonomie faisant autorité pour des taxons pour lesquels la Conférence des Parties n'a pas adopté de références normalisées, les pays autorisant l'exportation d'animaux ou de plantes de ces taxons (ou de leurs parties et produits) indiquent au Secrétariat CITES et aux pays d'importation potentiels la taxonomie publiée qu'ils préfèrent. Par "taxonomie faisant autorité", on entend une publication ou une monographie récente étudiant la nomenclature du taxon exporté et ayant été examinée par des professionnels de la discipline. Lorsque des spécimens du taxon sont exportés de plusieurs pays, si ces pays ne s'accordent pas entre eux au sujet de la taxonomie faisant autorité, ou si les pays d'exportation et les pays d'importation ne s'accordent pas à ce sujet, le Comité pour les animaux ou le Comité pour les plantes détermine l'ouvrage le plus approprié en attendant qu'une recommandation formelle soit adressée à Conférence des Parties. Le Comité pour les animaux ou le Comité pour les plantes inclut cette décision provisoire dans son rapport à la Conférence des Parties, pour adoption. Le Secrétariat notifie aux Parties la décision provisoire;
  - i) qu'il soit fourni au Secrétariat les citations (et information de mise en ordre) des listes qui seront proposées à des fins de références normalisées au moins six mois avant la session de la Conférence des Parties au cours de laquelle ces listes de référence seront examinées. Le Secrétariat inclura ces informations dans une notification aux Parties de sorte que les Parties puissent en obtenir des copies pour examen si elles le désirent avant la session;
  - j) que les recommandations finales visant à mettre à jour des références de nomenclature normalisées actuelles ou à en adopter de nouvelles soient communiquées 150 jours avant la tenue de la session de la Conférence des Parties; et
  - k) que le Comité pour les animaux et le Comité pour les plantes, lorsqu'ils recommandent un changement dans le nom d'un taxon qui sera utilisé dans les annexes, en fournissent également une évaluation des effets au niveau de l'application de la Convention;
3. RECOMMANDE la procédure suivante pour la mise à jour des références de nomenclature normalisées actuelles et l'adoption de nouvelles références:
- a) la procédure pour la mise à jour des références de nomenclature normalisées actuelles et l'adoption de nouvelles références est mise en route directement par le Comité pour les animaux et le Comité pour les plantes, de leur propre initiative ou par la soumission d'une proposition à ces comités par:

- i) une ou plusieurs Parties; ou
    - ii) le Secrétariat, de sa propre initiative ou en réponse à des informations reçues des Parties; et
  - b) les changements proposés reposent sur des publications taxonomiques reconnues. La nouvelle taxonomie ne devrait pas être adoptée si l'amendement proposé de la nomenclature du taxon est encore en discussion;
  4. DECIDE que le Secrétariat, en consultation avec le Comité pour les animaux ou le Comité pour les plantes, peut procéder à des corrections orthographiques dans les listes d'espèces figurant aux annexes à la Convention sans consulter la Conférence des Parties, et en informe les Parties;
  5. CHARGE le Secrétariat, en étroite coopération avec les spécialistes en nomenclature du Comité pour les animaux et du Comité pour les plantes, et en application de ses protocoles d'accord ou de coopération ou de ses programmes de travail avec d'autres accords multilatéraux sur l'environnement liés à la biodiversité, d'envisager des moyens d'harmoniser la taxonomie et la nomenclature des espèces couvertes par leurs dispositions respectives.
  6. ADOPTE les références taxonomiques et de nomenclature jointes en annexe de la présente résolution en tant que références normalisées officielles pour les espèces inscrites aux annexes;
  7. RECONNAIT la [Liste des espèces CITES](#) compilée par le PNUE-Centre de surveillance continue de la conservation mondiale de la nature, 2005, et ses mises à jour, comme un répertoire officiel de noms scientifiques contenus dans les références normalisées, qui reflète pleinement la taxonomie et la nomenclature contenues dans les propositions originales sur les espèces, les recommandations du Comité pour les animaux ou du Comité pour les plantes et, au minimum, tous les noms acceptés figurant dans les références normalisées adoptées par la Conférence des Parties pour les espèces inscrites aux annexes;
  8. CONVIENT que l'adoption de listes ou de références normalisées par la Conférence des Parties ne modifie pas en soi le statut d'une entité quelle qu'elle soit face à la CITES, qu'elle soit inscrite ou non aux annexes et que le statut de l'entité reste comme prévu dans la proposition adoptée par la Conférence à moins qu'il ne soit spécifiquement modifié par l'adoption d'une proposition d'amendement;
  9. PRIE INSTAMMENT LES PARTIES D'ASSIGNER PRINCIPALEMENT À LEURS AUTORITÉS SCIENTIFIQUES LES TÂCHES SUIVANTES:
    - a) interpréter les inscriptions;
    - b) consulter, s'il y a lieu, le Comité pour les animaux ou le Comité pour les plantes;
    - c) déceler les questions de nomenclature qui pourraient justifier un plus ample examen par le comité CITES compétent et, s'il y a lieu, préparer des propositions d'amendement des annexes; et
    - d) soutenir l'élaboration et le maintien des listes et y collaborer;
  10. DEMANDE au Secrétariat de mettre à la disposition des Parties les listes de référence normalisées pour Orchidaceae dès leur achèvement;
  11. CHARGE le Secrétariat, en étroite coopération avec les spécialistes de la nomenclature du Comité pour les animaux et du Comité pour les plantes, de promouvoir l'harmonisation de la taxonomie et de la nomenclature utilisées par les accords multilatéraux sur l'environnement touchant à la biodiversité; et
  12. ABROGE la résolution Conf. 11.22 (Gigiri, 2000) – *Nomenclature normalisée*.
-

## Annexe

## Liste des références normalisées adoptées par la Conférence des Parties

### FAUNA

		Taxon concerné	Référence taxonomique
<b>MAMMALIA</b>			
		<p>all MAMMALIA taxa</p> <p>- with the exception of the recognition of the following names for wild forms of species (in preference to names for domestic forms): <i>Bos gaurus</i>, <i>Bos mutus</i>, <i>Bubalus arnee</i>, <i>Equus africanus</i>, <i>Equus przewalskii</i>, and</p> <p>- with the exception of the taxa noted under the different Mammalia orders below</p>	<p>WILSON, D. E. &amp; REEDER, D. M. (ed.) (2005): Mammal Species of the World. A Taxonomic and Geographic Reference. Third edition, Vol. 1-2, xxxv + 2142 pp. Baltimore (John Hopkins University Press).</p>
ARTIODACTYLA	Bovidae	<i>Ovis</i> spp.	<p>VALDEZ, R. &amp; WEINBERG, P.J. (2011): Species accounts 188-207 for <i>Ovis</i> spp., pp. 727-739 in WILSON, D.E., &amp; MITTERMEIER, R.A. (eds.), Handbook of the Mammals of the World. Vol. 2. Hoofed Mammals. Lynx Edicions, Barcelona. ISBN 978-84-96553-77-4.</p>
	Camelidae	<i>Lama guanicoe</i>	<p>WILSON, D. E. &amp; REEDER, D. M. (1993): Mammal Species of the World: a Taxonomic and Geographic Reference. Second edition. xviii + 1207 pp., Washington (Smithsonian Institution Press).</p>
CARNIVORA	Felidae	Felidae spp.	<p>KITCHENER A. C., BREITENMOSER-WÜRSTEN CH., EIZIRIK E., GENTRY A., WERDELIN L., WILTING A., YAMAGUCHI N., ABRAMOV A. V., CHRISTIANSEN P., DRISCOLL C., DUCKWORTH J. W., JOHNSON W., LUO S.-J., MEIJAARD E., O'DONOGHUE P., SANDERSON J., SEYMOUR K., BRUFORD M., GROVES C., HOFFMANN M., NOWELL K., TIMMONS Z. AND TOBE S. (2017): A revised taxonomy of the Felidae. The final report of the Cat Classification Task Force of the IUCN/SSC Cat Specialist Group. <i>Cat News</i> Special Issue 11, 80 pp.</p>

		Taxon concerné	Référence taxonomique
	Mustelidae: Lutrinae	<i>Aonyx cinereus</i>	LARIVIÈRE, S., & JENNINGS, A.P. 2009. Species account 37 for Asian Small-clawed Otter <i>Aonyx cinereus</i> , p. 647 in WILSON, D.E., & MITTERMEIER, R.A. (eds.), <i>Handbook of the Mammals of the World. Vol.1. Carnivores</i> . Lynx Edicions, Barcelona. ISBN 978-84-96553-49-1.
CETACEA	Balaenopteridae	<i>Balaenoptera omurai</i>	WADA, S., OISHI, M. & YAMADA, T. K. (2003): A newly discovered species of living baleen whales. – <i>Nature</i> , <b>426</b> : 278-281.
	Delphinidae	<i>Orcaella heinsohni</i>	BEASLY, I., ROBERTSON, K. M. & ARNOLD, P. W. (2005): Description of a new dolphin, the Australian Snubfin Dolphin, <i>Orcaella heinsohni</i> sp. n. (Cetacea, Delphinidae). -- <i>Marine Mammal Science</i> , <b>21</b> (3): 365-400.
	Delphinidae	<i>Sotalia fluviatilis</i> <i>Sotalia guianensis</i>	CABALLERO, S., TRUJILLO, F., VIANNA, J. A., BARRIOS-GARRIDO, H., MONTIEL, M. G., BELTRÁN-PEDREROS, S., MARMONTEL, M., SANTOS, M. C., ROSSI-SANTOS, M. R. & BAKER, C. S. (2007): Taxonomic status of the genus <i>Sotalia</i> : species level ranking for "tucuxi" ( <i>Sotalia fluviatilis</i> ) and "costero" ( <i>Sotalia guianensis</i> ) dolphins. - <i>Marine Mammal Science</i> , <b>23</b> : 358-386.
	Delphinidae	<i>Sousa plumbea</i> <i>Sousa sahalensis</i>	JEFFERSON, T. A. & ROSENBAUM, H. C. (2014): Taxonomic revision of the humpback dolphins ( <i>Sousa</i> spp.), and description of a new species from Australia. - <i>Marine Mammal Science</i> , <b>30</b> (4): 1494-1541.
	Delphinidae	<i>Tursiops australis</i>	CHARLTON-ROBB, K., GERSHWIN, L.-A., THOMPSON, R., AUSTIN, J., OWEN, K. & McKECHNIE, S. (2011): A new dolphin species, the Burrunan Dolphin <i>Tursiops australis</i> sp. nov., endemic to southern Australian coastal waters. - <i>PLoS ONE</i> , <b>6</b> (9): e24047.
	Iniidae	<i>Inia araguaiaensis</i>	HRBEK, T., DA SILVA, V. M. F., DUTRA, N., GRAVENA, W., MARTIN, A. R. & FARIAS, I. P. (2014): A new species of river dolphin from Brazil or: How little do we know our biodiversity. - <i>PLoS ONE</i> <b>83623</b> : 1-12.
	Phocoenidae	<i>Neophocaena asiaorientalis</i>	JEFFERSON, T. A. & WANG, J. Y. (2011): Revision of the taxonomy of finless porpoises (genus <i>Neophocaena</i> ): The existence of two species. - <i>Journal of Marine Animals and their Ecology</i> , <b>4</b> (1): 3-16.
	Physeteridae	<i>Physeter macrocephalus</i>	RICE, D. W., (1998): <i>Marine Mammals of the World: Systematics and Distribution</i> - Society of Marine Mammalogy Special Publication Number 4, The Society for Marine Mammalogy, Lawrence, Kansas.
	Platanistidae	<i>Platanista gangetica</i>	RICE, D. W., (1998): <i>Marine Mammals of the World: Systematics and Distribution</i> - Society of Marine Mammalogy Special Publication Number 4, The Society for Marine Mammalogy, Lawrence, Kansas.
	Ziphiidae	<i>Mesoplodon hotaula</i>	DALEBOUT, M. L., SCOTT BAKER, C., STEEL, D., THOMPSON, K., ROBERTSON, K. M., CHIVERS, S. J., PERRIN, W. F., GOONATILAKE, M., ANDERSON, C. R., MEAD, J. G., POTTER, C. W., THOMPSON, L., JUPITER, D. and YAMADA, T. K. (2014): Resurrection of <i>Mesoplodon hotaula</i> Deraniyagala 1963: A new species of beaked whale in the tropical Indo-Pacific. - <i>Marine Mammal Science</i> , <b>30</b> (3): 1081-1108.
PRIMATES	Aotidae	<i>Aotus jorgehernandezi</i>	DEFLER, T. R. & BUENO, M. L. (2007): <i>Aotus</i> diversity and the species problem. – <i>Primate Conservation</i> , <b>22</b> : 55-70.
	Aotidae	<i>Aotus lemurinus</i> (incl. <i>A. herskovitzi</i> )	MITTERMEIER, R.A., RYLANDS, A.B., & WILSON, D.E. 2013. <i>Handbook of the Mammals of the World: Volume 3. Primates</i> . Lynx Edicions, Barcelona.

		Taxon concerné	Référence taxonomique
	Atelidae	<i>Alouatta palliata</i> (incl. <i>A. coibensis</i> )	RUIZ-GARCÍA, M., CERRÓN, Á., SÁNCHEZ-CASTILLO, S., RUEDA-ZOZAYA, P., PINEDO-CASTRO, M., GUTIERREZ-ESPELETA, G. & SHOSTELL, J.M. (2017): Phylogeography of the Mantled Howler Monkey ( <i>Alouatta palliata</i> ; Atelidae, Primates) across its geographical range by means of mitochondrial genetic analyses and new insights about the phylogeny of <i>Alouatta</i> . <i>Folia Primatologica</i> 88: 421-454
	Atelidae	<i>Ateles geoffroyi</i>	RYLANDS, A. B., GROVES, C. P., MITTERMEIER, R. A., CORTES-ORTIZ, L. & HINES, J. J. (2006): Taxonomy and distributions of Mesoamerican primates. - In: A. ESTRADA, P. GARBER, M. PAVELKA and L. LUECKE (eds), <i>New Perspectives in the Study of Mesoamerican Primates: Distribution, Ecology, Behavior and Conservation</i> , pp. 29–79. Springer, New York, USA.
	Cebidae	<i>Callithrix manicorensis</i>	GARBINO, T. & SINICIATO, G. (2014): The taxonomic status of <i>Mico marcai</i> (Alperin 1993) and <i>Mico manicorensis</i> (van Roosmalen <i>et al.</i> 2000) (Cebidae, Callitrichinae) from Southwestern Brazilian Amazonia. - <i>International Journal of Primatology</i> , <b>35</b> (2): 529-546. (for <i>Mico marcai</i> lumped with <i>Mico manicorensis</i> treated as <i>Callithrix manicorensis</i> under CITES]
	Cebidae	<i>Cebus flavius</i>	OLIVEIRA, M. M. DE & LANGGUTH, A. (2006): Rediscovery of Marcgrave's Capuchin Monkey and designation of a neotype for <i>Simia flava</i> Schreber, 1774 (Primates, Cebidae). – <i>Boletim do Museu Nacional do Rio de Janeiro, N.S., Zoologia</i> , <b>523</b> : 1-16.
	Cebidae	<i>Mico rondoni</i>	FERRARI, S. F., SENA, L., SCHNEIDER, M. P. C. & JÚNIOR, J. S. S. (2010): Rondon's Marmoset, <i>Mico rondoni</i> sp. n., from southwestern Brazilian Amazonia. – <i>International Journal of Primatology</i> , <b>31</b> : 693-714.
	Cebidae	<i>Saguinus ursulus</i>	GREGORIN, R. & DE VIVO, M. (2013): Revalidation of <i>Saguinus ursula</i> Hoffmannsegg (Primates: Cebidae: Callitrichinae). - <i>Zootaxa</i> , <b>3721</b> (2): 172-182.
	Cebidae	<i>Saimiri collinsi</i>	MERCES, M. P., ALFARO, J. W. L., FERREIRA, W. A. S., HARADA, M. L. & JÚNIOR, J. S. S. (2015): Morphology and mitochondrial phylogenetics reveal that the Amazon River separates two eastern squirrel monkey species: <i>Saimiri sciureus</i> and <i>S. collinsi</i> . - <i>Molecular Phylogenetics and Evolution</i> , <b>82</b> : 426-435.
	Cercopithecidae	<i>Allochrocebus lhoesti</i> <i>Allochrocebus preussi</i> <i>Allochrocebus solatus</i>	MITTERMEIER, R.A., RYLANDS, A.B., & WILSON, D.E. 2013. <i>Handbook of the Mammals of the World: Volume 3. Primates</i> . Lynx Edicions, Barcelona
	Cercopithecidae	<i>Cercopithecus lomamiensis</i>	HART, J.A., DETWILER, K.M., GILBERT, C.C., BURRELL, A.S., FULLER, J.L., EMETSHU, M., HART, T.B., VOSPER, A., SARGIS, E.J. & TOSI, A.J. (2012): Lesula: A new species of <i>Cercopithecus</i> monkey endemic to the Democratic Republic of Congo and implications for conservation of Congo's Central Basin. - <i>PLoS ONE</i> , <b>7</b> (9): e44271.
	Cercopithecidae	<i>Macaca leucogenys</i>	LI, C., ZHAO, C. & FAN, P.F. (2015): White-cheeked macaque ( <i>Macaca leucogenys</i> ): A new macaque species from Modog, southeastern Tibet. <i>American Journal of Primatology</i> <b>77</b> : 753–766.

		Taxon concerné	Référence taxonomique
	Cercopithecidae	<i>Macaca munzala</i>	SINHA, A., DATTA, A., MADHUSUDAN, M. D. & MISHRA, C. (2005): <i>Macaca munzala</i> : A new species from western Arunachal Pradesh, northeastern India. – International Journal of Primatology, <b>26</b> (4): 977-989: doi:10.1007/s10764-005-5333-3.
	Cercopithecidae	<i>Ptilocolobus bouvieri</i> <i>Ptilocolobus epieni</i> <i>Ptilocolobus temminckii</i> <i>Ptilocolobus waldroneae</i>	MITTERMEIER, R.A., RYLANDS, A.B., & WILSON, D.E. 2013. <i>Handbook of the Mammals of the World: Volume 3. Primates</i> . Lynx Edicions, Barcelona
	Cercopithecidae	<i>Rhinopithecus strykeri</i>	GEISSMANN, T., LWIN, N. , AUNG, S. S., AUNG, T. N., AUNG, Z. M., HLA, T. H., GRINDLEY, M. & MOMBERG, F. (2011): A new species of snub-nosed monkey, genus <i>Rhinopithecus</i> Milne-Edwards, 1872 (Primates, Colobinae), from Northern Kachin State, Northeastern Myanmar. – Amer. J. Primatology , <b>73</b> (1): 96-107.
	Cercopithecidae	<i>Rungwecebus kipunji</i>	DAVENPORT, T. R. B., STANLEY, W. T., SARGIS, E. J., DE LUCA, D. W., MPUNGA, N. E., MACHAGA, S. J. & OLSON, L. E. (2006): A new genus of African monkey, <i>Rungwecebus</i> : Morphology, ecology, and molecular phylogenetics. – Science, <b>312</b> (5778): 1378-1381.
	Cercopithecidae	<i>Trachypithecus villosus</i>	BRANDON-JONES, D., EUDEY, A. A., GEISSMANN, T., GROVES, C. P., MELNICK, D. J., MORALES J. C., SHEKELLE, M. & STEWARD, C.-B. (2004): Asian primate classification. – International Journal of Primatology, <b>25</b> (1): 97-163.
	Cheirogaleidae	<i>Cheirogaleus andysabini</i>	LEI, R., MCLAIN, A.T., FRASIER, C.L., TAYLOR, J.M., BAILEY, C.A., ENGBERG, S.E., GINTER, A.L., NASH, S.D., RANDRIAMAMPIONONA, R., GROVES, C.P., MITTERMEIER, R.A. & LOUIS, JR., E.E. (2015): A new species in the genus <i>Cheirogaleus</i> (Cheirogaleidae). <i>Primate Conservation</i> 29 (2): 1–12
	Cheirogaleidae	<i>Cheirogaleus lavasoensis</i>	THIELE, D., RAZAFIMAHATRATRA, E. & HAPKE, A. (2013): Discrepant partitioning of genetic diversity in mouse lemurs and dwarf lemurs – biological reality or taxonomic bias? - Molecular Phylogenetics and Evolution, <b>69</b> (3): 593-609.
	Cheirogaleidae	<i>Cheirogaleus shethi</i>	FRASIER, C.L., LEI, R., MCLAIN, A.T., TAYLOR, J.M., BAILEY, C.A., GINTER, A.L., NASH, S.D., RANDRIAMAMPIONONA, R., GROVES, C.P., MITTERMEIER, R.A. & LOUIS JR., E.E. (2016): A New Species of Dwarf Lemur (Cheirogaleidae: <i>Cheirogaleus medius</i> Group) from the Ankarana and Andrafiarana-Andavakoera Massifs, Madagascar. <i>Primate Conservation</i> (30): 59–72.
	Cheirogaleidae	<i>Microcebus ganzhorni</i> <i>Microcebus manitatra</i>	HOTALING, S., FOLEY, M.E., LAWRENCE, N.M., BOCANEGRA, J., BLANCO, M.B., RASOLOARISON, R., KAPPELER, P.M., BARRETT, M.A., YODER, A.D., WEISROCK, D.W. (2016): Species discovery and validation in a cryptic radiation of endangered primates: coalescent-based species delimitation in Madagascar's mouse lemurs". <i>Molecular Ecology</i> . 25 (9): 2029–2045. doi:10.1111/mec.13604



		Taxon concerné	Référence taxonomique
	Cheirogaleidae	<i>Microcebus gerpi</i>	RADESPIEL, U., RATSIMBAZAFY, J. H., RASOLOHARIJAONA, S., RAVELOSON, H., ANDRIAHOLINIRINA, N., RAKOTONDRAVONY, R., RANDRIANARISON, R. M. & RANDRIANAMBININA, B. (2012): First indications of a highland specialist among mouse lemurs ( <i>Microcebus</i> spp.) and evidence for a new mouse lemur species from eastern Madagascar. - <i>Primates</i> , <b>53</b> : 157-170.
	Cheirogaleidae	<i>Microcebus marohita</i> <i>Microcebus tanosi</i>	RASOLOARISON, R. M., WEISROCK, D. W., YODER, A. D., RAKOTONDRAVONY, D. & KAPPELER, P. M. (2013): Two new species of mouse lemurs (Cheirogaleidae: <i>Microcebus</i> ) from Eastern Madagascar. - <i>International Journal of Primatology</i> , <b>34</b> : 455-469.
	Galagidae	<i>Paragalago cocos</i> <i>Paragalago granti</i> <i>Paragalago orinus</i> <i>Paragalago rondoensis</i> <i>Paragalago zanzibaricus</i>	MASTERS, J. C., GÉNIN, F., COUETTE, S., GROVES, C. P., NASH, S. D., DELPERO, M. & POZZI, L. (2017): A new genus for the eastern dwarf galagos (Primates: Galagidae). - <i>Zoological Journal of the Linnean Society</i> 181 (1): 229–241. <a href="https://doi.org/10.1093/zoolinnean/zlw028">https://doi.org/10.1093/zoolinnean/zlw028</a>
	Galagidae	<i>Galagoides kumbirensis</i>	SVENSSON, M.S., BERSACOLA, E., MILLS, M.S.L., MUNDS, R.A., NIJMAN, V., PERKIN, A., MASTERS, J.C., COUETTE, S., NEKARIS, K.A., & BEARDER, S.K. (2017): A giant among dwarfs: a new species of galago (Primates: S., Galagidae) from Angola. <i>Am. J. Phys. Anthropol.</i> 163 (1): 30-43. doi: 10.1002/ajpa.23175
	Hominidae	<i>Pongo tapanuliensis</i>	NATER, A., GREMINGER, M.P., NURCAHYO, A., NOWAK, M.G., DE MANUEL MONTERO, M., DESAI, T., GROVES, C.P., PYBUS, M., SONAY, T.B., ROOS, C., LAMEIRA, A.R., WICH, S.A., ASKEW, J., DAVILA-ROSS, M., FREDRIKSSON, G.M., DE VALLES, G., CASALS, F., PRADO-MARTINEZ, J., GOOSSENS, B., VERSCHOOR, E.J., WARREN, K.S., SINGLETON, I., MARQUES, D.A., PAMUNGKAS, J., PERWITASARI-FARAJALLAH, D., RIANTI, P., TUUGA, A., GUT, I.G., GUT, M., OROZCO-TER WENGEL, P., VAN SCHAİK, C.P., BERTRANPETIT, J., ANISIMOVA, M., SCALLY, A., MARQUES-BONET, T., MEIJAARD, E. & KRÜTZEN, M. (2017): Morphometric, behavioural, and genomic evidence for a new orangutan species. <i>Current Biology</i> 27: DOI: 10.1016/j.cub.2017.09.047
	Hylobatidae	<i>Hylobates abbotti</i> <i>Hylobates funereus</i>	MITTERMEIER, R.A., RYLANDS, A.B., & WILSON, D.E. 2013. <i>Handbook of the Mammals of the World: Volume 3. Primates</i> . Lynx Edicions, Barcelona
	Hylobatidae	<i>Nomascus annamensis</i>	THINH V.N., MOOTNICK, A. R., THANH V.N., NADLER, T. & ROOS, C. (2010): A new species of crested gibbon from the central Annamite mountain range. - <i>Vietnamese Journal of Primatology</i> , <b>4</b> : 1-12.
	Indriidae	<i>Propithecus candidus</i> <i>Propithecus coronatus</i>	MITTERMEIER, R.A., RYLANDS, A.B., & WILSON, D.E. 2013. <i>Handbook of the Mammals of the World: Volume 3. Primates</i> . Lynx Edicions, Barcelona
	Lemuriidae	<i>Eulemur flavifrons</i>	MITTERMEIER, R.A., RYLANDS, A.B., & WILSON, D.E. 2013. <i>Handbook of the Mammals of the World: Volume 3. Primates</i> . Lynx Edicions, Barcelona



		Taxon concerné	Référence taxonomique
	Lorisidae	<i>Nycticebus javanicus</i>	MITTERMEIER, R.A., RYLANDS, A.B., & WILSON, D.E. 2013. <i>Handbook of the Mammals of the World: Volume 3. Primates</i> . Lynx Edicions, Barcelona
	Lorisidae	<i>Nycticebus kayan</i>	MUNDS, R.A., NEKARIS, K.A.I. & FORD, S.M. (2013): Taxonomy of the Bornean slow loris, with new species <i>Nycticebus kayan</i> (Primates, Lorisidae). - <i>American Journal of Primatology</i> , <b>75</b> : 46-56.
	Pitheciidae	<i>Cacajao melanocephalus</i> <i>Cacajao oukary</i>	FERRARI, S. F., GUEDES, P. G., FIGUEIREDO-READY, W. M. B. & BARNETT, A. A. (2014): Reconsidering the taxonomy of the Black-faced Uacaris, <i>Cacajao melanocephalus</i> group (Mammalia: Pitheciidae), from the northern Amazon Basin. - <i>Zootaxa</i> , <b>3866</b> (3): 353-370.
	Pitheciidae	<i>Cheracebus</i> spp. <i>Plecturocebus</i> spp.	BYRNE, H., RYLANDS, A.B., CAMEIRO, J.C., ALFARO, J.W.L., BERTUOL, F., DA SILVA, M.N.F., MESSIAS, M., GROVES, C.P., MITTERMEIER, R.A., FARIAS, I., HRBEK, T., SCHNEIDER, H., SAMPAIO, I. & BOUBLI, J. P. (2016): Phylogenetic relationships of the New World titi monkeys ( <i>Callicebus</i> ): first appraisal of taxonomy based on molecular evidence. <i>Frontiers in Zoology</i> 13 (10): 1-25. <a href="https://doi.org/10.1186/s12983-016-0142-4">https://doi.org/10.1186/s12983-016-0142-4</a>
	Pitheciidae	<i>Pithecia cazuzai</i> <i>Pithecia chrysocephala</i> <i>Pithecia hirsuta</i> <i>Pithecia inusta</i> <i>Pithecia isabela</i> <i>Pithecia milleri</i> <i>Pithecia mittermeieri</i> <i>Pithecia napensis</i> <i>Pithecia pissinattii</i> <i>Pithecia rylandsi</i> <i>Pithecia vanzolinii</i>	MARSH, L.K. (2014): A taxonomic revision of the saki monkeys, <i>Pithecia</i> Desmarest, 1804. - <i>Neotropical Primates</i> , <b>21</b> : 1-163.
	Pitheciidae	<i>Plecturocebus grovesi</i>	BOUBLI, J.P., BYRNE, H., DA SILVA, M.N.F., SILVA-JÚNIOR, J., ARAÚJO, R.C., BERTUOL, F., GONÇALVES, J., DE MELO, F.R., RYLANDS, A.B., MITTERMEIER, R.A., SILVA, F.E., NASH, S.D., CANALE, G., ALENCAR, R. DE M., ROSSI, R.V., CARNEIRO, J., SAMPAIO, I., FARIAS, I.P., SCHNEIDER, H. & HRBEK, T. (2018): On a new species of titi monkey (Primates: <i>Plecturocebus</i> Byrne et al., 2016), from Alta Floresta, southern Amazon, Brazil. <i>Molecular Phylogenetics and Evolution</i> 132: 117-137.
	Tarsiidae	<i>Tarsius lariang</i>	MERKER, S. & GROVES, C.P. (2006): <i>Tarsius lariang</i> : A new primate species from Western Central Sulawesi. – <i>International Journal of Primatology</i> , <b>27</b> (2): 465-485.

		Taxon concerné	Référence taxonomique
	Tarsiidae	<i>Tarsius spectrumgurskyae</i> <i>Tarsius supriatnai</i>	SHEKELLE, M., GROVES, C.P., MARYANTO, I. & MITTERMEIER, R.A. (2017): Two new tarsier species (Tarsiidae, Primates) and the biogeography of Sulawesi, Indonesia. <i>Primate Conservation</i> 31: 61-70.
	Tarsiidae	<i>Tarsius tumpara</i>	SHEKELLE, M., GROVES, C., MERKER, S. & SUPRIATNA, J. (2010): <i>Tarsius tumpara</i> : A new tarsier species from Siau Island, North Sulawesi. – <i>Primate Conservation</i> , 23: 55-64.
PROBOSCIDEA	Elephantidae	<i>Loxodonta africana</i>	WILSON, D. E. & REEDER, D. M. (1993): Mammal Species of the World: a Taxonomic and Geographic Reference. Second edition. xviii + 1207 pp., Washington (Smithsonian Institution Press).
SCANDENTIA	Tupaïidae	<i>Tupaia everetti</i>	ROBERTS, T. E., LANIER, H. C., SARGIS, E. J. & OLSON, L. E. (2011): Molecular phylogeny of treeshrews (Mammalia: Scandentia) and the timescale of diversification in Southeast Asia. - <i>Molecular Phylogenetics and Evolution</i> , 60 (3): 358-372.
	Tupaïidae	<i>Tupaia palawanensis</i>	SARGIS, E. J., CAMPBELL, K. K. & OLSON, L. E. (2014): Taxonomic boundaries and craniometric variation in the treeshrews (Scandentia, Tupaïidae) from the Palawan faunal region. - <i>Journal of Mammalian Evolution</i> , 21 (1): 111-123.
<b>AVES</b>			
		order- and family-level names for birds	MORONY, J. J., BOCK, W. J. & FARRAND, J., Jr. (1975): Reference List of the Birds of the World. American Museum of Natural History. 207 pp. [available at <a href="http://www.cites.org/common/docs/Res/12_11/Aves_Morony.pdf">http://www.cites.org/common/docs/Res/12_11/Aves_Morony.pdf</a> ]
		all bird species – with the exception of the taxa mentioned below	DICKINSON, E.C. (ed.)(2003): The Howard and Moore Complete Checklist of the Birds of the World. Revised and enlarged 3rd Edition. 1039 pp. London (Christopher Helm).  in combination with  DICKINSON, E.C. (2005): Corrigenda 4 (02.06.2005) to Howard & Moore Edition 3 (2003). (available on the CITES website)
APODIFORMES	Trochilidae	<i>Amazilia hoffmanni</i> <i>Amazilia saucerrottei</i>	JIMÉNEZ, R.A., & ORNELAS, J.F. (2016): Historical and current introgression in a Mesoamerican hummingbird species complex: a biogeographic perspective. <i>PeerJ</i> . 2016; 4: e1556. doi:10.7717/peerj.1556.
	Trochilidae	<i>Anthracothorax nigricollis</i> <i>iridescens</i> <i>Phaethornis longirostris</i> <i>Phaethornis mexicanus</i> <i>Selasphorus calliope</i>	DEL HOYO, J., & COLLAR, N.J. 2014. <i>HBW and Birdlife International Illustrated Checklist of the Birds of the World. Volume 1: Non-Passerines</i> . Lynx Edicions, Barcelona. ISBN 978-84-96553-94-1.

		Taxon concerné	Référence taxonomique
	Trochilidae	<i>Hylocharis leucotis</i> <i>Hylocharis xantusii</i> <i>Campylopterus curvipennis</i> <i>Campylopterus excellens</i> <i>Phaeochroa cuvierii</i>	DICKINSON, E.C., & REMSEN, J.V. (eds.). 2013. <i>The Howard &amp; Moore complete checklist of the birds of the world. 4th edition, Vol. 1: Non-Passerines</i> . Aves Press, Eastbourne, UK. ISBN 978-0-9568611-0-8.
	Trochilidae	<i>Chlorostilbon lucidus</i>	PACHECO, J. F. & WHITNEY, B. M. (2006): Mandatory changes to the scientific names of three Neotropical birds. - Bull. Brit. Orn. Club, <b>126</b> : 242-244.
	Trochilidae	<i>Eriocnemis isabellae</i>	CORTÉS-DIAGO, A., ORTEGA, L. A., MAZARIEGOS-HURTADO, L. & WELLER, A.-A. (2007): A new species of <i>Eriocnemis</i> (Trochilidae) from southwest Colombia. - Ornitologia Neotropical, <b>18</b> :161-170.
	Trochilidae	<i>Oreotrochilus cyanolaemus</i>	SORNOZA-MOLINA, F., FREILE, J. F., NILSSON, J., KRABBE, N., & BONACCORSO, E. (2018). A striking, critically endangered, new species of hillstar (Trochilidae: <i>Oreotrochilus</i> ) from the southwestern Andes of Ecuador. <i>The Auk: Ornithological Advances</i> , 135(4), 1146-1171. <a href="https://doi.org/10.1642/AUK-18-58.1">https://doi.org/10.1642/AUK-18-58.1</a>
	Trochilidae	<i>Phaethornis aethopyga</i>	PIACENTINI, V. Q., ALEIXO, A. & SILVEIRA, L. F. (2009): Hybrid, subspecies or species? The validity and taxonomic status of <i>Phaethornis longuemareus aethopyga</i> Zimmer, 1950 (Trochilidae). - <i>Auk</i> , <b>126</b> : 604-612.
CICONIIFORMES	Phoenicopteridae	<i>Phoenicopterus roseus</i> <i>Phoenicopterus ruber</i>	DEL HOYO, J., & COLLAR, N.J. 2014. <i>HBW and Birdlife International Illustrated Checklist of the Birds of the World. Volume 1: Non-Passerines</i> . Lynx Edicions, Barcelona. ISBN 978-84-96553-94-1.

		Taxon concerné	Référence taxonomique
FALCONIFORMES	Accipitridae	<i>Accipiter hiogaster</i> <i>Accipiter novaehollandiae</i> <i>Buteo nitidus</i> <i>Buteo plagiatus</i> <i>Buteogallus anthracinus</i> <i>Buteogallus gundlachii</i> <i>Buteogallus solitarius</i> <i>Chondrohierax uncinatus</i> <i>Chondrohierax wilsonii</i> <i>Circus cyaneus</i> <i>Circus hudsonius</i> <i>Leptodon cayanensis</i> <i>Leptodon forbesi</i> <i>Pseudastur albicollis</i> <i>Rupornis magnirostris</i> <i>Spizaetus melanoleucus</i>	DEL HOYO, J., & COLLAR, N.J. 2014. <i>HBW and Birdlife International Illustrated Checklist of the Birds of the World. Volume 1: Non-Passerines</i> . Lynx Edicions, Barcelona. ISBN 978-84-96553-94-1.
	Accipitridae	<i>Aquila hastata</i>	PARRY, S. J., CLARK, W. S. & PRAKASH, V. (2002) On the taxonomic status of the Indian Spotted Eagle <i>Aquila hastata</i> . – <i>Ibis</i> , <b>144</b> : 665-675.
	Accipitridae	<i>Buteo socotraensis</i>	PORTER, R. F. & KIRWAN, G. M. (2010): Studies of Socotran birds VI. The taxonomic status of the Socotra Buzzard. – <i>Bulletin of the British Ornithologists' Club</i> , <b>130</b> (2): 116–131.
	Accipitridae	<i>Geranoaetus albicaudatus</i>	DICKINSON, E.C., & REMSEN, J.V. (eds.). 2013. <i>The Howard &amp; Moore complete checklist of the birds of the world. 4th edition, Vol. 1: Non-Passerines</i> . Aves Press, Eastbourne, UK. ISBN 978-0-9568611-0-8.
	Falconidae	<i>Falco peregrinus</i> (incl. <i>Falco pelegrinoides</i> )	DEL HOYO, J., & COLLAR, N.J. 2014. <i>HBW and Birdlife International Illustrated Checklist of the Birds of the World. Volume 1: Non-Passerines</i> . Lynx Edicions, Barcelona. ISBN 978-84-96553-94-1.
	Falconidae	<i>Micrastur mintoni</i>	WHITTAKER, A. (2002): A new species of forest-falcon (Falconidae: <i>Micrastur</i> ) from southeastern Amazonia and the Atlantic rainforests of Brazil. – <i>Wilson Bulletin</i> , <b>114</b> : 421-445.

		Taxon concerné	Référence taxonomique
GRUIFORMES	Gruidae	<i>Antigone antigone</i> <i>Antigone canadensis</i> <i>Antigone rubicunda</i> <i>Antigone vipio</i> <i>Leucogeranus leucogeranus</i>	DEL HOYO, J., & COLLAR, N.J. 2014. <i>HBW and Birdlife International Illustrated Checklist of the Birds of the World. Volume 1: Non-Passerines</i> . Lynx Edicions, Barcelona. ISBN 978-84-96553-94-1.
	Rallidae	<i>Hypotaenidia sylvestris</i>	DEL HOYO, J., & COLLAR, N.J. 2014. <i>HBW and Birdlife International Illustrated Checklist of the Birds of the World. Volume 1: Non-Passerines</i> . Lynx Edicions, Barcelona. ISBN 978-84-96553-94-1.
PASSERIFORMES	Muscicapidae	<i>Garrulax taewanus</i>	COLLAR, N. J. (2006): A partial revision of the Asian babblers (Timaliidae). – <i>Forktail</i> , <b>22</b> : 85-112.
	Paradisaeidae	<i>Lophorina niedda</i> <i>Lophorina minor</i> <i>Lophorina superba</i>	SCHOLES, E., & LAMAN, T.G.. 2018. Distinctive courtship phenotype of the Vogelkop Superb Bird-of-Paradise <i>Lophorina niedda</i> Mayr, 1930 confirms new species status. <i>PeerJ</i> 6:e4621 <a href="https://doi.org/10.7717/peerj.4621">https://doi.org/10.7717/peerj.4621</a> .
PSITTACIFORMES	Cacatuidae	<i>Cacatua goffiniana</i>	ROSELAAR, C. S. & MICHELS, J. P. (2004): Nomenclatural chaos untangled, resulting in the naming of the formally undescribed <i>Cacatua</i> species from the Tanimbar Islands, Indonesia (Psittaciformes: Cacatuidae). -- <i>Zoologische Verhandelingen</i> , <b>350</b> : 183-196.
	Cacatuidae	<i>Zanda baudinii</i> <i>Zanda latirostris</i>	DEL HOYO, J., & COLLAR, N.J. 2014. <i>HBW and Birdlife International Illustrated Checklist of the Birds of the World. Volume 1: Non-Passerines</i> . Lynx Edicions, Barcelona. ISBN 978-84-96553-94-1.
	Loriidae	<i>Trichoglossus haematodus</i>	COLLAR, N. J. (1997) Family Psittacidae (Parrots). In DEL HOYO, J., ELLIOT, A. AND SARGATAL, J. (eds.), <i>Handbook of the Birds of the World, 4</i> (Sandgrouse to Cuckoos): 280-477. Barcelona (Lynx Edicions).
	Psittacidae	<i>Aratinga maculata</i>	NEMESIO, A. & RASMUSSEN, C. (2009): The rediscovery of Buffon's "Guarouba" or "Perriche jaune": two senior synonyms of <i>Aratinga pintoii</i> SILVEIRA, LIMA & HÖFLING, 2005 (Aves: Psittaciformes). – <i>Zootaxa</i> , <b>2013</b> : 1-16.

		Taxon concerné	Référence taxonomique
	Psittacidae	<i>Eupsittula canicularis</i> <i>Eupsittula nana</i> <i>Myiopsitta luchi</i> <i>Myiopsitta monachus</i> <i>Psephotellus chrysopterygius</i> <i>Psephotellus dissimilis</i> <i>Psephotellus pulcherrimus</i> <i>Psephotellus varius</i> <i>Psittacara holochlorus</i> <i>Pyrilia haematotis</i>	DEL HOYO, J., & COLLAR, N.J. 2014. <i>HBW and Birdlife International Illustrated Checklist of the Birds of the World. Volume 1: Non-Passerines</i> . Lynx Edicions, Barcelona. ISBN 978-84-96553-94-1.
	Psittacidae	<i>Forpus modestus</i>	PACHECO, J. F. & WHITNEY, B. M. (2006): Mandatory changes to the scientific names of three Neotropical birds. - Bull. Brit. Orn. Club, <b>126</b> : 242-244.
	Psittacidae	<i>Pionopsitta aurantiocephala</i>	GABAN-LIMA, R., RAPOSO, M. A. & HOFLING, E. (2002): Description of a new species of <i>Pionopsitta</i> (Aves: Psittacidae) endemic to Brazil. - Auk, <b>119</b> : 815-819.
	Psittacidae	<i>Poicephalus robustus</i> <i>Poicephalus fuscicollis</i>	COETZER, W.G., DOWNS, C.T., PERRIN, M.R. & WILLOWS-MUNRO, S. (2015): Molecular Systematics of the Cape Parrot ( <i>Poicephalus robustus</i> ). Implications for Taxonomy and Conservation. - PLoS ONE, 10(8):e0133376. doi: 10.1371/journal.pone.0133376.
	Psittacidae	<i>Psittacara strenuus</i> <i>Pezoporus flaviventris</i> <i>Pezoporus wallicus</i>	DICKINSON, E.C., & REMSEN, J.V. (eds.). 2013. <i>The Howard &amp; Moore complete checklist of the birds of the world. 4th edition, Vol. 1: Non-Passerines</i> . Aves Press, Eastbourne, UK. ISBN 978-0-9568611-0-8.
	Psittacidae	<i>Psittacula intermedia</i>	COLLAR, N. J. (1997) Family Psittacidae (Parrots). In DEL HOYO, J., ELLIOT, A. AND SARGATAL, J. (eds.), <i>Handbook of the Birds of the World, 4</i> (Sandgrouse to Cuckoos): 280-477. Barcelona (Lynx Edicions).
	Psittacidae	<i>Pyrrhura griseipectus</i>	OLMOS, F., SILVA, W. A. G. & ALBANO, C. (2005): Grey-breasted Conure <i>Pyrrhura griseipectus</i> , an overlooked endangered species. - Cotinga, <b>24</b> : 77-83.
	Psittacidae	<i>Pyrrhura parvifrons</i>	ARNDT, T. (2008): Anmerkungen zu einigen <i>Pyrrhura</i> -Formen mit der Beschreibung einer neuen Art und zweier neuer Unterarten. – Papageien, <b>8</b> : 278-286.

		Taxon concerné	Référence taxonomique
STRIGIFORMES	Strigidae	<i>Ciccaba virgata</i> <i>Megascops asio</i> <i>Megascops barbarus</i> <i>Megascops guatemalae</i> <i>Megascops kennicottii</i> <i>Megascops seductus</i> <i>Megascops trichopsis</i> <i>Psiloscoops flammeolus</i>	DEL HOYO, J., & COLLAR, N.J. 2014. <i>HBW and Birdlife International Illustrated Checklist of the Birds of the World. Volume 1: Non-Passerines</i> . Lynx Edicions, Barcelona. ISBN 978-84-96553-94-1.
	Strigidae	<i>Glaucidium mooreorum</i>	DA SILVA, J. M. C., COELHO, G. & GONZAGA, P. (2002): Discovered on the brink of extinction: a new species of pygmy owl (Strigidae: Glaucidium) from Atlantic forest of northeastern Brazil. – <i>Ararajuba</i> , <b>10</b> (2): 123-130.
	Strigidae	<i>Megascops gilesi</i>	KRABBE, N.K. (2017): A new species of <i>Megascops</i> (Strigidae) from the Sierra Nevada de Santa Marta, Colombia, with notes on voices of New World screech-owls. <i>Ornitología Colombiana</i> <b>16</b> : 1–27.
	Strigidae	<i>Ninox burhani</i>	INDRAWAN, M. & SOMADIKARTA, S. (2004): A new hawk-owl from the Togian Islands, Gulf of Tomini, central Sulawesi, Indonesia. - <i>Bulletin of the British Ornithologists' Club</i> , <b>124</b> : 160-171.
	Strigidae	<i>Otus thilohoffmanni</i>	WARAKAGODA, D. H. & RASMUSSEN, P. C. (2004): A new species of scops-owl from Sri Lanka. – <i>Bulletin of the British Ornithologists' Club</i> , <b>124</b> (2): 85-105.
	Strigidae	<i>Strix butleri</i> <i>Strix hadorami</i>	KIRWAN, G.M., SCHWEIZER, M., & COPETE, J.L. (2015): Multiple lines of evidence confirm that Hume's Owl <i>Strix butleri</i> (A. O. Hume, 1878) is two species, with description of an unnamed species (Aves: Non-Passeriformes: Strigidae). <i>Zootaxa</i> . <b>3904</b> (1): 28–50.
<b>REPTILIA</b>			
CROCODYLIA & RHYNCHOCEPHALIA		Crocodylia & Rhynchocephalia except for the taxa listed below	WERMUTH, H. & MERTENS, R. (1996) (reprint): <i>Schildkröte, Krokodile, Brückenechsen</i> . xvii + 506 pp. Jena (Gustav Fischer Verlag).
	Crocodylidae	<i>Crocodylus johnstoni</i>	TUCKER, A. D. (2010): The correct name to be applied to the Australian freshwater crocodile, <i>Crocodylus johnstoni</i> [Krefft, 1873]. – <i>Australian Zoologist</i> , <b>35</b> (2): 432-434.
	Sphenodontidae	<i>Sphenodon</i> spp.	HAY, J. M., SARRE, S. D., LAMBERT, D. M., ALLENDORF, F. W. & DAUGHERTY, C. H. (2010): Genetic diversity and taxonomy: a reassessment of species designation in tuatara ( <i>Sphenodon</i> : Reptilia). - <i>Conservation Genetics</i> , <b>11</b> (93): 1063-1081.



		Taxon concerné	Référence taxonomique
SAURIA		for delimitation of families within the Sauria	POUGH, F. H., ANDREWS, R. M., CADLE, J. E., CRUMP, M. L., SAVITZKY, A. H. & WELLS, K. D. (1998): Herpetology. Upper Saddle River/New Jersey (Prentice Hall).
	Agamidae	<i>Ceratophora</i> spp. <i>Cophotis</i> spp. <i>Lyriocephalus</i> spp.	UETZ, P., FREED, P., AGUILAR, R., & HÖSEK, J. (eds.) (2022): Taxonomic Checklist of Reptile taxa included in the Appendices at the 18th Meeting of the Conference of the Parties (Geneva, August 2019). Species information extracted from The Reptile Database: an online Reference, version of 2 May 2020, accessed 5 May 2020 for species in the Families Agamidae, Gekkonidae and Viperidae <a href="https://cites.org/sites/default/files/eng/resources/checklists/Checklist_Reptiles_Added_CoP18lr_CITES.pdf">https://cites.org/sites/default/files/eng/resources/checklists/Checklist_Reptiles_Added_CoP18lr_CITES.pdf</a>
	Agamidae	<i>Saara</i> spp. <i>Uromastyx</i> spp.	WILMS, T. M., BÖHME, W., WAGNER, P., LUTZMANN, N. & SCHMITZ, A. (2009): On the phylogeny and taxonomy of the genus <i>Uromastyx</i> Merrem, 1820 (Reptilia: Squamata: Agamidae: Uromastycinae) – resurrection of the genus <i>Saara</i> Gray, 1845. – <i>Bonner zool. Beiträge</i> , <b>56</b> (1-2): 55-99.
	Anguidae	<i>Abronia</i> spp.	UETZ, P., FREED, P., & HÖSEK, J. (eds.) (2016): Taxonomic Checklist of the Species of the Genus <i>Abronia</i> . Species information extracted from The Reptile Database, version of 15 August 2016, accessed 11 May 2017. See Annex 2 of AC29 Doc.35 at <a href="https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A2.pdf">https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A2.pdf</a>
	Anguidae	<i>Abronia morenica</i>	CLAUSE, A.G., LUNA-REYES, R., & NIETO-MONTES DE OCA, A. (2020): A New Species of <i>Abronia</i> (Squamata: Anguidae) from a Protected Area in Chiapas, Mexico. <i>Herpetologica</i> 76(3): 330-343. <a href="https://doi.org/10.1655/Herpetologica-D-19-00047">https://doi.org/10.1655/Herpetologica-D-19-00047</a>
	Chamaeleonidae	Chamaeleonidae spp. except the taxa mentioned below	GLAW, F. (2015): Taxonomic checklist of chamaeleons (Squamata: Chamaeleonidae). -- <i>Vertebrate Zoology</i> , 65(2): 167-246. ( <a href="http://www.senckenberg.de/files/content/forschung/publikationen/vertebratezoology/vz65-2/01_verttebrate_zoology_65-2_glaw_167-246.pdf">http://www.senckenberg.de/files/content/forschung/publikationen/vertebratezoology/vz65-2/01_verttebrate_zoology_65-2_glaw_167-246.pdf</a> )
	Chamaeleonidae	<i>Brookesia antakarana</i> (incl. <i>B. ambreensis</i> )	SCHERZ, M. D., GLAW, F., RAKOTOARISON, A., WAGLER, M. & VENCES, M. (2018): Polymorphism and synonymy of <i>Brookesia antakarana</i> and <i>B. ambreensis</i> , leaf chameleons from Montagne d'Ambre in north Madagascar. <i>Salamandra</i> 54 (4): 259-268
	Chamaeleonidae	<i>Calumma gehringi</i>	PRÖTZEL, D., VENCES, M., SCHERZ, M. D., VIEITES, D. R. & GLAW, F. (2017): Splitting and lumping: An integrative taxonomic assessment of Malagasy chameleons in the <i>Calumma guibei</i> complex results in the new species <i>C. gehringi</i> sp. nov. - <i>Vertebrate Zoology</i> 67 (2): 231–249.
	Chamaeleonidae	<i>Calumma juliae</i> <i>Calumma lefona</i> <i>Calumma uetzi</i>	PRÖTZEL, D., HAWLITSCHKE, O., SCHERZ, M. D., RATSOAVINA, F. M. & GLAW, F. (2018): Endangered beauties: micro-CT cranial osteology, molecular genetics and external morphology reveal three new species of chameleons in the <i>Calumma boettgeri</i> complex (Squamata: Chamaeleonidae). <i>Zoological Journal of the Linnean Society</i> zlx112, DOI: 10.1093/zoolinnean/zlx112

		Taxon concerné	Référence taxonomique
	Chamaeleonidae	<i>Calumma roaloko</i>	PRÖTZEL, D., LAMBERT, S. M., ANDRIANOSOLO, G. T., HUTTER, C. R., COBB, K. A., SCHERZ, M. D. & GLAW, F. (2018): The smallest 'true chameleon' from Madagascar: a new, distinctly colored species of the <i>Calumma boettgeri</i> complex (Squamata, Chamaeleonidae). - <i>Zoosystematics and Evolution</i> 94 (2): 409-423
	Chamaeleonidae	<i>Kinyongia itombwensis</i> <i>Kinyongia rugegensis</i> <i>Kinyongia tolleyae</i>	HUGHES, D. F., KUSAMBA, C., BEHANGANA, M. & GREENBAUM, E. (2017): Integrative taxonomy of the Central African forest chameleon, <i>Kinyongia adolfifriderici</i> (Sauria: Chamaeleonidae), reveals underestimated species diversity in the Albertine Rift. - <i>Zoological Journal of the Linnean Society</i> 181 (2): 400-438.
	Chamaeleonidae	<i>Kinyongia msuyae</i>	MENEGON, M., LOADER, S. P., DAVENPORT, T. R. B., HOWELL, K. M., TILBURY, C. R., MACHAGA, S. & TOLLEY, K. A. (2015): A new species of chameleon (Sauria: Chamaeleonidae: <i>Kinyongia</i> ) highlights the biological affinities between the Southern Highlands and Eastern Arc Mountains of Tanzania. - <i>Acta Herpetologica</i> 10 (2): 111-120.
	Cordylidae	Cordylidae spp. except the taxa mentioned below	STANLEY, E. L., BAUER, A. M., JACKMAN, T. R., BRANCH, W. R. & P. LE F. N. (2011): Between a rock and a hard polytomy: rapid radiation in the rupicolous girdled lizards (Squamata: Cordylidae). <i>Molecular Phylogenetics and Evolution</i> , 58(1): 53-70.
	Cordylidae	<i>Cordylus marunguensis</i>	GREENBAUM, E., STANLEY, E. L., KUSAMBA, C., MONINGA, W. M., GOLDBERG, S. R. & CHA (2012): A new species of <i>Cordylus</i> (Squamata: Cordylidae) from the Marungu Plateau of south-eastern Democratic Republic of the Congo. <i>African Journal of Herpetology</i> , 61 (1): 14-39.
	Cordylidae	<i>Cordylus namakuiyus</i>	STANLEY, E. L., CERÍACO, L. M. P., BANDEIRA, S., VALERIO, H., BATES, M. F. & BRANCH, W. R. (2016): A review of <i>Cordylus machadoi</i> (Squamata: Cordylidae) in southwestern Angola, with the description of a new species from the Pro-Namib desert. - <i>Zootaxa</i> 4061 (3): 201-226.
	Eublepharidae	<i>Goniurosaurus</i> spp.	UETZ, P., FREED, P., AGUILAR, R., & HÖSEK, J. (eds.) (2022): Taxonomic Checklist of Reptile taxa included in the Appendices at the 18th Meeting of the Conference of the Parties (Geneva, August 2019). Species information extracted from The Reptile Database: an online Reference, version of 20 March 2022, accessed 5 May 2022 for species in the Family Eublepharidae. <a href="https://cites.org/sites/default/files/eng/resources/checklists/Checklist_Reptiles_Added_CoP18lr_CITES.pdf">https://cites.org/sites/default/files/eng/resources/checklists/Checklist_Reptiles_Added_CoP18lr_CITES.pdf</a>
	Gekkonidae	<i>Cnemaspis psychedelica</i>	GRISMER, L.L., NGO, V.T. and GRISMER, J.L. (2010): A colorful new species of insular rock gecko ( <i>Cnemaspis</i> Strauch 1887) from southern Vietnam. <i>Zootaxa</i> , 58: 46-58.
	Gekkonidae	<i>Dactylonemis</i> spp. <i>Hoplodactylus</i> spp. <i>Mokopirirakau</i> spp.	NIELSEN, S. V., BAUER, A. M., JACKMAN, T. R., HITCHMOUGH, R. A. & DAUGHERTY, C. H. (2011): New Zealand geckos (Diplodactylidae): Cryptic diversity in a post-Gondwanan lineage with trans-Tasman affinities. - <i>Molecular Phylogenetics and Evolution</i> , 59 (1): 1-22.

		Taxon concerné	Référence taxonomique
	Gekkonidae	<i>Gekko gekko</i> (incl. <i>Gekko reevesii</i> )	UETZ, P., FREED, P., AGUILAR, R., & HÖSEK, J. (eds.) (2022): Taxonomic Checklist of Reptile taxa included in the Appendices at the 18th Meeting of the Conference of the Parties (Geneva, August 2019). Species information extracted from The Reptile Database: an online Reference, version of 2 May 2020 accessed, 5 May 2020 for species in the Families Agamidae, Gekkonidae and Viperidae. <a href="https://cites.org/sites/default/files/eng/resources/checklists/Checklist_Reptiles_Added_CoP18lr_CITES.pdf">https://cites.org/sites/default/files/eng/resources/checklists/Checklist_Reptiles_Added_CoP18lr_CITES.pdf</a>
	Gekkonidae	<i>Gonatodes daudini</i>	POWELL, R., & R.W. HENDERSON. 2005. A new species of <i>Gonatodes</i> (Squamata: Gekkonidae) from the West Indies. <i>Carib. J. Sci.</i> 41 (4): 709-715
	Gekkonidae	<i>Lygodactylus williamsi</i>	UETZ, P., FREED, P. & HÖSEK, J. (eds.) (2016): Species information extracted from The Reptile Database, an online Reference, version of 15 August 2016, accessed 11 May 2017. See Annex 2 of AC29 Doc.35 at <a href="https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A2.pdf">https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A2.pdf</a>
	Gekkonidae	<i>Nactus serpensinsula</i>	KLUGE, A.G. (1983): Cladistic relationships among gekkonid lizards. – <i>Copeia</i> , <b>1983</b> 2): 465-475.
	Gekkonidae	<i>Naultinus</i> spp.	NIELSEN, S. V., BAUER, A. M., JACKMAN, T. R., HITCHMOUGH, R. A. & DAUGHERTY, C. H. (2011): New Zealand geckos (Diplodactylidae): Cryptic diversity in a post-Gondwanan lineage with trans-Tasman affinities. – <i>Molecular Phylogenetics and Evolution</i> , <b>59</b> (1): 1-22.
	Gekkonidae	<i>Paroedura androyensis</i>	UETZ, P., FREED, P., AGUILAR, R., & HÖSEK, J. (eds.) (2022): Taxonomic Checklist of Reptile taxa included in the Appendices at the 18th Meeting of the Conference of the Parties (Geneva, August 2019). Species information extracted from The Reptile Database: an online Reference, version of 2 May 2020, accessed, 5 May 2020 for species in the Families Agamidae, Gekkonidae and Viperidae. <a href="https://cites.org/sites/default/files/eng/resources/checklists/Checklist_Reptiles_Added_CoP18lr_CITES.pdf">https://cites.org/sites/default/files/eng/resources/checklists/Checklist_Reptiles_Added_CoP18lr_CITES.pdf</a>
	Gekkonidae	<i>Paroedura masobe</i>	NUSSBAUM, R.A. & RAXWORTHY, C.J. (1994): A new rainforest gecko of the genus <i>Paroedura</i> GÜNTHER from Madagascar. <i>Herpetological Natural History</i> 2 (1): 43-49
	Gekkonidae	<i>Phelsuma</i> spp. <i>Rhoptropella</i> spp.	GLAW, F. & RÖSLER, H. (2015): Taxonomic checklist of the day geckos of the genera <i>Phelsuma</i> Gray, 1825 and <i>Rhoptropella</i> Hewitt, 1937 (Squamata: Gekkonidae). - <i>Vertebrate Zoology</i> , <b>65</b> (2): 167-246) ( <a href="http://www.senckenberg.de/files/content/forschung/publikationen/vertebratezoology/vz65-2/02_vertrebrate_zoology_65-2_glaw-roesler_247-283.pdf">http://www.senckenberg.de/files/content/forschung/publikationen/vertebratezoology/vz65-2/02_vertrebrate_zoology_65-2_glaw-roesler_247-283.pdf</a> )
	Gekkonidae	<i>Toropuku</i> spp. <i>Tukutuku</i> spp. <i>Woodworthia</i> spp.	NIELSEN, S. V., BAUER, A. M., JACKMAN, T. R., HITCHMOUGH, R. A. & DAUGHERTY, C. H. (2011): New Zealand geckos (Diplodactylidae): Cryptic diversity in a post-Gondwanan lineage with trans-Tasman affinities. – <i>Molecular Phylogenetics and Evolution</i> , <b>59</b> (1): 1-22.
	Gekkonidae	<i>Uroplatus</i> spp. except for the taxa mentioned below	RAXWORTHY, C.J. (2003): Introduction to the reptiles. – In: Goodman, S.M. & Bernstead, J.P. (eds.), <i>The natural history of Madagascar</i> , : 934-949. Chicago.

		Taxon concerné	Référence taxonomique
	Gekkonidae	<i>Uroplatus fiera</i>	RATSOAVINA, F. M., RANJANAHARISOA, F. A., GLAW, F., RASELIMANANA, A. P., MIRALLES, A. & VENCES, M. (2015): A new leaf-tailed gecko of the <i>Uroplatus ebenau</i> group (Squamata: Gekkonidae) from Madagascar's central eastern rainforests. – <i>Zootaxa</i> 4006 (1): 143-160.
	Gekkonidae	<i>Uroplatus fotsivava</i> <i>Uroplatus kelirambo</i>	RATSOAVINA, F. M., GEHRING, P.-S., SCHERZ, M. D., VIEITES, D. R., GLAW, F. & VENCES, M. (2017): Two new species of leaf-tailed geckos ( <i>Uroplatus</i> ) from the Tsaratanana mountain massif in northern Madagascar. <i>Zootaxa</i> 4347 (3): 446-464.
	Gekkonidae	<i>Uroplatus finiavana</i>	RATSOAVINA, F.M., LOUIS JR., E.E., CROTTINI, A., RANDRIANIAINA, R.-D., GLAW, F. & VENCES, M. (2011): A new leaf tailed gecko species from northern Madagascar with a preliminary assessment of molecular and morphological variability in the <i>Uroplatus ebenau</i> group. – <i>Zootaxa</i> , <b>3022</b> : 39-57.
	Gekkonidae	<i>Uroplatus giganteus</i>	GLAW, F., KOSUCH, J., HENKEL, W. F., SOUND, P. AND BÖHME, W. (2006): Genetic and morphological variation of the leaf-tailed gecko <i>Uroplatus fimbriatus</i> from Madagascar, with description of a new giant species. – <i>Salamandra</i> , <b>42</b> : 129-144.
	Gekkonidae	<i>Uroplatus pietschmanni</i>	BÖHLE, A. & SCHÖNECKER, P. (2003): Eine neue Art der Gattung <i>Uroplatus</i> Duméril, 1805 aus Ost-Madagaskar (Reptilia: Squamata: Gekkonidae). – <i>Salamandra</i> , <b>39</b> (3/4): 129-138.
	Gekkonidae	<i>Uroplatus sameiti</i>	RAXWORTHY, C.J., PEARSON, R.G., ZIMKUS, B.M., REDDY, S., DEO, A.J., NUSSBAUM, R.A. & INGRAM, C.M. (2008): Continental speciation in the tropics: contrasting biogeographic patterns of divergence in the <i>Uroplatus</i> leaf-tailed gecko radiation of Madagascar. - <i>Journal of Zoology</i> , <b>275</b> : 423–440.
	Iguanidae	Iguanidae spp. except for the taxa mentioned below	HOLLINGSWORTH, B. D. (2004): The Evolution of Iguanas: An Overview of Relationships and a Checklist of Species. pp. 19-44. In: Alberts, A. C., Carter, R. L., Hayes, W. K. & Martins, E. P. (Eds), <i>Iguanas: Biology and Conservation</i> . Berkeley (University of California Press).
	Iguanidae	<i>Brachylophus bulabula</i>	KEOGH, J. S., EDWARDS, D. L., FISHER, R. N. & HARLOW, P. S. (2008): Molecular and morphological analysis of the critically endangered Fijian iguanas reveals cryptic diversity and a complex biogeographic history. <i>Phil. Trans. R. Soc. B</i> , <b>363</b> (1508): 3413-3426.
	Iguanidae	<i>Brachylophus gau</i>	FISHER, R. N., NIUKULA, J., WATLING, D. & HARLOW, P. S. (2017): A new species of iguana <i>Brachylophus</i> Cuvier 1829 (Sauria: Iguania: Iguanidae) from Gau Island, Fiji Islands. <i>Zootaxa</i> 4273(3): 407–422.
	Iguanidae	<i>Conolophus marthae</i>	GENTILE, G. & SNELL, H. (2009): <i>Conolophus marthae</i> sp. nov. (Squamata, Iguanidae), a new species of land iguana from the Galápagos archipelago. <i>Zootaxa</i> , <b>2201</b> : 1-10.
	Iguanidae	<i>Ctenosaura</i> spp.	Iguana Taxonomy Working Group (2016): A checklist of the iguanas of the world (Iguanidae; Iguaninae). In: <i>Iguanas: Biology, Systematics, and Conservation</i> (J. B. IVERSON, T.D. GRANT, C .R. KNAPP, and S. A. PASACHNIK, Eds.): 4–46. <i>Herpetological Conservation and Biology</i> 11 (Monograph 6).
	Iguanidae	<i>Cyclura lewisi</i>	BURTON, F. J. (2004): Revision to Species <i>Cyclura nubila lewisi</i> , the Grand Cayman Blue Iguana <i>Caribbean Journal of Science</i> , <b>40</b> (2): 198-203.

		Taxon concerné	Référence taxonomique
	Iguanidae	<i>Phrynosoma blainvillii</i> <i>Phrynosoma cerroense</i> <i>Phrynosoma wigginsi</i>	MONTANUCCI, R.R. (2004): Geographic variation in <i>Phrynosoma coronatum</i> (Lacertilia, Phrynosomatidae): further evidence for a peninsular archipelago. <i>Herpetologica</i> , <b>60</b> : 117.
	Lanthanotidae	Lanthanotidae spp.	UETZ, P., FREED, P. & HÖSEK, J. (eds.) (2016): Family, genus and species information extracted from the Integrated Taxonomic Information Service (ITIS), an online reference; and species information extracted from The Reptile Database, version of 15 August 2016, accessed 11 May 2017. See Annex 2 of AC29 Doc.35 at <a href="https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A2.pdf">https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A2.pdf</a>
	Teiidae	Teiidae spp. except for the taxa mentioned below	HARVEY, M. B., UGUETO, G. N. & GUTBERLET, R. L. JR. (2012): Review of teiid morphology with a revised taxonomy and phylogeny of the Teiidae (Lepidosauria: Squamata). – <i>Zootaxa</i> , <b>3459</b> : 1–156.
	Teiidae	<i>Tupinambis cryptus</i> <i>Tupinambis cuzcoensis</i> <i>Tupinambis zuliensis</i>	MURPHY, J.C., JOWERS, M.J., LEHTINEN, R.M., CHARLES, S.P., COLLI, G.R., PERES, A.K. JR, HENDRY, C.R. & PYRON, R.A. (2016): Cryptic, sympatric diversity in tegu lizards of the <i>Tupinambis teguixin</i> group (Squamata, Sauria, Teiidae) and the description of three new species. - <i>PLoS ONE</i> 11(8): e0158542.doi:10.1371/journal.pone.0158542.
	Varanidae	Varanidae spp. except for the taxa mentioned below	BÖHME, W. (2003): Checklist of the living monitor lizards of the world (family Varanidae) – <i>Zoologische Verhandelingen</i> . Leiden, <b>341</b> : 1-43.  in combination with  KOCH, A., AULIYA, M. & ZIEGLER, T. (2010): Updated Checklist of the living monitor lizards of the world (Squamata: Varanidae). - <i>Bonn zool. Bull.</i> , <b>57</b> (2): 127-136.
	Varanidae	<i>Varanus bangonorum</i> <i>Varanus dalubhasa</i> <i>Varanus samarensis</i>	WELTON, L. J., TRAVERS, S. L., SILER, C. D. & BROWN, R. M. (2014): Integrative taxonomy and phylogeny-based species delimitation of Philippine water monitor lizards ( <i>Varanus salvator</i> complex) with descriptions of two new cryptic species. - <i>Zootaxa</i> , <b>3881</b> (3): 201–227.
	Varanidae	<i>Varanus douarrha</i> <i>Varanus indicus</i>	WEIJOLA, V., KRAUS, F., VAHTERA, V., LINDQVIST, C. & DONNELLAN, S.C. (2017): Reinstatement of <i>Varanus douarrha</i> Lesson, 1830 as a valid species with comments on the zoogeography of monitor lizards (Squamata: Varanidae) in the Bismarck Archipelago, Papua New Guinea. - <i>Australian Journal of Zoology</i> , doi: 10.1071/ZO16038.
	Varanidae	<i>Varanus semotus</i>	WEIJOLA, V., DONNELLAN, S.C. & LINDQVIST, C. (2016): A new blue-tailed monitor lizard (Reptilia, Squamata, <i>Varanus</i> ) of the <i>Varanus indicus</i> group from Mussau Island, Papua New Guinea. - <i>ZooKeys</i> <b>568</b> : 129-154, doi: 10.3897/zookeys.568.6872.

		Taxon concerné	Référence taxonomique
	Varanidae	<i>Varanus hamersleyensis</i>	MARYAN, B., OLIVER, P. M., FITCH, A. J. & O'CONNELL, M. (2014): Molecular and morphological assessment of <i>Varanus pilbarensis</i> (Squamata: Varanidae), with a description of a new species from the southern Pilbara, Western Australia. <i>Zootaxa</i> , <b>3768</b> (2): 139–158.
	Varanidae	<i>Varanus nesterovi</i>	BÖHME, W., EHRlich, K., MILTO, K. D., ORLOV, N. & SCHOLZ, S. (2015): A new species of desert monitor lizard (Varanidae: <i>Varanus: Psammosaurus</i> ) from the western Zagros region (Iraq, Iran). - <i>Russian Journal of Herpetology</i> , <b>22</b> (1): 41-52.
	Varanidae	<i>Varanus sparnus</i>	DOUGHTY, P., KEALLEY, L., FITCH, A. & DONNELLAN, S. C. (2014): A new diminutive species of <i>Varanus</i> from the Dampier Peninsula, western Kimberley region, Western Australia. – <i>Records of the Western Australian Museum</i> , <b>29</b> : 128–140.
SERPENTES		Loxocemidae spp. Pythonidae spp. Boidae spp. Bolyeriidae spp. Tropidophiidae spp. Viperidae spp.  except for the retention of the genera <i>Acrantophis</i> , <i>Sanzinia</i> , <i>Calabaria</i> , <i>Lichanura</i> ,  and except for the taxa mentioned below	McDIARMID, R. W., CAMPBELL, J. A. & TOURÉ, T. A. (1999): Snake Species of the World. A Taxonomic and Geographic Reference. Volume 1, Washington, DC.(The Herpetologists' League).
	Boidae	<i>Candoia paulsoni</i> <i>Candoia superciliosa</i>	SMITH, H. M., CHISZAR, D., TEPEDELEN, K. & VAN BREUKELLEN, F. (2001): A revision of the bevelnosed boas ( <i>Candoia carinata</i> complex) (Reptilia: Serpentes). <i>Hamadryad</i> , <b>26</b> (2): 283-315.
	Boidae	<i>Corallus batesii</i>	HENDERSON, R. W., PASSOS, P. & FEITOSA, D. (2009); Geographic variation in the Emerald Treeboa, <i>Corallus caninus</i> (Squamata: Boidae). <i>Copeia</i> , <b>2009</b> (3): 572-582.
	Boidae	<i>Epicrates crassus</i> <i>Epicrates assisi</i> <i>Epicrates alvarezi</i>	PASSOS, P. & FERNANDES, R. (2008): Revision of the <i>Epicrates cenchria</i> complex (Serpentes: Boidae). <i>Herpetological Monographs</i> , <b>22</b> : 1-30.

		Taxon concerné	Référence taxonomique
	Boidae	<i>Epicrates cenchria</i> <i>Epicrates maurus</i> <i>Chilabothrus</i> spp.	REYNOLDS, R.G., NIEMILLER, M.L., HEDGES, S.B., DORNBURG, A., PUENTE-ROLÓN, A.R., & REVELL, L.J. (2013): Molecular phylogeny and historical biogeography of West Indian boid snakes ( <i>Chilabothrus</i> ). <i>Molecular Phylogenetics and Evolution</i> 68(3):461-470. doi:10.1016/j.ympev.2013.04.02
	Boidae	<i>Eryx borrii</i>	LANZA, B. & NISTRI, A. (2005): Somali Boidae (genus <i>Eryx</i> Daudin 1803) and Pythonidae (genus <i>Python</i> Daudin 1803) (Reptilia Serpentes). <i>Tropical Zoology</i> , 18(1): 67-136.
	Boidae	<i>Eunectes beniensis</i>	DIRKSEN, L. (2002): <i>Anakondas</i> . NTV Wissenschaft.
	Colubridae	<i>Xenochrophis piscator</i> <i>Xenochrophis schnurrenbergeri</i> <i>Xenochrophis tyleri</i>	VOGEL, G. & DAVID, P. (2012): A revision of the species group of <i>Xenochrophis piscator</i> (Schneider, 1799) (Squamata: Natricidae). <i>Zootaxa</i> , 3473: 1-60.
	Elapidae	<i>Micrurus ruatanus</i>	McCranie, J. R. (2015): A checklist of the amphibians and reptiles of Honduras, with additions, comments on taxonomy, some recent taxonomic decisions, and areas of further studies needed. - <i>Zootaxa</i> , 3931 (3): 352–386.
	Elapidae	<i>Naja atra</i> <i>Naja kaouthia</i>	WÜSTER, W. (1996): Taxonomic change and toxinology: systematic revisions of the Asiatic cobras ( <i>Naja naja</i> species complex). <i>Toxicon</i> , 34 (4): 339-406.
	Elapidae	<i>Naja mandalayensis</i>	SLOWINSKI, J. B. & WÜSTER, W. (2000): A new cobra (Elapidae: <i>Naja</i> ) from Myanmar (Burma) – <i>Herpetologica</i> , 56 (2): 257-270.
	Elapidae	<i>Naja oxiana</i> <i>Naja philippinensis</i> <i>Naja sagittifera</i> <i>Naja samarensis</i> <i>Naja siamensis</i> <i>Naja sputatrix</i> <i>Naja sumatrana</i>	WÜSTER, W. (1996): Taxonomic change and toxinology: systematic revisions of the Asiatic cobras ( <i>Naja naja</i> species complex) – <i>Toxicon</i> , 34 (4): 339-406.



		Taxon concerné	Référence taxonomique
	Pythonidae	<i>Leiopython bennettorum</i> <i>Leiopython biakensis</i> <i>Leiopython fredparkeri</i> <i>Leiopython huonensis</i> <i>Leiopython hoserae</i>	SCHLEIP, W. D. (2008): Revision of the genus <i>Leiopython</i> Hubrecht 1879 (Serpentes: Pythonidae) with the redescription of taxa recently described by Hoser (2000) and the description of new species. – Journal of Herpetology, <b>42</b> (4): 645–667.
	Pythonidae	<i>Malayopython reticulatus</i> <i>Malayopython timoriensis</i>	REYNOLDS, R.G., NIEMILLER, M.L, AND REVELL, L.J. (2014): Toward a Tree-of-Life for the boas and pythons: Multilocus species-level phylogeny with unprecedented taxon sampling. <i>Molecular Phylogenetics and Evolution</i> 71: 201–213.
	Pythonidae	<i>Morelia clastolepis</i> <i>Morelia kinghorni</i> <i>Morelia nauta</i> <i>Morelia tracyae</i>	HARVEY, M. B., BARKER, D. B., AMMERMAN, L. K. & CHIPPINDALE, P. T. (2000): Systematics of pythons of the <i>Morelia amethystina</i> complex (Serpentes: Boidae) with the description of three new species – Herpetological Monographs, <b>14</b> : 139-185.
	Pythonidae	<i>Python bivittatus</i> <i>Python molurus</i>	JACOBS, H. J., AULIYA, M. & BÖHME, W. (2009): Zur Taxonomie des Dunklen Tigerpythons, <i>Python molurus bivittatus</i> KUHL, 1820, speziell der Population von Sulawesi. – Sauria, <b>31</b> (3): 5-16.
	Pythonidae	<i>Python breitensteini</i> <i>Python brongersmai</i>	KEOGH, J. S., BARKER, D. G. & SHINE, R. (2001): Heavily exploited but poorly known: systematics and biogeography of commercially harvested pythons ( <i>Python curtus</i> group) in Southeast Asia – Biological Journal of the Linnean Society, <b>73</b> (1): 113-129.
	Pythonidae	<i>Python kyaiktiyo</i>	ZUG, G.R., GROTHE, S. W. & JACOBS, J. F. (2011): Pythons in Burma: Short-tailed python (Reptilia: Squamata). – Proc. biol. Soc. Washington, <b>124</b> (2): 112-136.
	Pythonidae	<i>Python natalensis</i>	BROADLEY, D. G. (1999): The southern African python, <i>Python natalensis</i> A. Smith 1840, is a valid species. – African Herp News, <b>29</b> : 31-32.
	Tropidophiidae	<i>Tropidophis</i> spp. except for the taxa mentioned below	HEDGES, S.B. (2002): Morphological variation and the definition of species in the snake genus <i>Tropidophis</i> (Serpentes, Tropidophiidae). - Bulletin of the Natural History Museum, London (Zoology), <b>68</b> (2): 83-90.
	Tropidophiidae	<i>Tropidophis celiae</i>	HEDGES, B. S., ESTRADA, A. R. & DIAZ, L. M. (1999): New snake (Tropidophis) from western Cuba Copeia, <b>1999</b> (2): 376-381.

		Taxon concerné	Référence taxonomique
	Tropidophiidae	<i>Tropidophis grapiuna</i>	CURCIO, F. F., SALES NUNES, P. M., SUZART ARGOLO, A. J., SKUK, G. & RODRIGUES, M. T. (2012): Taxonomy of the South American dwarf boas of the genus <i>Tropidophis</i> Bibron, 1840, with the description of two new species from the Atlantic forest (Serpentes: Tropidophiidae). – Herpetological Monographs, <b>26</b> (1): 80-121.
	Tropidophiidae	<i>Tropidophis hendersoni</i>	HEDGES, B. S. & GARRIDO, O. (2002): A new snake of the genus <i>Tropidophis</i> (Tropidophiidae) from Eastern Cuba – Journal of Herpetology, <b>36</b> :157-161.
	Tropidophiidae	<i>Tropidophis morenoi</i>	HEDGES, B. S., GARRIDO, O. & DIAZ, L. M. (2001): A new banded snake of the genus <i>Tropidophis</i> (Tropidophiidae) from north-central Cuba – Journal of Herpetology, <b>35</b> : 615-617.
	Tropidophiidae	<i>Tropidophis preciosus</i>	CURCIO, F. F., SALES NUNES, P. M., SUZART ARGOLO, A. J., SKUK, G. & RODRIGUES, M. T. (2012): Taxonomy of the South American dwarf boas of the genus <i>Tropidophis</i> Bibron, 1840, with the description of two new species from the Atlantic forest (Serpentes: Tropidophiidae). – Herpetological Monographs, <b>26</b> (1): 80-121.
	Tropidophiidae	<i>Tropidophis spiritus</i>	HEDGES, B. S. & GARRIDO, O. (1999): A new snake of the genus <i>Tropidophis</i> (Tropidophiidae) from central Cuba – Journal of Herpetology, <b>33</b> : 436-441.
	Tropidophiidae	<i>Tropidophis xanthogaster</i>	DOMÍNGUEZ, M., MORENO, L. V. & HEDGES, S. B. (2006): A new snake of the genus <i>Tropidophis</i> (Tropidophiidae) from the Guanahacabibes Peninsula of Western Cuba. – Amphibia-Reptilia, <b>27</b> (3): 427-432.
	Viperidae	<i>Atheris desaixi</i> <i>Bitis worthingtoni</i>	UETZ, P., FREED, P. & HÖSEK, J. (eds.) (2016): Species information extracted from The Reptile Database, version of 15 August 2016, accessed 11 May 2017. See Annex 2 of AC29 Doc.35 at <a href="https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A2.pdf">https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A2.pdf</a>
	Viperidae	<i>Montivipera wagneri</i>	GARRIGUES, T., DAUGA, C., FERQUEL, E., VALÉRIE CHOUMET, V., & FAILLOUX, A-B. (2005): Molecular phylogeny of <i>Vipera</i> Laurenti, 1768 and the related genera <i>Macrovipera</i> (Reuss, 1927) and <i>Daboia</i> (Gray, 1842), with comments about neurotoxic <i>Vipera aspis aspis</i> populations. <i>Molecular Phylogenetics and Evolution</i> 35(1): 35-47.
	Viperidae	<i>Protobothrops mangshanensis</i>	SNETKOV, P.B. & ORLOV, N.L. (2017) Phylogenetic Analysis of Old World Viperid Snakes (Serpentes, Viperidae) Based on Skeletal Morphology. <i>Russian Journal of Herpetology</i> , 24(1):22-34.
	Viperidae	<i>Pseudocerastes urarachnoides</i>	UETZ, P., FREED, P., AGUILAR, R., & HÖSEK, J. (eds.) (2022): Taxonomic Checklist of Reptile taxa included in the Appendices at the 18th Meeting of the Conference of the Parties (Geneva, August 2019). Species information extracted from The Reptile Database. <a href="https://cites.org/sites/default/files/eng/resources/checklists/Checklist_Reptiles_Added_CoP18lr_CITE_S.pdf">https://cites.org/sites/default/files/eng/resources/checklists/Checklist_Reptiles_Added_CoP18lr_CITE_S.pdf</a>
TESTUDINES		Testudines order names	WERMUTH, H. & MERTENS, R. (1996) (reprint): Schildkröte, Krokodile, Brückenechsen. xvii + 506 pp. Jena (Gustav Fischer Verlag).

		Taxon concerné	Référence taxonomique
		Species and family names – with the exception of the retention of the following names <i>Mauremys iversoni</i> , <i>Mauremys pritchardi</i> , <i>Ocadia glyphistoma</i> , <i>Ocadia philippeni</i> , <i>Sacalia pseudocellata</i> , and except for the taxa mentioned below	FRITZ, U. & HAVAŠ, P. (2007): Checklist of Chelonians of the World. – Vertebrate Zoology, <b>57</b> (2): 149-368. Dresden. ISSN 1864-5755 [without its appendix]
	Emydidae	<i>Graptemys pearlensis</i>	ENNEN, J. R., LOVICH, J. E., KREISER, B. R., SELMAN, W. & QUALLS, C. P. (2010): Genetic and morphological variation between populations of the Pascagoula Map Turtle ( <i>Graptemys gibbonsi</i> ) in the Pearl and Pascagoula Rivers with description of a new species. – Chelonian Conservation and Biology, <b>9</b> (1): 98-113.
	Geoemydidae	<i>Batagur affinis</i>	PRASCHAG, P., SOMMER, R. S., MCCARTHY, C., GEMEL, R. & FRITZ, U. (2008): Naming one of the world's rarest chelonians, the southern Batagur. – Zootaxa, <b>1758</b> : 61-68.
	Geoemydidae	<i>Batagur borneoensis</i> , <i>Batagur dhongoka</i> , <i>Batagur kachuga</i> , <i>Batagur trivittata</i>	PRASCHAG, P., HUNSDÖRFER, A. K. & FRITZ, U. (2007): Phylogeny and taxonomy of endangered South and South-east Asian freshwater turtles elucidated by mtDNA sequence variation (Testudines: Geoemydidae: <i>Batagur</i> , <i>Callagur</i> , <i>Hardella</i> , <i>Kachuga</i> , <i>Pangshura</i> ). - Zoologica Scripta, <b>36</b> : 429-442.
	Geoemydidae	<i>Cuora bourreti</i> <i>Cuora picturata</i>	SPINKS, P.Q., THOMSON, R.C., ZHANG, Y.P., CHE, J., WU, Y. & SHAFFER, H.B. (2012): Species boundaries and phylogenetic relationships in the critically endangered Asian box turtle genus <i>Cuora</i> . - Molecular Phylogenetics and Evolution, <b>63</b> : 656–667. doi:10.1016/j.ympev.2012.02.014.
	Geoemydidae	<i>Cyclemys enigmatica</i> , <i>Cyclemys fusca</i> <i>Cyclemys gemeli</i> <i>Cyclemys oldhamii</i>	FRITZ, U., GUICKING, D., AUER, M., SOMMER, R. S., WINK, M. & HUNSDÖRFER, A. K. (2008): Diversity of the Southeast Asian leaf turtle genus <i>Cyclemys</i> : how many leaves on its tree of life? – Zoologica Scripta, <b>37</b> : 367-390.
	Geoemydidae	<i>Malayemys khoratensis</i>	IHLOW, F., VAMBERGER, M., FLECKS, M., HARTMANN, T., COTA, M., MAKCHAI, S., MEEWATTANA, P., DAWSON, J.E., KHENG, L., RÖDDER, D., & FRITZ, U. (2016). Integrative taxonomy of Southeast Asian snail-eating turtles (Geoemydidae: <i>Malayemys</i> ) reveals a new species and mitochondrial introgression. <i>PLoS ONE</i> <b>11</b> (4): e0153108:1-26.
	Geoemydidae	<i>Mauremys reevesii</i>	BARTH, D., BERNHARD, D., FRITZSCH, G. & U. FRITZ (2004): The freshwater turtle genus <i>Mauremys</i> (Testudines, Geoemydidae) – a textbook example of an east-west disjunction or a taxonomic misconception? - Zoologica Scripta, <b>33</b> : 213-221.

		Taxon concerné	Référence taxonomique
	Testudinidae	<i>Centrochelys sulcata</i>	TURTLE TAXONOMY WORKING GROUP [VAN DIJK, P. P., IVERSON, J. B., RHODIN, A. G. J., SHAFFER, H. B. & BOUR, R.] (2014): Turtles of the world, 7 <sup>TH</sup> edition: Annotated checklist of taxonomy, synonymy, distribution with maps, and conservation status. 000.v7. - Chelonian Research Monographs, <b>5</b> doi: 10.3854/crm.5.000.checklist.v7.2014.
	Testudinidae	<i>Chelonoidis carbonarius</i> <i>Chelonoidis denticulatus</i> <i>Chelonoidis niger</i>	OLSON, S.L. & DAVID, N. (2014): The gender of the tortoise genus <i>Chelonoidis</i> Fitzinger, 1835 (Testudines: Testudinidae). - Proceedings of the Biological Society of Washington, <b>126</b> (4): 393-394.
	Testudinidae	<i>Chersobius</i> spp.	HOFMEYR, M.D., & BRANCH, W.R. (2018). The padloper's tortuous path (Chelonia: Testudinidae): Two genera, not one. <i>African Journal of Herpetology</i> , 2018:1-15. <a href="https://doi.org/10.1080/21564574.2017.1398187">https://doi.org/10.1080/21564574.2017.1398187</a>
	Testudinidae	<i>Gopherus evgoodei</i> <i>Gopherus morafkai</i>	EDWARDS, T., KARL, A.E., VAUGHN, M., ROSEN, P.C., MELENDEZ TORRES, C., & MURPHY, R.W. (2016). The desert tortoise trichotomy: Mexico hosts a third, new sister species of tortoise in the <i>Gopherus morafkai</i> – <i>G. agassizii</i> group. <i>ZooKeys</i> 562:131–158.
	Testudinidae	<i>Kinixys nogueyi</i> <i>Kinixys zombensis</i>	KINDLER, C., BRANCH, W. R., HOFMEYR, M. D., MARAN, J., ŠIROKÝ, P., VENCES, M., HARVEY, J., HAUSWALDT, J. S., SCHLEICHER, A., STUCKAS, H. & FRITZ, U. (2012): Molecular phylogeny of African hinge-back tortoises ( <i>Kinixys</i> ): implications for phylogeography and taxonomy (Testudines: Testudinidae). - Journal of Zoological Systematics and Evolutionary Research, <b>50</b> : 192–201.
	Trionychidae	<i>Lissemys ceylonensis</i>	PRASCHAG, P., STUCKAS, H., PÄCKERT, M., MARAN, J. & FRITZ, U. (2011): Mitochondrial DNA sequences suggest a revised taxonomy of Asian flapshell turtles ( <i>Lissemys</i> Smith, 1931) and the validity of previously unrecognized taxa (Testudines: Trionychidae). – Vertebrate Zoology, <b>61</b> (1): 147-160.
	Trionychidae	<i>Nilssonia gangeticus</i> <i>Nilssonia hurum</i> <i>Nilssonia leithii</i> <i>Nilssonia nigricans</i>	PRASCHAG, P., HUNSDÖRFER, A.K., REZA, A.H.M.A. & FRITZ, U. (2007): Genetic evidence for wild-living <i>Aspideretes nigricans</i> and a molecular phylogeny of South Asian softshell turtles (Reptilia: Trionychidae: <i>Aspideretes</i> , <i>Nilssonia</i> ). - Zoologica Scripta, <b>36</b> (4):301-310.
<b>AMPHIBIA</b>			

		Taxon concerné	Référence taxonomique
		Amphibia spp., except for the taxa listed below	FROST, D. R. (ed.) (2015). Taxonomic Checklist of Amphibian Species listed in the CITES Appendices and the Annexes of EC Regulation 338/97. Species information extracted from Amphibian Species of the World: a taxonomic and geographic reference, an online reference, version 6.0 as of May 2015 with additional comments by the Nomenclature Specialist of the CITES Animals Committee. See Annex 5 of CoP17 Doc. 81.1 at <a href="https://cites.org/sites/default/files/eng/cop/17/WorkingDocs/E-CoP17-81-01-A5.pdf">https://cites.org/sites/default/files/eng/cop/17/WorkingDocs/E-CoP17-81-01-A5.pdf</a>
ANURA		Anura: Microhylidae: <i>Dyscophus</i> spp. and <i>Scaphiophryne</i> spp.; Telmatobiidae: <i>Telmatobius culeus</i> ;	FROST, D. R. (ed.) (2017). Species information extracted from Amphibian Species of the World: a taxonomic and geographic reference, an online reference, version 6.0, accessed 12 May 2017. See Annex 3 of AC29 Doc.35 at <a href="https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A3.pdf">https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A3.pdf</a>
	Bufonidae	<i>Sclerophrys channingi</i> <i>Sclerophrys superciliaris</i>	OHLER, A., & DUBOIS, A. (2016): The identity of the South African toad <i>Sclerophrys capensis</i> Tschudi, 1838 (Amphibia, Anura). <i>PeerJ</i> 4(e1553): 1–13.
	Dendrobatidae	<i>Ameerega munduruku</i>	NEVES, M.DE O., DA SILVA, L.A., AKIEDA, P.S., CABRERA, R., KOROIVA, R., & SANTANA, D.J. (2017): A new species of poison frog, genus <i>Ameerega</i> (Anura: Dendrobatidae), from the southern Amazonian rain forest. <i>Salamandra</i> 53(4): 485–493.
	Dendrobatidae	<i>Ameerega shihuemoy</i>	SERRANO-ROJAS, S.J., WHITWORTH, A., VILLACAMPA-ORTEGA, J., VON MAY, R., GUTIÉRREZ, R.C., PADIAL, J.M., & CHAPARRO, J.C. (2017): A new species of poison-dart frog (Anura: Dendrobatidae) from Manu province, Amazon region of southeastern Peru, with notes on its natural history, bioacoustics, phylogenetics, and recommended conservation status. <i>Zootaxa</i> 4221(1): 71–94.
	Dendrobatidae	<i>Andinobates victimatus</i>	MÁRQUEZ, R., MEJÍA-VARGAS, D., PALACIOS-RODRÍGUEZ, P., RAMÍREZ-CASTAÑEDA, V., & AMÉZQUITA, A. (2017): A new species of <i>Andinobates</i> (Anura: Dendrobatidae) from the Urabá region of Colombia. <i>Zootaxa</i> 4290(3): 531–546.
	Dendrobatidae	<i>Epipedobates maculatus</i> <i>Paruwrobates andinus</i> <i>Paruwrobates erythromos</i>	GRANT, T., RADA, M., ANGANOY-CRIOLLO, M. A., BATISTA, A., DOS S. DIAS, P.H., JECKEL, A.M., MACHADO, D.J., & RUEDA-ALMONACID, J.V. (2017): Phylogenetic systematics of dart-poison frogs and their relatives revisited (Anura: Dendrobatoidea). <i>South American Journal of Herpetology</i> 12 (Special Issue): 1–90
	Dendrobatidae	<i>Oophaga anchicayensis</i> <i>Oophaga andresi</i> <i>Oophaga solanensis</i>	POSSO-TERRANOVA, A. & ANDRÉS, J. (2018): Multivariate species boundaries and conservation of harlequin poison frogs. <i>Molecular Ecology</i> 27: 3432–3451. DOI: 10.1111/mec.14803.
	Hylidae	<i>Agalychnis lemur</i>	FROST, D.R. (2021): Amphibian Species of the World: an Online Reference. Version 6.1. doi.org/10.5531/db.vz.0001

		Taxon concerné	Référence taxonomique
	Hylidae	<i>Agalychnis terranova</i>	RIVERA-CORREA, M., DUARTE-CUBIDES, F., RUEDA-ALMONACID, J.V., & DAZA-R., J.M. (2013): A new red-eyed treefrog of <i>Agalychnis</i> (Anura: Hylidae: Phyllomedusinae) from middle Magdalena River valley of Colombia with comments on its phylogenetic position. <i>Zootaxa</i> 3636 (1): 85–100.
CAUDATA	Salamandridae	<i>Echinotriton</i> spp. <i>Paramesotriton</i> spp. <i>Tylototriton</i> spp.	FROST, D. R. (ed.) (2022). Taxonomic Checklist of Amphibian taxa included in the Appendices at the 18th Meeting of the Conference of the Parties (Geneva, August 2019). Species information extracted from Amphibian Species of the World: an online Reference, Version 6.1, accessed 5 May 2020 for species of the genera <i>Echinotriton</i> and 5 May 2022 for species of the genus <i>Tylototriton</i> . <a href="https://cites.org/sites/default/files/eng/resources/checklists/Checklist_Amphibian_Added_CoP18_CIT_ES.pdf">https://cites.org/sites/default/files/eng/resources/checklists/Checklist_Amphibian_Added_CoP18_CIT_ES.pdf</a>
<b>ELASMOBRANCHII, ACTINOPTERI, COELACANTHI, and DIPNEUSTI</b>			
		All fish species, except the taxa listed below	ESCHMEYER, W.N. & FRICKE, R. (eds.) (2015): Taxonomic Checklist of Fish species listed in the CITES Appendices and the Annexes of EC Regulation 338/97 (Elasmobranchii, Actinopteri, Coelacanthi, and Dipneusti, except the genus <i>Hippocampus</i> ). Information extracted from Catalog of Fishes, an online reference, version update from 3 February 2015. See Annex 6 of CoP17 Doc. 81.1 at <a href="https://cites.org/sites/default/files/eng/cop/17/WorkingDocs/E-CoP17-81-01-A6.pdf">https://cites.org/sites/default/files/eng/cop/17/WorkingDocs/E-CoP17-81-01-A6.pdf</a>
		Elasmobranchii: Carcharhiniformes: Carcharhinidae: <i>Carcharhinus falciformis</i> ;  Lamniformes: Alopiidae: <i>Alopias</i> spp.;;  Myliobatiformes: Myliobatidae: <i>Mobula</i> spp. except the taxa mentioned below;  Potamotrygonidae: <i>Potamotrygon</i> spp.;;  Actinopteri: Perciformes: Pomacanthidae: <i>Holacanthus clarionensis</i>	ESCHMEYER, W.N., FRICKE, R., & VAN DER LAAN, R. (eds.) (2017): Information extracted from Catalog of Fishes: Genera, Species, References, an online reference, version of 28 April 2017, accessed 12 May 2017. See Annex 4 of AC29 Doc.35 at <a href="https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A4.pdf">https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A4.pdf</a>

		Taxon concerné	Référence taxonomique
		Elasmobranchii: Lamniformes: Lamnidae: <i>Isurus</i> spp.;  Rhinopristiformes: Glaucostegidae: <i>Glaucostegus</i> spp.;  Rhinidae spp.	ESCHMEYER, W.N., R. FRICKE, & R. VAN DER LAAN (eds.) (2019) Taxonomic Checklist of Fish taxa included in the Appendices at the 18th Meeting of the Conference of the Parties. Species information extracted from Catalog of Fishes: Genera, Species, References, an online reference, version of 4 May 2020, accessed 5 May 2020. See Annex 3 of AC31 Doc. 37 at <a href="https://cites.org/sites/default/files/eng/com/ac/31/Docs/E-AC31-37-A3.pdf">https://cites.org/sites/default/files/eng/com/ac/31/Docs/E-AC31-37-A3.pdf</a>
	Mobulidae	<i>Mobula alfredi</i>  <i>Mobula birostris</i>  <i>Mobula hypostoma</i> (incl. <i>M. rochebrunei</i> )	WHITE, W. T. & P. R. LAST. (2016). DEVILRAYS, FAMILY MOBULIDAE. PP. 741-749 IN LAST, P. R., W. T. WHITE, M. R. DE CARVALHO, B. SÉRET, M. F. W. STEHMANN & G. J. P. NAYLOR (EDS.). <i>Rays of the World</i> . CSIRO Publishing, Comstock Publishing Associates. i-ix + 1-790
	Rhinobatidae	Rhinobatidae spp.	LAST, P. R., SERET, B., & NAYLOR, G. J. (2016a): A new species of guitarfish, <i>Rhinobatos borneensis</i> sp. nov. with a redefinition of the family-level classification in the order Rhinopristiformes (Chondrichthyes: Batoidea). <i>Zootaxa</i> , 4117(4), 451-475. DOI 10.11646/zootaxa.4117.4.1
	Rhinobatidae	<i>Acroteriobatus andysabini</i> and <i>A. stehmanni</i>	WEIGMANN, S., EBERT, D. A., & SÉRET, B. (2021): Resolution of the <i>Acroteriobatus leucospilus</i> species complex, with a redescription of <i>A. leucospilus</i> (Norman, 1926) and descriptions of two new western Indian Ocean species of <i>Acroteriobatus</i> (Rhinopristiformes, Rhinobatidae). <i>Mar. Biodivers.</i> , 51(4), 1-30.
	Rhinobatidae	<i>Acroteriobatus omanensis</i>	LAST, P. R., HENDERSON, A. C., & NAYLOR, G. J. (2016b): <i>Acroteriobatus omanensis</i> (Batoidea: Rhinobatidae), a new guitarfish from the Gulf of Oman. <i>Zootaxa</i> , 4144(2): 276-286.
	Rhinobatidae	<i>Pseudobatos buthi</i>	RUTLEDGE, K. M. (2019): A new guitarfish of the genus <i>Pseudobatos</i> (Batoidea: Rhinobatidae) with key to the guitarfishes of the Gulf of California. <i>Copeia</i> , 107(3): 451-463.
	Rhinobatidae	<i>Rhinobatos austini</i>	EBERT, D. A., & GON, O. (2017): <i>Rhinobatos austini</i> n. sp., a new species of guitarfish (Rhinopristiformes: Rhinobatidae) from the southwestern Indian Ocean. <i>Zootaxa</i> , 4276(2), 204-214.
	Rhinobatidae	<i>Rhinobatos manai</i>	WHITE, W. T., LAST, P. R., & NAYLOR, G. J. (2016): <i>Rhinobatos manai</i> sp. nov., a new species of guitarfish (Rhinopristiformes: Rhinobatidae) from New Ireland, Papua New Guinea. <i>Zootaxa</i> , 4175(6), 588-600.
	Rhinobatidae	<i>Rhinobatos ranongensis</i>	LAST, P.R., SERET, B., & NAYLOR, G.J. (2019): Description of <i>Rhinobatos ranongensis</i> sp. nov. (Rhinopristiformes: Rhinobatidae) from the Andaman Sea and Bay of Bengal with a review of its northern Indian Ocean congeners. <i>Zootaxa</i> , 4576(2), 257–287.
SYNGNATHIFORMES	Syngnathidae	<i>Hippocampus</i> spp. except the taxa listed below	LOURIE, S.A., POLLOM, R.A. and FOSTER, S.J. 2016. A global revision of the Seahorses <i>Hippocampus</i> Rafinesque 1810 (Actinopterygii: Syngnathiformes): Taxonomy and biogeography with recommendations for further research. <i>Zootaxa</i> 4146(1): 1-066.



		Taxon concerné	Référence taxonomique
	Syngnathidae	<i>Hippocampus casscsio</i>	ZHANG, Y-H., QIN, G., WANG, X., & LIN, Q. (2016): A new species of seahorse (Teleostei: Syngnathidae) from the South China Sea. <i>Zootaxa</i> 4170 (2): 384–392. <a href="http://doi.org/10.11646/zootaxa.4170.2.11">http://doi.org/10.11646/zootaxa.4170.2.11</a>
	Syngnathidae	<i>Hippocampus haema</i>	HAN, S-Y., KIM, J-K., KAI, Y., & SENOU, H. (2017): Seahorses of the <i>Hippocampus coronatus</i> complex: taxonomic revision, and description of <i>Hippocampus haema</i> , a new species from Korea and Japan (Teleostei, Syngnathidae). <i>ZooKeys</i> 712: 113–139. doi: 10.3897/zookeys.712.14955
	Syngnathidae	<i>Hippocampus japapigu</i>	SHORT, G., SMITH, R., MOTOMURA, H., HARASTI, D., & HAMILTON, H. (2018): <i>Hippocampus japapigu</i> , a new species of pygmy seahorse from Japan, with a redescription of <i>H. pontohi</i> (Teleostei, Syngnathidae). <i>ZooKeys</i> 779: 27–49. doi: 10.3897/zookeys.779.24799
<b>ARACHNIDA</b>			
ARANEAE	Theraphosidae	<i>Aphonopelma pallidum</i> , <i>Brachypelma</i> spp. except for the taxa mentioned below	PLATNICK, N. (2006), <i>Taxonomic Checklist of CITES listed Spider Species</i> , information extracted from The World Spider Catalog, an online reference, Version 6.5 as of 7 April 2006. [available at <a href="http://www.cites.org/common/docs/Res/12_11/spider_checklist.pdf">http://www.cites.org/common/docs/Res/12_11/spider_checklist.pdf</a> ]
	Theraphosidae	<i>Brachypelma albiceps</i> <i>Brachypelma smithi</i> <i>Tliltocatl albopilosum</i> , <i>Tliltocatl epicureanum</i> , <i>Tliltocatl kahlenbergi</i> , <i>Tliltocatl sabulosum</i> , <i>Tliltocatl schroederi</i> , <i>Tliltocatl vagans</i> , <i>Tliltocatl verdezi</i>	MENDOZA, J. & FRANCKE, O. (2019): Systematic revision of Mexican threatened tarantulas <i>Brachypelma</i> (Araneae: Theraphosidae: Theraphosinae), with a description of a new genus, and implications on the conservation. <i>Zoological Journal of the Linnean Society</i> , 2019, XX; 1–66. <a href="http://zoobank.org/urn:lsid:zoobank.org:pub:E4D09A17-444F-45A0-95DB-059ECA175569">http://zoobank.org/urn:lsid:zoobank.org:pub:E4D09A17-444F-45A0-95DB-059ECA175569</a>
	Theraphosidae	<i>Poecilotheria</i> spp., except the taxa mentioned below	WORLD SPIDER CATALOG. (2020). Taxonomic Checklist of Spider taxa included in the Appendices at the 18 <sup>th</sup> Meeting of the Conference of the Parties. Species information extracted from the World Spider Catalog (2020). Version 21.0. Natural History Museum Bern, online at <a href="http://wsc.nmbe.ch">http://wsc.nmbe.ch</a> , accessed on 5 May 2020. doi: 10.24436/2. See Annex 4 of AC31 Doc. 37 at <a href="https://cites.org/sites/default/files/eng/com/ac/31/Docs/E-AC31-37-A4.pdf">https://cites.org/sites/default/files/eng/com/ac/31/Docs/E-AC31-37-A4.pdf</a>

		Taxon concerné	Référence taxonomique
	Theraphosidae	<i>Poecilotheria srilankensis</i>	NANAYAKKARA, R. P., GANEHIARACHI, G. A. S. M., KUSUMINDA, T., VISHVANATH, N., KARUNARATNE, M. K. & KIRK, P. (2019): A new species of tiger spider in the genus <i>Poecilotheria</i> Pocock, 1899 (Araneae: Theraphosidae) from Belihuloya, Sri Lanka. <i>Journal of the British Tarantula Society</i> 34(3): 3-17
	Theraphosidae	<i>Poecilotheria tigrinawesseli</i>	SHERWOOD, D. (2019): Revised taxonomical placement of <i>Poecilotheria chaojii</i> Mirza, Sanap & Bhosale, 2014 (Araneae: Theraphosidae). <i>Arachnology</i> 18(1): 19-21. doi:10.13156/ arac.2018.18.1.19
	Theraphosidae	<i>Sericopelma angustum</i> <i>Sericopelma embrithes</i>	GABRIEL, R., & LONGHORN, S.J. 2015. Revised generic placement of <i>Brachypelma embrithes</i> (Chamberlin & Ivie, 1936) and <i>Brachypelma angustum</i> Valerio, 1980, with definition of the taxonomic features for identification of female <i>Sericopelma</i> Ausserer, 1875 (Araneae, Theraphosidae). <i>ZooKeys</i> 526: 75–104.
SCORPIONES	Scorpionidae	<i>Pandinus</i> spp. except for the taxa mentioned below	LOURENÇO, W. R. & CLOUDSLEY-THOMPSON, J. C. (1996): Recognition and distribution of the scorpions of the genus <i>Pandinus</i> Thorell, 1876 accorded protection by the Washington Convention – <i>Biogeographica</i> , <b>72</b> (3): 133-143.
		<i>Pandinus camerounensis</i> <i>Pandinus roeseli</i>	LOURENÇO, W. R. (2014): Further considerations on the identity and distribution of <i>Pandinus imperator</i> (C. L. Koch, 1841) and description of a new species from Cameroon (Scorpiones: Scorpionidae). - <i>Entomologische Mitteilungen aus dem Zoologischen Museum Hamburg</i> , <b>17</b> (192): 139-151.
<b>INSECTA</b>			
COLEPTERA	Lucanidae	<i>Colophon</i> spp. except the taxa mentioned below	BARTOLOZZI, L. (2005): Description of two new stag beetle species from South Africa (Coleoptera: Lucanidae). - <i>African Entomology</i> , <b>13</b> (2): 347-352.
	Lucanidae	<i>Colophon deschodti</i> , C. <i>eastmani</i> , C. <i>nagaii</i> , C. <i>switalae</i> , C. <i>struempheri</i>	JACOBS, C.T., SCHOLTZ, C.H., & STRÜMPHER, W.P. 2015. Taxonomy of <i>Colophon</i> Gray (Coleoptera: Lucanidae): new species and a status change. <i>Zootaxa</i> 4057(1): 135–142. Doi 10.11646/zootaxa.4057.1.9
LEPIDOPTERA	Papilionidae	<i>Achillides</i> spp. [only the species of the Philippines]	PAGE, M. G. P. & TREADAWAY, C. G. (2004). Papilionidae of the Philippine Island. In: E. BAUER, AN AND T. FRANKENBACH, Eds.). <i>Butterflies of the world, Supplement 8</i> . Goecke & Evers, Keltern. 58 pp.
	Papilionidae	<i>Ornithoptera</i> spp. <i>Trogonoptera</i> spp. <i>Troides</i> spp.	MATSUKA, H. (2001): Natural History of Birdwing Butterflies. 367 pp. Tokyo (Matsuka Shuppan).(ISBN 4-9900697-0-6).
<b>HIRUDINOIDEA</b>			

		Taxon concerné	Référence taxonomique
ARHYNCHOBDELLIDA	Hirudinidae	<i>Hirudo medicinalis</i> <i>Hirudo verbana</i>	NESEMANN, H. & NEUBERT, E. (1999): Annelida: Clitellata: Branchiobdellida, Acanthobdellea, Hirudinea. – Süßwasserfauna von Mitteleuropa, vol. 6/2, 178 pp., Berlin (Spektrum Akad. Verlag). ISBN 3-8274-0927-6.
<b>BIVALVIA</b>			
VENEROIDA	Tridacnidae	<i>Tridacna lorenzi</i> , <i>T. mbalavuana</i> (incl. <i>T. tevoroa</i> ), <i>T. noae</i> (incl. <i>T. ningaloo</i> ), <i>T. squamosina</i> ,	WoRMS Editorial Board. 2018. Genus <i>Tridacna</i> .
<b>CEPHALOPODA</b>			
	Nautilidae	Nautilidae spp.	Family, genus and species information extracted from the Integrated Taxonomic Information Service (ITIS), an online reference. See Annex 5 of AC29 Doc.35 at <a href="https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A5.pdf">https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A5.pdf</a>
<b>ANTHOZOA &amp; HYDROZOA</b>			
		all CITES listed species	Taxonomic Checklist of all CITES listed Coral Species, based on information compiled by UNEP-WCMC 2012

## FLORA

Famille		Taxon concerné	Référence taxonomique
<b>AMARYLLIDACEAE, PRIMULACEAE</b>		<i>Cyclamen</i> , <i>Galanthus</i> and <i>Sternbergia</i>	Davis, A.P. <i>et al.</i> (1999). <i>CITES Bulb Checklist</i> , compiled by the Royal Botanic Gardens, Kew, United Kingdom of Great Britain and Northern Ireland) as a guideline when making reference to the names of species of <i>Cyclamen</i> and <i>Galanthus</i> and <i>Sternbergia</i>
<b>APOCYNACEAE</b>		<i>Pachypodium</i> spp.	<i>CITES Aloe and Pachypodium Checklist</i> (U. Eggli <i>et al.</i> , 2001, compiled by Städtische Sukkulentensammlung, Zurich, Switzerland, in collaboration with the Royal Botanic Gardens, Kew, United Kingdom of Great Britain and Northern Ireland) and its update: <i>An Update and Supplement to the CITES Aloe &amp; Pachypodium Checklist</i> [J. M. Lüthy (2007), CITES Management Authority of Switzerland, Bern, Switzerland] as a guideline when making reference to the names of species of <i>Aloe</i> and <i>Pachypodium</i> .
<b>APOCYNACEAE</b>		<i>Hoodia</i> spp.	<i>Plants of Southern Africa: an annotated checklist</i> . Germishuizen, G. & Meyer N. L. (eds.) (2003). <i>Strelitzia</i> 14: 150-151. National Botanical Institute, Pretoria, South Africa as a guideline when making reference to the names of species of <i>Hoodia</i> .
<b>CACTACEAE</b>		All <i>Cactaceae</i> , except <i>Aztekium valdezii</i>	<i>CITES Cactaceae Checklist</i> third edition (2016, compiled by D. Hunt) as a guideline when making reference to names of species of <i>Cactaceae</i> , and the amendments and updates outlined in <i>A Supplement to the CITES Cactaceae Checklist Third Edition 2016</i> (Hunt, D. 2018). The checklist and its supplement can be found on the website of the Royal Botanic Gardens, Kew, UK at " <a href="https://www.kew.org/conservation/cites/cactaceae-checklist">goo.gl/M26yL8</a> ".
<b>CACTACEAE</b>		<i>Aztekium valdezii</i>	Marcía, C.G.V., Vázquez, M.A.A. & Montes, S.A. (2013). A new species of <i>Aztekium</i> ( <i>Cactaceae</i> ) from Nuevo León, Mexico. <i>Xerophilia</i> , Special Issue 2: 3–25.  Accessible at: <a href="https://xerophilia.ro/wp-content/uploads/2013/08/AZTEKIUM-VALDEZII.pdf">https://xerophilia.ro/wp-content/uploads/2013/08/AZTEKIUM-VALDEZII.pdf</a>
<b>CYCADACEAE, STANGERIACEAE and ZAMIACEAE</b>		All <i>Cycadaceae</i> , <i>Stangeriaceae</i> and <i>Zamiaceae</i> .	The World List of Cycads: CITES and Cycads: Checklist 2013 (Roy Osborne, Michael A. Calonje, Ken D. Hill, Leonie Stanberg and Dennis Wm. Stevenson) in <i>CITES and Cycads a user's guide</i> (Rutherford, C. <i>et al.</i> , Royal Botanic Gardens, Kew. UK 2013), as a guideline when making reference to names of species of <i>Cycadaceae</i> , <i>Stangeriaceae</i> and <i>Zamiaceae</i> .
<b>DICKSONIACEAE</b>		<i>Dicksonia</i> species of the Americas.	<i>Dicksonia species of the Americas</i> (2003, compiled by Bonn Botanic Garden and the Federal Agency for Nature Conservation, Bonn, Germany) as a guideline when making reference to the names of species of <i>Dicksonia</i> .
<b>DROSERACEAE, NEPENTHACEAE, SARRACENIACEAE</b>		<i>Dionaea</i> , <i>Nepenthes</i> and <i>Sarracenia</i> .	<i>CITES Carnivorous Plant Checklist</i> (B. von Arx <i>et al.</i> , 2001, Royal Botanic Gardens, Kew, UK) as a guideline when making reference to names of species of <i>Dionaea</i> , <i>Nepenthes</i> and <i>Sarracenia</i> .

Famille		Taxon concerné	Référence taxonomique
<b>AMARYLLIDACEAE, PRIMULACEAE</b>		<i>Cyclamen</i> , <i>Galanthus</i> and <i>Sternbergia</i>	Davis, A.P. <i>et al.</i> (1999). <i>CITES Bulb Checklist</i> , compiled by the Royal Botanic Gardens, Kew, United Kingdom of Great Britain and Northern Ireland) as a guideline when making reference to the names of species of <i>Cyclamen</i> and <i>Galanthus</i> and <i>Sternbergia</i>
<b>APOCYNACEAE</b>		<i>Pachypodium</i> spp.	<i>CITES Aloe and Pachypodium Checklist</i> (U. Eggli <i>et al.</i> , 2001, compiled by Städtische Sukkulentensammlung, Zurich, Switzerland, in collaboration with the Royal Botanic Gardens, Kew, United Kingdom of Great Britain and Northern Ireland) and its update: <i>An Update and Supplement to the CITES Aloe &amp; Pachypodium Checklist</i> [J. M. Lüthy (2007), CITES Management Authority of Switzerland, Bern, Switzerland] as a guideline when making reference to the names of species of <i>Aloe</i> and <i>Pachypodium</i> .
<b>APOCYNACEAE</b>		<i>Hoodia</i> spp.	<i>Plants of Southern Africa: an annotated checklist</i> . Germishuizen, G. & Meyer N. L. (eds.) (2003). Strelitzia 14: 150-151. National Botanical Institute, Pretoria, South Africa as a guideline when making reference to the names of species of <i>Hoodia</i> .
<b>CACTACEAE</b>		All <i>Cactaceae</i> , except <i>Aztekium valdezii</i>	<i>CITES Cactaceae Checklist</i> third edition (2016, compiled by D. Hunt) as a guideline when making reference to names of species of <i>Cactaceae</i> , and the amendments and updates outlined in <i>A Supplement to the CITES Cactaceae Checklist</i> Third Edition 2016 (Hunt, D. 2018). The checklist and its supplement can be found on the website of the Royal Botanic Gardens, Kew, UK at " <a href="https://www.kew.org/science/our-science/science-services/UK-CITES/cites-resources">goo.gl/M26yL8</a> ".
<b>EBENACEAE</b>		<i>Diospyros</i> spp. – populations of Madagascar. (large tree species)	Lowry <i>et al.</i> 2022. <i>Large tree species of Diospyros from Madagascar</i> . Catalogue of Plants of Madagascar. <a href="http://legacy.tropicos.org/ProjectWebPortal.aspx?pagename=Diospyros_LT&amp;projectid=17">http://legacy.tropicos.org/ProjectWebPortal.aspx?pagename=Diospyros_LT&amp;projectid=17</a> .  Accessible at: <a href="https://cites.org/sites/default/files/eng/prog/timber/Ebenaceae_Diospyros_spp_populations_of_Madagascar_052022.pdf">https://cites.org/sites/default/files/eng/prog/timber/Ebenaceae_Diospyros_spp_populations_of_Madagascar_052022.pdf</a>
<b>EUPHORBIACEAE</b>		Succulent species of <i>Euphorbia</i> .	<i>The CITES Checklist of Succulent Euphorbia Taxa (Euphorbiaceae)</i> , Second edition (S. Carter and U. Eggli, 2003, published by the Federal Agency for Nature Conservation, Bonn, Germany) as a guideline when making reference to the names of species of succulent euphorbias.
<b>LEGUMINOSAE</b>		<i>Dalbergia</i> spp.	Cowell C., Williams E., Bullough L.-A., Grey J., Klitgaard B., Govaerts R., Andriambololonera S., Cervantes A., Cramer S., Lima, H.C., Lachenaud O., Li S.-J., Linares J.L., Phillipson P., Rakotonirina N., Wilding N., van der Burgt X., Vatanparast M., Barker A., Barstow M., Beentje H., and Plummer J. 2022. <i>CITES Dalbergia Checklist</i> . Commissioned by the CITES Secretariat. Royal Botanic Gardens, Kew, Surrey.  Accessible in English, French and Spanish at: <a href="https://www.kew.org/science/our-science/science-services/UK-CITES/cites-resources">https://www.kew.org/science/our-science/science-services/UK-CITES/cites-resources</a>

Famille		Taxon concerné	Référence taxonomique
<b>AMARYLLIDACEAE, PRIMULACEAE</b>		<i>Cyclamen</i> , <i>Galanthus</i> and <i>Sternbergia</i>	Davis, A.P. <i>et al.</i> (1999). <i>CITES Bulb Checklist</i> , compiled by the Royal Botanic Gardens, Kew, United Kingdom of Great Britain and Northern Ireland) as a guideline when making reference to the names of species of <i>Cyclamen</i> and <i>Galanthus</i> and <i>Sternbergia</i>
<b>APOCYNACEAE</b>		<i>Pachypodium</i> spp.	<i>CITES Aloe and Pachypodium Checklist</i> (U. Eggli <i>et al.</i> , 2001, compiled by Städtische Sukkulentensammlung, Zurich, Switzerland, in collaboration with the Royal Botanic Gardens, Kew, United Kingdom of Great Britain and Northern Ireland) and its update: <i>An Update and Supplement to the CITES Aloe &amp; Pachypodium Checklist</i> [J. M. Lüthy (2007), CITES Management Authority of Switzerland, Bern, Switzerland] as a guideline when making reference to the names of species of <i>Aloe</i> and <i>Pachypodium</i> .
<b>APOCYNACEAE</b>		<i>Hoodia</i> spp.	<i>Plants of Southern Africa: an annotated checklist</i> . Germishuizen, G. & Meyer N. L. (eds.) (2003). Strelitzia 14: 150-151. National Botanical Institute, Pretoria, South Africa as a guideline when making reference to the names of species of <i>Hoodia</i> .
<b>CACTACEAE</b>		All <i>Cactaceae</i> , except <i>Aztekium valdezii</i>	<i>CITES Cactaceae Checklist</i> third edition (2016, compiled by D. Hunt) as a guideline when making reference to names of species of <i>Cactaceae</i> , and the amendments and updates outlined in <i>A Supplement to the CITES Cactaceae Checklist</i> Third Edition 2016 (Hunt, D. 2018). The checklist and its supplement can be found on the website of the Royal Botanic Gardens, Kew, UK at " <a href="http://goo.gl/M26yL8">goo.gl/M26yL8</a> ".
<b>LEGUMINOSAE</b>		<i>Dipteryx</i> spp.	Carvalho, C.S., de Fraga, N.C., Cardoso, D.B.O.S. and Lima, H.C. 2020. Tonka, baru and cumaru: Nomenclatural overview, typification and updated checklist of <i>Dipteryx</i> (Leguminosae). <i>Taxon</i> . 69(3), pp.582-592
<b>LEGUMINOSAE</b>		<i>Guibourtia pellegriniana</i>	Leonard, J. (1949). <i>Notulae Systematicae IV</i> (Caesalpinieae-Amherstieae africanae americanaeque). <i>Bulletin du Jardin Botanique de l'État a Bruxelles</i> 19(4): 383–408. [ <i>Guibourtia pellegriniana</i> treated on p. 405]. <a href="https://doi.org/10.2307/3666831">https://doi.org/10.2307/3666831</a>
<b>LEGUMINOSAE</b>		<i>Paubrasilia echinata</i>	Gagnon, E., Bruneau, A., Hughes, C.E., de Queiroz, L. P. & Lewis, G.P. (2016). <i>A new generic system for the pantropical Caesalpinia group (Leguminosae)</i> as a guideline when making reference to the name of this taxon. This reference can be found on " <a href="https://phytokeys.pensoft.net/articles.php?id=9203">https://phytokeys.pensoft.net/articles.php?id=9203</a> ", with free access, and additional information on the taxon can be found at " <a href="http://floradobrasil.jbrj.gov.br/reflora/listaBrasil">http://floradobrasil.jbrj.gov.br/reflora/listaBrasil</a> "
<b>LEGUMINOSAE</b>		<i>Platymiscium pleiostachyum</i>	Bente B. Klitgaard (2005). <i>Platymiscium</i> (Leguminosae: Dalbergieae); biogeography, systematics, morphology, taxonomy and uses. <i>Kew Bulletin</i> . Vol. 60, No. 3 (2005), pp. 321 – 400 be used as a guideline when making reference to the name of this taxon. This reference is available online at " <a href="https://www.jstor.org/stable/4111062?seq=1#page_scan_tab_contents">https://www.jstor.org/stable/4111062?seq=1#page_scan_tab_contents</a> ". Free access is possible to this reference.

Famille		Taxon concerné	Référence taxonomique
<b>AMARYLLIDACEAE, PRIMULACEAE</b>		<i>Cyclamen, Galanthus</i> and <i>Sternbergia</i>	Davis, A.P. <i>et al.</i> (1999). <i>CITES Bulb Checklist</i> , compiled by the Royal Botanic Gardens, Kew, United Kingdom of Great Britain and Northern Ireland) as a guideline when making reference to the names of species of <i>Cyclamen</i> and <i>Galanthus</i> and <i>Sternbergia</i>
<b>APOCYNACEAE</b>		<i>Pachypodium</i> spp.	<i>CITES Aloe and Pachypodium Checklist</i> (U. Eggli <i>et al.</i> , 2001, compiled by Städtische Sukkulentensammlung, Zurich, Switzerland, in collaboration with the Royal Botanic Gardens, Kew, United Kingdom of Great Britain and Northern Ireland) and its update: <i>An Update and Supplement to the CITES Aloe &amp; Pachypodium Checklist</i> [J. M. Lüthy (2007), CITES Management Authority of Switzerland, Bern, Switzerland] as a guideline when making reference to the names of species of <i>Aloe</i> and <i>Pachypodium</i> .
<b>APOCYNACEAE</b>		<i>Hoodia</i> spp.	<i>Plants of Southern Africa: an annotated checklist</i> . Germishuizen, G. & Meyer N. L. (eds.) (2003). Strelitzia 14: 150-151. National Botanical Institute, Pretoria, South Africa as a guideline when making reference to the names of species of <i>Hoodia</i> .
<b>CACTACEAE</b>		All <i>Cactaceae</i> , except <i>Aztekium valdezii</i>	<i>CITES Cactaceae Checklist</i> third edition (2016, compiled by D. Hunt) as a guideline when making reference to names of species of Cactaceae, and the amendments and updates outlined in <i>A Supplement to the CITES Cactaceae Checklist</i> Third Edition 2016 (Hunt, D. 2018). The checklist and its supplement can be found on the website of the Royal Botanic Gardens, Kew, UK at " <a href="https://www.kew.org/conservation/cites/cactaceae-checklist">goo.gl/M26yL8</a> ".
<b>LEGUMINOSAE</b>		<i>Pterocarpus</i> spp.	Royal Botanical Gardens Kew, <i>Plants of the World Online</i> , (POWO, 2022)  Accessible at: <a href="https://cites.org/sites/default/files/common/docs/Res/12_11/Pterocarpus_POWO_19-1-2023.pdf">https://cites.org/sites/default/files/common/docs/Res/12_11/Pterocarpus_POWO_19-1-2023.pdf</a>
<b>LILIACEAE</b>		<i>Aloe</i> spp.	<i>CITES Aloe and Pachypodium Checklist</i> (U. Eggli <i>et al.</i> , 2001, compiled by Städtische Sukkulentensammlung, Zurich, Switzerland, in collaboration with the Royal Botanic Gardens, Kew, United Kingdom of Great Britain and Northern Ireland) and its update: <i>An Update and Supplement to the CITES Aloe &amp; Pachypodium Checklist</i> [J. M. Lüthy (2007), CITES Management Authority of Switzerland, Bern, Switzerland] as a guideline when making reference to the names of species of <i>Aloe</i> and <i>Pachypodium</i> .
<b>LILIACEAE</b>		<i>Aloe</i> spp. — supplement to existing standard reference	Klopper, R.R. 2021. <i>Supplement of aloe spp. names and synonyms</i> . Compiled by Dr. Ronell R Klopper, with input from the PC25 Nomenclature Working Group, 10 June 2021. PC25 Com. 5, Annex.  Accessible at: <a href="https://cites.org/sites/default/files/eng/com/pc/25/com/E-PC25-Com-005.pdf">https://cites.org/sites/default/files/eng/com/pc/25/com/E-PC25-Com-005.pdf</a>
<b>MELIACEAE</b>		<i>Khaya</i> spp.	Royal Botanical Gardens Kew, <i>Plants of the World Online</i> , (POWO, 2022)  Accessible at: <a href="https://cites.org/sites/default/files/common/docs/Res/12_11/Khaya_POWO_19-1-2023.pdf">https://cites.org/sites/default/files/common/docs/Res/12_11/Khaya_POWO_19-1-2023.pdf</a>



Famille		Taxon concerné	Référence taxonomique
<b>AMARYLLIDACEAE, PRIMULACEAE</b>		<i>Cyclamen</i> , <i>Galanthus</i> and <i>Sternbergia</i>	Davis, A.P. <i>et al.</i> (1999). <i>CITES Bulb Checklist</i> , compiled by the Royal Botanic Gardens, Kew, United Kingdom of Great Britain and Northern Ireland) as a guideline when making reference to the names of species of <i>Cyclamen</i> and <i>Galanthus</i> and <i>Sternbergia</i>
<b>APOCYNACEAE</b>		<i>Pachypodium</i> spp.	<i>CITES Aloe and Pachypodium Checklist</i> (U. Eggli <i>et al.</i> , 2001, compiled by Städtische Sukkulentensammlung, Zurich, Switzerland, in collaboration with the Royal Botanic Gardens, Kew, United Kingdom of Great Britain and Northern Ireland) and its update: <i>An Update and Supplement to the CITES Aloe &amp; Pachypodium Checklist</i> [J. M. Lüthy (2007), CITES Management Authority of Switzerland, Bern, Switzerland] as a guideline when making reference to the names of species of <i>Aloe</i> and <i>Pachypodium</i> .
<b>APOCYNACEAE</b>		<i>Hoodia</i> spp.	<i>Plants of Southern Africa: an annotated checklist</i> . Germishuizen, G. & Meyer N. L. (eds.) (2003). Strelitzia 14: 150-151. National Botanical Institute, Pretoria, South Africa as a guideline when making reference to the names of species of <i>Hoodia</i> .
<b>CACTACEAE</b>		All <i>Cactaceae</i> , except <i>Aztekium valdezii</i>	<i>CITES Cactaceae Checklist</i> third edition (2016, compiled by D. Hunt) as a guideline when making reference to names of species of <i>Cactaceae</i> , and the amendments and updates outlined in <i>A Supplement to the CITES Cactaceae Checklist</i> Third Edition 2016 (Hunt, D. 2018). The checklist and its supplement can be found on the website of the Royal Botanic Gardens, Kew, UK at " <a href="http://goo.gl/M26yL8">goo.gl/M26yL8</a> ".
<b>ORCHIDACEAE</b>		Orchidaceae — Appendix I listed orchids	Govaerts, R., Caron, A., Dhanda, S., Davis, F., Pavitt, A., Sinovas, P. & Vaglica, V. (2019). <i>CITES Appendix I Orchid Checklist</i> . Second Version, Royal Botanic Gardens, Kew, Surrey, and UNEP-WCMC, Cambridge. This reference should be used as a guideline when making reference to the names of <i>Paphiopedilum</i> spp., <i>Phragmipedium</i> spp., <i>Aerangis ellisii</i> , <i>Cattleya jongheana</i> , <i>Cattleya lobata</i> , <i>Dendrobium cruentum</i> , <i>Mexipedium xerophyticum</i> , <i>Peristeria elata</i> and <i>Renanthera imschootiana</i> .  This reference can be found on the website of the Royal Botanic Gardens, Kew, UK at " <a href="http://goo.gl/M26yL8">goo.gl/M26yL8</a> ".

Family		Taxon concerned	Taxonomic reference
<b>ORCHIDACEAE</b>		Orchidaceae — Appendix II listed orchids: <i>Aerangis</i> (not <i>A. ellisii</i> ), <i>Aerides</i> , <i>Angraecum</i> , <i>Bletilla</i> , <i>Brassavola</i> , <i>Bulbophyllum</i> , <i>Calanthe</i> , <i>Catasetum</i> , <i>Cattleya</i> (not <i>C. jongheana</i> or <i>C. lobata</i> ), <i>Coelogyne</i> , <i>Comparettia</i> , <i>Cymbidium</i> , <i>Cypripedium</i> , <i>Dendrobium</i> (not <i>D. cruentum</i> ), <i>Disa</i> , <i>Dracula</i> , <i>Encyclia</i> , <i>Laelia</i> , <i>Masdevallia</i> , <i>Miltonia</i> , <i>Miltoniopsis</i> , <i>Phalaenopsis</i> , <i>Pleione</i> , <i>Renanthera</i> , <i>Rhynchostylis</i> , <i>Rossioglossum</i> , <i>Vanda</i> , and <i>Vandopsis</i>	Dhanda, S., Caromel A., Govaerts R., Pavitt A., Bullough, L.-A. & Hartley, H. 2022. <i>CITES Appendix II Orchid Checklist</i> . Royal Botanic Gardens, Kew, Surrey, and UNEP-WCMC, Cambridge.  Accessible at: <a href="https://www.kew.org/science/our-science/science-services/UK-CITES/cites-resources">https://www.kew.org/science/our-science/science-services/UK-CITES/cites-resources</a>
<b>PALMAE</b>		<i>Dypsis decipiens</i> and <i>Dypsis decaryi</i> .	Proposed Standard Reference for two CITES-listed palms endemic to Madagascar (CVPM 2016) based on the Catalogue of the Vascular Plants of Madagascar can be found as a pdf on the US Fish & Wildlife Service website. This is to be used as a guideline when making reference to <i>Dypsis decipiens</i> and <i>Dypsis decaryi</i> . See: <a href="http://www.fws.gov/international/">http://www.fws.gov/international/</a>
<b>TAXACEAE</b>		<i>Taxus</i> spp.	<i>World Checklist and Bibliography of Conifers</i> (A. Farjon, 2001) as a guideline when making reference to the names of species of <i>Taxus</i> .
<b>ZYGOPHYLLACEAE</b>		<i>Guaiacum</i> spp.	<i>Lista de especies, nomenclatura y distribución en el genero Guaiacum</i> . Davila Aranda. P. & Schippmann, U. (2006): Medicinal Plant Conservation 12:50 as a guideline when making reference to the names of species of <i>Guaiacum</i> .