

CONVENTION ON INTERNATIONAL TRADE IN ENDANGERED SPECIES
OF WILD FAUNA AND FLORA



Twenty-seventh meeting of the Plants Committee
Geneva (Switzerland), 8 – 13 July 2024

Appendices of the Convention

Nomenclature matters

Botanical nomenclature

NOMENCLATURE FOR PACHYPODIUMS (*PACHYPODIUM* SPP.)

1. This document has been prepared by the Secretariat, in close cooperation with the nomenclature specialist of the Plants Committee.
2. At its 19th meeting (CoP19; Panama City, 2022), the Conference of the Parties adopted Decisions 19.287 and 19.288 on *Nomenclature for pachypodiums* (*Pachypodium* spp.):

Directed to the Secretariat, in close cooperation with the nomenclature specialist of the Plants Committee

19.287 *The Secretariat shall, in close cooperation with the nomenclature specialist of the Plants Committee:*

- a) *subject to the availability of external resources, commission the drafting of an updated standard nomenclature reference for *Pachypodium* spp., taking into consideration relevant elements of paragraph 6 of the Addendum to document PC25 Doc. 31; and*
- b) *report on progress or results of this work to the Plants Committee.*

Directed to the Plants Committee

19.288 *The Plants Committee shall:*

- a) *consider progress and results reported by the Secretariat as per Decision 19.287;*
 - b) *provide input to assist with the preparation of the updated *Pachypodium* checklist, as noted in paragraph 6 of the Addendum to document PC25 Doc. 31; and*
 - c) *make recommendations to the Conference of the Parties, as appropriate.*
3. At its 26th meeting (PC26; Geneva, June 2023), the Plants Committee considered document [PC26 Doc. 43.7](#) on *Nomenclature for pachypodiums* (*Pachypodium* spp.) and advised on the terms of reference

for replacing the current standard nomenclature reference for pachypodiums¹ (see summary record [PC26 SR](#)).

4. Since PC26, the Secretariat has prepared an updated nomenclature reference for pachypodiums with support from the Royal Botanic Gardens Kew (RBG Kew) and the nomenclature specialist.
5. Annex 1 to the present document contains the draft nomenclature reference mandated under Decision 19.287 for the consideration of the Plants Committee. Annex 2 contains machine-readable lists in excel format as requested at PC26.
6. These draft documents will be revised based on the advice of the Plants Committee and the Secretariat anticipates that a finalized version of the standard nomenclature reference will be available well before the 20th meeting of the Conference of the Parties, for consideration by the CoP, and inclusion in the Annex to [Resolution Conf. 12.11 \(Rev. CoP19\)](#) on *Standard nomenclature*, as appropriate.

Recommendations:

7. The Plants Committee is invited to:
 - a) advise on the draft standard nomenclature reference contained in Annexes 1 and 2 to the present document;
 - b) agree that Decisions 19.287 and 19.288 have been implemented and can be proposed for deletion at the 20th meeting of the Conference of the Parties; and
 - c) recommend the amendment of Resolution Conf. 12.11 (Rev. CoP19) on *Standard nomenclature* to replace the current nomenclature reference on pachypodiums with the nomenclature reference contained in Annexes 1 and 2 to the present document.

¹ CITES Aloe and Pachypodium Checklist (U. Egli et al., 2001, compiled by Städtische Sukkulentensammlung, Zurich, Switzerland, in collaboration with the Royal Botanic Gardens, Kew, United Kingdom of Great Britain and Northern Ireland) and its update: An Update and Supplement to the CITES Aloe & Pachypodium Checklist [J. M. Lüthy (2007), CITES Management Authority of Switzerland, Bern, Switzerland] as a guideline when making reference to the names of species of Aloe and Pachypodium.

CITES *Pachypodium* Checklist

First edition: April 2024.

Prepared under contract for the CITES Secretariat by the Royal Botanic Gardens, Kew.

© 2024 Secretariat of the Convention on International Trade in Endangered Species of Wild Fauna and Flora (CITES).

Citation : CITES Secretariat (2024) *CITES Pachypodium Checklist*.

The CITES *Pachypodium* Checklist is freely available at www.cites.org. Users may download, reuse, reprint, distribute, copy text and data, and translate the content, provided that the original source is credited and that the logo of CITES is not used.

The findings, interpretations, and conclusions expressed herein are those of the author(s) and do not necessarily reflect the views of the CITES Secretariat, the United Nations Environment Programme, United Nations, or the Parties to the Convention.

The designations employed and the presentation of material on any map in this work do not imply the expression of any opinion whatsoever on the part of the CITES Secretariat, the United Nations Environment Programme or the United Nations concerning the legal status of any country, territory, city, or area or of its authorities, or concerning the delimitation of its frontiers or boundaries.

Links contained in the present publication are provided for the convenience of the reader and are correct at the time of issue. The CITES Secretariat takes no responsibility for the continued accuracy of that information or for the content of any external website.

CITES Secretariat

Palais des Nations

Avenue de la Paix 8-14

CH-1211 Genève

Switzerland

Tel: +41(0)22 917 8139/40

Fax: +41(0)22 797 34 17

E-mail: info@cites.org

Web: www.cites.org

Contents

Chapter 1: Introduction

1. Background
2. Methodology
3. How to use the CITES checklist
4. Acknowledgements
5. Bibliography

Chapter 2: *Pachypodium* nomenclature

- All names
- Excluded names
- Accepted names with synonyms

Chapter 3: Country checklist

- Angola
- Botswana
- Madagascar
- Mozambique
- Namibia
- South Africa
- Zimbabwe

Chapter 4: *Pachypodium* checklist

Chapter 1 Introduction

1. Background

The first CITES nomenclature checklist for the genus *Pachypodium* in the family Apocynaceae was published in 2001 in the “CITES *Aloe* and *Pachypodium* Checklist” with 14 species and 2 horticultural hybrids listed as accepted (Newton & Rowley 2001). A CITES Identification Manual for “The *Aloes* and *Euphorbias* of CITES Appendix I and the Genus *Pachypodium*” was published in 2006 with descriptions and illustrations for 20 *Pachypodium* species (Lüthy 2006). An update and supplement to the CITES *Aloe* and *Pachypodium* checklist was published in 2007 (Lüthy 2007) with a comparison of *Pachypodium* names in the checklist and identification manual.

An updated CITES checklist for *Pachypodium* was agreed at the Conference of the Parties at its 19th Meeting (CoP19, 2022) in decisions 19.287 & 19.288 “Nomenclature for Pachypodiums (*Pachypodium* spp.)” (CITES 2024, also published in PC26 Doc 43.7 (CITES 2023)). It was agreed at PC26 that the updated checklist for *Pachypodium* would be published separately to an updated checklist for the genus *Aloe* (CITES 2023).

Pachypodium are native to Southern Africa and Madagascar and are an important horticultural genus. They are spiny, succulent, xerophytic shrubs or small trees, often with a narrow distribution in specific habitats (Burge *et al.* 2013). *Pachypodium lamerei*, *P. rosulatum* and *P. brevicaule* are the most common species in international trade, with most trade in artificially propagated live plants (CITES Wildlife TradeView 2024).

The genus *Pachypodium* was included on Appendix II in 1975 except for four species, *P. ambongense*, *P. baronii*, *P. decaryi* and *P. windsorii* which are listed in Appendix I. *Pachypodium* species listed on Appendix II have the annotation #4 (CITES 2024).

Annotation #4 (CoP19)

All parts and derivatives except:

- a) seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from *Beccariophoenix madagascariensis* and *Dyopsis decaryi* exported from Madagascar;
- b) seedling or tissue cultures obtained *in vitro* transported in sterile containers;
- c) cut flowers of artificially propagated plants;
- d) fruits, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genus *Vanilla* (Orchidaceae) and of the family Cactaceae;
- e) stems, flowers, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genera *Opuntia* subgenus *Opuntia* and *Selenicereus* (Cactaceae);
- f) finished products of *Aloe ferox* and *Euphorbia antisyphilitica* packaged and ready for retail trade; and
- g) finished products derived from artificial propagation, packaged and ready for retail trade of cosmetics containing parts and derivatives of *Bletilla striata*, *Cynoches cooperi*, *Gastrodia elata*, *Phalaenopsis amabilis* or *Phalaenopsis lobbii*.

2. Methodology

2.1 Data sources

The dataset for *Pachypodium* was provided by the World Checklist of Vascular Plants (WCVP) – an international collaborative programme with more than 150 contributors from 22 countries available on the Plants of the World Online website (Govaerts *et al.* 2021, POWO 2024). The main goal of the WCVP checklist is to provide high-quality peer-reviewed baseline data on all accepted taxa included in each plant family. A download from the WCVP was made on 18th July 2023 of all *Pachypodium* species names, including infraspecific names and associated synonyms.

The WCVP download was compared with the CITES *Aloe* and *Pachypodium* Checklist (Newton & Rowley 2001), the update and supplement (Lüthy 2007) and The World Flora Online (WFO 2024) and any extra names were added.

2.2. Literature review

The list of *Pachypodium* names was reviewed with consultation of relevant literature (see Bibliography for a full list of references).

Since 2001 several taxonomic and nomenclatural papers have been published with new species and subspecies described, together with some changes in taxonomic rank. Lüthy (2004) presented a revised classification of *Pachypodium*, and subsequently described a new arborescent species from Madagascar, *P. mikea* (Lüthy 2005), and a new subspecies of *P. rosulatum*, subsp. *bemarahense* (Lüthy & Lavranos 2005). Additional taxa of non-arborescent *Pachypodium* from Madagascar were described by Lüthy (2008) (*P. brevicaule* subsp. *leucoxanthum*) and Pavelka *et al.* (2014) (*P. enigmaticum*). The evolutionary diversification of the genus based on a phylogenetic analysis was published in two papers in 2013 (Burge 2013 and Burge *et al.* 2013). Field guides published by Rössli (2015, 2018) reflect the state of knowledge of the Malagasy taxa at this time. Goyder *et al.* (2020) presented an overview of the non-arborescent highland clade of Malagasy *Pachypodium* and finally, correction of an error relating to the geographic origin and identity of *P. cactipes* (Castillon *et al.* 2021) necessitated further nomenclatural changes.

Since the first checklist in 2001 some species are now considered at species level, instead of subspecies or variety level, while others have newly published subspecies or varieties or changes to rank.

Nine illegitimate names of *Pachypodium* species in the family Brassicaceae were recorded in POWO (2024). These names are synonyms that refer to plants that are not true *Pachypodium* in the Apocynaceae family. These nine names are illegitimate because the genera that they were described under are illegitimate according to the rule of nomenclature set out by the International Code of Nomenclature for algae, fungi, and plants (Turland *et al.* 2017). The genus *Pachypodium* Lindl. in the Apocynaceae was published in 1830 (IPNI 2024). Two illegitimate genera were published later, *Pachypodium* Webb & Berthel in 1836 and *Pachypodium* Nutt in 1838, both in the Brassicaceae family (IPNI 2024). Because these do not refer to true pachypodiums they are not covered by the CITES Appendix II genus listing as they are not part of the accepted genus *Pachypodium* Lindl. that was included in the original listing proposal. However, we have included these nine illegitimate names in Chapter 2 under excluded names to prevent possible confusion.

3. How to use the CITES checklist

Chapter 2 provides the full taxonomic list of *Pachypodium* names listed alphabetically. The first list contains all the published names for *Pachypodium* with authors, accepted names are in bold. This includes a list of excluded illegitimate *Pachypodium* names in the Brassicaceae family. The second lists all the accepted names with a list of their synonyms and country distribution. Two artificial hybrids are included in this checklist as there were included in the first CITES *Aloe* and *Pachypodium* checklist (Newton & Rowley 2001), but no other *Pachypodium* hybrids are included.

Chapter 3 provides a list of countries, and species known to occur within each country. Where occurrence of a species is uncertain this is noted after the species name in brackets as '[uncertain]'.

Chapter 4 contains information for each accepted *Pachypodium* species including any infraspecific names, synonyms, common names in English, French and Spanish, country distributions and CITES Appendix listing. No trade names were found for *Pachypodium* species so a section for these is not included. In Madagascar all *Pachypodium* species are called "Dwarf baobab" in English or "Baobab nain"

in French to distinguish them from the true Baobab (*Adansonia*) species. The Madagascan *Pachypodium* species have their own common names in Malagasy, but these are not included in this checklist.

Place and year of publication for *Pachypodium* names are not included in the checklist, however, these are available at Plants of the World Online (2024), the International Plant Names Index (2024), and Tropicos (2024).

IUCN Conservation status is not included in this checklist but the latest assessments for *Pachypodium* species are available on the IUCN Red List (2024). Common names in other languages apart from English, French and Spanish are listed in Lüthy (2006). Descriptions for each species are not included in this checklist but can be found in local Floras, Lüthy (2005 and 2006) and Rapanarivo *et al.* (1999). A separate Microsoft Excel file of all the names in this checklist can be found on the CITES website.

4. Acknowledgements

The checklist was compiled by Emma Williams and David Goyder from the Royal Botanic Gardens Kew, UK and Franck Rakotonasolo from the Kew Madagascar Conservation Centre, Madagascar and Parc Botanique et Zoologique de Tsimbazaza, Antananarivo, Madagascar.

We acknowledge all the previous work on CITES checklists and identification guides for *Pachypodium* by Len Newton, Gordan Rowley, Urs Eggli and Jonas Lüthy and the work by Rafael Govaerts compiling the WCVF data. We also thank Nick Black at RBG Kew for his help downloading data from WCVF, the IPNI team (Jonathan Kendon, Helen Hartley and Emma Wrangmore) for help answering queries on nomenclature and Sonia Dhanda and Jessica Grey for their support.

5. Bibliography

- Burge, D.O. 2013. Diversification of *Pachypodium*. *Cactus and Succulent Journal* 85: 250–258.
- Burge, D.O., Mugford, K., Hastings, A.P. and Agrawal, A.A. 2013. Phylogeny of the plant genus *Pachypodium* (Apocynaceae). *PeerJ* 1:e70:DOI 10.7717/peerj.70
- Castillon, J.-P., Castillon, J.-B. and Rapanarivo, S.H.J.V. 2021. Correction d’une erreur à propos de *Pachypodium cactipes* K. Schum. *Adansonia sér.* 3 43: 251-255.
- CITES. 2023. PC26 Doc 43.7 Nomenclature for Pachypodiums (*Pachypodium* spp.). Available at <https://cites.org/sites/default/files/documents/PC/26/agenda/E-PC26-43-07.pdf>
- CITES. 2024. Available at <https://cites.org/eng>. Consulted February 2024
- CITES Wildlife TradeView. 2024.. UNEP-WCMC and the CITES Secretariat. Available at <https://tradeview.cites.org/en> Consulted February 2024.
- Govaerts, R., Nic Lughadha, E., Black, N., Turner, R. and Paton, A. 2021. The World Checklist of Vascular Plants, a continuously updated resource for exploring global plant diversity. *Scientific Data* 8:215.
- Goyder, D.J., Rakotonasolo, F. and Rees, P. 2020. 951. *Pachypodium inopinatum*. Apocynaceae. *Curtis’s Botanical Magazine* 37: 288 – 300.
- IUCN Red List. 2024. <https://www.iucnredlist.org>

- IPNI. 2024. International Plant Names Index. The Royal Botanic Gardens, Kew, Harvard University Herbaria and Libraries and Australian National Botanic Gardens. Available at www.ipni.org Consulted February 2024.
- Lüthy, J.M. 2004. Another look at the Pachypodiums of Madagascar. *Bradleya* 22(22): 85-130.
- Lüthy, J.M. 2005. *Pachypodium mikea* new arborescent species from Madagascar. *Cactus and Succulent Journal* 77(4): 178-186.
- Lüthy, J.M. 2006. *The Aloes and Euphorbias of CITES Appendix I and the Genus Pachypodium*. Federal Veterinary Office Bern.
- Lüthy, J.M. 2008. Notes on Madagascar's white-flowering, non-arborescent pachypodiums and description of a new subspecies. *Cactus and Succulent Journal* 80: 187–191.
- Lüthy, J.M. 2007. An update and supplement to the CITES *Aloe* and *Pachypodium* Checklist. CITES Management Authority of Switzerland.
- Lüthy, J.M. and Lavranos, J.J. (2005). *Pachypodium rosulatum* ssp. *bemarahense* a new subspecies from Madagascar. *Cactus and Succulent Journal* 77: 39–42 46.
- Newton, L.E. and Rowley, G.D. (Edited by Egli, U.) 2001. *CITES Aloe and Pachypodium Checklist*. Trustees of the Royal Botanic Gardens, Kew and Sukkulenten-Sammlung Zürich.
- Pavelka, P., Prokeš, B., Vlk, V., Lavranos, J.J., Židek, I. and Ramavovololona, P. 2014. *Pachypodium enigmaticum* - a new species in the Densiflorum complex. *Cactus and Succulent Journal* 86(5): 245-252.
- POWO. 2024. Plants of the World Online. Facilitated by the Royal Botanic Gardens, Kew. Available at <http://www.plantsoftheworldonline.org/> Consulted February 2024.
- Rapanarivo, S.H.J.V., Lavranos, J.J., Leeuwenberg, A.J.M. and Rösli, W. 1999. *Pachypodium* (Apocynaceae), Taxonomy, Habitats and Conservation. A. A. Balkema, Rotterdam & Brookfield.
- Rösli, W. (2015). *Pachypodien in Madagaskar*. W. Rösli, Zurich.
- Rösli, W. (2018). *Pachypodiums in Madagascar*. Graham Charles, Stamford.
- Turland, N.J., Wiersema, J.H., Barrie, F.R., Greuter, W., Hawksworth, D.L., Herendeen, P.S., Knapp, S., Kusber, W.-H., Li, D.-Z., Marhold, K., May, T.W., McNeill, J., Monroe, A.M., Prado, J., Price, M.J. and Smith, G. F. (eds.) (2018) *International Code of Nomenclature for algae, fungi, and plants (Shenzhen Code) adopted by the Nineteenth International Botanical Congress Shenzhen, China, July 2017*. Regnum Vegetabile 159. Glashütten: Koeltz Botanical Books. Available at <https://doi.org/10.12705/Code.2018>
- Tropicos. 2024. Tropicos.org. Missouri Botanical Garden. Available at <https://tropicos.org> Consulted February 2024.
- WFO. 2024. World Flora Online. www.worldfloraonline.org Consulted March 2024

Chapter 2 *Pachypodium* Nomenclature

2.1 All names

Accepted names in bold. Synonyms in plain font.

Adenium namaquanum Wyley ex Harv. = ***Pachypodium namaquanum*** (Wyley ex Harv.) Welw.

Barleria rigida Spreng. ex Schltld. = ***Pachypodium succulentum*** (L.f.) Sweet

Belonites bispinosus (L.f.) E.Mey = ***Pachypodium bispinosum*** (L.f.) A.DC.

Belonites succulentus (L.f.) E.Mey = ***Pachypodium succulentum*** (L.f.) Sweet

Echites bispinosus L.f. = ***Pachypodium bispinosum*** (L.f.) A.DC.

Echites succulentus L.f. = ***Pachypodium succulentum*** (L.f.) Sweet

Echites tuberosus Haw. ex Steud. = ***Pachypodium succulentum*** (L.f.) Sweet

Pachypodium ambongense Poiss.

Pachypodium baronii Costantin & Bois

Pachypodium baronii var. *baronii* = ***Pachypodium baronii*** Costantin & Bois

Pachypodium baronii var. *erythreum* Poiss. = ***Pachypodium baronii*** Costantin & Bois

Pachypodium baronii var. *windsorii* (Poiss.) Pichon = ***Pachypodium windsorii*** Poiss.

Pachypodium bicolor Lavranos & Rapan. = ***Pachypodium rosulatum*** subsp. *bicolor* (Lavranos & Rapan.)

Lüthy

Pachypodium bispinosum (L.f.) A.DC.

Pachypodium brevicaule Baker

Pachypodium brevicaule subsp. *brevicaule*

Pachypodium brevicaule subsp. *leucoanthum* Lüthy

Pachypodium brevicalyx (H.Perrier) Pichon = ***Pachypodium densiflorum*** Baker

Pachypodium cactipes K.Schum. = ***Pachypodium rosulatum*** subsp. *rosulatum*

Pachypodium cactipes sensu Rapanarivo & Leeuwenberg (excluding type) = ***Pachypodium stenanthum*** (Costantin & Bois) J.-B.Castillon, J.-P.Castillon & Rapan.

Pachypodium champenoisianum Boiteau = ***Pachypodium lamerei*** Drake

Pachypodium decaryi Poiss.

Pachypodium densiflorum Baker

Pachypodium densiflorum var. *brevicalyx* H.Perrier = ***Pachypodium densiflorum*** Baker

Pachypodium densiflorum var. *densiflorum* = ***Pachypodium densiflorum* Baker**

Pachypodium drakei Costantin & Bois = ***Pachypodium rosulatum* subsp. *rosulatum***

***Pachypodium eburneum* Lavranos & Rapan.**

***Pachypodium enigmaticum* Pavelka, Prokes, V.Vlk, Lavranos, Zidek & Ramav.**

***Pachypodium geayi* Costantin & Bois**

Pachypodium giganteum Engl. = ***Pachypodium lealii* Welw.**

Pachypodium glabrum G.Don = ***Pachypodium bispinosum* (L.f.) A.DC.**

Pachypodium gracilius (H.Perrier) Rapan. = ***Pachypodium rosulatum* subsp. *gracilius* (H.Perrier) Lüthy**

Pachypodium griquense L.Bolus = ***Pachypodium succulentum* (L.f.) Sweet**

***Pachypodium* × *hojnyi* Halda**

***Pachypodium horombense* Poiss.**

***Pachypodium inopinatum* Lavranos**

Pachypodium jasminiflorum L.Bolus = ***Pachypodium succulentum* (L.f.) Sweet**

***Pachypodium lamerei* Drake**

Pachypodium lamerei var. *lamerei* = ***Pachypodium lamerei* Drake**

Pachypodium lamerei var. *ramosum* (Costantin & Bois) Pichon = ***Pachypodium lamerei* Drake**

Pachypodium lamerei var. *typicum* = ***Pachypodium lamerei* Drake**

***Pachypodium lealii* Welw.**

Pachypodium lealii subsp. *lealii* = ***Pachypodium lealii* Welw.**

Pachypodium lealii subsp. *saundersii* (N.E.Br.) G.D.Rowley = ***Pachypodium saundersii* N.E.Br.**

Pachypodium makayense Lavranos = ***Pachypodium rosulatum* subsp. *makayense* (Lavranos) Lüthy**

***Pachypodium menabeum* Leandri**

Pachypodium meridionale (H.Perrier) Pichon = ***Pachypodium rutenbergianum* Vatke**

***Pachypodium mikea* Lüthy**

***Pachypodium namaquanum* (Wyley ex Harv.) Welw.**

Pachypodium obesum A.DC. = ***Adenium obesum* (Forssk.) Roem. & Schult.**

Pachypodium ramosum Costantin & Bois = ***Pachypodium lamerei* Drake**

***Pachypodium* × *rauhii* Halda**

***Pachypodium rosulatum* Baker**

***Pachypodium rosulatum* subsp. *bemarahense* Lüthy & Lavranos**

Pachypodium rosulatum forma *bicolor* (Lavranos & Rapan.) G.D.Rowley = ***Pachypodium rosulatum* subsp. *bicolor* (Lavranos & Rapan.) Lüthy**

***Pachypodium rosulatum* subsp. *bicolor* (Lavranos & Rapan.) Lüthy**

Pachypodium rosulatum subsp. *cactipes* (K.Schum.) Lüthy = ***Pachypodium rosulatum* subsp. *rosulatum***

Pachypodium rosulatum subsp. *cactipes* sensu Lüthy (excluding type) = ***Pachypodium stenanthum* (Costantin & Bois) J.-B.Castillon, J.-P.Castillon & Rapan.**

Pachypodium rosulatum var. *delphinense* H.Perrier = ***Pachypodium stenanthum* (Costantin & Bois) J.-B.Castillon, J.-P.Castillon & Rapan.**

Pachypodium rosulatum var. *drakei* (Costantin & Bois) Markgr. = ***Pachypodium rosulatum* subsp. *rosulatum***

Pachypodium rosulatum var. *eburneum* (Lavranos & Rapan.) G.D.Rowley = ***Pachypodium eburneum* Lavranos & Rapan.**

***Pachypodium rosulatum* subsp. *gracilius* (H.Perrier) Lüthy**

Pachypodium rosulatum var. *gracilius* H.Perrier = ***Pachypodium rosulatum* subsp. *gracilius* (H.Perrier) Lüthy**

Pachypodium rosulatum var. *horombense* (Poiss.) G.D.Rowley = ***Pachypodium horombense* Poiss.**

Pachypodium rosulatum var. *inopinatum* (Lavranos) G.D.Rowley = ***Pachypodium inopinatum* Lavranos**

***Pachypodium rosulatum* subsp. *makayense* (Lavranos) Lüthy**

Pachypodium rosulatum* subsp. *rosulatum

Pachypodium rosulatum forma *stenanthum* Costantin & Bois = ***Pachypodium stenanthum* (Costantin & Bois) J.-B.Castillon, J.-P.Castillon & Rapan.**

Pachypodium rosulatum var. *typicum* = ***Pachypodium rosulatum* subsp. *rosulatum***

***Pachypodium rutenbergianum* Vatke**

Pachypodium rutenbergianum forma *lamerei* (Drake) Poiss. = ***Pachypodium lamerei* Drake**

Pachypodium rutenbergianum var. *meridionale* H.Perrier = ***Pachypodium rutenbergianum* Vatke**

Pachypodium rutenbergianum var. *perrieri* Poiss. = ***Pachypodium sofiense* (Poiss.) H.Perrier**

Pachypodium rutenbergianum var. *rutenbergianum* = ***Pachypodium rutenbergianum* Vatke**

Pachypodium rutenbergianum var. *sofiense* Poiss. = ***Pachypodium sofiense* (Poiss.) H.Perrier**

Pachypodium rutenbergianum var. *typicum* = ***Pachypodium rutenbergianum* Vatke**

***Pachypodium saundersii* N.E.Br.**

***Pachypodium sofiense* (Poiss.) H.Perrier**

***Pachypodium stenanthum* (Costantin & Bois) J.-B.Castillon, J.-P.Castillon & Rapan.**

***Pachypodium succulentum* (L.f.) Sweet**

Pachypodium succulentum Steud. = ***Pachypodium succulentum* (L.f.) Sweet**

Pachypodium tomentosum G.Don = ***Pachypodium succulentum* (L.f.) Sweet**

Pachypodium tuberosum Lindl. = ***Pachypodium bispinosum* (L.f.) A.DC.**

Pachypodium tuberosum var. *loddigesii* A.DC. = ***Pachypodium bispinosum* (L.f.) A.DC.**

Pachypodium tuberosum var. *tuberosum* = ***Pachypodium bispinosum* (L.f.) A.DC.**

***Pachypodium windsorii* Poiss.**

Excluded names

All excluded names are in the Brassicaceae family, their accepted names follow Plants of the World Online (POWO 2024).

Pachypodium brachycarpum Torr. = *Thelypodium brachycarpum* (Torr.) Torr.

Pachypodium bursifolium (L.) Endl. = *Sisymbrella dentata* (L.) O.E.Schulz

Pachypodium columnae (Jacq.) Webb = *Sisymbrium orientale* L.

Pachypodium erysimoides (Desf.) Webb & Berthel. = *Sisymbrium erysimoides* Desf.

Pachypodium integrifolium Nutt. = *Thelypodium integrifolium* (Nutt.) Endl.

Pachypodium laciniatum Nutt. = *Thelypodium laciniatum* (Hook.) Endl.

Pachypodium linearifolium (A.Gray) A.Gray = *Hesperidanthus linearifolius* (A.Gray) Rydb.

Pachypodium pannonicum (Jacq.) Endl. = *Sisymbrium altissimum* L.

Pachypodium sagittatum (Nutt.) Nutt. = *Thelypodium sagittatum* (Nutt.) Endl.

2.2. Accepted Names

***Pachypodium baronii* Costantin & Bois**

Pachypodium baronii var. *baronii*; *Pachypodium baronii* var. *erythreum* Poiss.

Distribution = Madagascar

***Pachypodium bispinosum* (L.f.) A.DC.**

Belonites bispinosus (L.f.) E.Mey; *Echites bispinosus* L.f.; *Pachypodium glabrum* G.Don; *Pachypodium tuberosum* Lindl; *Pachypodium tuberosum* var. *loddigesii* A.DC.; *Pachypodium tuberosum* var. *tuberosum*

Distribution = South Africa

***Pachypodium brevicaule* Baker**

Distribution = Madagascar

Pachypodium brevicaule* subsp. *brevicaule

Distribution = Madagascar

***Pachypodium brevicaule* subsp. *leucoxanthum* Lüthy**

Distribution = Madagascar

***Pachypodium decaryi* Poiss.**

Distribution = Madagascar

***Pachypodium densiflorum* Baker**

Pachypodium brevicalyx (H.Perrier) Pichon; *Pachypodium densiflorum* var. *brevicalyx* H.Perrier; *Pachypodium densiflorum* var. *densiflorum*

Distribution = Madagascar

***Pachypodium eburneum* Lavranos & Rapan.**

Pachypodium rosulatum var. *eburneum* (Lavranos & Rapan.) G.D.Rowley

Distribution = Madagascar

***Pachypodium enigmaticum* Pavelka, Prokes, V.Vlk, Lavranos, Zidek & Ramav.**

Distribution = Madagascar

***Pachypodium geayi* Costantin & Bois**

Distribution = Madagascar

***Pachypodium* × *hojnyi* Halda**

Distribution = Only in cultivation

***Pachypodium horombense* Poiss.**

Pachypodium rosulatum var. *horombense* (Poiss.) G.D.Rowley

Distribution = Madagascar

***Pachypodium inopinatum* Lavranos**

Pachypodium rosulatum var. *inopinatum* (Lavranos) G.D.Rowley

Distribution = Madagascar

***Pachypodium lamerei* Drake**

Pachypodium champenoisianum Boiteau; *Pachypodium lamerei* var. *lamerei*; *Pachypodium lamerei* var. *ramosum* (Costantin & Bois) Pichon; *Pachypodium lamerei* var. *typicum*; *Pachypodium ramosum* Costantin & Bois; *Pachypodium rutenbergianum* forma *lamerei* (Drake) Poiss.

Distribution = Madagascar

***Pachypodium lealii* Welw.**

Pachypodium giganteum Engl.; *Pachypodium lealii* subsp. *lealii*

Distribution = Angola, Botswana [Uncertain] and Namibia

***Pachypodium menabeum* Leandri**

Distribution = Madagascar

***Pachypodium mikea* Lüthy**

Distribution = Madagascar

***Pachypodium namaquanum* (Wyley ex Harv.) Welw.**

Adenium namaquanum Wyley ex Harv.

Distribution = Namibia and South Africa

***Pachypodium* × *rauhii* Halda**

Distribution = Only in cultivation

***Pachypodium rosulatum* Baker**

Distribution = Madagascar

***Pachypodium rosulatum* subsp. *bemarahense* Lüthy & Lavranos**

Distribution = Madagascar

***Pachypodium rosulatum* subsp. *bicolor* (Lavranos & Rapan.) Lüthy**

Pachypodium bicolor Lavranos & Rapan.; *Pachypodium rosulatum* forma *bicolor* (Lavranos & Rapan.) G.D.Rowley

Distribution = Madagascar

***Pachypodium rosulatum* subsp. *gracilius* (H.Perrier) Lüthy**

Pachypodium gracilius (H.Perrier) Rapan.; *Pachypodium rosulatum* var. *gracilius* H.Perrier

Distribution = Madagascar

***Pachypodium rosulatum* subsp. *makayense* (Lavranos) Lüthy**

Pachypodium makayense Lavranos

Distribution = Madagascar

Pachypodium rosulatum* subsp. *rosulatum

Pachypodium cactipes K.Schum.; *Pachypodium drakei* Costantin & Bois; *Pachypodium rosulatum* subsp. *cactipes* (K.Schum.) Lüthy; *Pachypodium rosulatum* var. *delphinense* H.Perrier; *Pachypodium rosulatum* var. *drakei* (Costantin & Bois) Markgr.; *Pachypodium rosulatum* var. *typicum*

Distribution = Madagascar

***Pachypodium rutenbergianum* Vatke**

Pachypodium meridionale (H.Perrier) Pichon; *Pachypodium rutenbergianum* var. *meridionale* H.Perrier; *Pachypodium rutenbergianum* var. *rutenbergianum*; *Pachypodium rutenbergianum* var. *typicum*

Distribution = Madagascar

***Pachypodium saundersii* N.E.Br.**

Pachypodium lealii subsp. *saundersii* (N.E.Br.) G.D.Rowley

Distribution = Mozambique, South Africa and Zimbabwe

***Pachypodium sofiense* (Poiss.) H.Perrier**

Pachypodium rutenbergianum var. *perrieri* Poiss.; *Pachypodium rutenbergianum* var. *sofiense* Poiss.

Distribution = Madagascar

***Pachypodium stenanthum* (Costantin & Bois) J.-B.Castillon, J.-P.Castillon & Rapan.**

Pachypodium cactipes sensu Rapanarivo & Leeuwenberg (excluding type); *Pachypodium rosulatum* forma *stenanthum* Costantin & Bois; *Pachypodium rosulatum* subsp. *cactipes* sensu Luthy (excluding type); *Pachypodium rosulatum* var. *delphinense* H.Perrier

Distribution = Madagascar

***Pachypodium succulentum* (L.f.) Sweet**

Barleria rigida Spreng. ex Schldl.; *Belonites succulentus* (L.f.) E.Mey; *Echites succulentus* L.f.; *Echites tuberosus* Haw. ex Steud.; *Pachypodium griquense* L.Bolus; *Pachypodium jasminiflorum* L.Bolus; *Pachypodium succulentum* Steud.; *Pachypodium tomentosum* G.Don

Distribution = South Africa

***Pachypodium windsorii* Poiss.**

Pachypodium baronii var. *windsorii* (Poiss.) Pichon

Distribution = Madagascar

Chapter 3: Country Checklist

Angola

Pachypodium lealii Welw.

Botswana

Pachypodium lealii Welw. [Uncertain]

Madagascar

Pachypodium ambongense Poiss.

Pachypodium baronii Costantin & Bois

Pachypodium brevicaule Baker

Pachypodium brevicaule subsp. *brevicaule*

Pachypodium brevicaule subsp. *leucoxanthum* Lüthy

Pachypodium decaryi Poiss.

Pachypodium densiflorum Baker

Pachypodium eburneum Lavranos & Rapan.

Pachypodium enigmaticum Pavelka, Prokes, V.Vlk, Lavranos, Zídek & Ramav.

Pachypodium geayi Costantin & Bois

Pachypodium horombense Poiss.

Pachypodium inopinatum Lavranos

Pachypodium lamerei Drake

Pachypodium menabeum Leandri

Pachypodium mikea Lüthy

Pachypodium rosulatum Baker

Pachypodium rosulatum subsp. *bemarahense* Lüthy & Lavranos

Pachypodium rosulatum subsp. *bicolor* (Lavranos & Rapan.) Lüthy

Pachypodium rosulatum subsp. *gracilius* (H.Perrier) Lüthy

Pachypodium rosulatum subsp. *makayense* (Lavranos) Lüthy

Pachypodium rosulatum subsp. *rosulatum*

Pachypodium rutenbergianum Vatke

Pachypodium sofiense (Poiss.) H.Perrier

Pachypodium stenanthum (Costantin & Bois) J.-B.Castillon, J.-P.Castillon & Rapan.

Pachypodium windsorii Poiss.

Mozambique

Pachypodium saundersii N.E.Br.

Namibia

Pachypodium lealii Welw.

Pachypodium namaquanum (Wyley ex Harv.) Welw.

South Africa

Pachypodium bispinosum (L.f.) A.DC.

Pachypodium namaquanum (Wyley ex Harv.) Welw.

Pachypodium saundersii N.E.Br.

Pachypodium succulentum (L.f.) Sweet

Zimbabwe

Pachypodium saundersii N.E.Br.

Chapter 4 Checklist

***Pachypodium ambongense* Poiss.**

- Synonyms = None
- Common names = Dwarf baobab [English], Baobab nain [French]
- Distribution = Madagascar
- CITES Appendix = I

***Pachypodium baronii* Costantin & Bois**

- Synonyms = *Pachypodium baronii* var. *baronii*; *Pachypodium baronii* var. *erythreum* Poiss.
- Common names = Dwarf baobab [English], Baobab nain [French]
- Distribution = Madagascar
- CITES Appendix = I

***Pachypodium bispinosum* (L.f.) A.DC.**

- Synonyms = *Belonites bispinosus* (L.f.) E.Mey; *Echites bispinosus* L.f.; *Pachypodium glabrum* G.Don; *Pachypodium tuberosum* Lindl; *Pachypodium tuberosum* var. *loddigesii* A.DC.; *Pachypodium tuberosum* var. *tuberosum*
- Common names = Bell-flower thick-foot, Porcupine potato [English]
- Distribution = South Africa
- CITES Appendix = II #4

***Pachypodium brevicaule* Baker**

- Synonyms = None
- Common names = Dwarf baobab [English], Baobab nain [French]
- Distribution = Madagascar
- CITES Appendix = II #4

Pachypodium brevicaule* subsp. *brevicaule

- Synonyms = None
- Common names = Dwarf baobab [English], Baobab nain [French]
- Distribution = Madagascar
- CITES Appendix = II #4

***Pachypodium brevicaule* subsp. *leucoxanthum* Lüthy**

- Synonyms = None
- Common names = Dwarf baobab [English], Baobab nain [French]
- Distribution = Madagascar
- CITES Appendix = II #4

***Pachypodium decaryi* Poiss.**

- Synonyms = None
- Common names = Dwarf baobab [English], Baobab nain [French]
- Distribution = Madagascar
- CITES Appendix = I

***Pachypodium densiflorum* Baker**

- Synonyms = *Pachypodium brevicalyx* (H.Perrier) Pichon; *Pachypodium densiflorum* var. *brevicalyx* H.Perrier; *Pachypodium densiflorum* var. *densiflorum*
- Common names = Dwarf baobab [English], Baobab nain [French]
- Distribution = Madagascar
- CITES Appendix = II #4

***Pachypodium eburneum* Lavranos & Rapan.**

- Synonyms = *Pachypodium rosulatum* var. *eburneum* (Lavranos & Rapan.) G.D.Rowley
- Common names = Dwarf baobab [English], Baobab nain [French]
- Distribution = Madagascar
- CITES Appendix = II #4

***Pachypodium enigmaticum* Pavelka, Prokes, V.Vlk, Lavranos, Zídek & Ramav.**

- Synonyms = None
- Common names = Dwarf baobab [English], Baobab nain [French]
- Distribution = Madagascar
- CITES Appendix = II #4

***Pachypodium geayi* Costantin & Bois**

- Synonyms = None
- Common names = Dwarf baobab, Madagascar palm [English], Baobab nain [French]
- Distribution = Madagascar
- CITES Appendix = II #4

***Pachypodium × hojnyi* Halda**

- Synonyms = None
- Common names = None
- Distribution = Only in cultivation
- CITES Appendix = II #4

***Pachypodium horombense* Poiss.**

- Synonyms = *Pachypodium rosulatum* var. *horombense* (Poiss.) G.D.Rowley
- Common names = Dwarf baobab [English], Baobab nain [French]
- Distribution = Madagascar
- CITES Appendix = II #4

***Pachypodium inopinatum* Lavranos**

- Synonyms = *Pachypodium rosulatum* var. *inopinatum* (Lavranos) G.D.Rowley
- Common names = Dwarf baobab [English], Baobab nain [French]
- Distribution = Madagascar
- CITES Appendix = II #4

***Pachypodium lamerei* Drake**

- Synonyms = *Pachypodium champenoisianum* Boiteau; *Pachypodium lamerei* var. *lamerei*; *Pachypodium lamerei* var. *ramosum* (Costantin & Bois) Pichon; *Pachypodium lamerei* var. *typicum*; *Pachypodium ramosum* Costantin & Bois; *Pachypodium rutenbergianum* forma *lamerei* (Drake) Poiss.
- Common names = Dwarf baobab, Madagascar palm [English], Baobab nain [French]
- Distribution = Madagascar
- CITES Appendix = II #4

***Pachypodium lealii* Welw.**

- Synonyms = *Pachypodium giganteum* Engl.; *Pachypodium lealii* subsp. *lealii*
- Common names = Bottle tree [English]
- Distribution = Angola, Botswana [Uncertain] and Namibia
- CITES Appendix = II #4

***Pachypodium menabeum* Leandri**

- Synonyms = None
- Common names = Dwarf baobab [English], Baobab nain [French]
- Distribution = Madagascar
- CITES Appendix = II #4

***Pachypodium mikea* Lüthy**

- Synonyms = None
- Common names = Dwarf baobab [English], Baobab nain [French]
- Distribution = Madagascar
- CITES Appendix = II #4

***Pachypodium namaquanum* (Wyley ex Harv.) Welw.**

- Synonyms = *Adenium namaquanum* Wyley ex Harv.
- Common names = Elephant's trunk [English]
- Distribution = Namibia and South Africa
- CITES Appendix = II #4

***Pachypodium* × *rauhii* Halda**

- Synonyms = None
- Common names = None

- Distribution = Only in cultivation
- CITES Appendix = II #4

***Pachypodium rosulatum* Baker**

- Synonyms = None
- Common names = Dwarf baobab [English], Baobab nain [French]
- Distribution = Madagascar
- CITES Appendix = II #4

***Pachypodium rosulatum* subsp. *bemarahense* Lüthy & Lavranos**

- Synonyms = None
- Common names = Dwarf baobab [English], Baobab nain [French]
- Distribution = Madagascar
- CITES Appendix = II #4

***Pachypodium rosulatum* subsp. *bicolor* (Lavranos & Rapan.) Lüthy**

- Synonyms = *Pachypodium bicolor* Lavranos & Rapan.; *Pachypodium rosulatum* forma *bicolor* (Lavranos & Rapan.) G.D.Rowley
- Common names = Dwarf baobab [English], Baobab nain [French]
- Distribution = Madagascar
- CITES Appendix = II #4

***Pachypodium rosulatum* subsp. *gracilius* (H.Perrier) Lüthy**

- Synonyms = *Pachypodium gracilius* (H.Perrier) Rapan.; *Pachypodium rosulatum* var. *gracilius* H.Perrier
- Common names = Dwarf baobab [English], Baobab nain [French]
- Distribution = Madagascar
- CITES Appendix = II #4

***Pachypodium rosulatum* subsp. *makayense* (Lavranos) Lüthy**

- Synonyms = *Pachypodium makayense* Lavranos
- Common names = Dwarf baobab [English], Baobab nain [French]
- Distribution = Madagascar
- CITES Appendix = II #4

Pachypodium rosulatum* subsp. *rosulatum

- Synonyms = *Pachypodium cactipes* K.Schum.; *Pachypodium drakei* Costantin & Bois; *Pachypodium rosulatum* subsp. *cactipes* (K.Schum.) Lüthy; *Pachypodium rosulatum* var. *delphinense* H.Perrier; *Pachypodium rosulatum* var. *drakei* (Costantin & Bois) Markgr.; *Pachypodium rosulatum* var. *typicum*
- Common names = Dwarf baobab [English], Baobab nain [French]
- Distribution = Madagascar
- CITES Appendix = II #4

***Pachypodium rutenbergianum* Vatke**

- Synonyms = *Pachypodium meridionale* (H.Perrier) Pichon; *Pachypodium rutenbergianum* var. *meridionale* H.Perrier; *Pachypodium rutenbergianum* var. *rutenbergianum*; *Pachypodium rutenbergianum* var. *typicum*
- Common names = Dwarf baobab [English], Baobab nain [French]
- Distribution = Madagascar
- CITES Appendix = II #4

***Pachypodium saundersii* N.E.Br.**

- Synonyms = *Pachypodium lealii* subsp. *saundersii* (N.E.Br.) G.D.Rowley
- Common names = Impala lily, Kudu lily [English]
- Distribution = Mozambique, South Africa and Zimbabwe
- CITES Appendix = II #4

***Pachypodium sofiense* (Poiss.) H.Perrier**

- Synonyms = *Pachypodium rutenbergianum* var. *perrieri* Poiss.; *Pachypodium rutenbergianum* var. *sofiense* Poiss.
- Common names = Dwarf baobab [English], Baobab nain [French]
- Distribution = Madagascar
- CITES Appendix = II #4

***Pachypodium stenanthum* (Costantin & Bois) J.-B.Castillon, J.-P.Castillon & Rapan.**

- Synonyms = *Pachypodium cactipes* sensu Rapanarivo & Leeuwenberg (excluding type); *Pachypodium rosulatum* forma *stenanthum* Costantin & Bois; *Pachypodium rosulatum* subsp. *cactipes* sensu Luthy (excluding type); *Pachypodium rosulatum* var. *delphinense* H.Perrier
- Common names = Dwarf baobab [English], Baobab nain [French]
- Distribution = Madagascar
- CITES Appendix = II #4

***Pachypodium succulentum* (L.f.) Sweet**

- Synonyms = *Barleria rigida* Spreng. ex Schldl.; *Belonites succulentus* (L.f.) E.Mey; *Echites succulentus* L.f.; *Echites tuberosus* Haw. ex Steud.; *Pachypodium griquense* L.Bolus; *Pachypodium jasminiflorum* L.Bolus; *Pachypodium succulentum* Steud.; *Pachypodium tomentosum* G.Don
- Common names = Porcupine-kambroo, Star-flower thick-foot, Succulent Madagascar palm
- Distribution = South Africa
- CITES Appendix = II #4

***Pachypodium windsorii* Poiss.**

- Synonyms = *Pachypodium baronii* var. *windsorii* (Poiss.) Pichon
- Common names = Dwarf baobab [English], Baobab nain [French]
- Distribution = Madagascar
- CITES Appendix = I