

CONVENTION ON INTERNATIONAL TRADE IN ENDANGERED SPECIES
OF WILD FAUNA AND FLORA



Seventy-eighth meeting of the Standing Committee
Geneva (Switzerland), 3-8 February 2025

Species conservation and trade

Flora

PRODUCTS CONTAINING SPECIMENS OF
APPENDIX II-LISTED ORCHIDS (ORCHIDACEAE SPP.)

1. This document has been prepared by the Secretariat.
2. At its 19th meeting (CoP19; Panama City, 2022), the Conference of the Parties adopted Decisions 19.246 to 19.248 on *Products containing specimens of Appendix II orchids (Orchidaceae spp.)*, as follows:

Directed to the Secretariat

19.246 *The Secretariat shall:*

- a) *submit the outcomes of the study on international trade in edible orchids (information document CoP19 Inf. 9) for the consideration of the Standing Committee together with recommendations on how the Convention can be better implemented for the species concerned;*
- b) *subject to availability of external resources, consult with Parties and stakeholders and undertake a study to compile an overview of Appendix-II orchid taxa that are particularly affected by wild harvest for international trade to inform the following assessments:*
 - i) *an assessment of the conservation impacts of exempting artificially propagated Appendix-II listed orchid taxa from CITES regulations, including as articulated in footnote annotation 10 (after CoP19, footnote annotation P3) of the CITES Appendices, including identification challenges and look-alike issues; and*
 - ii) *an assessment of the conservation impacts of exempting derivatives and/or finished products of certain Appendix-II listed orchid taxa from CITES regulations through amendments to annotation #4; and*
- c) *report to the Plants Committee.*

Directed to the Plants Committee

19.247 *The Plants Committee shall consider the studies as per Decision 19.246 and make recommendations on how to improve CITES implementation for Appendix-II listed orchids to the Standing Committee or to the Conference of the Parties, as appropriate.*

Directed to the Standing Committee

19.248 *The Standing Committee shall review any recommendations of the Plants Committee, and make recommendations to the Conference of the Parties, as appropriate.*

Implementation of Decision 19.246, paragraph a)

Study entitled A Review of the Edible Orchid Trade

3. In accordance with Decision 19.246, paragraph a) and as requested by the Standing Committee at its 77th meeting (SC77; Geneva, November 2023) (see summary record [SC77 SR, agenda item 69](#)), the Secretariat has included for the consideration of the Standing Committee the study entitled *A Review of the Edible Orchid Trade* in Annex 1 to the present document. The study was originally submitted to the Conference of the Parties as information document [CoP19 Inf. 9](#) and [CoP19 Inf. 9 Annex](#). The study compiles information on orchid species known to be edible; international trade in food products that contain orchid specimens; analyses whether this trade appears to be registered in the CITES Trade Database; and review of the available information on the conservation impacts of such trade. The content of the study is summarized below.
4. The study identifies 374 orchid species that literature refers to as edible. The ground tubers of 188 of these are collected for food products known and traded as salep or chikanda:
 - a) Salep trade is centred in the Near and Middle East, but salep is also traded online and available globally. Large scale commercial enterprises reportedly exist in Türkiye, where demand is highest. Main orchid harvests for salep are reported from Albania, Greece, the Islamic Republic of Iran and Türkiye. The main collected genera are *Dactylorhiza*, *Ophrys*, and *Orchis*.
 - b) Chikanda seems to be largely traded in regional markets and networks in central Africa. The main demand is in Zambia, with important supplies from the United Republic of Tanzania, Malawi, and bordering countries. Demand for chikanda is reportedly rising, and trade is becoming increasingly commercialized. The main collected genera are *Disa*, *Habenaria* and *Satyrium*.
5. Available evidence suggests that orchid tuber collection is from the wild, is destructive to the entire plant, has a scale of many tens of millions of individuals annually, and includes other tuberous orchid taxa rather indiscriminately, if the preferred genera are unavailable. Of the 374 edible orchid species identified in the study in Annex 1, only a few have IUCN Red List assessments completed. Of those that did, the most common assessment was least concern. However, at least 63 edible orchid species are categorized as threatened in national or regional Red List assessments. Local and regional depletions of orchids, even within protected areas, are reported from range States including the Islamic Republic of Iran, Malawi, the United Republic of Tanzania, Türkiye, and Zambia.
6. Recent research suggests that international salep trade may be more complex, global and valuable than previously thought. Masters et al. (2020) identified 244 patent applications that referred to salep between 1855 and 2018, with a marked increase in numbers since 1985. Of those, 89 patents were granted. The United States of America is the geographical jurisdiction with the largest number of applications, followed by applications referred to as 'global', and applications from China, Germany and Japan. Applications referred to salep in the context of innovations in, *inter alia*, colloid agents, dental applications, explosives, gas lift systems related to drilling and fracking, industrial oils, medical intubation, nutraceuticals, pharmaceutical formulations, textiles, and wastewater flocculants. Five orchid species are named as components of salep in at least 30 applications: *Orchis mascula*, *O. militaris*, *Anacamptis morio*, *A. pyramidalis*, and *Platanthera bifolia*. The genera *Aceras*, *Dactylorhiza*, *Himantoglossum*, *Neotinea*, *Ophrys* and *Serapias* are also named.
7. Since Orchidaceae spp. is included in Appendix II, international trade in tuberous orchid products should be regulated under CITES. However, little, if any, seems to be reported by Parties according to the information available in the CITES database. The study argues that most of this international trade is unregulated by CITES provisions and that regional depletions of some genera of tuberous orchids used in this trade appear to have occurred across some range States in Africa, Central Asia and Europe.

Outcomes of the 26th meeting of the Plants Committee and the 77th meeting of the Standing Committee

8. At its 26th meeting (PC26; Geneva, June 2023), the Plants Committee considered document [PC26 Doc. 30](#) containing the study referred to in Decision 19.246, paragraph a). The Plants Committee recommended that identification manuals be developed as all tuberous orchids are included in the CITES Appendices, noting the challenge to distinguish tubers, as a group, from other specimens. The Plants Committee also recommended that support be provided for ongoing red list assessments for tuberous orchids; and highlighted the need to better understand the regional differences in trade in tuberous orchids and actions

to strengthen CITES compliance taking into consideration, in particular, any livelihood elements of the trade (see summary record [PC26 SR, agenda item 30](#)).

9. At SC77, the Standing Committee emphasized the need for identification manuals and training and urged Parties and other donors to support red list assessments for tuberous orchid taxa in international trade. The Standing Committee furthermore urged Parties to improve regulation and enforcement relating to trade in tuberous orchids as is currently required under the Convention; and requested the Secretariat to issue a Notification to Parties inviting them to provide information on:
 - a) trade volumes;
 - b) manuals and regulations relating to trade in tuberous orchid, including domestic trade;
 - c) enforcement challenges; and
 - d) other relevant information related to trade in tuberous orchids, including any capacity-building needs.
10. The Standing Committee requested the Secretariat to present all relevant information from studies and Notifications under Decision 19.246 to the Standing Committee at its 78th meeting (SC78).

Implementation of recommendations adopted at SC77 and outcomes of the 27th meeting of the Plants Committee (PC27; Geneva, July 2024)

11. In line with the recommendations adopted by SC77, the Secretariat published [Notification to the Parties 2024/013](#) with a [questionnaire](#) on 10 January 2024. The Secretariat received 10 responses from Parties and a response from one independent expert. The Secretariat also received inputs from China after PC27 and published the information as an information document ([PC27 Inf. 17](#)) and added the corrections provided by China in the response provided by the independent expert. Document [PC27 Doc. 28](#) contains a brief summary of the responses.
12. Taking into consideration the request from SC77 to share responses to the Notifications to the Parties with the Committee at its SC78, the responses referred to in paragraph 11 are contained in Annex 2 to the present document.
13. The synthesis of the responses shared with PC27 as well as the information received from China is included in paragraphs 14 to 21 below.

Regarding trade volumes

14. Based on the responses received, some Parties are aware of harvest of or trade in tuberous orchids. The scale of harvest at national level was considered to be small by some Parties, but specific information was unavailable. Notably, of the key trading countries with possibly regionally depleted tuberous orchid populations¹ identified in the study in Annexes 1 and 2 to document [PC26 Doc. 30](#), only the United Republic of Tanzania responded to Notification to the Parties No. 2024/013 despite efforts made in this regard by the Secretariat. The United Republic of Tanzania indicated that it does not have pertinent information due to inadequate regulatory instruments and monitoring systems.
15. Most responses to the Notification to the Parties refer to trade in live specimens of tuberous orchid taxa, plant parts or extracts. Trade in orchid tubers and finished products is not exempt from CITES regulation, and information compiled in document [PC26 Doc. 30](#) and Masters et al. (2020) suggest that trade in salep is global; multiple offers are readily accessible online without apparent reference to CITES documentation.
16. Noting discussions in the Plants Committee that information on trade volumes in tuberous orchids was unclear, the Secretariat compiled relevant information as follows:
 - Annual harvest volumes from the wild are estimated at 30-120 million tuberous orchids in Türkiye.
 - Circa 6 million specimens annually are reportedly harvested in Iran and exported to Türkiye.

¹ Document [PC26 Doc. 30](#) identified salep trade to predominantly originate from harvests in Albania, Greece, Iran and Türkiye, and chikanda trade to predominantly originate from harvests in Zambia, with important supplies from the United Republic of Tanzania, and Malawi.

- Zambia reportedly imports around 5 million tubers from surrounding countries, with 2.2 - 4.1 million tubers imported from the United Republic of Tanzania alone.
 - Other sources suggest that 3,750-7,500kg (dry weight) of salep is harvested annually in Türkiye, and up to 28,000kg is annually exported.
 - Around a dozen production facilities in China self-report capacities to fulfil orders for wholesale powdered salep products exceeding 500-1,000kg. Some vendors claim a production capacity of >10,000Kg/month. China indicated that these wholesale products are largely derived from *Dendrobium* species that are artificially propagated.
 - Several smaller wholesale vendors were identified in Türkiye. It seems, however, unclear whether the entire wholesale production capacity is based on orchid tubers harvested in the wild.
 - The study indicates conversion factors of 1,000 to 4,000 tubers per kg of dried and ground tuber powder, depending on the species and the cited literature source.
17. Some responses to Notification No. 2024/013 mentioned seizures of salep products. The Secretariat notes that an in-depth analysis of the CITES database for trade in edible orchids would involve a large number of taxa and a variety of products. However, a quick scan of the CITES illegal trade database for the years 2016-2022 showed the following records of seizures that could relate to trade in tuberous orchids:
- 1 seizure of Orchidaceae specimens described as bulbs (2 PKT);
 - 91 seizures of Orchidaceae specimens described as powder (254 items, 630kg, 10 BOX); and
 - 405 seizures of Orchidaceae specimens described as roots (25,686 items, 1,629kg, 20 BOT, 9 BAG, 10 PKT²).

Regarding manuals and regulations relating to trade in tuberous orchids, including domestic trade

18. Many responses indicate that trade in tuberous orchid is regulated under general legislation that protects orchids and often prohibits most harvests. However, few, if any, materials or tools exist to guide implementation of trade in these taxa. Germany is considering the possibility of risk profiles for salep and Mexico has developed a risk profile for *Habenaria novemfida*. Some Parties report the availability of identification tools, though these seem to refer to live specimens rather than products dominating trade, such as tubers or dried powders. Sweden and one independent expert report the availability of manuals for wild harvest, assisted production and artificial propagation of tuberous orchids. Some useful approaches seem to also be available in academic literature, including a framework for identifying and improving sustainable harvest of wild orchids³. At the time of writing, the Secretariat has requested the authors of relevant submissions whether the mentioned identification guides, harvest and propagation manuals are available in English and can be shared for the benefit of other Parties.

Regarding enforcement challenges

19. Almost all responses highlight the identification of specimens as a key enforcement challenge. Other enforcement challenges include availability of inspection personnel along trade routes of tuberous orchid products, lack of detection of illegal trade, insufficient cross-border cooperation, lack of professional knowledge and skills among enforcement personnel, traceability of specimen contents, origin and supply chain, and lack of public awareness.

Regarding other relevant information related to trade in tuberous orchids, including any capacity-building needs

20. Overall, materials and capacities for specimen identification were most commonly reported to be lacking, especially for the higher processed specimens, such as the dried powders on which salep and chikanda products are based. The United Republic of Tanzania noted a need to develop various manuals, guidelines and regulations, resource assessments, non-detriment findings and methods for artificial propagation, and suggested the development of a regional strategy on orchids. Mexico suggests that a workshop on the *modus operandi* of illegal trade in edible orchids could be useful. The enforcement authorities of the United

² The Secretariat notes that the units BAG, BOT, BOX, PKT are unclear. The [Guidelines for the preparation and submission of the CITES annual illegal trade reports](#) indicate that “the quantity should always be recorded as number of specimens and never in non-standard units such as ‘boxes’, ‘cartons,’ ‘containers’ or ‘bales’. Where possible, all seizures reported should include both quantity and weight/volume for each specimen and species type seized during an incident”.

³ Ticktin et al. (2023): *Wild orchids - A framework for identifying and improving sustainable harvest*. *Biological Conservation* 277, <https://doi.org/10.1016/j.biocon.2022.109816>

States of America noted the need to increase capacity to identify illegal trade in products containing tuberous orchids (and other orchid taxa), especially for trade in traditional Chinese medicine.

21. China raised concerns relating to nomenclature issues that require verification. The Secretariat consulted the specialist on botanical nomenclature relating to these matters and the following clarification was provided:
 - a) The spelling of the species epithet of *Calanthe alismifolia*: This name was originally published with the spelling 'alismaefolia' (with a ligature æ). This is often spelled as 'alismifolia' or 'alismaefolia';
 - b) "Gymnadenia latifolia": This combination does not seem to exist. It likely refers to *Gymnadenia conopsea* var. *latifolia* Schltr., which is now included in the synonymy of *Gymnadenia conopsea* (L.) R.Br.
22. At PC27, the Plants Committee noted the synthesis of available information, agreed the draft decisions contained in Annex 3 to the present document (see summary record [PC27 SR](#)) and agreed to report its recommendations to the Standing Committee.

Implementation of Decision 19.246, paragraph b)

23. At PC26, the Plants Committee considered a draft terms of reference (ToR) for the study on Appendix-II orchid taxa that are particularly affected by wild harvest for international trade referred to in Decision 19.246, paragraph b). The Secretariat updated the ToR in light of the recommendations of the Plants Committee (see summary record [PC26 SR](#)) and submitted the amended ToR for consideration by PC27 ([PC27 Doc. 28](#) – Annex 1). At PC27, the Plants Committee noted the ToR (see summary record [PC27 SR](#)) and the Secretariat initiated the process to undertake the study.
24. The Secretariat notes that the draft decisions agreed by PC27 as contained in Annex 3 to the present document refers to the study to be undertaken and submitted for consideration by the Plants Committee at its 28th meeting. Taking into consideration progress made by the time CoP20 takes place, Parties may wish to make amendments to the draft decisions, as appropriate.

Recommendations:

25. The Standing Committee is invited to:
 - a) consider the study entitled *A Review of the Edible Orchid Trade* in Annex 1, the responses from Parties to [Notification to the Parties 2024/013](#) contained in Annex 2 and the synthesis of responses compiled by the Secretariat and contained in paragraphs 14 to 21 of the present document; and
 - b) review and submit the draft decisions in Annex 3 for consideration at the 20th meeting of the Conference of the Parties, and consequently recommend the deletion of Decisions 19.246 to 19.248.

DRAFT DECISIONS ON *TRADE IN EDIBLE TUBEROUS ORCHIDS*

Draft decisions recommended by the 27th meeting of the Plants Committee (PC27 SR):

Directed to Parties

20.AA Parties are encouraged to enhance their efforts to regulate the trade in edible tuberous orchids as required under the Convention and to combat illegal trade in edible tuberous orchids, in particular by raising awareness with relevant stakeholders, making non-detriment findings and legal acquisition findings for edible tuberous orchids, building enforcement capacity and enhancing cooperation across borders with a focus on combatting illegal trade in edible tuberous orchids, including modus operandi of trade networks, species identification and the development or update of risk profiles.

Directed to the Secretariat

20.BB The Secretariat shall:

- a) subject to availability of external resources, consult with Parties and stakeholders and undertake a study to compile an overview of Appendix-II orchid taxa that are particularly affected by wild harvest of Appendix-II listed orchid taxa for international trade to inform the following:
 - i) the conservation impacts of exempting artificially propagated Appendix-II listed orchid taxa from CITES regulations, including as articulated in footnote annotation P3 of the CITES Appendices, including identification challenges and look-alike issues;
 - ii) the conservation impacts of exempting derivatives and/or finished products of certain Appendix-II listed orchid taxa from CITES regulations through amendments to annotation #4; and
- b) present the study and formulate recommendations for consideration at the 28th meeting of the Plants Committee; and
- c) subject to external funding,
 - i) compile identification tools and methods for specimens of edible tuberous orchids that are in international trade, as well as to distinguish look-alike specimens, and, in consultation with the Plants Committee, develop an identification guide to assist Parties in applying these;
 - ii) identify implementation challenges and capacity needs of Parties to regulate international trade in Appendix-II listed edible tuberous orchids;
 - iii) upon request, provide support to key exporting range States, and other key exporting States of edible tuberous orchids, to carry out non-detriment findings for edible tuberous orchids, in consultation with relevant Members of the Plants Committee;
 - iv) upon request, support Parties with the implementation of Decision 20.AA, by including illegal trade in edible tuberous orchids in ongoing activities in the International Consortium on Combating Wildlife Crime, or through other appropriate means; and
- d) report its findings and recommendations to the Standing Committee.

Directed to the Plants Committee

20.CC The Plants Committee shall:

- a) consider the report and the Secretariat's recommendations in response to Decision 20.BB, paragraph a);

- b) provide inputs to the Secretariat when developing an identification guide and when providing support to carry out non-detriment findings for edible tuberous orchids resulting from the implementation of Decision 20.BB, paragraph c) i) and iii); and
- c) report its recommendations to the Conference of the Parties, as appropriate.

Directed to the Standing Committee

20.DD The Standing Committee shall:

- a) consider the report and the Secretariat's recommendations in response to Decision 20.BB, paragraph b); and
- b) report its recommendations to the Conference of the Parties, as appropriate.

A Review of the Edible Orchid Trade

Published July 2022

Prepared under contract from the CITES Secretariat by Kew Gardens - UK CITES Scientific Authority for Flora (Dhanda, S., Bullough, L.-A., Whitehead, D., Grey, J. & White, K).

Produced with the financial support of the CITES Secretariat and the Department for Environment, Food & Rural Affairs, U.K.

Royal Botanic Gardens
Kew



Department
for Environment
Food & Rural Affairs



A Review of the Edible Orchid Trade

© 2022 Secretariat of the Convention on International Trade in Endangered Species of Wild Fauna and Flora (CITES). Users may download, reuse, reprint, distribute, copy text and data and translate the content, provided that the original source is credited and that the logo of CITES is not used.

Disclaimer:

The findings, interpretations, and conclusions expressed herein are those of the author(s) and do not necessarily reflect the views of the CITES Secretariat, the United Nations Environment Programme, United Nations or the Parties to the Convention.

The designations employed and the presentation of material on any map in this work do not imply the expression of any opinion whatsoever on the part of the CITES Secretariat, the United Nations Environment Programme or the United Nations concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries.

Links contained in the present publication are provided for the convenience of the reader and are correct at the time of issue. The CITES Secretariat takes no responsibility for the continued accuracy of that information or for the content of any external website.

Citation:

Dhanda, S., Bullough, L.-A., Whitehead, D., Grey, J. & White, K. 2022. A review of the edible orchid trade. Royal Botanic Gardens, Kew, Surrey, U.K.

Credits

Photographs:

Front cover: *Disa aequiloba*, Zambia by Nicholas Wightman

Materials and methods: *Orchis* spp. from Kew's Collections by Paul Little

Results: *Dactylorhiza maculata* tubers from Kew's Collections by Paul Little

Conservation impact: Harvested tubers, Zambia by Seoljong Kim

Design: Ines Stuart-Davidson

Acknowledgements

We wish to thank Kim Jacobsen for his knowledge and time on edible orchids and Mark Nesbitt for guidance on sources of data on edible orchids. We are grateful to Ben Hill and Erin Messenger for access to Kew's Economic Botany Collection. We greatly appreciate Sohaib Karous for his assistance on web crawling and technical support. We also wish to thank the following people for sharing their expertise and valuable knowledge for this project: Sarina Veldman, Chelestino Balama, Hugo de Boer, Nicholas Whiteman and Susanne Masters. We are thankful to Carly Cowell and Emma Williams for feedback and support on this project.

Contents

Executive summary	6
Introduction	7
CITES context on edible orchids.....	7
PC22	7
COP17.....	7
SC69	8
PC24	8
PC25	8
CITES orchid listing.....	8
Aims and objectives.....	9
Materials and methods.....	11
Global edible orchids literature review and database.....	11
Journal search for chikanda and salep.....	11
Semi-Structured Interviews	12
Trade data	12
Results.....	16
Scoping review of edible orchids globally.....	16
Global edible orchid trade	17
Chikanda.....	19
Background	19
Distribution	19
Harvesting and sourcing.....	21
Cultivation	22
Chikanda products in trade.....	22
Salep.....	24
Background	24
Distribution	25
Harvesting and sourcing.....	26
Cultivation	27
Salep products in trade	28
Conservation impact.....	39
Step 1: Identification.....	39
Step 2: Review artificially propagated compliance.....	39
Step 3: Review relevant exclusions and previously made NDFs.....	39
Step 4: Evaluate conservation concerns	40
Step 5: Evaluate intrinsic biological risk.....	40

Step 6: Evaluate harvest impacts	40
Step 7: Evaluate trade impacts	41
Step 8: Evaluate effectiveness of management measures	41
Step 9: Make a Non-Detriment Finding or related advice	41
Socio-economic dimensions of edible orchid conservation	41
Limitations and further study	42
Literature	42
NDF data	42
Trade	42
Summary	43
Edible orchid trade.....	43
Implications for orchid exemptions on CITES	44
References	45
Annex I: List of Interview Questions	48
Annex II: List of Species and Genera in Trade.....	50
Annex III: Key words for Online Trade Searches.....	51
Annex IV: Summary of Genera (A-Z) and the Number of Species found in the Literature.....	52
Annex V: Marketing Terms used in Online Product Listings.....	53

Executive summary

The entire orchid family is listed on CITES to ensure international trade is not detrimental to wild populations. It is the largest family listed with at least 30,000 species. Despite this listing, CITES signatories are aware there are implementation issues in enforcing legal orchid trade.

Orchids are used for food, medicine, cosmetics, and ornamental purposes. Due to the enormity of orchid collection, compiling a list of all orchids in trade has been difficult. This review focuses on one use type of orchids (food, including food additives), identifying those that are edible, their uses and existing trade to provide an understanding of orchid use regionally and globally with a view to providing a starting point for the facilitation of legal trade.

The primary aim of this study is to review the international trade in, and conservation impacts of, food products containing orchid specimens with a focus on chikanda use in Africa and salep use in Central Asia and Europe. An additional aim is to identify other orchids documented as being edible.

This was a desk-based study which included a literature search, trade search using manual crawling techniques and an automated algorithm, and the inclusion of qualitative data from key experts. The project brought together specific CITES knowledge and orchid consumption and trade expertise.

The literature identified 374 edible orchids. Those with documented use for the products known and traded as chikanda and salep accounted for just under half of all identified with 186 species and 188 identified as 'Edible'. For many of the other species, the literature did not provide documentation of use, only edibility. For those with use documentation, it was not always clear if the historical use is currently in practice. Most edible orchid species did not have an IUCN Red List assessment. Of those that did, most were categorised as Least Concern. Of those that did not, many had a national or regional assessment completed, with 63 being categorised as Threatened.

Chikanda, a food "cake" made with ground terrestrial orchid tubers, is eaten across several African countries, predominately Zambia. The genera most used to make chikanda are *Disa*, *Satyrium* and *Habenaria*. Salep, a powder also made from ground terrestrial orchid tubers, is used in Iran, Greece and predominately Turkey. The genera most utilized when making salep were *Ophrys*, *Dactylorhiza*, and *Orchis*.

Both chikanda and salep are made with terrestrial tubers which are exclusively taken from the wild. They are largely collected indiscriminately, with the destruction of the whole plant. Species level identification is difficult for collectors who rely on tuber traits such as taste and texture rather than above-ground plant characteristics to determine whether they are suitable for trade. There was evidence of some knowledge of the need for and the success of some small-scale sustainable harvesting, as well as the use of substitute ingredients for salep. However, while chikanda tuber collectors noted the scarcity of edible orchids, evidence suggests they travel much longer distances to harvest rather than attempt sustainable harvesting. In addition, the protection of areas such as national parks has not prevented the harvesting of chikanda orchids in those areas.

Salep is now readily accessible in a variety of forms to consumers around the world via well-known online marketplaces. Every aspect of this trade was found to be opaque and, while all the listings offered international shipping, none referred to CITES regulations. This appears to be a clear example of the use of online marketplaces by vendors and consumers who are either unaware of, or willing to circumvent, CITES controls. Without the use of CITES permits and authentication of product ingredients and vendor claims, the impact upon wild populations cannot accurately be assessed, although it is potentially significant.

Both salep and chikanda products have seen a rise in demand and collectors of both have reported seeing a decline in edible orchid populations. The countries with the highest demand for products are increasingly reliant on tubers harvested from other countries. While cross border trade was evident, there was no evidence of CITES registration or declaration. Online trade in chikanda products and raw ingredients is currently limited, suggesting that online international trade is rare.

This scoping review has provided an insight into the extent of edible orchids, and the salep and chikanda trade. It has shown that this trade appears unregulated and is a threat to wild populations. However, it is vital to consider that the trade outlined in this report is an important part of many people's livelihoods. Recommendations from this study include field research and consultations with range states to understand further the potential for cultivated systems for tubers or work towards sustainable harvesting and monitoring practices. Further details are required at a country level for range states for these trades including population data, harvest and regeneration data with support from CITES signatories. A preliminary list of genera and species in the edible orchid trade will facilitate future discussions on CITES orchid exemptions.

Introduction

This report was commissioned by the CITES Secretariat with support from the UK Department of Food and Rural Affairs to contribute to CITES decisions 18.327 - 18.330 on products containing specimens of Appendix-II orchids. It evaluates the threats to wild species posed by the edible orchid trade and the dynamics of the trade to inform discussions on the impact of exempting orchid products and derivatives in line with Decision 18.327(a)(b). Additionally, one of the outcomes of this scoping project aims to inform the Plants Committee on an understanding of the knowledge gaps and research priorities for the edible orchid trade, as suggested in Decision 18.327(c).

All orchids are listed on CITES to ensure international trade is not detrimental to wild populations. There are at least 30,000 species in the orchid family, making it the largest family listed. Orchids are used for food, medicine, ornamental display and cosmetics, in addition, they provide many ecological functions (Hinsley et al., 2018). CITES signatories are aware there are implementation issues in enforcing legal orchid trade. To-date case studies of orchid use have been put forward to CITES, but due to enormity of the orchid family collecting a list of all orchids in trade has been difficult to compile. This report focuses on one use type of orchids, to provide a starting point for the facilitation of legal trade through a deeper understanding of orchid use regionally as well as globally.

We aim to review the international trade and conservation impacts of food products that contain orchid specimens with a focus on chikanda use in Africa and salep use in Central Asia and Europe, and to provide an overview of edible orchids globally. This is a desk-based study with a literature search, trade search using manual and automated crawling techniques, in addition to qualitative data from key experts.

In this study we classified edible as food or a food additive suitable for human consumption. We noted close synergies between edible orchids and medicinal and aromatic orchids, but the focus of this review was on orchids used for food. We found 374 edible orchids documented in the scientific and grey literature as well as databases. This number is likely an underestimate as it is based on available data. Edible orchids are used as flavouring agents in food, and to make dishes such as ice-cream, chikanda, edible flower decorations and consumed as drinks such as salep and teas. Products with orchid specimens are consumed nationally, regionally and internationally.

The trade of orchid specimens has been discussed by CITES. At the 25th Meeting of the Plants Committee, the CITES Secretariat noted that the large trade of orchid tubers affected multiple species and that the data does not appear in the CITES trade database. The trade of orchid tubers is a threat to wild populations and the trade seems to be unregulated and not enforced (CITES, 2020).

CITES context on edible orchids

PC22

The origin of CITES discussions on orchid uses commenced at the 22nd Meeting of the Plants Committee (PC22, Tbilisi, 2015). An intersessional working group was established to discuss the potential risks and benefits of an exemption for orchid components particularly for orchid specimens used in cosmetics. This discussion stemmed from a trade survey commissioned by Switzerland which revealed 39 species of Orchidaceae are found in European commerce. Three of the 39 orchid species in the review were classified as a food supplement; *Cymbidium goeringii* (whole plant), *Dendrobium nobile* (aerial part; stem; whole plant) and *Orchis mascula* (flower, tuber and fecula of the roots, whole plant) (Brinckmann, 2014a). *C. goeringii* is consumed in the form of a pill with properties of antioxidant, hair and skin conditioning. *Dendrobium nobile* was found in pre-workout tinctures in the form of powders and extracts. *Orchis mascula* were found in herbal dietary supplements in the form of an extract either from the whole plant, tuber or flower.

Additionally, PC22 Inf. 6 by the IUCN SSC Orchid Specialist group presented a summary of the illegal collection and international trade of orchids for food and medicine including salep and chikanda. This document highlighted the breadth of commodities of orchid specimens in trade.

COP17

Decisions were adopted at COP17 directed to the Plants Committee to continue the work of the working group in line with relevant discussions in the annotations working group. The decisions were for the working group to develop a questionnaire to seek information on the trade of orchid parts and derivatives (wild and artificially propagated) to consider the potential conservation impact of exempting orchid products from CITES controls. The questionnaire requested information on the trade in orchid products from source to final product, how NDFs are

made, traceability and identification along the trade chain and trade reporting. The breadth of details included orchid parts and derivatives used in cosmetics, nutritional supplements, traditional medicines, foodstuffs and conservation concerns for wild populations (CITES, 2016).

In response to Decision 17.318 adopted at COP17 Switzerland commissioned in-depth case studies on *Vanda coerulea*, *Vanda tessellata*, *Papilionanthe teres*, *Cypripedium parviflorum* var. *pubescens* and *Gastrodia elata*, and overviews of salep, chikanda, flower and vibrational essences, orchids and fragrances. The document noted *Gastrodia elata* is also found in herbal dietary supplements, but these are made from cultivated *G. elata* rhizomes, with little evidence it's found in the European market (CITES, 2017).

SC69

At SC69, Inf. 39 submitted by the IUCN Orchid Global Trade Programme presented CITES implementation issues, including trade in edible, medicinal and ornamental orchids worldwide and an outline a series of priority actions for strengthening CITES implementation for orchids. Recommendations for orchids used for chikanda were to consult with key Parties (e.g., Zambia and Tanzania) and undertake field research to evaluate the scale of trade and primary trade routes. Recommendations for orchids used for salep were to consult with key Parties (e.g., Turkey) and domestic experts to determine whether artificial propagation is viable, and to evaluate the scale of trade and existing trade networks for wild plants.

PC24

At PC24 the focus was on orchids used for cosmetic and personal care. Additionally, the working group agreed that additional consideration of the use of orchids in personal care products, medicinal, and foodstuffs is needed, and that such consideration will need to continue to the next intersessional period. The working group also agreed that the evaluation of the use of orchids in cosmetics and personal care products should be concluded before moving on to other sectors. A new set of decisions were adopted at CITES Cop18.

PC25

At PC25 the CITES Secretariat produced a comprehensive assessment of the potential conservation impact of exempting orchid products and derivatives from CITES controls using four guiding questions. The document acknowledged food products such as salep and chikanda were produced from a large and indiscriminate selection of tuberous orchids, and highlighted challenges for the regulation of trade in wild orchids.

PC25 Inf 4 is a collation of all the commissioned reports for products containing orchid specimens. This is predominantly cosmetics, personal care, some perfume and a comprehensive report on salep and chikanda. The salep report identifies 78 species in trade. The chikanda report also identifies a list of 32 orchid species used in chikanda.

The report of the Plants Committee (Decision 18.330) was presented at SC74. This concluded further research is needed and future areas of research could focus on food and medicinal plants, but the scope of the research should be narrowed. To inform the discussions in CITES it is likely that field work is necessary to obtain accurate and sufficient data in source countries that have wild harvest of medicinal or edible orchids (CITES, 2022).

CITES orchid listing

Orchidaceae species are listed on Appendix II of CITES, with the exception of the taxa listed on Appendix I. Appendix I orchids include the genus listings of *Paphiopedilum* and *Phragmipedium* along with the following species; *Aerangis ellisii*, *Cattleya jongheana*, *Cattleya lobata*, *Dendrobium cruentum*, *Mexipedium xerophyticum*, *Peristeria elata* and *Renanthera imschootiana* (Govaerts et al., 2019). Appendix II orchids are listed with annotation #4 as follows:

COP18 #4

All parts and derivatives, except:

- a) seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from *Beccariophoenix madagascariensis* and *Dypsis decaryi* exported from Madagascar;
- b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;
- c) cut flowers of artificially propagated plants;
- d) fruits, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genus *Vanilla* (Orchidaceae) and of the family Cactaceae;
- e) stems, flowers, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genera *Opuntia* subgenus *Opuntia* and *Selenicereus* (Cactaceae); and

f) finished products of *Aloe ferox* and *Euphorbia antisyphilitica* packaged and ready for retail trade.

Aims and objectives

The aim of this project was to review the threats to wild species in the international edible orchid trade and evaluate the conservation impacts of food products that contain orchid specimens with a focus on chikanda and salep use.

Our objectives:

- Undertake a global scoping review of principal food products in international trade that contain orchid specimen using online data collection, literature analysis and expert interviews.
- Analyse geographic patterns and temporal dynamics of the availability, trade routes and pricing of salep and chikanda products, using the CITES Trade database, and systematic manual and automated online search for products in trade.
- Compile the taxa principally used in salep and chikanda products and available information on their biology, conservation, sources of harvest and estimated harvest volumes, using scientific and grey literature reviews, IUCN red listing information and expert and key informant interviews.
- Assess the conservation impact of trade in salep and chikanda products using the 9-step guidance for making CITES non-detriment findings for perennial plants.
- Identify knowledge gaps and priorities for follow-up research, including scope and methodologies of pertinent fieldwork.

Materials and methods



Materials and methods

A mixed methods approach was used to review the international trade and conservation impacts of food products that contain orchid specimens with a focus on chikanda and salep. The main methods for data collection were a literature search of scientific journals, grey literature and databases, a manual and automated online search for products in trade, and the elicitation of qualitative data from key experts.

Global edible orchids literature review and database

For this study edible orchids were classified as food or food additives suitable for human consumption. A literature review and database were compiled using these data sources: scientific journals, grey literature, databases, books from Kew's ethnobotany library and personal communications. The databases used include Kew's Economic Botany Database, the World Checklist of Useful Plants, the World Checklist of Selected Plant Families, Plants of the World Online, the IUCN Red List and BGCI ThreatSearch. Additionally, CITES documents were reviewed to capture relevant information Parties have presented to-date. The database focuses on edible orchids at species level. The database collated the following information:

- Species name identified in the reference
- Accepted name and author
- Synonyms
- Common names
- Distribution
- Biological descriptions
- Conservation Status
- Local, regional, and international trade
- Source: wild, cultivated
- Trade route origin
- Trade route destination
- Use
- Part of the plant in use
- Use description
- Literature source or reference

The accepted names and synonyms were verified through the World Checklist of Selected Plant Families (WCSP). The WCSP is a collaborative global programme basing the acceptance of species on assessments of the literature, specialist advice and herbarium collections, it's managed by the Royal Botanic Gardens, Kew (Govaerts et al., 2021). Additionally, we requested a download from the WCSP for all species of Orchidaceae which have a tuberous geophyte lifeform.

Common names in various languages were captured from the literature review and the IUCN Red List when the information was available. Data on distribution and biological descriptions were collated from the World Checklist of Selected Plant Families, Plants of the World Online and additional online floras. Distribution occurrences were also obtained from the Global Biodiversity Information Facility (GBIF).

Conservation status was determined using the IUCN Red List and BGCI ThreatSearch and recorded with the year and scope of the assessment (national, regional, or global).

The use was defined by the Economic Botany Data Collection Standard (1995) using the categories; food and food additive, we noted whether the species had another use if recorded from the same data source. The use and trade were all recorded from the literature review and databases. The approach for the recording of information was to capture presence data only.

Journal search for chikanda and salep

An in-depth literature search was conducted for salep and chikanda during January 2022. The systematic journal search adopted the methodology from the Collaboration for Environmental Evidence systematic review methodology (Livoreil et al., 2017). A test was run on different combinations of search terms pertinent to the research question before being finalised. The search terms were compared to a set of core papers found on the topic. The final search terms were "orchid* AND chikanda OR salep OR edible AND trade (1975 – present)." The terms were searched on three scientific databases – SCOPUS, Web of Science and Google Scholar. All titles and abstracts of the papers were loaded into excel and duplicates were removed. These papers were then assessed against the inclusion and exclusion criteria (Table 1).

The criteria were based on the information in the title and abstract. The journal paper had to meet the geographic criteria to be included and one other criteria from consumption, conservation or trade. One limitation of the review was literature was only reviewed if it was in the English language.

Two reviewers read the first 50 papers and either accepted or rejected the papers based on the inclusion criteria. To determine the consistency of implementing the inclusion/exclusion criteria a Cohen's kappa coefficient was used to test the agreeability between the reviewers. The Cohen's kappa coefficient was ranked as 'near perfect agreement' (Kappa score 0.8165137). The remaining titles and abstracts were split between the reviewers to analyse. This resulted in 37 papers used in the literature review. The full text was then reviewed, and the relevant data extracted and recorded in excel, with more detailed relevant information captured in a word document. During the review process, the extracted data included any species or genera mentioned as edible in the paper, country of study, methodology used to collate data and year of study. Additionally, data relating to harvest volumes, trade routes, products mentioned, and scale of trade was also recorded.

Table 1: Inclusion and exclusion criteria for the chikanda and salep scoping review

Geography	Literature covers a region of interest to the study; Africa, Europe and Asia. Review is limited to geographical regions.
Trade	Articles that describe orchids as food which are either traded locally, nationally or internationally.
Consumption	Subsistence, edible or drinkable use of orchids
Conservation	Articles that describe the use of orchids, conservation status or information which indicates threat of extinction. Information which includes biological risks, evaluates harvest impact, trade impact or has a management plan.

Semi-Structured Interviews

We used semi-structured interviews to explore expert opinions on the trade in edible orchids across Southern Africa, Europe and the Eastern Mediterranean Region. Experts were identified using the following criteria i) over the age of 18 ii) specialist knowledge of the edible orchid trade (as demonstrated by publications or job role) and iii) residence or study in one of our focus areas. We then found additional experts through snowball sampling (Newing, 2010). We contacted all identified experts (n=16) and five experts agreed to be interviewed (one expert from a scientific authority, and four researchers).

We conducted the interviews throughout May 2022 in English, using the Microsoft Teams platform. We used an interview guide (Annex I) devised from relevant literature reviewed during the initial phase of the project to somewhat guide the conversation, which was reviewed and refined after each interview to reflect any new information gained. With the permission of the interview respondents, the interviews were recorded and later transcribed into Microsoft Word for analysis.

We used the Framework Method to systematically review the interview transcripts and discern themes that emerged from the conversation that would enable us to answer our research question (Ritchie & Spencer, 2002). After familiarising themselves with the interview transcripts, one researcher developed a thematic framework of recurrent subject-matters and applied this framework to each transcript as part of the analysis.

Trade data

The literature review resulted in a list of scientific names identified in trade both at genus and species level (Annex II). Additionally, a list of trade names was compiled to search marketplaces (Annex III). These lists of taxa were used for both the automated and manual trade search. CITES trade data was queried through the CITES Wildlife Tradeview tool (<https://tradeview.cites.org/>). The time frame searched was between 2015-2021, using the trade terms Roots (ROO) and Powder (POW). The details recorded included the number of specimens and kilograms (kg) reported both by the importers and the exporters.

For the automated search, based on preliminary searches through standard search engines, 7 online marketplaces selling products of relevance to the salep or chikanda trades were selected for detailed analysis. These websites represented 4 global marketplaces and 3 smaller more specialist online retailers. Each website was searched using a combination of web crawling and manual search techniques, with data captured during a 1-month period, spanning April and May 2022.

Key words based on relevant scientific, common and trade names were collated to form a search lexicon, these were used to direct a custom-built web crawler to search websites of interest. Search results returned by the crawler were exported as browsable Excel (.xlsx) files. This enabled human interpretation of the data to be efficiently performed, following the 'FloraGuard' methodology for the analysis of online trade (Lavorigna et al., 2020; Lavorigna & Sajeveva, 2020; Whitehead et al., 2021). As several of the websites were global marketplaces containing millions of products, the web crawler was directed to start searching from a specific menu point within each site. In three of the marketplaces, we found that the web crawler required additional coding to be able to search their complex menu structures, and as this software adaptation was beyond the scope of the project, these web sites were searched using manual searches.

A combination of web crawling and manual inspection of web sites enabled the following information (where available) to be extracted from each online product listing:

- Product name
- Product type (e.g. powder/root)
- Product purity (e.g. pure/processed)
- Product price
- Product availability (in stock and production capacity)
- Vendor (shop) name
- Vendor (shop) location
- Orchid origin (country/region)
- Orchid source (wild, artificially propagated)
- Marketing terms
- Shipping policies (e.g. offers of international shipping, dispatch time, courier/postal services)
- References to CITES procedures
- Other relevant trade or shipping policies

In automated searches, all relevant search results were compiled. In manual searches, where available, the first 30 unique vendor-product combinations of interest within the website were captured. While this did not provide an exhaustive search of 3 of the 7 sites, this provided a thorough representation of trade activity within each marketplace. In total, product listings for 5 chikanda and 133 salep products were analysed, representing 3 chikanda and 95 unique salep vendors.

Information contained within online product listings was assessed and categorised, to enable quantitative and qualitative analysis of trade and a comparison of the websites to be performed. The following approaches were taken to estimates of price per kg and numbers of orchid tubers in trade:

Price per kilogram

As online analysis was performed from the UK, most websites presented the price per item in GBP (£). For this reason, analysis of prices was conducted in GBP, with other currencies (US dollars and Turkish lira), converted to GBP using an online currency convertor. To enable a comparison of prices for products sold by weight to be made, each product's unit price was extrapolated to calculate the equivalent price per kilogram, with the following limitations:

The price of pure powders and roots often decreased when ordered in 'bulk', with the cost per gram of smaller purchases (e.g. 25g-50g) often double that of a purchase of 1kg. As not all vendors offered bulk buys, and as it might be anticipated that a majority of sales would be for smaller volumes, rather than in bulk, the lowest unit cost for each item was selected for extrapolation to produce the price per kg figure. The mean price per kilogram calculations therefore remain an estimate, although we believe they are representative of the values that could be achieved by vendors who sell their products in a range of quantities. The prices of processed products which contained salep as an ingredient, were likely to be influenced by the proportion of salep powder which they contained. As this was rarely detailed in the product descriptions, it was impossible to place a representative price on the salep content itself, but rather on the product as a whole.

Price per Tuber

Estimating the number of orchid tubers contained within salep products, is extremely challenging and is subject to a large margin of error. This is due to the mass of orchid tubers varying between species and region (Ghorbani et al., 2014). Following Masters et al., (2022), an average salep tuber weight of 0.94g/tuber (1,063 tubers per kilogram) was used to make similar estimates in the current study, although as the species identity was not declared in 49% of online product listings observed, our calculations of the number of tubers within each product and hence the price per tuber, are very approximate. As our survey of online marketplaces provided a snapshot of online trade but did not record the number of products sold by each vendor over time, it was also beyond the scope of this study to estimate the number of orchid tubers that may be sold within online transactions, within a given time period.

Results

Dactylorhiza maculata tubers
from Kew's Collections

Results

Scoping review of edible orchids globally

Food security and nutrition are locally and globally important, emphasising the importance of edible plant research. It's estimated there are at least 7,039 edible plant species and documenting further edible plants will contribute to wider discussion on food security (Ulian et al., 2020). In this study based on the literature reviewed, we found 374 documented edible orchids (Supplementary material 1). These were categorised into salep, chikanda and other edible orchids (Figure 1). We identified 72 genera of edible orchids (Annex IV); the taxa were verified as accepted names using the World Checklist for Selected Plant Families. All the species in our review are listed on CITES Appendix II.




Figure 1: Number of orchid species with documented edible use. Many species identified as edible in the literature are used to make chikanda (77) and salep (109), both of which are discussed later. For salep, the most species belonged to the genera of *Ophrys* (29), *Dactylorhiza* (18) and *Orchis* (15). The top genera for chikanda were *Disa* (30), *Satyrium* (28) and *Habenaria* (26). The genera with the highest number of species for other edible orchids were *Pterostylis* (29), *Diuris* (14), *Dendrobium* (11) and *Prasophyllum* (11).

Globally, one of the most important edible orchids belongs to *Vanilla*. There are over 115 species of *Vanilla* found across the tropics and sub-tropics, however the most cultivated species is *Vanilla planifolia* (Teoh, 2016). *V. planifolia* contains vanillin which provides “vanilla” flavouring, a dominant flavour in desserts (Teoh, 2016). In 2020, vanilla beans were the world’s 1,974th most traded product with Madagascar (\$539M) and Indonesia (\$66.9M) being the top exporters (OEC, 2022). Vanilla is widely cultivated, and as artificially propagated vanilla fruits are exempt from CITES, we did not focus on this industry for the study.

The leaves and fruits of other orchids are used to add flavour to a variety of foods. Historically, there has been documentation of *Selenipedium chica* being utilised as a flavouring in Panama (Bulletin of Miscellaneous Information, 1892). The leaves of *Jumellea fragrans* and *J. rossii* are used to flavour rum in Réunion (Hinsley et al., 2018). They have a vanilla-like odour and were also historically used to flavour a tea in Réunion, Mauritius and France called “Faham” and “Bourbon tea”. The name “Bourbon tea” refers to Réunion Island, formerly named Bourbon (Bulletin of Miscellaneous Information, 1892; Chicago Botanic Garden, 2022; Hinsley et al., 2018). Faham tea was intended as an alternative to Chinese tea in France as it did not have the then undesirable effect of wakefulness. The leaves were marketed not only for their vanilla-like aroma but also for the lasting fragrance left in the mouth after being drunk (Hinsley et al., 2018). The fruits of another species, *Leptotes bicolor* have been used to flavour ice cream (Teoh, 2016). As well as sweet flavours, orchids add savoury flavour to main dishes. In Malaysia, the leaves of *Dendrobium salaccense* are used to flavour a condiment for rice (Lohar, 2019) and the buds of *Cymbidium hookerianum*, and *C. elegans*, are added to curry (POWO, 2022).

In some cases, parts of the orchid plant are cooked and eaten while others are treated as vegetables. The roots of *Epipactis royleana*, *Dienia cylindrostachya*, and *Herminium clavigerum*, and the pseudobulbs of *Satyrium nepalense* are eaten boiled in Nepal (Lim, 2016). The roots and rhizomes of *Gastrodia cunninghamii* are roasted or steamed in New Zealand and Australia (Crowe, 2004), the tubers of *G. sesamoides* are roasted (Low,

1991) and the large (7-8 mm thick and as long as a man's finger) fibrous tubers of *Dipodium squamatum* offer a substantial meal when cooked (Teoh, 2019). The tubers of *Habenaria socotrana* are eaten either raw or cooked in Yemen, and the tubers of *H. epipactidea* and *H. walleri* are boiled and eaten like potatoes or powdered to make a cake in Tanzania (Palzer, 2002).

Other orchid parts eaten as vegetables are the roots of *Gastrodia falconeri* (Royal Botanic Gardens, 2012), the leaves and roots of *Cypripedium cordigerum* (Pant, 2013) and the leaves, roots and tubers of *Habenaria intermedia* (Rawat et al., 2014). As well as providing food in themselves, cooked orchids are eaten as ingredients in main dishes. The tubers and roots of *Habenaria keayi* are ingredients in a ground meat dish (Lim, 2016) and in India, the entire plant of *Vanda tessellata* is eaten as a snack or food source (Rutherford & Groves, 2017b). In Bhutan, *Cymbidium hookerianum* flowers are an ingredient in the popular dishes Olatshe and Olachota. They add a bitter flavour which is desirable but can be overcome with spices when not desired (Lohar, 2019). Olatshe is made by adding flowers cooked with cheese and spices to noodles or rice, and Olachota is made by cooking flowers with chilli and cheese (meat can be added) or stir-frying them (Lohar, 2019).

Some orchids are not cooked at all and are versatile enough to be eaten either raw or cooked. In Chile, the aerial parts of *Myrosmodes nervosa* are eaten as a salad (Paniagua-Zambrana & Bussman, 2020), as are the leaves of *Cerastostylis latifolia* in Java (Teoh, 2019). Although there is little nutritive content in them, thickened stems and pseudobulbs of *Cymbidium canaliculatum*, *C. madidum*, *Dendrobium canaliculatum*, *D. kingianum*, and *D. speciosum* can be chewed for their starch or rendered into powder, much like sago (Teoh, 2019). In Australia, the pseudobulbs of *D. canaliculatum* are substantially large (80-120 mm by 30-40 mm) and easy to find as they grow in clumps from tree hollows making them a useful species for eating in the bush. (Teoh, 2019). The pseudobulbs of *Dendrobium speciosum* var *hillii* can be eaten raw (Lim, 2016) and in India and Malaya the fruit of *Vanilla griffithii* is sweet and edible, resembling small bananas (Tanaka, 1976). Known as the "food orchid" in the United States, *Dendrobium bigibbum* flowers are eaten as edible decorations (Lohar, 2019).

Orchids are used to prepare a variety of beverages such as tea and herbal or food supplements. Many species in *Dendrobium*, the second largest genus in the orchid family, are utilised as ingredients in food and tea (Zhao et al., 2021). The canes of *D. moniliforme* are dried and prepared as tea (Lohar, 2019) and in China, the flowers of *D. officinale* and *D. chrysotoxum* are traditionally used to prepare tea (Lohar, 2019; Zhao et al., 2021) and a new tea made from the latter has become popular in some Chinese provinces (Teoh, 2016). In the Turks and Caicos Islands, the pseudobulbs of all *Encyclia caicensis* are used to create a cooling drink (IUCN Red List, 2022a). The entire plants of *Dendrobium nobile* and *Cymbidium goeringii* are ingredients in food supplements reported to be sold online (Brinckmann, 2014b).

In Nepal, *Dendrobium longicornu* flowers (Orchids-World, 2012) and in the Maluku Islands of Indonesia *Renanthera moluccana* leaves (Teoh, 2019), are pickled. The tubers of *Habenaria rumphii* are used to make preserves and candy (Tanaka, 1974; Teoh, 2019), and in Malawi, the tubers of *H. walleri* are made into a jelly served with peanuts (Palzer, 2002).

In our review, we captured the part of the plant in use and at least 272 of the orchid species listed the tuber as the most utilised part of orchids for edible use. We are aware of the limitations of collecting data on documented edible orchids only, particularly as the trade appears to be indiscriminate of species. We recorded 26 *Habenaria* species and there are 893 *Habenaria* species recorded on WCSP. This pattern was similar for other tuberous species we documented, we likely have an underestimate of edible orchid species. This is because many of the orchids documented in the literature could not be identified to a species level, this requires further interrogation and field data.

Global edible orchid trade

Most of the trade documented on the CITES trade database were for non-tuberous species, and therefore an underestimate of the global edible orchid trade. We also note the trade data here could be for medicinal trade and not necessarily edible purposes. Chikanda and salep trade data are presented later in the report.

The other edible orchids searched for in CITES Wildlife Tradeview included *Cymbidium* spp. in which, as reported by exporters, 472 roots were traded from India to Germany and the USA in 2020, as artificially propagated. However, *C. hookerianum* (8th top taxa traded) was the only orchid that appeared in the 'Edible Orchid Database' and only 30 of this species roots were traded.

As reported by exporters, 27,465 kg of *Dendrobium* spp. powder, which appear as 'Edible' in the 'Edible Orchid Database' were exported as artificially propagated by New Zealand, China, Malaysia and Switzerland. The top importers were New Zealand, Singapore, China, Republic of Korea and the

Philippines. The top species traded were 27,348kg of *Dendrobium officinale*, 115 kg of *Dendrobium* spp. and 2kg *Dendrobium fimbriatum*, the latter of which does not appear in the 'Edible Orchid Database'. The exporters and importers of *D. officinale* were identical to *Dendrobium* spp. with the absence of Switzerland as an exporter.




Figure 2: Trade in *Dendrobium* spp. as roots and powder, in kg as reported by exporters from 2015-2021 as obtained from CITES Wildlife Tradeview. Accessed 20/05/2022.

Exporters reported 1377 *Dendrobium* spp. roots of artificially propagated origin, were exported from India to the USA and Germany in 2020. Only the 19th top taxa in trade, *D. chrysotoxum*, and the 28th top taxa in trade *D. nobile*, appeared in the 'Edible Orchid Database' as 'Edible'. *D. nobile* only had 3 roots traded in 2020, whereas *D. candidum* had 7 roots traded in 2020 and both were exclusively from India to the USA.

As reported by importers, Thailand and China were the top exporters of *Dendrobium* spp. (counted by number of specimens) and the top importers were Brazil, India, Belgium and the USA. 60,608 roots and 35 powders were traded including artificially propagated specimens (Figure 3), including some from Appendix I, made up of *Dendrobium chrysanthum*, *Dendrobium anosmum*, *Dendrobium* spp. and *Dendrobium albosanuineum*, none of which are found in the 'Edible Orchid Database'. There were four confiscations/seizures in 2016.




Figure 3: Trade in number of species of *Dendrobium* spp. as roots a powder as reported by importers from 2015-2021 as obtained from CITES Wildlife Tradeview. Accessed 27/05/2022.

China, Netherland, Canada, Malaysia and Switzerland were the top exporters of *Dendrobium* spp. when measured in kilograms. There were 15,647 kg of powder and 10 kg of roots traded, with the top imports New Zealand, Hong Kong Special Administrative Region of China, Belgium, Switzerland and Australia. The top taxa traded were *Dendrobium officinale*, *Dendrobium* spp., *Dendrobium fimbriatum* and *Dendrobium chrysanthum* all of which were artificially propagated. There were 10 seizures of *Dendrobium* in 2015 (Figure 4).




Figure 4: Trade in *Dendrobium* spp. as roots and powder in kg, as reported by importers from 2015-2021 as obtained from CITES Wildlife Tradeview. Accessed 27/05/2022.

There was trade of 14,333 kg of powder of artificially propagated *Dendrobium officinale* as reported by importers. Top exporters were China, Netherlands, Canada, Malaysia and New Zealand, with top importers New Zealand and Hong Kong Special Administrative Region of China.

As reported by importers, there were no results for *Dendrobium nobile*, *Dendrobium candidum* or, *Cymbidium* spp.

Chikanda

Background

Across several African countries, a food substance, often called chikanda (with some local variation), is made from ground terrestrial orchid tubers (Davenport & Ndangalasi, 2003; de Boer et al., 2017; Ghorbani et al., 2014; Rutherford & Groves, 2017a). When mixed with peanuts and heated, it forms a 'cake' or 'meatless sausage' that is eaten as a snack. From expert consultation, as well as scientific literature covering the topic, it is documented that chikanda is consumed across numerous countries – but the demand for orchid tubers to make into chikanda is highest in Zambia. Tanzania, and more recently Malawi and other bordering countries, supply Zambia with raw orchid tubers to satisfy this demand (Rutherford & Groves, 2017a).

Throughout Africa, chikanda was previously eaten and sold locally, with harvesting, cooking and consumption occurring in small areas. However, in more recent years, demand for chikanda has increased as it has become a popular dish to serve at events such as weddings and is now easily found in restaurants and supermarkets (Interviewee one; Davenport & Ndangalasi 2003). As a result of this commercialisation, supply chains for these orchid tubers have become widespread, with cross-border trade common and large-scale production now occurring, alongside continued local trade (Interviewee three). Without long-term data to underpin this, it is difficult to discern when this shift to widespread large-scale trade occurred.

Distribution

We identified 77 species of orchids used for chikanda with the top genera being *Disa* (30), *Satyrium* (28) and *Habenaria* (26).

The genus *Disa* is native to Angola, Burundi, Cameroon, Central African Republic, Democratic Republic of the Congo, Ethiopia, Gabon, Guinea, Ivory Coast, Kenya, Lesotho, Liberia, Madagascar, Malawi, Mozambique, Niger, Nigeria, Rwanda, Réunion, Sierra Leone, South Africa, Sudan, Swaziland, Tanzania, Uganda, Yemen, Zambia, Zaïre, Zimbabwe. and has been introduced to Australia and Tasmania (POWO, 2022). In GBIF, *Disa* have been recorded with 20,548 occurrences (Figure 5).




Figure 5: Occurrences of *Disa* species recorded between 1982 – 2022, source (GBIF, 2022)

Satyrium is found in Angola, Assam, Burundi, Cameroon, Central African Republic, China, Comoros, Democratic Republic of the Congo, Ethiopia, Guinea, India, Kenya, Lesotho, Madagascar, Malawi, Mozambique, Myanmar, Nepal, Nigeria, Pakistan, Rwanda, Réunion, Sierra Leone, South Africa, Sri Lanka, Sudan, Swaziland, Tanzania, Thailand, Uganda, Yemen, Zambia, Zaïre, and Zimbabwe (POWO, 2022). According to GBIF, there are 14,352 occurrence records of *Satyrium* (Figure 6).



Figure 6: Occurrences of *Satyrium* species recorded between 1982 – 2022, source (GBIF, 2022)

Habenaria has a wide distribution across a tropical and sub-tropical range. It's native to Afghanistan, Angola, Argentina, Australia, Bahamas, Bangladesh, Belize, Benin, Bolivia, Borneo, Botswana, Brazil, Burkina Faso, Burundi, Cambodia, Cameroon, Central African Republic, Chad, Chile, China, Colombia, Comoros, Democratic Republic of the Congo, Costa Rica, Cuba, Dominican Republic, Ecuador, El Salvador, Equatorial Guinea, Eritrea, Ethiopia, Fiji, French Guiana, Gabon, Georgia, Ghana, Guatemala, Guinea, Guinea-Bissau, Guyana, Haiti, Honduras, India, Mongolia, Ivory Coast, Jamaica, Japan, Jawa, Kenya, Korea, Laos, Lesotho, Liberia, Madagascar, Malawi, Mali, Mauritius, Mexico, Mozambique, Myanmar, Namibia, Nepal, New Guinea, Nicaragua, Nigeria, Oman, Pakistan, Panamá, Paraguay, Peru, Philippines, Puerto Rico, Rwanda, Réunion, Samoa, Senegal, Sierra Leone, Somalia, Sri Lanka, Sudan, Sulawesi, Sumatera, Suriname, Swaziland, China (including Taiwan Province of China), Tanzania, Thailand, Togo, Trinidad-Tobago, Uganda, Uruguay, USA, Venezuela, Vietnam, Yemen, Zambia, and Zimbabwe (POWO, 2022). According to GBIF, 61,287 occurrences were recorded between 1983 – 2022 (Figure 7).




Figure 7. Occurrences of *Habenaria* species recorded between 1983 – 2022, source (GBIF, 2022)

Harvesting and sourcing

Orchid species used in chikanda are collected exclusively from the wild and the entire plant is removed when harvested (Veldman et al., 2018). This method of harvesting has been shown to cause changes to habitats and possibly even overall biodiversity (Davenport & Ndangalasi, 2003). Most often, tubers are harvested when in flower, as it is easiest to find them at this time. However, in the experience of in-country researchers, the harvest is not taking place in a controlled manner, or at a controlled time to allow for regeneration of species (Interviewee four). Additionally, species are collected indiscriminately (Veldman, 2018; Interviewee three; Interviewee four), and smaller tubers are more often found in markets now. This could be due to different species now being harvested or could be indicative that juvenile orchids are increasingly being harvested where mature individuals are no longer found.

In Zambia, the preferred orchids used to prepare chikanda are from the genera *Disa*, *Habenaria* and *Satyrium* (Challe & Struik, 2008; Davenport & Ndangalasi, 2003; Rutherford & Groves, 2017a). *Disa erubescens*, *D. robusta* and *Satyrium atherstonei* were found in high abundance in Tanzania, but Challe & Struik (2008) identified a strong decline of these species, totalling an 82.7% decline. Less desirable species are now harvested, often being mixed with desirable species when sold (Interviewee three). Species preference could be due to a number of factors such as ease of collection such as some species dropping inflorescences after the flowering and fruiting period therefore, becoming harder to spot, (Veldman et al., 2018), variation in tuber consistency which affects the chikanda produced (less desirable tuber species create a less palatable, 'runny' chikanda) (Interviewee three), and variation in tuber taste (preferred tubers are sweet and less desirable are bitter) (Challe, Struik & Price, 2018). Collectors in Tanzania identify preferred tubers, marketable to Zambia, as sweet with crystalline, elastic flesh while those less desirable and rejected by middlemen, as bitter and lacking elasticity (Challe, Struik & Price, 2018). To determine which species are best to sell, collectors and middlemen tend to classify and name them by the harvest area, texture and internal patterns of tubers rather than using species names (Veldman et al., 2018).

Rutherford & Groves (2017a) stated that Zambia has the highest consumption of chikanda, and due to resulting depletion of their orchid populations, those of other countries are now being exploited. Tubers are being imported into Zambia from Democratic Republic of Congo, Mozambique, Malawi and Angola (Veldman et al., 2014). Zambia sees an import of around 5 million tubers from surrounding countries (Rutherford & Groves, 2017a), with 2.2 - 4.1 million tubers imported from Tanzania alone in 2003 (Davenport & Ndangalasi, 2003).

There is evidence of CITES non-compliance due to orchids being moved across borders without evidence of registration or declaration (Davenport & Ndangalasi 2003). However, prohibiting orchid collection alone has not been enough to prevent continual harvesting (Interviewee four), and can result in negative social outcomes for harvesters or sellers of tubers, who may rely on this trade as an essential income to provide sustenance for their household (Challe et al., 2011). Whilst the management of orchid harvesting needs to be investigated further, interventions must be sensitive, considering social, spiritual, and economic implications of regulation as well as conservation (Davenport & Ndangalasi 2003). For instance, if tuber collection was to be effectively prohibited, alternative sustainable livelihoods would be needed (Challe et al., 2011).

Those who participate in the chikanda trade do so for different reasons: the possibility of a profitable venture, introduction to the trade by someone they know, or simply that orchids grow nearby and are easily accessible (Veldman et al., 2018)). There is a social dimension to the collection and trade of tubers, as wild edible plants can act as a safety net for households, such as those who have lost parents. People may trade because their options are limited, and collection requires only an investment in time, not money and resources. This is particularly pertinent in households that are headed by a child, due to the death of their parent or parents

(Challe et al., 2011). In some areas, there has been evidence that women are harvesting most often as they have less access to land, and therefore have less opportunity to make money from agriculture (Challe et al., 2011). There is also evidence that a lack of money for agricultural inputs (maintenance of equipment, irrigation, fertilizer etc.) is a factor in not cultivating food crops and instead switching to collecting wild edible plants (Challe et al., 2011). In their study of trade between four villages in Malawi, Mahonya et al. (2019) found that edible orchids were used by 64% of all households. These orchids occurred nearby to one of the villages, Kasonga, in which their value chain was managed exclusively by women and girls. In the Southern Highlands of Tanzania, tuber collection was observed to be carried out by men and women, young and old (Davenport & Ndangalasi, 2003).

As chikanda has become increasingly commercialised, it has been noted by both the collectors and the middle-people (those who buy from harvesters to sell to vendors), that orchids are being depleted, and therefore becoming rarer (Veldman et al 2018). Species level identification of orchid tubers is challenging (Veldman et al., 2014, 2017, 2018) and therefore it is difficult to quantify the sale of orchids at markets to evaluate specific offtake levels. It has been suggested that in some areas, there has been an attempt to control the harvest of chikanda tubers by chiefs of tribes (Interviewee three), for example, where in other areas regulation has not been implemented at all (Veldman et al 2018). The establishment of protected areas, such as Kitulo National Park, has not prevented the harvesting of orchids in Tanzania (Davenport & Ndangalasi 2003; Veldman et al., 2018), with researchers suggesting that collection continues within the park's borders (Interviewee four).

Orchid populations are in decline, forcing those who collect to travel further to collect enough to keep up with demand (Interviewee one). Davenport & Ndangalasi (2003) found that the time spent travelling to a harvest site increased from 30 minutes to 5 hours to reach a site over a period of 10 years. The reason for the decline has been attributed to an increase in traders, an increase in cultivated land and an increase in collectors as well as people harvesting a larger number of tubers per harvesting trip (Davenport & Ndangalasi, 2003).

Evidence shows that numbers of edible orchids has decreased, and once species were harvested, they would not grow in the same spot (at least within one year). These areas where edible species had been harvested are often replaced with inedible species instead (Challe & Struik, 2008), a trend which could indicate local extinctions of certain species. Challe et al. (2011) found that collectors were aware of the harvesting pressure on the orchid populations. In Tanzania, for example, gatherers were aware of the rules but would break them regardless because it's an important livelihood venture to collect the tubers from Kitulo National Park (Challe & Struik, 2008), or simply because it is lucrative (Davenport & Ndangalasi, 2003).

People may continue to engage because economic benefit is high enough to outweigh the risk, which appears to be low. Trading of orchids tends to not carry a large risk as they are easily disguised as potatoes when moving the species, and the trade may well be an 'open secret' amongst enforcement officers (Interviewee four). Additionally, people with limited livelihood options may have no choice but to collect despite any risk. Orchid populations, such as that of *Dactyloriza hatagirea* were found to be higher in the protected areas, but this may not be solely attributed to enforcement of rules around harvesting in the park. Population density of this species outside protected areas could also be affected by other pressures, such as trampling and grazing, and not just harvest (Chapagain et al., 2021).

Cultivation

There have been methods suggested to aid in mitigating threats to wild edible orchids, such as a possibility to replace tubers in the making of chikanda with a starch alternative (Veldman et al., 2018), or techniques to artificially propagate orchids. The Cape Institute of Micropropagation, for example, is in collaboration to try and develop sustainable cultivation of orchids (Veldman et al., 2018). However, there has been limited success so far with propagation techniques – which would need to produce a high yield at a low cost to be a viable alternative for wild collection – something that is yet to be achieved (Interviewee four). DNA barcoding would also help to assist in identifying the species of orchid tubers, which would aid in the mislabelling of those in trade (Ghorbani et al., 2014), but this technique is currently expensive and time consuming and therefore not time nor cost effective enough for use at border controls. 'Orchid Conservation Areas' as suggested by Ghorbani et al (2014), could aid in the mitigation of illegal harvesting of orchids with the added benefit of potential tourism, if enforcement was in place without disenfranchising those who rely on this trade for their livelihoods.

Chikanda products in trade

The following observations were made for chikanda products using a systematic automated and manual online search for products in trade, using the key word 'chikanda', along with other scientific, common and trade names associated with this trade (Annex II and III).

Online trade search and observations

Searches of the 7 selected websites for examples of chikanda trade returned only a small number of relevant search results (Table 2).

Table 2: Characteristics of online marketplaces sampled for chikanda products, detailing marketplace type, the number of vendors and products observed and the location of products within the website under specific menu headings

Site	Description	No. Products sampled	No. Of vendors	Website menu category	Number of vendor-Chikanda product combinations			
					Pure Powder	Roots	Processed Powder (non-pure)	Chikanda Cake
1	Global online marketplace	1	1	Health and beauty -> Natural and alternative remedies -> Herbal remedies and resins	0	1	0	0
2	Global online marketplace	1	1	N/A	0	1	0	0
7	Traditional Zambian Foods	3	1	N/A	2	0	0	1
Total		5	3		2	2	0	1

The search term 'chikanda' returned 3 products of relevance, offered for sale by 1 of the 7 online marketplaces searched (Table 2), while the search term '*Habenaria*' returned two further results from two of the global online marketplaces that were searched. In summary:

- Website 1: One product listing for *Habenaria intermedia* roots, offered by a vendor located in India. The roots were priced at £17.53 per 100g (the equivalent of £175.3 per kg). This product was marketed as having benefits for natural health/blood health.
- Website 2: One product listing for *Habenaria dentata* roots, offered by a vendor from China. The roots were advertised at a price of £18.66 per 100g (the equivalent of £186.6 per kg). This product was marketed as being for use in tea and described as being harvested from the wild.
- Website 7: This website for a business specialising in Zambian food, offered a small range of chikanda products, including pre-cooked chikanda cake (£40 for a medium sized cake), chikanda powder (£10 per 200g, the equivalent of £50 per kg), and African Polony chikanda powder (£10 per 160g, the equivalent of £62.5 per kg). No species names or details of the origin of the ingredients were provided. It was not clear from the website if international shipping was available for these products.

From the chikanda product listings observed, two species-country combinations were recorded (Table 3).

Table 3: Species-country-combinations recorded for chikanda products observed within 3 online marketplaces sampled, with country representing the vendor's physical location. Countries which form part of the species natural range are indicated as range States.

Orchid taxa	Country (vendor location)	Species Range State	Total Products
<i>Habenaria intermedia</i>	India	Yes	1
<i>Habenaria dentata</i>	China	Yes	1

A search of the CITES Trade Database from 2015 to 2020 recorded no imports or exports of these species to or from China or India, other than an import of a single specimen of *Habenaria dentata* into China in 2019, for scientific purposes.

Summary of Online Trade Analysis – chikanda

The small number of search results for chikanda species and products in trade, suggests chikanda is rarely traded within international online marketplaces. Some of the products observed included pre-prepared chikanda cake and powders preserved in plastic, potentially long-life, packaging, although whether these supply chains could be scaled to meet an increase in demand is unclear.

The vendors observed in websites 1 and 2 both offered international shipping of *Habenaria* roots. It was unclear from Website 7, whether international shipping was available for the processed chikanda products that were

listed on this website. None of the product listings referred to CITES procedures or took account of the costs and timeframes involved to obtain CITES permits, to fulfil international orders.

Both vendors advertising *Habenaria* roots were based in range States for those species, although neither product listing provided information about the origin of the roots. The vendor for website 7 was not located in a chikanda producing range State, with CITES permits therefore required for them to import the finished products and raw ingredients that were being sold, although no reference to CITES or the origin of the orchids was provided by the website.

In summary, our results suggest that the online trade in chikanda products and raw ingredients is currently limited, although the trade that does occur lacks transparency and may be conducted absent of CITES controls.

Literature and database summary of chikanda trade

Tubers exported from Tanzania to Zambia often travel through the town 'Tunduma', however some trade is directed via Sumbawanga and through Tatanda to Zambia (Davenport & Ndangalasi, 2003). In Tunduma, sale of tubers is completed through brokers, who claimed they are able to visually identify the edible orchids (Davenport & Ndangalasi, 2003). There is a possibility to sell directly to Zambians across the border during the low seasons (Davenport & Ndangalasi, 2003). It has been noted that chikanda crosses borders, labelled as different food items (IUCN SSC Orchid Specialist Group Global Trade Programme, *pers comms*).

Satyrium spp. was searched in the CITES Wildlife Tradeview database due to it being a top genus evident from the literature review. Reported by exporters, *Satyrium nepalense* of artificially propagated origin, was the only species to appear as traded on CITES Wildlife Tradeview, for 20 roots traded from India to the USA in 2020. However, there were no results reported by importers.

Habenaria spp. was searched for in the CITES Tradeview database, whilst there had been exports from Thailand to Japan, the USA, Switzerland, Lao PDR and Singapore of a total of 459 roots of artificially propagated origin (Figure 8), the top taxa in trade did not appear in our literature search. There were no results when searching on the CITES Tradeview database for roots or powder of *Disa* spp. as reported by both exporters and importers.




Figure 8: Trade in *Habenaria* spp. as roots and powder, in number of specimens, as reported by exporters from 2015-2021 as obtained from CITES Wildlife Tradeview. Accessed 20/05/2022.

As reported by importers, the top exporters of *Habenaria* spp. were Thailand, with the top importer being India. There was a total of 15 roots of artificially propagated source, traded in 2016 which included taxa *H. rhodocheila* and *H. rostelifera*. Neither of these species were found in our literature review.

This review of chikanda trade demonstrates trade is occurring in Africa but it is not reported on the CITES trade database and is not regulated.

Salep

Background

In certain parts of the world, tubers from terrestrial orchids are ground into a powder, referred to as salep (de Boer et al., 2017; Kasperek & Grimm, 1999; Kreziou et al., 2016). Salep is used to make a hot drink, (referred to as salep or salepi) in Greece and Turkey (de Boer et al., 2017; Kreziou et al., 2016), confectionary and ice cream (called maraş dondurma) (Kasperek & Grimm, 1999; Kreziou et al., 2016). An innovative study used

patent analysis to explore the commercial interest of salep (Masters et al., 2020). The study by Masters et al (2020) analysed 244 patent applications over a period of 163 years. It found 89 patents were granted across the world and interestingly uses included contemporary medicine formulations and industrial materials. This research illuminates salep trade as more global and commercially valuable than previously thought as the research focus has been on salep use as a drink and use in ice-cream.

The ground tubers are desirable due to the presence of glucomannose, which acts as a stabilizer (Tekinşen & Güner, 2010), as well as delaying melting (i.e ice-cream) (Rutherford & Groves, 2017b). Salep is produced in Iran, Greece and Turkey from wild orchids (Boer et al 2017). Salep is available to purchase online from these countries, including from Lebanon where commercial; companies source ingredients listing salep or salep powder as ingredients (Rutherford & Groves, 2017b).

In one study, it was noted *Orchis mascula* and *Orchis morio* produce the 'best', and therefore most desirable, salep (Rutherford & Groves, 2017c). Eighty five percent of the orchids found in Turkey are tuberous, mainly from the genera *Orchis*, *Serapias*, *Ophrys*, *Anacamptis*, *Dactylorhiza*, *Cephalanthera*, and *Epipactis* (Sezik, 2002a). Tuberous orchids are collected from the wild, and some species populations have suffered declines and local extinctions – yet the consumption of salep remains high (Kasperek & Grimm, 1999).

An increase in orchid collection has been documented in Turkey, with estimates ranging from 30-120 million tubers collected annually (Kasperek & Grimm 1999; Sezik, 2002; Kreziou et al., 2016). With resources in Turkey depleting, the trade is increasingly reliant on tubers harvested from abroad (Interviewee two). In Iran, for example, between 5.5 and 6.1 million orchids are harvested annually, and are exported to predominantly Turkey (Ghorbani et al., 2014). The demand for salep ice cream decreased in 1999 with only a few sellers found in Ankara, Turkey (Rutherford & Groves 2017). However, demand has now increased sufficiently enough to support large commercial enterprises. One Turkish ice-cream brand have around 300 outlets worldwide and manufactures its ice-cream using salep equating to about 0.8-1% of the ice cream ingredients (Kasperek & Grimm, 1999). On their Greek website, they state that the ice cream is made with milk from goats which are fed herbs and wild orchids flowers, which is then mixed 'with salep collected from the tubers of these orchids.'

Salep also has medicinal properties and has been claimed to treat a range of conditions such as stomach issues (Kasperek & Grimm, 1999), infertility, tuberculosis (Ari et al., 2005; Caliskan et al., 2020; Kreziou et al., 2016) and was even once used as a form of nutrition for the British Army (Caliskan et al., 2020). Other uses have also been documented, such as the use of salep misri, or Indian salep, which is made from *Eulophia* species and is sold as an aphrodisiacs (Rutherford & Groves, 2017b). In Iran, salep was also used to treat impotence (Ghorbani et al., 2014), however Kasperek & Grimm (1999) argue that salep does not produce properties that can be used to promote "sexual potency", even though it may be sold as such.

Distribution

We identified 109 orchid species used for salep. The genera with the most species belonged to *Ophrys* (29), *Dactylorhiza* (18) and *Orchis* (15).

Ophrys is native to Albania, Algeria, Austria, Belarus, Belgium, Bulgaria, Cyprus, Denmark, Finland, France, Germany, Great Britain, Greece, Hungary, Iran, Iraq, Ireland, Italy, Lebanon, Libya, Morocco, Netherlands, Norway, Palestine, Poland, Portugal, Romania, Russia, Spain, Sweden, Switzerland, Syria, Tunisia, Turkey, Turkmenistan, Ukraine (POWO, 2022). In GBIF, 392,031 occurrences were found between 1983 – 2022 (Figure 9).




Figure 9: Occurrences of *Ophrys* species recorded between 1983 – 2022, source (GBIF, 2022)

Dactylorhiza is found in Afghanistan, Austria, Belarus, Belgium, Bulgaria, Canada, China, Cyprus, Denmark, Finland, France, Germany, Great Britain, Greece, Hungary, Iceland, Iran, Iraq, Ireland, Italy, Japan, , Kazakhstan, Kyrgyzstan, Korea, Lebanon, Madeira, Mongolia, Morocco, Nepal, Netherlands, Norway, Pakistan, Palestine, Poland, Portugal, Romania, Russia, Spain, Sweden, Switzerland, Syria, Tajikistan, Tunisia, Turkey, Turkmenistan, Ukraine, USA, Uzbekistan (POWO, 2022). Between 1982 – 2022 GBIF recorded 806,503 records for this genus (Figure 10).




Figure 10: Occurrences of *Dactylorhiza* species recorded between 1982 – 2022, source (GBIF, 2022)

Orchis is native to Afghanistan, Albania, Algeria, Austria, Belarus, Belgium, Bulgaria, Cyprus, Denmark, Finland, France, Germany, Great Britain, Greece, Hungary, Iran, Iraq, Ireland, Italy, Kazakhstan, Lebanon, Libya, Madeira, Mongolia, Morocco, Netherlands, Norway, Palestine, Poland, Portugal, Romania, Russia, Spain, Sweden, Switzerland, Syria, Tunisia, Turkey, Turkmenistan, Ukraine (POWO, 2022). Between 1983 – 2022, GBIF recorded 459,988 occurrences for this genus (Figure 11).




Figure 11: Occurrences of *Orchis* species recorded between 1983 – 2022, source (GBIF, 2022)

Harvesting and sourcing

To create the salep, once harvested, tubers are washed and then boiled in milk or water or are alternatively air or sun dried (Rutherford & Groves, 2017b). Once dried, the tubers can be stored for years and remain consumable (Kasperek & Grimm, 1999). The number of tubers required to produce 1kg of salep is dependent on the genus of the species harvested. For example, in Western Azerbaijan an average of 980 tubers were required from *Dactylorhiza* (palmate shaped) to make 1kg of dried salep, whereas an average 1380 tubers were required from other species (ovoid shaped) to make 1kg of dried salep (Ghorbani et al., 2014).

In Turkey it is estimated that 2000 kg of salep is used annually to produce Maraş ice cream (Kasperek & Grimm, 1999). This study demonstrated the scale of demand using a case study of an owner of one of the four well-established cafes selling this ice-cream in Ankara, Turkey. Here, it is estimated that one café requires 75-100kg of salep annually, to produce Maraş ice-cream. Kasperek & Grimm (1999) also estimated that 3750-7500kg (dry weight) of salep is harvested annually in Turkey, with the official figure of 28000kg annually exported. To

produce one kg of salep, it is estimated that 1000-4000 tubers would be required (Kasperek & Grimm, 1999) which would need 40-50 million orchid tubers to be harvested annually, in Turkey alone (Sezik, 2002b). Ghorbani et al (2014) does state that “there are no reliable estimates of the annual genuine salep harvest in Turkey” however, it is estimated that 30-120 million orchids are harvested in Turkey annually, and in Iran, 5.5-6.1 million orchids are harvested annually (Ghorbani et al., 2014).

Orchids are harvested indiscriminately from wild populations in predominantly Turkey, Iran and Greece. Salep from certain species of orchid are not suitable for use in Maraş ice cream, but due to harvesting practices are often still collected and therefore removed from the ecosystem. The preferred species for salep are *Serapias lingua*, *Orchis mascula*, *Dactylorhiza majalis*, *Ophrys sphegodes*, and *Habenaria repens* (Turkmen et al., 2021). There have been fluctuations in collecting over time due to demand, which is influenced by not only location but trade and cultural exchange (Charitonidou et al., 2019). In Greece, there has been a recent increase in demand for salep, and subsequently, prices have increased to 55-150 euro per kilo (£47-128) (Kreziou et al., 2016). Kreziou et al. (2016) explained that in 2012, a company owner paid 55-85 euro per kilo (£47-72) to collectors for Greek harvested salep, for which they estimated that packaged salep could retail for 143 euro per kilo (£122).

In the 1970s, salep prices began to increase, reaching up to \$20 for 1kg (£16) in the mid-80's. However, the increased use of substitutes, such as Carboxymethyl-cellulose (CMC) or rice powder, forced the price to decline to \$5 per kilo (£4) in 1994 (Kasperek & Grimm, 1999). Substitutes are cheaper than salep, and therefore are used to replace salep more frequently. Major ice cream producers in Turkey now use a mix of substitutes and salep, but with ice cream production moving to become industrially produced in the 1980's, traditional ice cream vendors saw a reduction in profit (Kasperek & Grimm, 1999).

Those who collect tubers from the wild are often people from rural areas who have access to meadows where these tuberous orchids grow. Though it may not be their only source of income, collecting these tubers is a vital source of income for many people (Interviewee two), and so when designing conservation interventions, this must be considered. Some local people who harvest orchids from graveyards in Turkey for salep can differentiate between orchid genera and identify new, and rare, populations (Attila et al., 2017). They categorised species by similar morphological features (Challe & Struik, 2008; Molnár V. et al., 2017), whilst other species are determined by the shape of tubers (Charitonidou et al., 2019). It is more worthwhile collecting orchids when the density of the plant is highest, which has been suggested to allow for the plants to recover (Kasperek & Grimm, 1999). There is evidence of success of sustainable harvest in community managed protected areas, for species such as *D. hatagirea*, when compared to unprotected areas (Chapagain et al., 2021).

Cultivation

It has also been shown that small groups of individuals among communities have been able to sustainably harvest salep, annually, without a decrease in population (Molnár V. et al., 2017) so there is the potential, with careful management, that sustainable harvest can be achieved. In the Western provinces of Iran, where orchid collection has been practices for a long time, people have reported a decline in orchid populations. This has sparked a change in harvesting practice, where people are attempting to replant the orchids after removing the tubers (however, the success of this practice is not reported). In the Northern provinces, however, local people believe that orchids are a gift to provide them with supplemental (and vital) income (Ghorbani et al. 2014), and so sustainable harvest practices may not be employed here, as there is a belief that the resource will be replenished regardless.

Other methods to aid the conservation of salep orchids include the use of substitutes. Carboxymethyl-cellulose (CMC) and rice powder are commonly used instead of salep (Ghorbani et al 2014; Kasperek & Grimm, 1999). CMC is used in a variety of foods, as it is a modified starch with a consistency like salep and has good thermostability when mixed in water which has a similar consistency to dried salep (Kasperek & Grimm, 1999). Glucomannan, which is found in orchid tubers, can also be found in other plants (Kasperek & Grimm, 1999), although customers still seek ‘authentic salep’, thus demand for wild orchids remains high (Kasperek & Grimm, 1999). One company in Germany does produce a salep product that is made from starch instead of authentic salep (Kasperek & Grimm, 1999), and more research needs to be conducted to understand whether or not this is ‘accepted’ by consumers as a replacement for salep from tubers.

Orchis mascula and *O. morio* can be cultivated, as shown by a nursery in Belgium. The nursery grows orchids mainly for the European cosmetic industry, which equates to 100,000-300,000 plants in vitro, annually (one kilogram = 1000 plants in vitro). However, they are trialling a large-scale cultivation of orchids for salep production, with both *O. morio* and *O. mascula* (Rutherford & Groves, 2017b). Interviewee five commented that people would likely accept salep from artificially propagated orchid tubers, if the taste and consistency was identical. Consumers do not appear to be driven by a desire for wild tubers, but instead real tubers, as opposed to artificial substitutes, or ‘fake’ salep (Interviewee five). Salep that is made from orchid tubers is seen as

authentic, whereas chemical alternatives are seen as sub-par in comparison. Thus, research into artificial propagation of natural tubers is an important step in meeting the demand for 'real' salep and conserving wild orchid populations, as substitutes will not curb the demand for 'authentic' salep.

Salep products in trade

The following observations were made for salep products using a systematic automated and manual online search for products in trade, using the key word 'salep', along with other scientific, common and trade names associated with this trade (Annex II and III).

Online trade search and observations

Analysis of listings for salep products offered for sale in the online marketplaces sampled, provided the following observations. Six of the 7 websites returned relevant search results for salep products. Table 4 details the key characteristics of these online marketplaces.

Table 4 shows that the online marketplaces sampled fill slightly different niches within the online marketplace. Websites 1 and 2 contained many products based on pure salep powders or roots, with fewer processed products. Pure powders and roots were offered for sale in relatively small quantities (often 50-100g), although quantities of up to 1kg could often also be selected. Website 3 offered a smaller range of products, which were virtually all processed food items. Website 4 was markedly different, as it offered a range of wholesale powdered products, largely made from *Dendrobium* species. These vendors were predominantly based in China, particularly the Shaanxi region, with these listings representing around a dozen industrial facilities involved in the production of herbal extract products. Many of these vendors claimed to be able to fulfil orders exceeding 500kg-1000kg, with a production capacity of up to 10,000kg per month. Websites 5 and 6 represented smaller outlets, which provide traditional Turkish foodstuffs. Based in Turkey, these websites advertised processed products such as salep and coffee/salep beverages, although each website also offered a single product listing for pure salep powder, alongside their other salep products.

Sixty-six (49%) products were pure powders, 26 of which were offered in wholesale quantities. These products were usually derived from *Dendrobium* or *Cymbidium* species, with 9 appearing to be derived from *Dendrobium* flowers, 4 from stems and 2 from leaves, with the origin of many other undeclared. These wholesale products, however, usually included the word 'salep' within their product descriptions, with one product listing claiming the powder was derived from orchid bulbs.

Twenty-two (16.5%) products were offered as whole roots (tubers), which were otherwise advertised in a similar way to pure powders. 40 (30%) of the product listings were for processed products, such as powders for ice creams and beverages. In these listings, the proportion of salep within the ingredients was rarely declared. These products included several brand names, including one well-known global brand. 5 (3.7%) of the product listings were for whole tubers, which were being sold as 'lucky charms'. These so called 'lucky hand roots' are tubers which have a number of natural protrusions giving them a vague, hand like appearance. The vendors of these products were located in the USA, Greece and the UK.

Table 4: Characteristics of online marketplaces sampled for salep products, detailing marketplace type, the number of vendors and products observed and the location of products within the website under specific menu headings

Site	Description	No. Products sampled	No. Of vendors	Website menu category	Number of vendor-salep product combinations				Observations
					Pure Powder from tubers	Roots	Processed Powder (non-pure)	Lucky Charms	
1	Global online marketplace	30	26	Home Furniture and DIY -> Food and Drink -> Other food and drink	15	11	3	0	Majority of trade in pure powders or roots, with vendors located in India, Greece, Albania, the UK and USA.
2	Global online marketplace	43	36	Home and Living	20	10	8	5	Majority of trade in pure powders or roots, with more processed products than for website 1. Vendors located in Turkey, Greece, Albania, UK, United States, India and Jordan,
3	Global online marketplace	15	10	Grocery and Gourmet food: > Beverages > Breads/bakery > Herbs/Spices	2	0	13	0	Fewer items than other websites, with a majority of processed products, and few pure powders. Vendors located in Greece, Turkey, USA and Israel.
4	Global online marketplace	32	22	Heath/Medical/Extract/Plant Extract	27	1	5	0	Website specialises in bulk products available for wholesale orders. All vendors located in China, aside from one located in Pakistan.
5	Traditional Turkish products	5	1	Turkish Drink/Turkish Coffee	1	0	4	0	Specialist website for Turkish foodstuffs. Vendor located in Turkey.
6	Traditional Turkish products	8	1	Turkish Drinks/Turkish Salep	1	0	7	0	Specialist website for Turkish foodstuffs. Vendor located in Turkey.
Total		133	95		66	22	40	5	

In the following analysis, these results have been aggregated, to provide an overview of the trends in the online trade in edible orchid products that were observed.

Species-Country Combinations

Online vendors were based in ten different countries (Figure 12, Table 5). Turkey was represented by the greatest number of vendors (35), followed by China (20), India (17) and Greece (16). In 51% of the product listings, a species or genus name was identified within the product description, while in 49% of product listings, this information was not declared (Figure 13 & 14 and Table 6).




Figure 12: Number and location of vendors observed trading salep products online, within 6 online marketplaces sampled (n = number of different vendors located within each country). (Map template adapted from www.mapchart.net)

Table 5: Number and location of vendors observed trading salep products online, within 6 online marketplaces sampled.

Country	Number of Vendors	Number of Products
Turkey	23	35
China	20	30
India	17	19
Greece	16	28
United States	9	9
United Kingdom	3	4
Albania	3	3
Israel	2	2
Jordan	2	2
Pakistan	1	1

Of the 133 salep products observed, 68 product listings provided a species or genus name within their product descriptions, with these descriptions encompassing 4 genera and 8 species. Information relating to species identity was not declared in the product descriptions of the other 65 (49%) items (Figs 10 and 11).




Figure 13: Genera and species named within 133 product descriptions for sale products observed in searches of 6 online marketplaces.

As outlined in the figure below, 8 species from 4 genera were cited within online product listings, which is a relatively narrow range compared to the total number of species potentially used to make sale products. *Orchis mascula* is the species most frequently declared in product descriptions, occurring in 38 product listings, 20 of which were from vendors located in Greece, 5 in Turkey, 5 in India, 3 in Albania 2 in the United Kingdom and 1 each in Jordan, Pakistan and the United States of America. Three other *Orchis* species were also cited in a smaller number of product listings - *Orchis latifolia* (4 products), *Orchis militaris* (3 products) and *Orchis anatolica* (1 product).




Figure 14: Salep products categorised by vendor location and genera/species named in product descriptions, for 133 salep products offered for sale in the 6 online marketplaces sampled.

Table 6: Species–country-combinations recorded for salep products observed within 6 online marketplaces sampled, with country representing the vendor’s physical location. Countries which form part of the species natural range are indicated as range States.

<i>Orchid taxa</i>	Country (vendor location)	Species Range State	Total Products
<i>Orchis mascula</i>	Greece	Yes	20
<i>Orchis mascula</i>	Turkey	Yes	5
<i>Orchis mascula</i>	India	No	5
<i>Orchis mascula</i>	Albania	Yes	3
<i>Orchis mascula</i>	United Kingdom	Yes	2
<i>Orchis mascula</i>	Jordan	No	1
<i>Orchis mascula</i>	Pakistan	No	1
<i>Orchis mascula</i>	United States	No	1
<i>Orchis militaris</i>	Greece	Yes	1
<i>Orchis militaris</i>	Turkey	Yes	1
<i>Orchis militaris</i>	United Kingdom	Yes	1
<i>Orchis latifolia</i> ¹	India	No	2
<i>Orchis latifolia</i>	United States	No	2
<i>Orchis anatolica</i>	United States	No	1
<i>Orchis</i> spp.	Greece	Unclear	1
<i>Orchis</i> spp.	United Kingdom	Unclear	1
<i>Dendrobium</i> species			
<i>Dendrobium officinale</i>	China	Yes	4
<i>Dendrobium nobile</i>	China	Yes	4
<i>Dendrobium candidum</i>	China	Yes	3
<i>Dendrobium</i> spp.	China	Unclear	3
<i>Cymbidium</i> species			
<i>Cymbidium</i> spp.	China	Unclear	2
<i>Dactylorhiza</i> species			
<i>Dactylorhiza hatagirea</i>	India	No	2
Other			
<i>Orchid</i> spp.	India	N/A	2
Not declared	China, Greece, India, Israel, Jordan, Pakistan, Turkey, United States.	N/A	65

Three *Dendrobium* species were named within online product listings: *D. officinale* (4 products), *D. nobile* (4 products) and *D. candidum* (3 products).

In some cases, product names or descriptions were found to mirror or duplicate information provided in relation to products sold by apparently unconnected vendors. This observation, combined with the narrow range of species and lack of other contextual information, leads us to speculate that in at least some cases, species names may be used as something of a standard product description, which may not accurately represent the identity of the species being traded in every case.

In 49% of the product listings, no indication of species identity was provided at all. A further lack of transparency is created by the use of *Orchis latifolia* within product descriptions, which is not a CITES accepted name and is a potential synonym of three other species¹. Several genera were notable for their absence, with searches for the genera *Anacampis*, *Gymnadenia*, *Himantoglossum*, *Neotinea*, *Ophrys*, *Platanthera*, or *Serapias* only returning results for low volumes of bulbs intended for the horticultural trade.

Based on the information provided within product listings, 18 species-country combinations were identified, along with a further 3 genus-country combinations (Table 6). *Orchis mascula* - Greece was the most observed combination (20 products), followed by *Orchis mascula* from Turkey, India and Albania. *Dendrobium* and

¹ *Orchis latifolia* is cited as a synonym of *Dactylorhiza majalis* subsp. *majalis* and *Dactylorhiza incarnata* subsp. *incarnata* (source: World Checklist of Selected Plant Families <https://wcsp.science.kew.org/>)

Cymbidium species were all traded from China, while *Dactylorhiza hatagirea* was traded from India. For 10 of these combinations, the country of origin was also a range State of the species in question, while for 8 it was not. For the 4 genus-country combinations that were noted, a lack of information about the specific species in trade makes this assessment unclear. These observations suggest that to facilitate online trade, some cross-border movement of raw materials and finished products between suppliers and vendors must also occur. Additionally, given the wide geographic range of some species including *Orchis mascula* and *Orchis militaris*, the fact that these orchids are being sold from within a range State does not mean that the tubers necessarily originate from that country, with the cross-border movement of orchid tubers between range States known to occur.

Our analysis of the CITES trade database (UNEP-WCMC, 2022) demonstrates that between 2015 to 2020 for *Orchis*, *Dactylorhiza* and *Cymbidium* species, and from 2018 to 2020 for *Dendrobium* species, there are few entries in the database that might potentially reflect trade resulting from online retail sales, which was considered as trade relating to the shipments of extracts, powders, derivatives, stems and medicines, rather than trade in live plants and cosmetics. For *Orchis* species, including *O. mascula*, a similarly small number of exports of extracts and medicines are recorded for India and the United Kingdom, and a similarly small number of imports recorded for India, Turkey and the USA, all from artificially propagated sources, with many shipments originating from Belgium. There is, however, no trade within the database representing the small volumes and frequent shipments that might be expected to be generated by online trade, and no entries for wild sourced *Orchis* species, which are often advertised online. Shipments of artificially propagated *Orchis morio* derivatives produced in Belgium occur with some frequency in the database, although *O. morio* was not cited within any online product listings observed.

Exports of medicines and derivatives of artificially propagated *Dendrobium officinale*, *Dendrobium nobile* and *Dendrobium* species from China are recorded in the database, which may potentially reflect aspects of online trade, although these do not occur with the frequency that might be expected from such large scale and established industry, and these supply chains warrant closer examination to determine their potential relationship to online trade. From 2018 to 2020, only two imports of *Dendrobium* extracts into China were recorded in the database, although this is not surprising, as it is likely that the products offered for sale online are produced within China.

No exports of *Cymbidium* extracts from China were recorded during this period. *Cymbidium* imports to China displayed one interesting trend, with regular imports of artificially propagated *Cymbidium kanran* extracts from Korea occurring between 2018 and 2020, although *C. kanran* does not appear within the online product descriptions observed, and these shipments may be unconnected to online retail trade. From 2015 to 2020, no imports or exports of *Dactylorhiza hatagirea* to or from India were recorded in the CITES Trade Database.

Orchid Source and Harvest Site

In 67% of product listings, the vendor did not declare the source of the orchids within their products. Twenty-one (15.7%) product listings referred to wild sourcing, which was usually highlighted for marketing purposes. Two adverts (1.5%) contained references to artificial propagation, one through the supply of photographs of a plant nursery, and one through a reference to '*industry elites who have years of experience in plantation*'. For a further 22 product listings (16.5%) for wholesale products, artificial propagation can be inferred from the volumes offered for sale, with volumes of powder in excess of 500 to 1000Kg offered for sale, and with a production capacity of >10,000Kg/month cited by some vendors.

Table 7: References to the origin of orchids within online product listings for sale products, observed in 6 online marketplaces. Where available, this information was usually contained within product titles and product descriptions. observed.

Site	Wild Sourced (claimed)	Artificially Propagated (claimed)	Artificially Propagated (assumed based on volumes)	Not Declared/ Unclear
1	7	0	0	23
2	12	0	0	33
3	2	0	0	13
4	0	2	22	8
5	0	0	0	5
6	0	0	0	8
Total	21	2	22	90

Ten (7.5%) of product listings appeared to provide details of the harvest location. These details were, however, fairly vague, and referred to the Pindos region in Greece, Macedonia and the Bucak/Nigde, Taurus Mountains, Kastamonu, and Kahramanmara regions of Turkey, and Southern Turkey. Four vendors based in Greece suggested the harvest occurred in Greece, four vendors based in Turkey claimed the harvest occurred in Turkey, and two USA vendors claimed their products were sourced from Turkey (1) and Greece (1). Three product listings provided a year of harvest, citing 2018 in one case, and 2021 in two cases. Two other product listings gave the time of harvest as being between April and October. Four product listings provided some basic details of the harvesting method, describing the orchids as hand-picked, with two product listings claiming that not more than 50Kg were harvested per season.

Cost per Kg and Numbers of Orchids in Trade

For 114 of the 133 products sampled, sufficient information was provided in the online product listing to enable the cost per kg of product to be calculated (Table 8).

Table 8: Cost of salep products observed in online trade in 6 online marketplaces. Where smaller units were offered, extrapolated to price per kg where .

Product Type	Number of products	Range (£/kg)	Mean (£/kg)	Notes
Powdered Salep (Pure)	41	£86.9 to £1,382/kg	£456.7/kg	Usually offered for sale in small quantities, typically of between 25g and 950g as a suggested order size.
Whole Roots (Salep)	14	£94.71 to £1,115/kg	£458.38/kg	Two products exceeded £1,000/kg. These were both <i>Dactylorhiza hatagirea</i> , from Indian suppliers.
Wholesale Powders	26	£5.77 to £82.36/kg	Mean Low (bulk orders): £17.3/kg Mean High (smaller orders): £34.7/kg	Price varies dramatically depending on the volume ordered.
Processed Products (containing salep)	28	£1.65 to £329.64/kg	£99.6/kg	The % of salep within products was rarely declared and is likely to vary widely. The most expensive product (equivalent of £329.64/kg) was described as a salep flavoured instant powder drink, sold in small quantities at unit price of £9.23 per 28g.
Whole Roots (Lucky charms)	5	£6.94 to £11.56/tuber	£10.38/tuber	Offered for sale individually or in pairs. As the weight of these large tubers is unknown, it was not possible to calculate a price per Kg for these items.

A wide range of prices were observed for both pure and processed salep products. While most products were offered for sale in small quantities, their price per kg was usually significant, with very similar mean values of just over £450/kg observed for pure powders and roots. Processed powders were considerably lower in value, with a mean value of just less than £100/kg and were also usually sold in far smaller quantities. Wholesale powders varied in price considerably depending on the volume being ordered and could be as high as £82/kg

and as low as £5.77/kg. In either case however, the value of wholesale dendrobium/cymbidium powders) was an order of magnitude lower than the value of salep powders made from ground or whole pure orchid tubers. Lucky hand roots were sold individually or in pairs, at a mean price of £10.38 per tuber.

As outlined in the methodology, using an estimate of an average mass of 0.94g/tuber (1,063 tubers/kg), a price per tuber within pure products can also be calculated (Masters et al., 2022) . Applying these estimates to the prices for tuber-based products above, the mean value of an orchid tuber sold as a pure powder or as roots, is £0.43 per tuber in both cases.

Marketing

The marketing of online products provides insights into the motivation of consumers. The marketing of the salep products observed fell into 5 broad categories (Table 9).

Table 9: Broad categories of marketing claims associated with salep product listings observed within 6 online marketplaces.

Marketing Emphasis	Number of products
Health benefits	48
Traditional food/drink product with health benefits	25
Traditional Food/drink product	39
Quality (top grade etc...)	5
Lucky charm	8
None	8

Claims to the health benefits of salep formed the dominant marketing strategy, with benefits to health highlighted in 73 of the 133 products sampled (54%). These claims related to a wide range of health conditions, from increased energy levels to anti-aging properties to aphrodisiac effects. In total, salep products were claimed by vendors to be used in the treatment of 50 health conditions (see Annex V for a complete list), with many product listings noting that these claims are not FDA approved. In some cases, products were presented as traditional products, in use for centuries or more. Wholesale dendrobium powders were particularly associated with pre-work out supplements.

In many cases, health benefits were listed alongside the product's role as a source of food and nutrition, which was highlighted in 47% of product listings. Adverts focusing on food and nutrition often highlighted the use of powder in traditional Greek and Turkish winter drinks, as being tasty and healthy, and conveyed a sense of luxury (see Annex V for a full list).

Lucky hand charms were described as bringing the owner luck, for help with finances, relationships, gambling and games of chance (Annex V).

International Shipping

Product listings for 128 of the 133 products sampled (96.2%) included offers of international shipping. While it was not possible to determine the amount of international trade undertaken by vendors, that the offer of international shipping was clearly presented in the majority of product listings, suggests that the vendors were willing to cater for an international consumer base.

For 90 of the 133 products sampled, the timeframe for dispatching a product following an order was <7 days, with 1-3 days commonplace. These dispatch times would not allow for CITES permits to be applied for, with some destinations including the EU and UK, also requiring an import permit to be issued by the importing country.

Shipping to the UK was used as a comparative benchmark, with free shipping offered in 44 adverts, and relatively low shipping costs in the region of £10-£15 offered in many other cases. The only exception was for shipments of wholesale powders, where the shipping costs reached >£70/kg, although this cost rapidly reduced as the volume of the shipments increased. These low shipping costs would therefore be insufficient to cover the cost of CITES permits required for international shipping.

Vendors claimed to make use of the following courier and postal services: air and sea freight, economy international shipping, international economy untracked, standard and expedited international shipping, tracked mail.

Vendors located in non-range State countries would need to import the products that they had available for sale. This may include the 5 vendors of lucky hand charms from the USA, although as the identity of these tubers is unclear, it isn't possible to determine whether they originated in the USA or required prior importation.

References to CITES

None of the product listings sampled contained references to CITES or advice on the need for CITES permits for international shipments. In many cases, the terms and conditions stated that any customs considerations were the responsibility of the buyer. A variety of wording was used to convey this, although in some cases, the standard terms and conditions of the host website provided this message within their standard text provided for vendors to make use of. No references to CITES were recorded in either bespoke or the more standard template terms and conditions that were linked to the advertised products.

Theoretically, consumers and vendors could communicate through closed channels to discuss arrangements for CITES permits, but the lack of information within the product listings, combined with the short timeframes for dispatch and low costs of delivery noted above, strongly suggests that international trade arranged via these platforms is routinely conducted absent of CITES controls.

If so, this also suggests that when shipped internationally, salep products are mis-declared in customs paperwork, and/or have their salep content omitted from customs declaration forms. As the identify of products would be more difficult to conceal for large shipments of wholesale powder, a request for information from wholesale vendors regarding their processing of international orders may provide useful insights into this branch of the trade.

References to Conservation

Only two advisements contained information relating to the conservation status of orchid species. In one case, it was stated that the harvest was restricted to 50kg/season, although the rationale for this harvesting strategy was not explained. In the second example, in relation to health benefits, the vendor based in Turkey stated: *'Salep is an expensive plant because it is endemic and some species are dangerous for extinction. But even a small gram of it is very effective.'* No references to the conservation status of orchid species were recorded in the other product listings sampled.

Summary of Online Trade Analysis – Salep

The survey of online trade performed in this study provides a snapshot of the role that online markets play in the marketing and distribution of salep products. A total of 95 vendors located in 10 countries, advertising 133 different products associated with the key word 'salep', demonstrates that through the internet, salep is readily accessible to a global consumer base in a wide variety of forms, catering for a range of consumers and budgets. The marketing of these products based on a vast array of purported health benefits, alongside salep's role in traditional food sources, suggests that consumers may consider these products to have unique properties, for which there may be few substitutes. The high mean price of £450/kg commanded by pure powders and roots, (equating to an estimated £0.43/tuber), may provide a strong economic incentive to promote these qualities to an international consumer base. The use of orchid tubers as lucky charms (Lucky hand roots) was an unexpected element to trade, which appears to occur at sufficiently low volumes to be of low-conservation concern, although the identity of species used for these charms remains unclear.

Despite salep products being readily available within a variety of well-known online marketplaces with global reach, every aspect of the online trade in salep products remains opaque. Species-country combinations identified in online trade appear poorly represented within the CITES Trade Database, with the nature and frequency of international shipments made with CITES permits bearing little resemblance to the patterns that would be expected from an online industry that appears prepared and ready to supply a global consumer base.

Almost half of product listings provided no information on the species being sold, with species that were referenced only representing a narrow selection of the species commonly cited within the literature as being used within salep products. While a small number of product listings offered information on the location or timing of harvest, this falls far short of the level of detail required to enable these claims to be verified, or harvesters or producers to be identified. Wild sourcing was frequently used as a marketing plus, with only 2 adverts providing suggestions of artificial propagation, although this must be assumed to be the mode of production for wholesale products, given the volumes of shipments on offer.

While virtually all product listings offered international shipping, none referred to CITES procedures. Coupled with low (or free) shipping costs and speedy dispatch times of just a few days, strongly suggests that international trade in these products is routinely conducted without CITES controls. In order to evade CITES, it is likely that these goods are mis-declared on courier and postal packages, with vague terms and conditions

pertaining to customs regulations being the buyer's responsibility common among vendors, who frequently use the websites' standard terms and conditions to convey this to their customers.

The online trade in salep therefore appears a clear example of the use of online marketplaces by vendors and consumers who are either unaware of, or willing to circumvent, CITES controls. Without the uses of CITES permits supported by non-detriment findings for these supply chains, coupled with authentication of products to verify the claims of online vendors, the impact upon wild populations of species used for salep production cannot be accurately assessed, although is potentially significant.

Trade is often without CITES permits from Iran to Turkey and is often labelled as other food items when crossing border (Ghorbani et al., 2017). There has been an increase in the annual export of dried tubers from Turkey, with an estimate of 6500kg during the Ottoman Empire (Kasperek & Grimm, 1999), but in 2021, Turkey produced a yield of 425kg of salep (Turkish Statistical Institute, n.d.). The export of salep from Turkey is prohibited, and no import by CITES Parties should be accepted (Kasperek & Grimm, 1999). As production and trade of orchids are prohibited, production of salep for food purposes is under the supervision the 'Provincial/District Agriculture and Forestry Directorates', and farmers must be registered in the 'Farmer Registration System' in order to produce salep (Ministry of Agriculture and Forestry, 2022). They recommend that CITES Parties should control the import and export of salep, as well as the use of substitutes for salep to be advertised in an attempt to reduce demand for wild orchid salep (Kasperek & Grimm, 1999). Previously, Germany, Netherlands and Northern Cyprus have been listed as major salep importers, with other countries noted as importers are Switzerland, Austria, Saudi Arabia, United Kingdom, Bulgaria, Israel, Lybia, Rumania, Russia, Azerbaijan, United Arab Emirates, former USSR, and Denmark (Kasperek & Grimm, 1999). Salep was exported from Greece, Turkey or Syria to Germany, whereas now, it is imported from China via Hong Kong Special Administrative Region of China by one supplier (Kasperek & Grimm, 1999).

On the CITES Tradeview database (reported by exporters), there were only four exports of wild sourced *Epipactis* spp., exclusively *Epipactis helleborine* in root form, traded from Belarus to the United States of America. According to importers, the top exporter of *Epipactis* spp. was the United Kingdom, and the top importer was Japan. 200 roots artificially propagated sourced were traded in 2015, and all were *Epipactis palustris*, which does not occur in the 'Edible Orchid Database'. The top exporter of *Eulophia* spp. was Thailand and the top importer was India. 15 roots were trade in 2016, all artificially propagated sourced, and consisted of *Eulophia flava*, *Eulophia herbacea* and *Eulophia macrobulbon*. These taxa were not found in our literature review.

There were no results when searching on the CITES Tradeview database for *Eulophia* spp. as reported by exporters. *Dactylorhiza hatagirea*, *Gymandenia* spp., *Himantoglossum* spp., *Neotinea* spp., *Ophrys* spp., *Orchis anatolica*, *Orchis latifolia* (A synonym of both *Dactylorhiza majalis* subsp. *majalis* and *Dactylorhiza incarnata* subsp. *incarnata*), *Orchis mascula*, *Orchis militaris*, *Orchis* spp., *Platanthera* spp. or *Serapias* spp, was reported by both importers and exporters.

Conservation impact



Harvested tubers, Zambia

Conservation impact

Assessment of the conservation impact of trade in salep and chikanda products requires the creation of Non-detriment Findings (NDFs) by CITES Scientific Authorities. NDFs establish the sustainability of trade for species-country or region-country combinations, as well as verifying the legality and sustainability of harvests contributing to individual international shipments containing CITES listed species.

To conduct an NDF, a broad suite of up-to-date information is required, relating to intrinsic (e.g. biological) and extrinsic (e.g. anthropogenic) factors affecting wild populations of the species in question (see Cohen et al., 2020 for a detailed summary). While complete data covering every relevant factor may not always be available, the information must be sufficiently complete and reliable, in order for a risk-based assessment of the impact of harvest upon the species to be made.

While there is no officially proscribed approach to conducting NDFs, the 9-step guidance for making CITES non-detriment findings for perennial plants (Wolf et al., 2016), provides a structured approach to capturing and assessing the key information required for conducting edible orchid NDFs.

We documented a large volume of edible orchids, and only found a few of these identified to a species level in trade. We have taken a broad overview to the data available to make NDFs for edible orchids using the 9-step guidance.

Step 1: Identification

Taxonomic verification of species names was checked using the World Checklist of Selected Plant Families and CITES orchid checklists. There are plentiful resources relating to species taxonomy, however, many of the orchids in trade were not identified to a species level. There are also numerous names in trade both at marketplaces and online markets which do not have scientific names. We identified various trade names for salep; 'Salepi,' 'Sahlab,' 'Sahleb,' 'Sahlep' and other names as detailed in Annex III. Additionally, one study found the shape of tubers were being used to distinguish between in Iran, with tubers identified as palmate called 'Panjeh-ey' or alternatively round/oval shaped tubers named 'Qolveh-ey' (Ghorbani et al., 2014).

A plethora of chikanda trade names were found in the literature, from root shaped tubers called 'mshilamshila' in Bemba, Zambia and heart shaped tubers called 'mampanda' (Veldman et al., 2018). Names for tubers are also based on their origin, with Veldman et al (2017) stating that "mwinilunga, chozi, luwingu and kasama are all Zambian city names, sumbawanga and iringe refer to Tanzanian cities and angola refers to one of the countries bordering Zambia". However, the terms original 'myala', and fake or low quality (Veldman et al., 2014) 'mbwelenge or msekelele', are the most common terms (Veldman et al., 2018). There are many generic terms for chikanda orchid tubers as found by Davenport and Ndangalasi (2003): "chikanda (Fipa, Nyamwanga), finaka (Malila), finsekeni (Kinga, Nyakyusa, Wanji), kikanda (Safwa), kikande (Ngoni), kinaka (Nyiha), Mansekeni (Kinga), Ngulingusi (Wanji) and Vinaka (Nyiha, Safwa)", as well as kikanu, kikanda or African poloni (Rutherford & Groves, 2017a).

CITES permits require scientific names so other forms of identification are essential for CITES implementation. Orchids that are traded as live plants, stems or roots can sometimes be identified to species level, but most commonly to genus level. It is difficult to identify highly processed products without DNA or other authentication techniques. Those that have had a lower level of processing, such as powders, drinks, foods, may be able to be identified (Rutherford & Groves, 2017b). Some of the literature we reviewed used DNA barcoding or metabarcoding of salep products to identify to a species level (de Boer et al., 2017; Ghorbani et al., 2017).

Step 2: Review artificially propagated compliance

The edible trade is predominantly wild harvested and this step of the NDF is not applicable. Cultivation trials have been discussed earlier in this report.

Step 3: Review relevant exclusions and previously made NDFs

There are a few orchid NDFs available, primarily for ornamental or epiphytic orchids (AC26/PC20, 2012) but we found none for edible orchids. There was also a published study on an ornamental orchid which had used the 9-step guidance for perennial plants, this was for an endemic orchid species in Jamaica (Cohen et al., 2020). This study also highlighted that making NDFs is difficult with the lack of resources, available data and the ability to adequately monitor species populations.

Step 4: Evaluate conservation concerns

According to the intergovernmental expert panel on biodiversity, the main drivers of biodiversity loss are agriculture, exploitation of plants and animals, climate change, pollution, and invasive species (IPBES, 2019). To-date around 1850 orchid species have been assessed on the IUCN Red List, this is a small number of conservation assessments in comparison to the number of species in the family Orchidaceae (IUCN Red List, 2022b). A summary of the IUCN Red List Orchidaceae conservation status and number of orchid species; Least Concern (628), Endangered (422), Data Deficient (254), Vulnerable (234), Critically Endangered (209), Near Threatened (101), Lower risk (2) and Extinct (5) (IUCN Red List, 2022). Many of the orchid species documented in this study did not have an IUCN Red List assessment, and from the species which had an assessment the largest group of species were placed under IUCN Red List Least Concern (Table 10).

Table 10: The number of edible orchid species and their extinction risk on the IUCN Red List

	Red List Category	Number of species
Not Threatened	Not Evaluated	260
	Data Deficient	15
	Least Concern	69
	Near Threatened	10
	Endangered	11
Threatened	Vulnerable	6
	Critically Endangered	3

For the species which had a 'Not Evaluated' status we checked national and regional assessments on the BGCI ThreatSearch tool and found 63 of these species were categorised as Threatened. We interpreted 'threatened' from the following categories used by BGCI ThreatSearch tool: Critically Endangered, Endangered, Vulnerable, Threatened or Rare.

Step 5: Evaluate intrinsic biological risk

The most recorded species for chikanda belong to the genera *Disa*, *Satyrium* and *Habenaria*. *Disa* and *Satyrium* species have a small distribution range and wild species with narrower species ranges are at more of an extinction risk (Nic Lughadha et al., 2020). *Habenaria* had a greater range globally across tropical and sub-tropical areas which places it at less risk, but localised extinctions are possible. Similarly, the most frequent genera in *Ophrys*, *Dactylorhiza* and *Orchis* all have wide-spanning ranges. We recommend further analysis at the species and country population level to assess the biological risk more comprehensively.

From the papers we analysed as part of the salep and chikanda review, 15 of the papers focused on orchids from Turkey, followed by 5 papers focusing on orchids from the Southern Highlands of Tanzania, with only two papers on Greece and two papers on Nepal. The source of the orchid harvest as identified by the papers were predominantly wild, with one paper discussing in vitro source. One study focusing on *Ophrys sphegodes* subsp. *mammosa*, an orchid used for salep saw positive results for a tuber propagation method (Caliskan et al., 2019). The study looked at the tuber growth throughout the flower period for the orchid and discovered orchids which were harvested at the early flowering stage were able to develop new tubers (Caliskan et al., 2019). A further two species, *Orchis mascula* and *Anacamptis morio*, are already cultivated in Belgium for the cosmetic industry and trials are being conducted on the feasibility of large-scale cultivation for salep production. As detailed in the chikanda section of this report, there are trials to propagate species used in this trade in Southern Africa.

Step 6: Evaluate harvest impacts

Chikanda and salep are comprised of tuberous orchids often found in grassland habitat. It appears as a high biological risk to the orchid species as the harvest of the tubers uproots the whole plant. Based on the harvesting information presented in this report, we found a high threat of harvesting impact. This is due to the harvest practice of the whole plant being uprooted for the tubers, and that the species collection is indiscriminate, it appears to be tuberous orchids available in the habitats accessible to harvesters. The reviewed literature indicated declining populations of orchids used for salep and chikanda.

A review of the main threats listed for the family Orchidaceae on the IUCN Red List listed the following threats for the orchid species which have been assessed:

1. Small-holder farming
2. Unintentional effects (subsistence/small scale) [harvest]

3. Intentional use (species is the target)
4. Mining and quarrying
5. Shifting agriculture
6. Housing and urban areas
7. Increase in fire frequency/intensity
8. Unintentional effects (large scale) [harvest]
9. Droughts
10. Tourism and recreational areas

These assessments of threats support harvesting of orchids are one of the main threats attributing to their decline. In a recent study, automated conservation assessments were adopted to review the 13,910 species of orchids globally distributed, this provided a rapid assessment for a wider selection of orchid species (Zizka et al., 2021). Their results found 4,342 orchid species were evaluated as possibly threatened. In detail they classified 718 species as Critically Endangered, 2,567 species as Endangered and 68 species as Vulnerable. This study has limitations but provides an indication to the conservation status of orchids globally.

Step 7: Evaluate trade impacts

The magnitude of legal trade is low, as most of this trade is unregulated and traded without CITES permits. The prices of some of the salep products available online indicate this is a valuable source of income. It is difficult to quantify the trade volumes, however literature about the salep trade estimated 30 - 120 million orchids are harvested in Turkey annually, and in Iran, 5.5 - 6.1 million orchids are harvested annually (Ghorbani et al., 2014). For chikanda, figures indicate that Zambia imports around 5 million tubers from surrounding countries (Rutherford & Groves, 2017a), with 2.2 - 4.1 million tubers imported from Tanzania alone in 2003 (Davenport & Ndangalasi, 2003).

The online trade search for salep, suggested the quantities and authenticity of the product is difficult to determine. It also recognised substitutes or synthetic products may be sold in place of wild orchids, and so trade calculated from product descriptions can only provide an estimate of trade volumes.

Step 8: Evaluate effectiveness of management measures

No management plans exist in the CITES NDF database for wild harvested chikanda or salep species. We recognise preliminary research and studies have attempted to address this through case studies in Zambia and Tanzania but these projects are also investigating cultivation techniques and the feasibility of propagating these tuberous species.

Step 9: Make a Non-Detriment Finding or related advice

A positive NDF decision is not likely at this time, further information and understanding on harvesting practices are required.

Socio-economic dimensions of edible orchid conservation

It is pertinent to point out that this trade does not occur in a vacuum. Additional threats to these orchid populations are occurring in tandem to harvesting. Land use change, conversion to agriculture or housing has encroached on many orchid habitats. In Turkey, for example, the conversion of ancient olive groves into other land uses is irradicating an important habitat that tuberous orchid species thrive in (Interviewee two; Interviewee five). In Southern Africa, land that would previously be habitat for wild orchid species is being rapidly transformed into avocado plantations to meet the growing demand across the world (Interviewee one). It is unlikely that harvesting alone will lead to species extinctions, as it is likely that some individuals of a species are left behind after harvest (Interviewee three; Interviewee five). However, reducing a species to a few individuals in turn reduces the gene pool from which that species re-populates. This can mean that a species is less diverse, and therefore potentially less able to adapt to diseases or changes in the environment due to climate change.

Additionally, it is vital to consider that the trade outlined in this report is an important part of many people's livelihoods. Often, it is a source of income that enables households to overcome 'economic shocks' such as the loss of a parent, failure of other income streams (such as crops) or to overcome additional costs due to life events (such as weddings) (Interviewee two; Interviewee three). As fewer orchids are available for collection through declining populations, it is likely that prices for the end products will increase due to increased costs in the supply chain (eg. Transportation of orchids from further away, more time finding viable harvest sites etc.) Experts believe that an increase in price, due to less and less tubers being available, will be unlikely to affect demand for salep as end-consumers are more able to absorb the inflation. However, when it comes to the trade in chikanda, an increase in price due to reduced supply could end up in one of two scenarios. Either the demand

will decrease as people buy less, or the harvesters will be compensated less for the tubers they collect (Interviewee three). Harvesters usually have lower economic power and are unable to dictate the prices for the tubers (which is particularly true in Southern Africa), and so as orchid populations decline, it is the already disenfranchised in the supply chain who will suffer further economic loss. Though trials of artificial propagation of these species are underway, the limited success seen so far is an indication that further work needs to be done to find a viable way to protect both orchid populations, cultural traditions, and livelihoods.

Limitations and further study

Literature

The edible orchid database has considerable gaps in information due to the lack of information available and the time to access resources. The study was limited by searching literature in the English language only and many other resources are likely available in different languages. The main gaps to the database include ecological information, conservation status and evidence and details of trade routes. In some of the literature there was a deficiency of scientific names, genus or family indexing (e.g. Multiple edible plant field guides were ordered and indexed by common name only). Often species (and plant parts) are identified only as edible (unclear if species are edible and used for food or edible but not used). Date of species use is not present or, if present, didn't indicate if the use was still in practice (unclear if the use is historical, current or both). We likely have geographical bias as the written resources reviewed (those written in English language tended to be from English speaking countries).

The literature review was based on the available papers and grey literature we identified and available in the English language. There is a reasonable but not comprehensive volume of literature to draw summaries and conclusions from. The methodologies of the papers that were used for the literature review were identified as field research, lab-based research or desk-based research. 26 papers included field-based methodologies, 13 labs based and 8 desk based. 10 papers included cross overs between the methodologies, with only one paper being identified as using all three methodologies. Only two papers were exclusively desk based. 10 of the papers conducted interviews with local people and six of the papers undertook lab-based DNA work. For harvesting and trade data further in-field research is required in range states and engagement with stakeholders, particularly as elements of this trade are important for livelihoods.

NDF data

In future work, it would be useful to collect further data from CITES scientific authorities in countries that experience high volumes of trade in edible orchids. One limitation of this study is the small sample size of experts we were able to interview. This is partially due to time, but also due to non-responses or inability to engage. The limitations of conducting NDFs at a species level would currently be difficult without further population, harvest and regeneration data. It would be useful to have further NDF focus on orchids more broadly as well as for the edible orchid trade, with range States collaborating with perhaps support from the CITES Plants Committee.

For more biological information we recommend further research to verify the current use of historically used edible orchids, this could be done by connecting with ethnobotanists and in-country researchers. It's also important to verify trade and use data to species level (including products on the market) (resources often referred to genera rather than species). Additionally, it would be critical to verify status of cultivation of orchids several resources stated that various cultivation projects were in progress, feasibility of cultivation due to costs. Further research on the uses of orchids would add to this body of knowledge, particular as there is a close link between medicinal plants and edible plants.

Additionally, there was not time to review the legal status of orchids for each of the range states. The literature indicated orchids are nationally protected and banned for export from several of the range States.

Trade

Our analysis of online trade provided a snapshot of trade across a range of website types, including 4 sites with global reach and branding. Information on the number of transactions completed would enable the volume of trade to be more accurately assessed, although this information would only have been readily available from one of the websites sampled. The inclusion of a survey of vendors and manufacturers within future research might be an alternative way to measure this data, along with gaining other useful insights into their trade in chikanda and salep products.

Improving the transparency of online trade will require collaboration between range States, manufacturers, vendors and online technology companies. Transparency in trade would be improved through raising awareness with consumers, updates to online trading policies which are enforced by measures to remove or flag online product listings which do not adhere to these policies for edible orchid products. The courier and postal companies facilitating shipments of these product should also be consulted, regarding any potential measures to detect salep and chikanda products being shipped internationally via their services.

Any control of online trade will of course have an impact on livelihoods, by introducing frictions and costs which may make some international trade more difficult or economically unfeasible. A survey of online vendors might also provide a clearer understanding of the supply chains involved in online trade, which may help with strategies to support sustainable trade and mitigate some of these impacts where it is possible and appropriate to do so.

The lack of transparency around online trade extends to the identity of the species involved. Forensic research to authenticate products and identify the species in trade through DNA barcoding would enable the composition and proportion of species in trade to be established, building on work previously conducted by Masters et al (2022).

This study has identified a range of species-country combinations of relevance to the online trade in salep and chikanda products. Analysis of the CITES Trade Database supports the theory that online trade may be conducted largely absent of CITES controls. More information about the supply chains observed in the CITES Trade Database would, however, be a useful exercise, to establish to what extent these shipments may or may not relate to online trade activity, and the potential relevance of species recorded in the trade database, but which are not cited within product listing information.

With the threat to wild populations due to unsuitable collection, more research is needed to understand what species are collected, any harvesting patterns and what levels of harvesting would be required to enable this trade to work towards being sustainable.

Summary

Edible orchid trade

We found a total of 374 documented edible orchids in the literature. For many, the literature did not provide documentation of use, only edibility. For those with use documentation, it was not always clear if the historical use is still practiced.

Many of those species did not have an IUCN Red List assessment. The category most represented in those that did was Least Concern. Many species without IUCN Red List assessments had national or regional assessments. Of these, 63 were categorized as Threatened (all species categorized as Critically Endangered, Endangered, Threatened, Vulnerable or Rare was interpreted as Threatened). Edible orchids with documented use for the products known and traded as chikanda and salep accounted for just over half of those identified. Chikanda, a food “cake” made with ground terrestrial orchid tubers, is eaten across several African countries, predominately Zambia. The genera most used to make chikanda were *Disa*, *Satyrium* and *Habenaria*. Salep, a powder also made from ground terrestrial orchid tubers, is used in Iran, Greece and predominately Turkey. The genera most utilized when making salep were *Ophrys*, *Dactylorhiza*, and *Orchis*.

Orchids harvested to make chikanda are exclusively taken from the wild and the whole plant is harvested. They are collected indiscriminately, without controls in place to allow time for regeneration. Species level identification is challenging for collectors and harvest is often based on the ability to sell the tubers. Collectors use locality, texture, shape and flavour to determine which harvested tubers the middlemen will buy. Both collectors and middlemen have noted that orchids are becoming rarer, forcing collectors to travel much farther and harvest less-desirable species to keep up with demand.

Protecting areas such as Kitulo National Park in Tanzania and Nyika National Park in Malawi has not prevented the harvesting of orchids within. Prohibition of collecting orchids is not enough to prevent continual harvesting. Collectors often rely on the income from selling tubers and will need alternative sustainable livelihoods. From its local beginnings, chikanda has become a popular dish and is now found in restaurants and supermarkets. This rise in popularity has resulted in an increase in demand and a move to commercialisation. The demand is highest in Zambia. Tanzania and more recently Malawi and other bordering countries are supplying Zambia with orchid tubers to meet the demand. While cross border trade is evident, there is no evidence of CITES registration/declaration. Online trade in chikanda products and raw ingredients is currently

limited, suggesting that online international trade is rare. The trade that does occur however, lacks transparency and may be conducted without CITES control.

A large number of species are harvested to make salep, a powder used to make beverages and as an ingredient in both confectionery and ice cream. The orchids are harvested from wild populations, again with the removal of the entire plant. Species other than those targeted, and not suitable for use as salep, are also removed due to indiscriminate harvesting practices. Increased harvesting in Turkey has caused populations to decline and salep trade there is increasingly reliant on tubers harvested from other countries such as Greece, Albania, and Iran. Iran is now also seeing its populations decline.

There are some efforts underway to harvest sustainably. In Western Iran, some individuals are replanting orchids after harvesting to maintain populations and in Turkey, small groups of individuals have been able to sustainably harvest salep annually within their communities without a decrease in populations. There are other methods which could aid in the conservation of wild orchids, one of which is cultivation. Cultivation of salep species which produce one tuber annually has not been thought to be cost-effective. Another conservation method is the use of substitutes. It is believed that consumers don't specifically desire wild tubers in salep products and would likely accept artificial alternatives which replicate the taste and consistency expected. The modified starch, carboxymethyl-cellulose, is used in a variety of foods. It and rice powder are commonly used as substitutes for salep in Turkey. Glucomannan, a substance occurring in the orchid tuber, acts as the stabilizer and thickener in salep and can be found in plants other than orchids. While there may be potential to finding alternative supplies or even producing it artificially, there is little incentive to do so as it is unlikely to be cost-effective due to the low cost of accessing wild tubers.

Salep has also moved from local use to a commercial industry supporting large-scale enterprises in Turkey where demand is highest. It is now readily accessible in a variety of forms to consumers around the world via well-known online marketplaces as well. Traders frequently used a statement alluding to wild sourcing of orchid ingredients as a marketing tactic and almost half the products advertised provided no information as to species used. Every aspect of online trade in salep products was opaque and, while all the listings offered international shipping, none made any reference to CITES regulations.

The orchids identified as edible with uses other than chikanda and salep were spread over 46 genera with *Pterostylis*, *Diuris*, *Dendrobium*, *Prasopphyllum* and *Vanilla* being the most represented. All parts of the orchid plant were documented as edible, although in most cases only one or two parts per species was documented. The tuber was the part most identified as edible. Documentation of the food use of orchids showed that they are prepared and consumed in a variety of ways. Some parts are eaten boiled, steamed or roasted, often compared to being used like potatoes, some are likened to vegetables, while others are pounded into a powder which aids in storage. Some orchid parts are used to flavour food and beverages, some to prepare preserves and jellies, and some are eaten raw, providing sustenance away from home.

Implications for orchid exemptions on CITES

This review supports that the trade of orchid tubers is a threat to wild populations and the trade seems to be unregulated. A preliminary list of genera and species in the edible orchid trade will facilitate future discussions on orchid exemptions on CITES. There have been discussions relating to exempting certain orchid taxa from cosmetic products, the species for consideration are: *Bletilla striata*, *Cycnoches cooperi*, *Gastrodia elata*, *Phalaenopsis amabilis* and *Phalaenopsis lobbii*. Only one of these species appeared in our review, *Gastrodia elata* as it has a documented medicinal, edible and cosmetic use. Predominately the use of this species is for medicinal purposes and as the species native range is the Himalayas and across temperate East Asia (POWO), it was not included in one of our in-depth reviews. This species requires an updated IUCN Red List assessment, but in 2004 it was listed as Vulnerable (China plant group). However, we found limited data and evidence that this species is in trade for edible purposes. We found one occurrence for trade of this species as a health food and an online marketplace offering international shipping for this purpose. It's previously been documented that collection of wild seed for cultivation has been an important source of income (BGCI) and the CITES trade database only shows artificially propagated trade of *Gastrodia elata* when queried between 2010 – 2019 with the main exporting countries as Republic of Korea and China and trade predominantly as an extract or powder (CITES Trade view). We found a close link between edible and medicinal orchids, so a review of species used medicinally and for other uses for orchids is recommended to facilitate informed discussions in CITES.

References

- AC26/PC20. (2012). *Non-detriment findings DRAFT GUIDANCE ON THE MAKING OF NON-DETRIMENT FINDINGS*. <http://www.cites.org/esp/cop/15/doc/S15-16-02-02.pdf>
- Ari, E., Polat, I., Gocmen, M., Karaguzel, O., & Onal, K. (2005). Phylogenetic relationship of Turkish terrestrial orchids. *Acta Horticulturae*, 673, 155–160. <https://doi.org/10.17660/ACTAHORTIC.2005.673.17>
- Attila, M. v., Süveges, K., Molnár, Z., & Löki, V. (2017). Using traditional ecological knowledge in discovery of rare plants: a case study from Turkey. *Acta Societatis Botanicorum Poloniae*, 86(3). <https://doi.org/10.5586/asbp.3541>
- Brinckmann, J. A. (2014a). *Quick scan of orchidaceae species in European commerce as components of cosmetic, food and medicinal products*.
- Brinckmann, J. A. (2014b). *Quick scan of orchidaceae species in European commerce as components of cosmetic, food and medicinal products*.
- Bulletin of Miscellaneous Information. (1892). Faham Tea. (*Angræcum fragrans*, Thouars.). (*Royal Botanic Gardens, Kew*), 1892(67/68), 181–183. <https://doi.org/10.2307/4102602>
- Caliskan, O., Kurt, D., & Cirak, C. (2019). Development of New Sustainable Sahlep Production Methods Using *Ophrys sphegodes* subsp. *mammosa* (Desf.) Soo ex E. Nelson. *Journal of Agricultural Science and Technology*, 21(6), 1547–1555. <http://jast.modares.ac.ir/article-23-19310-en.html>
- Caliskan, O., Kurt, D., & Odabas, M. S. (2020). Morphological Developments of *Orchis purpurea* Huds. Salep Orchids. *Brazilian Archives of Biology and Technology*, 63, 2020. <https://doi.org/10.1590/1678-4324-2020190769>
- Challe, J. F. X., Niehof, A., & Struik, P. C. (2011). The significance of gathering wild orchid tubers for orphan household livelihoods in a context of HIV/AIDS in Tanzania. *African Journal of AIDS Research : AJAR*, 10(3), 207–218. <https://doi.org/10.2989/16085906.2011.626287>
- Challe, J. F. X., & Struik, P. C. (2008). The impact on orchid species abundance of gathering their edible tubers by HIV/AIDS orphans: a case of three villages in the Southern Highlands of Tanzania. [https://doi.org/10.1016/S1573-5214\(08\)80011-5](https://doi.org/10.1016/S1573-5214(08)80011-5), 56(3), 261–279. [https://doi.org/10.1016/S1573-5214\(08\)80011-5](https://doi.org/10.1016/S1573-5214(08)80011-5)
- Chapagain, D. J., Meilby, H., Baniya, C. B., Budha-Magar, S., & Ghimire, S. K. (2021). Illegal harvesting and livestock grazing threaten the endangered orchid *Dactylorhiza hatagirea* (D. Don) Soó in Nepalese Himalaya. *Ecology and Evolution*, 11(11), 6672–6687. <https://doi.org/10.1002/ECE3.7520>
- Charitonidou, M., Stara, K., Kougioumoutzis, K., & Halley, J. M. (2019). Implications of salep collection for the conservation of the Elder-flowered orchid (*Dactylorhiza sambucina*) in Epirus, Greece. *Journal of Biological Research (Greece)*, 26(1), 1–13. <https://doi.org/10.1186/S40709-019-0110-1/FIGURES/3>
- Chicago Botanic Garden. (2022). *Jumellea fragrans* | *Chicago Botanic Garden*. https://www.chicagobotanic.org/plantinfo/jumellea_fragrans
- CITES. (2016). *COP17 Doc. 83.3 Annotations for Appendix II orchids*.
- CITES. (2017). *PC23 Doc.32 Annotations for Appendix II orchids*.
- CITES. (2020). *PC25 Doc. 37 Products containing specimens of Appendix-II orchids [Decision 18.329]*.
- CITES. (2022). *SC74 Doc. 84 Products containing specimens of Appendix-II orchids: Report of the Plants Committee (Decision 18.330)*.
- Cohen, J. E., Williams, H. N., Strong, Y. E., & Fisher, H. C. E. (2020). Non-Detriment Findings for international trade in wild orchids from developing countries; a case study for *Broughtonia sanguinea* in Jamaica. *Journal for Nature Conservation*, 56, 125840. <https://doi.org/10.1016/j.jnc.2020.125840>
- Crowe, A. (2004). *A Field Guide to the NATIVE EDIBLE FOODS of New Zealand* (4th ed.).
- Davenport, T. R. B., & Ndangalasi, H. J. (2003). An escalating trade in orchid tubers across Tanzania's Southern Highlands: assessment, dynamics and conservation implications. *Oryx*, 37(1), 55–61. <https://doi.org/10.1017/S0030605303000127>
- de Boer, H. J., Ghorbani, A., Manzanilla, V., Raclariu, A. C., Kreziou, A., Ounjai, S., Osathanunkul, M., & Gravendeel, B. (2017). DNA metabarcoding of orchid-derived products reveals widespread illegal orchid trade. *Proceedings of the Royal Society B: Biological Sciences*, 284(1863). <https://doi.org/10.1098/RSPB.2017.1182>
- GBIF. (2022). *Global Biodiversity Information Facility*. <https://www.gbif.org/>
- Ghorbani, A., Gravendeel, B., Naghibi, F., & de Boer, H. (2014). Wild orchid tuber collection in Iran: A wake-up call for conservation. *Biodiversity and Conservation*, 23(11), 2749–2760. <https://doi.org/10.1007/s10531-014-0746-y>
- Ghorbani, A., Gravendeel, B., Selliah, S., Zarré, S., & de Boer, H. (2017). DNA barcoding of tuberous Orchidoideae: a resource for identification of orchids used in Salep. *Molecular Ecology Resources*, 17(2), 342–352. <https://doi.org/10.1111/1755-0998.12615>
- Govaerts, R., Caromel, A., Dhanda, S., Davis, F., Pavitt, A., Sinovas, P., & Vaglica, V. (2019). *CITES Appendix I Orchid Checklist*. Royal Botanic Gardens, Kew and UNEP-WCMC. https://www.kew.org/sites/default/files/2019-08/CITES%20Appendix%20I%20Orchid%20checklist%20-%20Second%20Version_12.07.2019.pdf
- Govaerts, R., Nic Lughadha, E., Black, N., Turner, R., & Paton, A. (2021). The World Checklist of Vascular Plants, a continuously updated resource for exploring global plant diversity. *Scientific Data*, 8(1). <https://doi.org/10.1038/s41597-021-00997-6>
- Gov.uk. (2022). *UK Integrated Online Tariff*. <https://www.trade-tariff.service.gov.uk/browse>
- Hinsley, A., de Boer, H. J., Fay, M. F., Gale, S. W., Gardiner, L. M., Gunasekara, R. S., Kumar, P., Masters, S., Metusala, D., Roberts, D. L., Veldman, S., Wong, S., & Phelps, J. (2018). A review of the trade in orchids and its implications for

- conservation. In *Indonesia Botanical Journal of the Linnean Society* (Vol. 186).
<https://academic.oup.com/botlinnean/article-abstract/186/4/435/4736317>
- IPBES. (2019). *Global assessment report of the Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services*.
- IUCN Red List. (2022a). *IUCN Red List of Threatened Species: Orchidaceae*. IUCN Red List.
<https://www.iucnredlist.org/search?taxonomies=101295&searchType=species>
- IUCN Red List. (2022b). *IUCN Red List of Threatened Species: Orchidaceae*. IUCN Red List.
<https://www.iucnredlist.org/search?taxonomies=101295&searchType=species>
- Kasperek, M., & Grimm, U. (1999). European trade in Turkish Salep with special reference to Germany. *Economic Botany* 1999 53:4, 53(4), 396–406. <https://doi.org/10.1007/BF02866718>
- Kreziou, A., Boer, H. de, & Gravendeel, B. (2016). Harvesting of salep orchids in north-western Greece continues to threaten natural populations. *Oryx*, 50(3), 393–396. <https://doi.org/10.1017/S0030605315000265>
- Lavorgna, A., Middleton, S., Whitehead, D., & Cowell, C. (2020). *FloraGuard: Tackling the illegal trade in endangered plants report*. Royal Botanic Gardens, Kew. Available at kew.org/science.
- Lavorgna, A., & Sajeve, M. (2020). Studying Illegal Online Trades in Plants: Market Characteristics, Organisational and Behavioural Aspects, and Policing Challenges. *European Journal on Criminal Policy and Research*.
<https://doi.org/10.1007/s10610-020-09447-2>
- Lim, T. K. (2016). *Edible Medicinal and Non-Medicinal Plants: Modified Stems, Roots, Bulbs* (Vol. 11). Springer.
<https://doi.org/10.1007/978-3-319-26062-4>
- Livoreil, B., Glanville, J., Haddaway, N. R., Bayliss, H., Bethel, A., de Lachapelle, F. F., Robalino, S., Savilaakso, S., Zhou, W., Petrokofsky, G., & Frampton, G. (2017). Systematic searching for environmental evidence using multiple tools and sources. *Environmental Evidence*, 6(1), 1–14. <https://doi.org/10.1186/S13750-017-0099-6/TABLES/1>
- Lohar, A. (2019). Edible orchids for human consumption. *AGRICULTURE & FOOD: E-Newsletter*, 1(6), 27–31.
www.agrifoodmagazine.co.in
- Low, T. (1991). *Wild Food Plants of Australia*. Angus & Robertson.
- Mahonya, S., Shackleton, C. M., & Schreckenber, K. (2019). Non-timber Forest Product Use and Market Chains Along a Deforestation Gradient in Southwest Malawi. *Frontiers in Forests and Global Change*, 2, 71.
<https://doi.org/10.3389/FFGC.2019.00071/BIBTEX>
- Masters, S., Anthoons, B., Madesis, P., G. Saroja, S., Schermer, M., Gerritsen, W., Karahan, A., Verdoes, R., Schwallier, R., van Andel, T., de Boer, H., & Gravendeel, B. (2022). Quantifying an online wildlife trade using a web crawler. *Biodiversity and Conservation*, 1–15. <https://doi.org/10.1007/S10531-022-02367-Z/FIGURES/5>
- Masters, S., van Andel, T., de Boer, H. J., Heijungs, R., & Gravendeel, B. (2020). Patent analysis as a novel method for exploring commercial interest in wild harvested species. *Biological Conservation*, 243, 108454.
<https://doi.org/10.1016/J.BIOCON.2020.108454>
- Ministry of Agriculture and Forestry. (2022). *Salep production for food purposes (Circular 2022-1)*. General Directorate of Vegetable Production. <https://kms.kaysis.gov.tr/Home/Goster/185740>
- Molnár V., A., Nagy, T., Löki, V., Süveges, K., Takács, A., Bódis, J., & Tökölyi, J. (2017). Turkish graveyards as refuges for orchids against tuber harvest. *Ecology and Evolution*, 7(24), 11257–11264. <https://doi.org/10.1002/ECE3.3562>
- Newing, H. (2010). Conducting research in conservation: Social science methods and practice. *Conducting Research in Conservation: Social Science Methods and Practice*, 1–376. <https://doi.org/10.4324/9780203846452>
- Nic Lughadha, E., Bachman, S. P., Leão, T. C. C., Forest, F., Halley, J. M., Moat, J., Acedo, C., Bacon, K. L., Brewer, R. F. A., Gâteblé, G., Gonçalves, S. C., Govaerts, R., Hollingsworth, P. M., Krisai-Greilhuber, I., de Lirio, E. J., Moore, P. G. P., Negrão, R., Onana, J. M., Rajaovelona, L. R., ... Walker, B. E. (2020). Extinction risk and threats to plants and fungi. *Plants, People, Planet*, 2(5), 389–408. <https://doi.org/10.1002/PPP3.10146>
- OECD. (2022, April 7). *Vanilla beans (HS: 090500) Product Trade, Exporters and Importers | OECD - The Observatory of Economic Complexity*. <https://oec.world/en/profile/hs92/vanilla-beans>
- Orchids-World. (2012). *EDIBLE ORCHIDS*. <https://www.orchids-world.com/evergreen/edible.pdf>
- Palzer, C. (2002). *Tree nursery manual for Eritrea* (C. , B. A. & T. B. Ruffo, Ed.). Regional Land Management Unit.
- Paniagua-Zambrana, N. Y., & Bussman, R. W. (Eds.). (2020). *Ethnobotany of the Andes* (Vol. 2). Springer Nature Switzerland.
- Pant, B. (2013). *African Journal of Plant Science Medicinal orchids and their uses: Tissue culture a potential alternative for conservation*. 7(10), 448–467. <https://doi.org/10.5897/AJPS2013.1031>
- POWO. (2022). *Plants of the World Online | Kew Science*. <https://powo.science.kew.org/>
- Rawat, S., Andola, H., Giri, L., Dhyani, P., Jugran, A., Bhatt, I. D., & Rawal, R. S. (2014). Assessment of Nutritional and Antioxidant Potential of Selected Vitality Strengthening Himalayan Medicinal Plants. *International Journal of Food Properties*, 17(3), 703–712. <https://doi.org/10.1080/10942912.2012.654563>
- Ritchie, J., & Spencer, L. (2002). Qualitative data analysis for applied policy research. In A. M. Huberman & M. B. Miles (Eds.), *The Qualitative Researcher's Companion* (pp. 305–329). Routledge .
[https://books.google.co.uk/books?hl=en&lr=&id=46jfwR6y5joC&oi=fnd&pg=PA305&dq=Ritchie,+J.,+and+Spencer,+L.+\(2002\).+%E2%80%9CQualitative+data+analysis+for+applied+policy+research,+%E2%80%9D&ots=spERHQW&sig=zlsGht4fs9jY41n2IWQNVp-C4ak#v=onepage&q=Ritchie%2C%20J.%2C%20and%20Spencer%2C%20L.%20\(2002\).%20%E2%80%9CQualitative%20data%20analysis%20for%20applied%20policy%20research%2C%E2%80%9D&f=false](https://books.google.co.uk/books?hl=en&lr=&id=46jfwR6y5joC&oi=fnd&pg=PA305&dq=Ritchie,+J.,+and+Spencer,+L.+(2002).+%E2%80%9CQualitative+data+analysis+for+applied+policy+research,+%E2%80%9D&ots=spERHQW&sig=zlsGht4fs9jY41n2IWQNVp-C4ak#v=onepage&q=Ritchie%2C%20J.%2C%20and%20Spencer%2C%20L.%20(2002).%20%E2%80%9CQualitative%20data%20analysis%20for%20applied%20policy%20research%2C%E2%80%9D&f=false)
- Royal Botanic Gardens, Kew. (2012). *Economic Botany Collection online database*. www.kew.org/ecbot/database
- Rutherford, C., & Groves, M. (2017a). *Chikanda: An Overview. Regional trade in edible terrestrial orchids in Africa*.

- Rutherford, C., & Groves, M. (2017b). *Salep: An overview. The trade in terrestrial orchid tubers in Turkey, Iran and Greece*.
- Rutherford, C., & Groves, M. (2017c). *Salep: An overview. The trade in terrestrial orchid tubers in Turkey, Iran and Greece*.
- Sezik, E. (2002a). Turkish Orchids and Salep. *Acta Pharmaceutica Turcica*.
- Sezik, E. (2002b). Turkish Orchids and Salep. *Acta Pharmaceutica Turcica*.
- Tanaka, T. (1974). *Tanaka's Cyclopedia of Edible Plants of the World* (S. Nakao, Ed.). Keigaku Publishing Co.
- Tekinşen, K. K., & Güner, A. (2010). Chemical composition and physicochemical properties of tubera salep produced from some Orchidaceae species. *Food Chemistry*, *121*(2), 468–471. <https://doi.org/10.1016/J.FOODCHEM.2009.12.066>
- Teoh, E. S. (2016). *Medicinal Orchids of Asia*.
- Teoh, E. S. (2019). *Orchids as Aphrodisiac, Medicine or Food*. Springer.
- Turkish Statistical Institute. (n.d.). *Data portal for statistical. Other Crop Products; Edible Roots and Tubers*. Retrieved May 27, 2022, from <https://data.tuik.gov.tr/Kategori/GetKategori?p=Agriculture-111>.
- Turkmen, N., Gursoy, A., Akal, C., Unal, E. M., & Keskin, E. (2021). Evaluation of salep obtained from different wild orchid species of Turkey and their use in Maras type ice cream. *Journal of Food Processing and Preservation*. <https://doi.org/10.1111/JFPP.16063>
- Ulian, T., Diazgranados, M., Pironon, S., Padulosi, S., Liu, U., Davies, L., Howes, M. J. R., Borrell, J. S., Ondo, I., Pérez-Escobar, O. A., Sharrock, S., Ryan, P., Hunter, D., Lee, M. A., Barstow, C., Łuczaj, Ł., Pieroni, A., Cámara-Leret, R., Noorani, A., ... Mattana, E. (2020). Unlocking plant resources to support food security and promote sustainable agriculture. *Plants, People, Planet*, *2*(5), 421–445. <https://doi.org/10.1002/PPP3.10145>
- UNEP-WCMC. (2022). *CITES trade statistics derived from the CITES Trade Database, UNEP World Conservation Monitoring Centre, Cambridge, UK*. <https://trade.cites.org/>
- Veldman, S., Gravendeel, B., Otieno, J. N., Lammers, Y., Duijm, E., Nieman, A., Bytebier, B., Ngugi, G., Martos, F., van Andel, T. R., & de Boer, H. J. (2017). High-throughput sequencing of African chikanda cake highlights conservation challenges in orchids. *Biodiversity and Conservation*, *9*(26), 2029–2046. <https://doi.org/10.1007/S10531-017-1343-7>
- Veldman, S., Kim, S.-J., Andel, T. R. van, Font, M. B., Bone, R. E., Bytebier, B., Chuba, D., Gravendeel, B., Martos, F., Mpatwa, G., Ngugi, G., Vinya, R., Wightman, N., Yokoya, K., & Boer, H. J. de. (2018). Trade in Zambian Edible Orchids—DNA Barcoding Reveals the Use of Unexpected Orchid Taxa for Chikanda. *Genes* *2018*, Vol. 9, Page 595, *9*(12), 595. <https://doi.org/10.3390/GENES9120595>
- Veldman, S., Otieno, J. N., van Andel, T., & et al. (2014). *Efforts urged to tackle thriving illegal orchid trade in Tanzania and Zambia for chikanda production*. 47–50.
- Whitehead, D., Cowell, C. R., Lavorgna, A., & Middleton, S. E. (2021). Countering plant crime online: Cross-disciplinary collaboration in the FloraGuard study. *Forensic Science International: Animals and Environments*, *1*. <https://doi.org/10.1016/j.fsiae.2021.100007>
- Wolf, D., Oldfield, T. E. E., Schippmann, U., MCGough, N., & Leaman, D. J. (2016). *CITES Non-detriment Findings Guidance for Perennial Plants A nine-step process to support CITES Scientific Authorities making science-based non-detriment findings (NDFs) for species listed in CITES Appendix II Version 3.0*. <https://static1.squarespace.com/static/5f31306336006c736780d6b3/t/60abe5fa59865a022877f0eb/1621878280184/perennial-plants-9steps.pdf>
- Zhao, M., Fan, J., Liu, Q., Luo, H., Tang, Q., Li, C., Zhao, J., & Zhang, X. (2021). Phytochemical profiles of edible flowers of medicinal plants of *Dendrobium officinale* and *Dendrobium devonianum*. *Food Science and Nutrition*, *9*(12), 6575–6586. <https://doi.org/10.1002/fsn3.2602>
- Zizka, A., Silvestro, D., Vitt, P., & Knight, T. M. (2021). Automated conservation assessment of the orchid family with deep learning. *Conservation Biology: The Journal of the Society for Conservation Biology*, *35*(3), 897–908. <https://doi.org/10.1111/COBI.13616>

Annex I: List of Interview Questions

Edible orchid project Semi-structured interview guide – Management/Scientific Authority

Information about the informant

Name

Role (in management authority or scientific authority)

Introductions from the edible orchid project team and a summary of the project.

“The CITES Secretariat is currently commissioning Kew to research the conservation impacts of trade in products of wild-harvested edible orchid species, with a focus on salep and chikanda. The results of this research are expected to be available in time for the documentation deadline of CoP19. This is desktop study and we are collecting data through a literature review and interviews. The outcome of this work is to inform discussions on products containing specimens of Appendix-II orchids.

If asked further details of the output, activities to be carried out by RBG Kew:

- a) Undertake a global scoping review of principal food products in international trade that contain orchid specimen using online data collection, literature analysis and expert interviews.
- b) Analyse geographic patterns and temporal dynamics of the availability, trade routes and pricing of Salep and Chikanda products, using the CITES Trade database, and systematic manual and automated online search for products in trade.
- c) Compile the taxa principally used in Salep and Chikanda products and available information on their biology, conservation, sources of harvest and estimated harvest volumes, using scientific and grey literature reviews, IUCN red listing information and expert and key informant interviews.
- d) Assess the conservation impact of trade in Salep and Chikanda products using the 9-step guidance for making CITES non-detriment findings for perennial plants.
- e) Identify knowledge gaps and priorities for follow-up research, including scope and methodologies of pertinent fieldwork.

Confirm PIC verbally and data anonymization

Will it be okay to include in the report we spoke to country x.

Would it be okay to include information you give us today – any information we do include in the final report will be anonymised and our name or job role will not be included.

Questions:

- Tell me about your role in the management/scientific authority
- What are the main uses or types of orchid trade in [insert country]? Define if its national or international trade.
- In your opinion, what is the scale of the edible orchid trade in [insert country] Is the trade cross border or localised?
- Can you tell us about which species you know to be involved in the trade? (or local names)
- What can you tell us about the harvesting of edible orchids?
- Can you tell us about the products being traded that contain edible orchids?
- And what about the sale of edible orchids? Where are these products being sold? - markets? - online trade?
- In your opinion, what portion of the trade occurs online? How is this regulated?
- Is this harvest or trade regulated by local or national laws?
- Do you receive applications for CITES permits for edible orchid species? In what sort of volumes? How does this compare to the actual levels of trade seen/reported?
- Can you describe who is involved in the harvest, trade and sale of edible orchids? – who? – where? – how often? – how easy is it to access the end product?
- Enforcement – how is CITES enforced in this trade?

- Can you tell us about the trends in this trade that you have seen/documentated - what was the trade like 10 years ago? How does that compare to today? What do you think it will look like in 10 years time?
- (If applicable) when do you think the trade became international?
- Do you have concerns about the conservation/survival of these orchids? Why/Why not?

Thank you for your time. Do you have any questions for us?

Edible orchid project Semi-structured interview guide – In-country researchers

Information about the informant

Name

Country they work in

How long they have conducted this research

Role in research team

Introductions from the edible orchid project team (see above)

Questions:

- Can you tell us a bit about your role researching the edible orchid trade
- What are the main uses or types of orchid trade in [insert country]? Define if its national or international trade.
- In your opinion, what is the scale of the edible orchid trade in [insert country] Is the trade cross border or localised?
- Can you tell us about which species you know to be involved in the trade? (or local names)
- What can you tell us about the harvesting of edible orchids?
- Can you tell us about the products being traded that contain edible orchids?
- Can you tell us about the end products – how often are they consumed? Are they for sustenance? Business?
- And what about the sale of edible orchids? Where are these products being sold? - markets? - online trade?
- (If applicable) when do you think the trade became international?
- In your opinion, what portion of the trade occurs online? How is this regulated?
- Is this harvest or trade regulated by local or national laws?
- What groups of people are involved in the trade?
- How do people become involved in the trade?
- How do the groups interact with each other?
- Legality – is there enforcement of rules regarding harvesting? Or cross border trade?
- Can you tell us about the trends in this trade that you have seen/documentated - what was the trade like 10 years ago? How does that compare to today? What do you think it will look like in 10 years time?
- Can you tell us about the propagation of these species – what results can you share from the propagation project?
- Do you have concerns about the conservation/survival of these orchids? Why/Why not?

Thank you for your time. Do you have any questions for us?

Annex II: List of Species and Genera in Trade

Webcrawl

Orchis mascula- salep
Orchis militaris- salep
Dactylorhiza hatagirea- salep
Dendrobium officinale- edible
Dendrobium nobile- edible
Dendrobium candidum- not in database
Orchis anatolica- salep
Orchis spp.- salep
Dendrobium spp.- edible
Cymbidium spp.- edible

Chikanda

Satyrium spp.
Habenaria spp.
Disa spp.

Salep

Eulophia spp.
Epipactis spp.
Gymnadenia spp.
Himantoglossum spp.
Ophrys spp.
Platanthera spp.
Serapias spp.

Annex III: Key words for Online Trade Searches

Web crawler search lexicon of key words

The following scientific, common and trade names and terms were selected for online searches performed using the web crawler:

1. chikanda
2. orchid tubers
3. orchid flour
4. kinaki
5. kikanda
6. african polony
7. chikanda powder
8. Meatless sausage
9. Chikanda cake
10. chinaka
11. Salep
12. Salepi
13. Sahlab
14. Sahleb
15. Sahlep
16. sakhlav
17. saloop
18. salep tubers
19. salep tuber powder
20. salep powder
21. salep aroma
22. dondurma [ice cream]
23. salepi dondurma
24. maraş
25. maraş dondurma
26. roots of *orchis*
27. orchis tubers

Following Rutherford & Groves 2017b and 2017a, the following terms and genera names were selected for additional manual searches performed within each of the selected websites:

Relating to Chikanda trade: Chikanda, *Habenaria*, *Satyrium*, *Brachycorythis*, *Eulophia*, *Roepocharis*.

Relating to Salep trade: Salep, salap, *Orchis*, *Anacamptis*, *Neotinea*, *Ophrys*, *Serapias*, *Himantoglossum*, *Dactylorhiza*, *Gymnadenia*, *Platanthera*,

Annex IV: Summary of Genera (A-Z) and the Number of Species found in the Literature

Genera	No. of species
<i>Acianthus</i>	2
<i>Anacamptis</i>	13
<i>Anoectochilus</i>	3
<i>Aplectrum</i>	1
<i>Brachycorythis</i>	2
<i>Bulbophyllum</i>	1
<i>Caladenia</i>	10
<i>Calanthe</i>	1
<i>Calypto</i>	1
<i>Ceratostylis</i>	1
<i>Chiloglottis</i>	9
<i>Coelogyne</i>	1
<i>Corybas</i>	3
<i>Cremastra</i>	1
<i>Crepidium</i>	1
<i>Cryptostylis</i>	4
<i>Cymbidium</i>	6
<i>Cynorkis</i>	1
<i>Cypripedium</i>	1
<i>Cyrtorchilum</i>	1
<i>Cyrtostylis</i>	1
<i>Dactylorhiza</i>	18
<i>Dendrobium</i>	11
<i>Dienia</i>	1
<i>Dipodium</i>	1
<i>Disa</i>	30
<i>Disperis</i>	1
<i>Diuris</i>	14
<i>Encyclia</i>	1
<i>Epipactis</i>	4
<i>Eriochilus</i>	1
<i>Eulophia</i>	9
<i>Gastrodia</i>	6
<i>Genoplesium</i>	7
<i>Geodorum</i>	1
<i>Glomera</i>	1
<i>Goodyera</i>	2
<i>Gymnadenia</i>	4
<i>Habenaria</i>	26
<i>Herminium</i>	1
<i>Himantoglossum</i>	5
<i>Jumellea</i>	2
<i>Leptotes</i>	1
<i>Limodorum</i>	1
<i>Lyperanthus</i>	1
<i>Malaxis</i>	1

<i>Microtis</i>	1
<i>Myrosmodes</i>	1
<i>Neobolusia</i>	2
<i>Neotinea</i>	3
<i>Neottia</i>	1
<i>Ophrys</i>	28
<i>Orchis</i>	15
<i>Orthoceras</i>	1
<i>Peristylus</i>	1
<i>Platanthera</i>	4
<i>Platycoryne</i>	1
<i>Prasopphyllum</i>	11
<i>Prosthechea</i>	2
<i>Pterostylis</i>	29
<i>Pyrorchis</i>	1
<i>Renanthera</i>	1
<i>Roeperocharis</i>	1
<i>Satyrium</i>	28
<i>Selenipedium</i>	2
<i>Serapias</i>	4
<i>Stanhopea</i>	1
<i>Steveniella</i>	1
<i>Thelymitra</i>	9
<i>Vanda</i>	1
<i>Vanilla</i>	11
<i>Zeuxine</i>	1
Grand Total	374

Annex V: Marketing Terms used in Online Product Listings

Health

A natural medicine; analgesic and antipyretic effects; anti-aging effect; can repair the damage of sensitive skin; anti-fatigue; aches and pains; anti-inflammatory; anti-bacterial compounds; antioxidant and immunomodulatory effects/immune support; anti-menopause; aphrodisiac (a virility enhancer; boosts the libido with strong aphrodisiac properties); astringent properties; boost mood/keep you in a good mood; pre-workout supplement to boost athletic performance; boost metabolism; blood sugar support; facilitates blood circulation, stimulating the function of kidneys and the heart; relieves headaches, menstrual pain and menopausal syndrome; facilitates brain function (improves memory; strengthens the mind); preventive of colds and flu (relieves cough, asthma, stomach-ache; upper respiratory tract infection; bronchitis; catarrh and flu); relieves constipation and bloating; Dendrobium nourishes Yin and clears away heat; dry mouth and throat; helps regulate diabetes (sugar-free); diuretic; used to regulate digestive problems through history by many civilizations in the Anatolian region; enhanced energy level; emollient; expectorant; enhance fertility (male infertility; impotence; in Greece it is called sernikovotano, because they believed that if the prospective father ate large tubers salep will be born male child); chases fatigue, both physical and mental; helps in gastric ulcer and duodenum; good for the heart; against heartburn, and gastroesophageal reflux disease; improved breathing; increases fat burning speed; against indigestion and stomach disorders and dysentery; against nausea; soothes nerves, eliminates stress and fatigue; relieves the problems of the prostate gland and hemorrhoids; reduce the heart rate; improve sleep; against sinusitis, testosterone booster; traditional herbal medicine with 1300 year history; woman's health; helps reduce worms in the gut; eating dendrobium soup every day has health benefits for the family; helps in quick recovery of weakened institutions, children and elderly; used in the Unani and Ayurvedic systems of medicines; rich in vitamins but does not contain tein or caffeine (phosphorus and calcium; vitamin-B beneficial for long term memory; calcium and phosphorus invigorates the body after illnesses; rich in starch and minerals); against vomiting; warming.

Food

Excellent coffee substitute; drink/dessert/ice cream ingredient; enjoy at any time of day; consume in soup, with meat dishes or in bubble wine (immersed in liquor); can also be eaten dried and chewed; food grade; powder for ice cream; tubers contain a nutritious, starchy polysaccharide called glucomannan; for drinks and ice creams; hot and cold drinks – no additives; nutritive health drink unique to middle east/Ottaman empire; traditional Turkish/Greek drink (400 years old; popular in many parts of the Middle East, especially the Levant); sugar-free salep has about 15 calories per serving (1 teaspoon of 15 grams); salep flavoured instant powder drink; winter drink/dessert; usually sold on the streets as a hot beverage during the cold months of the year; a winter heating, emollient and nutritious beverage; unique taste, it leaves a wonderful taste in the mouth; vegan healthy drink.

Magic charm

Magic charm; lucky charm; Lucky Hand Root; specially shaped roots; individually selected; Helping Hand; used to bring luck and new opportunities in all areas; Lucky hand used in filters and elixirs to attract love; believed that it provides protection from any evil and that it brings luck to anyone who has it on them; they say that if you put that root in your wallet, you will have plenty of money; brings winnings to gambling; lucky hand is also known for its aphrodisiac properties; strengthens relationships; a symbol of fertility and has traditionally been used as a gift to newlyweds to have children soon; Lucky Hand Root is a powerful hoodoo curio; keep it with you for luck with money and luck with gambling, lottery and other games of chance.

INTERNATIONAL TRADE IN TUBEROUS ORCHIDS

Contact information			
Name	Dana Klinkhammer, Martin Reinhard		
E-mail address	dana.klinkhammer@bfn.de , martin.reinhard@bfn.de		
Institution	Federal Agency for Nature Conservation, Germany		
Party (if applicable)	Germany		
Trade volumes of tuberous orchids			
Please consider available information on volumes of legal or illegal harvest and trade in tuberous orchid species, including botanical surveys, trade or seizure databases, economic and trade analyses, or technical workshop summaries or presentations that involved relevant expert bodies. Please submit relevant documents or database extracts separately, as appropriate.			
General information	The given information concerns the timeframe 01.01.2013 to 31.12.2023 (10 years). Due to the fact that Germany is a Federal State, we, as Federal Agency for Nature Conservation, do not have any information about the domestic trade, as this is the responsibility of the Federal States.		
Detailed information (if available):	Taxa	Volume	Information source
a) Legal harvest [wild or assisted production]	./.	./.	There is no legal harvest of wild sourced Orchidaceae. There are some small-scale orchid producers for ornamental purposes, also of species that might be edible. We know of no production of Y or A orchids that are produced for consumption.
b) Legal harvest [artificial propagation]	./.	./.	No production for consumption purposes are known.
c) Legal trade [domestic]	./.	./.	./.
d) Legal trade [international]	<i>(Vanilla</i> spp.) <i>Habenaria</i> spp. <i>Dactylorhiza</i> spp. <i>Disa</i> spp. <i>Orchis</i> spp. <i>Satyrium</i> spp. <i>Gastrodia</i> spp.	See attached document	Internal database of import and export

e) Illegal harvest and trade [domestic]	./.	./.	./.
f) Illegal trade [international]	<i>Gastrodia</i> spp. (liv) <i>Gastrodia</i> spp. (ext) <i>Gastrodia</i> spp. (ext) <i>Orchis anatolica</i> (pow) <i>Gastrodia</i> spp. (roo)	24 (No) 0,5 (kg) 48 (No) 0,2 (kg) 120 (No)	Internal database of seizures regarding import and export.
Manuals and regulations, including for domestic trade in tuberous orchids			
Please provide information on regulations or manuals that your institution uses to manage or regulate harvest and trade in tuberous orchid species. Please respond with yes/no to indicate whether your institution has relevant regulations, tools, or manuals, and provide additional details and references, as appropriate. You are invited to separately submit supporting documentation, if appropriate.			
Domestic legislation specific to tuberous orchids	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no		
Trade or export regulations specific to tuberous orchids	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no		
Manuals or guidelines for wild harvest or assisted production of tuberous orchids	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no		
Manuals or guidelines related to artificial propagation of tuberous orchids	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no		
Identification guides for tuberous orchids	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no		
Risk profiles for tuberous orchids	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no	It is currently being examined whether a risk profile specifically for <i>Salep</i> products can be integrated into the customs clearance system, as there have been several seizures of these products in the retail sector in Germany.	
Risk management systems to detect illegal shipments of tuberous orchids	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no		
Other tools or materials	<input checked="" type="checkbox"/> yes <input type="checkbox"/> no	<p>In Germany the Nature Conservation Act regulates the possession and commercial usage of protected species. These species also include all tuberous orchids, but not this genus in particular (which is why “no” was ticked in this section’s first and second question above). It also prohibits the removal of these species from the wild.</p> <p>Trade or export regulations not specific to tuberous orchids but to protected species in general for the whole European Union can be found in Council Regulation (EC) No. 338/97 and Commission Regulation (EC) No. 865/2006.</p>	

Enforcement challenges and capacity building needs	
Please indicate key challenges enforcement officers face to detect illegal trade in tuberous orchid species, and key capacity building needs. Please submit any relevant documents separately, as appropriate.	
Please list key enforcement challenges	
Please list key capacity building needs	
Other relevant information	
Please provide other relevant information, if any	

Imports of specimens of the genera 'ANACAMPTIS SPP.', 'ORCHIS SPP.', 'DACTYLORHIZA SPP.', 'DISA SPP.', 'SATYRIUM SPP.', 'HABENARIA SPP.', 'VANILLA SPP.', 'GASTRODIA SPP.'
 Time period: 01.01.2013 bis 31.12.2023

Update: 17.01.2024

Year of import	Species	Description	Used quantity	Unit	Country of origin	Country of destination	Source	Purpose
2013	VANILLA SPP.	LIV	2	NO	MX	DE	A	T
2013	VANILLA SPP.	LIV	1	NO	US	DE	A	T
2013	VANILLA SPP.	LIV	7	NO	EC	DE	A	T
2013	HABENARIA HYBRIDE	LIV	50	NO	TW	DE	A	T
2013	HABENARIA MEDIOFLEXA	LIV	30	NO	MY	DE	A	T
2013	VANILLA FRAGANS	LIV	NO		DE	DE	A	T
2013	HABENARIA SPP.	LIV	NO		TH	DE	A	T
2013	HABENARIA SPP.	LIV	190	NO	MY	DE	A	T
2013	VANILLA SPP.	LIV	6	NO	DE	DE	A	T
2013	VANILLA SPP.	LIV	40	NO	PA	DE	A	T
2013	VANILLA PLANIFOLIA	LIV	NO		DE	DE	A	T
2014	HABENARIA SPP.	LIV	1	NO	TH	DE	A	T
2014	HABENARIA SPP.	LIV	50	NO	TW	DE	A	T
2014	VANILLA POMPONA	LIV	1	NO	EC	DE	A	T
2014	HABENARIA MEDUSA	LIV	50	NO	TW	DE	A	T
2014	HABENARIA HYBRIDE	LIV	30	NO	MY	DE	A	T
2014	HABENARIA HYBRIDE	LIV	213	NO	TW	DE	A	T
2014	VANILLA PLANIFOLIA	LIV	1	NO	TH	DE	A	T
2014	DACTYLORHIZA ARISTATA	LIV	750	NO	JP	DE	A	T
2014	VANILLA PLANIFOLIA	LIV	2	NO	US	DE	A	T
2014	VANILLA SPP.	LIV	4	NO	EC	DE	A	T
2014	HABENARIA SPP.	LIV	61	NO	MY	DE	A	T
2014	VANILLA APHYLLA	LIV	15	NO	TH	DE	A	T
2014	VANILLA ODORATA	LIV	4	NO	EC	DE	A	T
2015	HABENARIA SPP.	LIV	125	NO	JP	DE	A	T
2015	DISA SPP.	LIV	7360	NO	ZA	DE	A	T
2015	HABENARIA MEDUSA	LIV	50	NO	TW	DE	A	T
2015	VANILLA PLANIFOLIA	LIV	2	NO	DE	DE	A	T
2015	VANILLA ODORATA	LIV	11	NO	EC	DE	A	T
2015	HABENARIA RHODOCHEILA	LIV	20	NO	MY	DE	A	T
2015	VANILLA FRAGANS	LIV	2	NO	DE	DE	A	T
2015	HABENARIA HYBRIDE	LIV	172	NO	TW	DE	A	T
2015	VANILLA POMPONA	LIV	6	NO	EC	DE	A	T
2015	VANILLA PLANIFOLIA	LIV	5	NO	EC	DE	A	T
2015	VANILLA PLANIFOLIA	LIV	5	NO	TH	DE	A	T
2016	HABENARIA RHODOCHEILA	LIV	90	NO	TH	DE	A	T
2016	VANILLA APHYLLA	LIV	20	NO	TH	DE	A	T
2016	VANILLA HYBRIDE	LIV	1	NO	DE	DE	A	T
2016	VANILLA PLANIFOLIA	LIV	1000	NO	LK	DE	A	T
2016	VANILLA CHAMISSONIS	LIV	5	NO	BR	DE	A	T
2016	ORCHIS HYBRIDE	LIV	32	NO	CO	DE	A	T
2016	VANILLA ODORATA	LIV	20	NO	EC	DE	A	T
2016	HABENARIA MEDUSA	LIV	24	NO	TH	DE	A	T
2016	ORCHIS HYBRIDE	LIV	220	NO	EC	DE	A	T
2016	VANILLA PLANIFOLIA	LIV	3	NO	PE	DE	A	T
2016	VANILLA PLANIFOLIA	LIV	23	NO	EC	DE	A	T
2016	HABENARIA HYBRIDE	LIV	112	NO	TW	DE	A	T
2016	HABENARIA MEDUSA	LIV	50	NO	TW	DE	A	T
2016	VANILLA PLANIFOLIA	LIV	1	NO	DE	DE	A	T
2016	SATYRIUM SPP.	LIV	35	NO	IN	DE	A	T
2016	VANILLA AFRICANA	LIV	1	NO	DE	DE	A	T
2016	VANILLA POMPONA	LIV	2	NO	CO	DE	A	T
2016	HABENARIA SPP.	LIV	20	NO	TH	DE	A	T
2017	VANILLA PLANIFOLIA	LIV	9	NO	EC	DE	A	T
2017	VANILLA POMPONA	LIV	25	NO	PA	DE	A	T
2017	HABENARIA SPP.	LIV	92	NO	TH	DE	A	T
2017	VANILLA PLANIFOLIA	LIV	400	NO	LK	DE	A	T
2017	SATYRIUM SPP.	LIV	20	NO	IN	DE	A	T
2017	VANILLA CLAVICULATA	LIV	25	NO	JM	DE	W	T
2017	VANILLA DRESSLERI	LIV	10	NO	PA	DE	A	T
2017	VANILLA PLANIFOLIA	LIV	6	NO	TH	DE	A	T
2017	VANILLA ODORATA	LIV	10	NO	EC	DE	A	T
2017	HABENARIA RHODOCHEILA	LIV	180	NO	TH	DE	A	T
2017	HABENARIA SPP.	LIV	50	NO	MY	DE	A	T
2017	HABENARIA HYBRIDE	LIV	76	NO	TW	DE	A	T
2017	HABENARIA SUSANNAE	LIV	30	NO	IN	DE	A	T
2017	VANILLA POMPONA	LIV	9	NO	EC	DE	A	T
2018	HABENARIA MEDUSA	LIV	50	NO	TH	DE	A	T
2018	VANILLA DRESSLERI	LIV	10	NO	PA	DE	A	T
2018	HABENARIA RHODOCHEILA	LIV	90	NO	TH	DE	A	T
2018	VANILLA PLANIFOLIA	LIV	6	NO	PE	DE	A	T
2018	HABENARIA SUSANNAE	LIV	20	NO	IN	DE	A	T
2018	VANILLA CLAVICULATA	LIV	20	NO	JM	DE	W	T
2018	VANILLA OVALIS	LIV	10	NO	PH	DE	A	T
2018	VANILLA PLANIFOLIA	LIV	1	NO	DE	DE	A	T
2018	VANILLA POMPONA	LIV	7	NO	PE	DE	A	T
2018	VANILLA ODORATA	LIV	7	NO	EC	DE	A	T
2018	VANILLA PLANIFOLIA	LIV	5	NO	TH	DE	A	T
2018	VANILLA POMPONA	LIV	5	NO	EC	DE	A	T
2018	VANILLA POMPONA	LIV	4	NO	CO	DE	A	T

2013	GASTRODIA ELATA	EXT	15 KG	CN	DE	A	T	15
2014	ORCHIS MASCULA	EXT	518 G	BE	DE	A	T	0.518
2015	GASTRODIA ELATA	POW	1.5 KG	CN	DE	A	T	1.5
2016	GASTRODIA ELATA	POW	20 KG	CN	DE	A	T	20
2017	GASTRODIA ELATA	POW	20 KG	CN	DE	A	T	20
2018	GASTRODIA ELATA	POW	15 KG	CN	DE	A	T	15
2019	GASTRODIA ELATA	POW	35 KG	CN	DE	A	T	35
2020	GASTRODIA ELATA	POW	15000 G	CN	DE	A	T	15
2021	GASTRODIA ELATA	POW	5000 G	CN	DE	A	T	5
2021	GASTRODIA ELATA	POW	10 KG	CN	DE	A	T	10
2022	GASTRODIA ELATA	POW	10 KG	CN	DE	A	T	10
2023	GASTRODIA ELATA	POW	10000 G	CN	DE	A	T	10
2013	GASTRODIA ELATA	ROO	3050 G	CN	DE	A	T	3.05
2013	GASTRODIA ELATA	ROO	442.5 KG	CN	DE	A	T	442.5
2014	GASTRODIA ELATA	ROO	500 KG	CN	DE	A	T	500
2015	GASTRODIA ELATA	ROO	154 KG	CN	DE	A	T	154
2016	GASTRODIA ELATA	ROO	498.6 KG	CN	DE	A	T	498.6
2019	GASTRODIA ELATA	ROO	4 NO	CN	DE	A	T	
2019	GASTRODIA ELATA	ROO	410 KG	CN	DE	A	T	410
2020	GASTRODIA ELATA	ROO	120 KG	CN	DE	A	T	120
2022	GASTRODIA ELATA	ROO	476 KG	CN	DE	A	T	476
2015	HABENARIA SPP.	DPL	1 NO	MM	DE	W	S	
2013	ORCHIS MASCULA	EXT	2080 G	BE	DE	A	T	2.08
2013	GASTRODIA ELATA	EXT	15 KG	CN	DE	A	T	15
2014	ORCHIS MASCULA	EXT	518 G	BE	DE	A	T	0.518 n reported as 2780.846

COMERCIO INTERNACIONAL DE ORQUÍDEAS TUBEROSAS

Información de contacto			
Nombre	Leonel Marineros		
Correo electrónico	leonel.marineros@sag.gob.hn		
Organismo	Oficina Nacional CITES		
Parte (si se aplica)	Honduras		
Volúmenes del comercio de orquídeas tuberosas			
<p>Tenga en cuenta la información disponible sobre los volúmenes de recolección y comercio legal o ilegal de especies de orquídeas tuberosas, incluidos los estudios botánicos, las bases de datos sobre comercio o decomisos, los análisis económicos y comerciales, o los resúmenes o presentaciones de talleres técnicos en los que hayan participado órganos expertos pertinentes. Sírvase presentar por separado los documentos o extractos de bases de datos pertinentes, según proceda.</p>			
Información general	<p>En Honduras hay consumo de vainilla y unas orquídeas bulbosas para consumo hogareño en zonas indígenas, pero NO hay comercio de orquídeas comestibles.</p>		
Información detallada (si está disponible):	Taxones	Volumen	Fuentes de información
a) Recolección legal [producción silvestre o asistida]			
b) Recolección legal [reproducción artificial]			
c) Comercio legal [nacional]			
d) Comercio legal [internacional]			
e) Recolección y comercio ilegales [nacionales]			
f) Comercio ilegal [internacional]			

Manuales y reglamentos, incluyendo para el comercio nacional de orquídeas tuberosas Sírvase proporcionar información sobre los reglamentos o manuales que su institución utiliza para gestionar o regular la recolección y el comercio de especies de orquídeas tuberosas. Responda con sí/no para indicar si su institución cuenta con reglamentos, herramientas o manuales pertinentes, y proporcione detalles y referencias adicionales, según corresponda. Le invitamos a presentar por separado la documentación justificativa, si procede.		
Legislación nacional específica sobre orquídeas tuberosas	<input type="checkbox"/> sí <input type="checkbox"/> no	
Reglamentos comerciales o de exportación específicos para las orquídeas tuberosas	<input type="checkbox"/> sí <input type="checkbox"/> no	
Manuales o directrices para la recolección silvestre o la producción asistida de orquídeas tuberosas	<input type="checkbox"/> sí <input type="checkbox"/> no	
Manuales o directrices relacionados con la reproducción artificial de orquídeas tuberosas	<input type="checkbox"/> sí <input type="checkbox"/> no	
Guías de identificación de orquídeas tuberosas	<input type="checkbox"/> sí <input type="checkbox"/> no	
Perfiles de riesgo de las orquídeas tuberosas	<input type="checkbox"/> sí <input type="checkbox"/> no	
Sistemas de gestión de riesgos para detectar envíos ilegales de orquídeas tuberosas	<input type="checkbox"/> sí <input type="checkbox"/> no	
Otras herramientas o materiales	<input type="checkbox"/> sí <input type="checkbox"/> no	
Dificultades para la aplicación y necesidades de fomento de capacidad Indique los principales retos a los que se enfrentan los funcionarios encargados de la aplicación de la ley para detectar el comercio ilegal de especies de orquídeas tuberosas y las principales necesidades de fomento de capacidad. Envíe los documentos pertinentes por separado, según proceda.		
Enumere los principales problemas de aplicación de la ley.		
Enumere las necesidades en materia de fomento de capacidad.		

Otras informaciones pertinentes	
Sírvase proporcionar cualquier otra información pertinente, si procede	

COMERCIO INTERNACIONAL DE ORQUÍDEAS TUBEROSAS

Información de contacto			
Nombre	Carolina Rojas López		
Correo electrónico	carolina.rojas@profepa.gob.mx		
Organismo	Procuraduría Federal de Protección al Ambiente (PROFEPA)		
Parte (si se aplica)	México		
Volúmenes del comercio de orquídeas tuberosas			
<p>Tenga en cuenta la información disponible sobre los volúmenes de recolección y comercio legal o ilegal de especies de orquídeas tuberosas, incluidos los estudios botánicos, las bases de datos sobre comercio o decomisos, los análisis económicos y comerciales, o los resúmenes o presentaciones de talleres técnicos en los que hayan participado órganos expertos pertinentes. Sírvase presentar por separado los documentos o extractos de bases de datos pertinentes, según proceda.</p>			
Información general	<p>La Subprocuraduría de Recursos Naturales (SRN) de la Procuraduría Federal de Protección al Ambiente (PROFEPA) entre otras labores, realiza acciones de inspección y vigilancia en materia de vida silvestre dentro del territorio mexicano, excluyendo los puertos, aeropuertos y fronteras; para el caso de flora, le corresponde a la SRN todas aquellas especies que se encuentren en la NOM-059-SEMARNAT-2019 y en la CITES.</p> <p>La Subprocuraduría de Inspección Industrial de la PROFEPA, aplica la política de inspección, vigilancia y verificación del cumplimiento de las disposiciones jurídicas aplicables en materia de importación, exportación y reexportación de especímenes, partes y derivados de vida silvestre, así como de recursos forestales, su control fitosanitario en movimientos internacionales de aquellas mercancías sujetas a regulación de la Secretaría.</p>		
Información detallada (si está disponible):	Taxones	Volumen	Fuentes de información
a) Recolección legal [producción silvestre o asistida]			
b) Recolección legal [reproducción artificial]			
c) Comercio legal [nacional]			
d) Comercio legal [internacional]			

e) Recolección y comercio ilegales [nacionales]	Ninguno	Ninguno	Sistema Institucional de Información de la PROFEPA (2018-2023).
f) Comercio ilegal [internacional]	Ninguno	Ninguno	Sistema Institucional de Información de la PROFEPA (2018-2023). Sistema Institucional de Registro de Verificación (SIREV)
<p>Manuales y reglamentos, incluyendo para el comercio nacional de orquídeas tuberosas Sírvase proporcionar información sobre los reglamentos o manuales que su institución utiliza para gestionar o regular la recolección y el comercio de especies de orquídeas tuberosas. Responda con sí/no para indicar si su institución cuenta con reglamentos, herramientas o manuales pertinentes, y proporcione detalles y referencias adicionales, según corresponda. Le invitamos a presentar por separado la documentación justificativa, si procede.</p>			
Legislación nacional específica sobre orquídeas tuberosas	<input type="checkbox"/> sí <input checked="" type="checkbox"/> no	De manera general, para las especies de flora silvestre se cuenta con la Ley General de Vida Silvestre (LGVS) y su reglamento, así como la NOM-059-SEMARNAT-2010, sus modificaciones y fe de erratas. https://www.diputados.gob.mx/LeyesBiblio/pdf/146_200521.pdf https://www.diputados.gob.mx/LeyesBiblio/regley/Reg_LGVS.pdf https://www.profepa.gob.mx/innovaportal/file/435/1/NOM_059_SEMARNAT_2010.pdf https://dof.gob.mx/nota_detalle.php?codigo=5588344&fecha=04/03/2020#gsc.tab=0	
Reglamentos comerciales o de exportación específicos para las orquídeas tuberosas	<input type="checkbox"/> sí <input checked="" type="checkbox"/> no	México cuenta con legislación ambiental, en general la exportación, importación y reexportación está regulada.	
Manuales o directrices para la recolección silvestre o la producción asistida de orquídeas tuberosas	<input type="checkbox"/> sí <input checked="" type="checkbox"/> no	La Norma Oficial Mexicana NOM-005-SEMARNAT-2012 Establece los criterios para realizar el aprovechamiento sustentable de los recursos forestales no maderables existentes en los ecosistemas forestales; bosques de clima templado frío, selvas y zonas áridas y semiáridas-Especificaciones técnicas.	
Manuales o directrices relacionados con la reproducción artificial de orquídeas tuberosas	<input type="checkbox"/> sí <input checked="" type="checkbox"/> no	La reproducción de cualquier ejemplar de vida silvestre debe estar aprobado por la Secretaría, de acuerdo con establecido en la LGVS, la Ley General de Desarrollo Forestal sustentable y sus Reglamentos.	

Guías de identificación de orquídeas tuberosas	<input type="checkbox"/> sí <input checked="" type="checkbox"/> no	Existen guías generales de identificación de orquídeas, sin embargo, ninguno específico para orquídeas tuberosas
Perfiles de riesgo de las orquídeas tuberosas	<input type="checkbox"/> sí <input checked="" type="checkbox"/> no	El Anexo Normativo III de la Norma Oficial Mexicana NOM-059-SEMARNAT-2010 categoriza a las especies nativas mediante una evaluación de riesgo a las especies que se encuentran más vulnerables, de las orquídeas tuberosas solamente se encuentra listada <i>Habenaria novemfida</i> .
Sistemas de gestión de riesgos para detectar envíos ilegales de orquídeas tuberosas	<input type="checkbox"/> sí <input checked="" type="checkbox"/> no	No se cuenta con un sistema de gestión de riesgos para detectar envíos ilegales de orquídeas tuberosas especializado para este tipo de orquídeas, sin embargo, se realizan acciones de inspección y vigilancia en todo el territorio mexicano en materia de vida silvestre y forestal para combatir el comercio ilegal de todas las especies.
Otras herramientas o materiales	<input type="checkbox"/> sí <input checked="" type="checkbox"/> no	
Dificultades para la aplicación y necesidades de fomento de capacidad Indique los principales retos a los que se enfrentan los funcionarios encargados de la aplicación de la ley para detectar el comercio ilegal de especies de orquídeas tuberosas y las principales necesidades de fomento de capacidad. Envíe los documentos pertinentes por separado, según proceda.		
Enumere los principales problemas de aplicación de la ley.	<p>El transporte de orquídeas silvestres en el territorio mexicano se da principalmente en vía terrestre por paquetería o autobuses comerciales, por lo que los principales problemas de la aplicación de la ley son:</p> <ul style="list-style-type: none"> Las empresas de paquetería y autobuses no siempre reportan a la PROFEPA cuando transportan ejemplares, partes y/o derivados de vida silvestre. No existe permanentemente personal de la PROFEPA en todas las centrales de autobús para verificar que los cargamentos no lleven orquídeas silvestres. Se complica la identificación de orquídeas sin flor, la cual es necesaria en muchas ocasiones para determinar la especie. 	
Enumere las necesidades en materia de fomento de capacidad.	<ul style="list-style-type: none"> Capacitación de identificación de orquídeas CITES y listadas en la NOM-059-SEMARNAT-2010. Taller de modus operandi de los comerciantes ilegales de orquídeas. 	
Otras informaciones pertinentes		
Sírvase proporcionar cualquier otra información pertinente, si procede	Las especies de orquídeas tuberosas de los géneros <i>Dactylorhiza spp.</i> , <i>Disa spp.</i> , <i>Ophrys spp.</i> , <i>Orchis spp.</i> , y <i>Satyrrium spp.</i> no se distribuyen de manera natural en México, mientras que el género <i>Habenaria spp.</i> si tiene distribución en nuestro país.	

INTERNATIONAL TRADE IN TUBEROUS ORCHIDS

Contact information			
Name	Silvia Rusnakova		
E-mail address	silvia.rusnakova@enviro.gov.sk		
Institution	Ministry of Environment of the Slovak Republic – CITES MA		
Party (if applicable)	Slovakia		
Trade volumes of tuberous orchids			
Please consider available information on volumes of legal or illegal harvest and trade in tuberous orchid species, including botanical surveys, trade or seizure databases, economic and trade analyses, or technical workshop summaries or presentations that involved relevant expert bodies. Please submit relevant documents or database extracts separately, as appropriate.			
General information	All orchid species of genus <i>Orchis</i> spp., <i>Ophrys</i> spp. and <i>Dactylorhiza</i> spp. naturally occurring in Slovakia are protected and harvesting is forbidden. Exceptions for legal harvest (in general for all protected orchids) can be permitted only for specific purposes (e.g. scientific, species protection). We are not aware of any artificial propagation of this groups of orchids in Slovakia.		
Detailed information (if available):	Taxa	Volume	Information source
a) Legal harvest [wild or assisted production]	Exact information not available	Exact information not available	Ministry of Environment of the Slovak Republic
b) Legal harvest [artificial propagation]	-		
c) Legal trade [domestic]	-		
d) Legal trade [international]	-		
e) Illegal harvest and trade [domestic]	<i>Orchis ustulata</i>	At least 100	Only in SK language https://sita.sk/z-devinskej-kobyly-ukradli-rastliny-za-takmer-50-tisic-eur/ this case investigated also by Police, without success

	<i>Orchis tridentata</i> <i>Orchis purpurea</i>	Number not known	Only in SK language https://mynitra.sme.sk/c/20253879/zlodeji-beru-z-luk-mimoriadne-vzacne-orchidey.html
	<i>Orchis militaris</i>	3 specimens in bouquet	Slovak Environmental Inspectorate
f) Illegal trade [international]	-		

Manuals and regulations, including for domestic trade in tuberous orchids

Please provide information on regulations or manuals that your institution uses to manage or regulate harvest and trade in tuberous orchid species. Please respond with yes/no to indicate whether your institution has relevant regulations, tools, or manuals, and provide additional details and references, as appropriate. You are invited to separately submit supporting documentation, if appropriate.

Domestic legislation specific to tuberous orchids	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no	
Trade or export regulations specific to tuberous orchids	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no	
Manuals or guidelines for wild harvest or assisted production of tuberous orchids	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no	
Manuals or guidelines related to artificial propagation of tuberous orchids	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no	
Identification guides for tuberous orchids	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no	
Risk profiles for tuberous orchids	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no	
Risk management systems to detect illegal shipments of tuberous orchids	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no	
Other tools or materials	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no	

Enforcement challenges and capacity building needs	
Please indicate key challenges enforcement officers face to detect illegal trade in tuberous orchid species, and key capacity building needs. Please submit any relevant documents separately, as appropriate.	
Please list key enforcement challenges	2 above mentioned thefts [under e)] of orchids from the wild detected, problem with detecting offender, also purpose of the thefts remained unknown
Please list key capacity building needs	
Other relevant information	
Please provide other relevant information, if any	

INTERNATIONAL TRADE IN TUBEROUS ORCHIDS

Contact information			
Name	Siri Öckerman		
E-mail address	siri.ockerman@naturvardsverket.se		
Institution	Swedish Environmental Protection Agency, Sweden		
Party (if applicable)	Sweden		
Trade volumes of tuberous orchids			
Please consider available information on volumes of legal or illegal harvest and trade in tuberous orchid species, including botanical surveys, trade or seizure databases, economic and trade analyses, or technical workshop summaries or presentations that involved relevant expert bodies. Please submit relevant documents or database extracts separately, as appropriate.			
General information	Of the genera of tuberous orchids identified in the notifications, <i>Dactylorhiza</i> spp. <i>Ophrys</i> spp. and <i>Orchis</i> spp. occur in the wild in Sweden. All species of orchids are protected by Species Protection Ordinance. ¹ Collection of wild orchids is prohibited. Exemptions can be granted by the competent authority if the collection is for non-commercial purposes and does not have a harmful effect on the wild population.		
Detailed information (if available):	Taxa	Volume	Information source
a) Legal harvest [wild or assisted production]	Not known.	Not known	Harvest can be legal if an exemption has been granted by the county administrative boards. There are 21, one for each county. We currently do not have an overview of how many exemptions have been granted, but in the spring of 2024, we plan to collate and provide an overview in order to get a better understanding of the extent of harvest.
b) Legal harvest [artificial propagation]	Not known.	Not known.	We do not collect data on harvest of artificially propagated plants.

¹ Artskyddsförordningen (2007:845): https://www.riksdagen.se/sv/dokument-och-lagar/dokument/svensk-forfattningssamling/artskyddsförordning-2007845_sfs-2007-845/. Protected species are listed in Annex 1 to the Code.

c) Legal trade [domestic]	Not known.	Not known.	Trade in artificially propagated orchids occur on a seemingly large scale, however we do not have data on this, particularly as these orchids are exempt from CITES regulations. Well-established and known retail stores sell these orchids.
d) Legal trade [international]	<i>Habenaria</i> spp. <i>Habenaria myriotricha</i> <i>Habenaria rhodocheila</i> <i>Habenaria xanthantha</i>	Between 10-22 live specimens of <i>Habenaria</i> spp. were imported to Sweden from Thailand (2012), all with source code A. Purpose code T was recorded for the two imports reported by Sweden. Exports reported by Thailand were not accompanied by a purpose code.	Trade data for the period 2012-2022 retrieved from the CITES trade database (https://trade.cites.org/) February 13, 2024.
e) Illegal harvest and trade [domestic]	Not known.	Not known.	We are aware that illegal harvesting and trade occurs domestically, however we do not have data on this.
f) Illegal trade [international]	Not known.	Not known.	It is likely that illegal international trade occurs, however we do not have data on this.

Manuals and regulations, including for domestic trade in tuberous orchids		
Please provide information on regulations or manuals that your institution uses to manage or regulate harvest and trade in tuberous orchid species. Please respond with yes/no to indicate whether your institution has relevant regulations, tools, or manuals, and provide additional details and references, as appropriate. You are invited to separately submit supporting documentation, if appropriate.		
Domestic legislation specific to tuberous orchids	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no	All species of orchids are included in the national legislation.
Trade or export regulations specific to tuberous orchids	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no	
Manuals or guidelines for wild harvest or assisted production of tuberous orchids	<input checked="" type="checkbox"/> yes <input type="checkbox"/> no	Swedish Environmental Agency 2022: Guidelines on derogations for the collection of seeds from protected wildgrowing orchids. (NV-04243-22)

Manuals or guidelines related to artificial propagation of tuberous orchids	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no	
Identification guides for tuberous orchids	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no	
Risk profiles for tuberous orchids	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no	
Risk management systems to detect illegal shipments of tuberous orchids	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no	
Other tools or materials	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no	
Enforcement challenges and capacity building needs Please indicate key challenges enforcement officers face to detect illegal trade in tuberous orchid species, and key capacity building needs. Please submit any relevant documents separately, as appropriate.		
Please list key enforcement challenges	Sweden has relatively large uninhabited areas that are difficult to monitor. Difficult to detect and/or prove illegal harvesting of orchids from the wild if enforcement officers do not catch someone "in action". Wild boars dig up orchid tubers, these tracks can be interpreted as illegal digging.	
Please list key capacity building needs		
Other relevant information		
Please provide other relevant information, if any	Nature guards that patrol protected areas conduct monitoring of known areas and locations where highly protected (and rare) orchids occur. Surveillance of the habitats of some very rare species is conducted by volunteers, "Floraväkteri", to guard the plants against illegal harvesting. Changes of environmental factors of the habitats is a more likely threat than illegal harvesting.	

INTERNATIONAL TRADE IN TUBEROUS ORCHIDS

Contact information			
Name	Ursula Moser		
E-mail address	Ursula.moser@blv.admin.ch		
Institution	CITES MA of Switzerland and Lichtenstein		
Party (if applicable)	Switzerland		
Trade volumes of tuberous orchids			
Please consider available information on volumes of legal or illegal harvest and trade in tuberous orchid species, including botanical surveys, trade or seizure databases, economic and trade analyses, or technical workshop summaries or presentations that involved relevant expert bodies. Please submit relevant documents or database extracts separately, as appropriate.			
General information	<p>In Switzerland all orchids are protected by national and cantonal legislation and their removal from the wild requires permits and is subject to strict conditions.</p> <p>The areas where orchids occur are registered and regularly monitored. There are also projects for the reintroduction of orchids (e.g. <i>Paphiopedilum</i> sp.)</p> <p>There is no specific trade in wild tuberous orchids known.</p>		
Detailed information (if available):	Taxa	Volume	Information source
a) Legal harvest [wild or assisted production]			
b) Legal harvest [artificial propagation]			
c) Legal trade [domestic]			
d) Legal trade [international]			
e) Illegal harvest and trade [domestic]			
f) Illegal trade [international]			

Manuals and regulations, including for domestic trade in tuberous orchids		
Please provide information on regulations or manuals that your institution uses to manage or regulate harvest and trade in tuberous orchid species. Please respond with yes/no to indicate whether your institution has relevant regulations, tools, or manuals, and provide additional details and references, as appropriate. You are invited to separately submit supporting documentation, if appropriate.		
Domestic legislation specific to tuberous orchids	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no	National and cantonal legislation cover the protection of Orchids in general. Federal Act on the Protection of Nature and Cultural Heritage NCHA: SR 451 - Federal Act of 1 July 1966 on the Prote... Fedlex (admin.ch)
Trade or export regulations specific to tuberous orchids	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no	General conditions for import and export of orchids: Imports of protected species of animals and plants (admin.ch) Protected species of animals and plants (admin.ch)
Manuals or guidelines for wild harvest or assisted production of tuberous orchids	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no	
Manuals or guidelines related to artificial propagation of tuberous orchids	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no	
Identification guides for tuberous orchids	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no	Not specific tuberous orchids but there are online tools and ID-material for Swiss orchids in general
Risk profiles for tuberous orchids	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no	
Risk management systems to detect illegal shipments of tuberous orchids	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no	
Other tools or materials	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no	
Enforcement challenges and capacity building needs		
Please indicate key challenges enforcement officers face to detect illegal trade in tuberous orchid species, and key capacity building needs. Please submit any relevant documents separately, as appropriate.		
Please list key enforcement challenges	Orchids as ingredients or orchid powder is not easy to identify and this is a big challenge for customs officers.	
Please list key capacity building needs	Information and training is needed but maybe not top priority for enforcement officer	
Other relevant information		
Please provide other relevant information, if any		

INTERNATIONAL TRADE IN TUBEROUS ORCHIDS

Contact information			
Name	Chelestino Balama		
E-mail address	Chelestino.balama@tafori.or.tz		
Institution	Tanzania Forestry Research Institute – CITES Plant Scientific Authority		
Party (if applicable)	Tanzania		
Trade volumes of tuberous orchids			
Please consider available information on volumes of legal or illegal harvest and trade in tuberous orchid species, including botanical surveys, trade or seizure databases, economic and trade analyses, or technical workshop summaries or presentations that involved relevant expert bodies. Please submit relevant documents or database extracts separately, as appropriate.			
General information	Tanzania is range state of Orchids. Orchid are mostly distributed in the Southern Highland regions of Tanzania, namely Iringa, Mbeya Ruvuma and Rukwa.		
Detailed information (if available):	Taxa	Volume	Information source
a) Legal harvest [wild or assisted production]	No records	No records	
b) Legal harvest [artificial propagation]	No artificial cultivation done		
c) Legal trade [domestic]	There are several species of edible orchids, some include: i. <i>Disa erubescens</i> Rendle ii. <i>Disa robusta</i> N.E. Br. iii. <i>Satyrium atherstonei</i> Rchb. f. iv. <i>Habenaria xanthochlora</i> Schltr. v. <i>Satyrium buchananii</i> Schtr. vi. <i>Eulophia schweinfurthii</i> Kraenzl vii. <i>Roepocharis wenzeliana</i> Kraenzl	No records	They are used for subsistence and trade within the communities
d) Legal trade [international]	No records	No records	
e) Illegal harvest and trade [domestic]	No records	No records	
f) Illegal trade [international]	No records	No records	

Manuals and regulations, including for domestic trade in tuberous orchids	
Please provide information on regulations or manuals that your institution uses to manage or regulate harvest and trade in tuberous orchid species. Please respond with yes/no to indicate whether your institution has relevant regulations, tools, or manuals, and provide additional details and references, as appropriate. You are invited to separately submit supporting documentation, if appropriate.	
Domestic legislation specific to tuberous orchids	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no
Trade or export regulations specific to tuberous orchids	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no
Manuals or guidelines for wild harvest or assisted production of tuberous orchids	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no
Manuals or guidelines related to artificial propagation of tuberous orchids	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no
Identification guides for tuberous orchids	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no
Risk profiles for tuberous orchids	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no
Risk management systems to detect illegal shipments of tuberous orchids	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no
Other tools or materials	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no
Enforcement challenges and capacity building needs	
Please indicate key challenges enforcement officers face to detect illegal trade in tuberous orchid species, and key capacity building needs. Please submit any relevant documents separately, as appropriate.	
Please list key enforcement challenges	<ol style="list-style-type: none"> 1. Inadequate regulations governing trade of orchids as among the forest produce. 2. Insufficient instrument that regulates transborder trade of the orchids 3. Lack of monitoring system on domestic consumption of orchids
Please list key capacity building needs	<ol style="list-style-type: none"> 1. Development of Non detrimental findings for orchids 2. Appropriate technologies for field resource assessment, artificial propagation, and species identification 3. Monitoring system for orchids harvesting for domestic consumption,
Other relevant information	
Please provide other relevant information, if any	<ol style="list-style-type: none"> 1. Need to develop various manuals, guidelines and regulations for sustainable harvesting of orchid, 2. Development of regional strategy for orchids

Martin Otto Hitziger

From: Cites PVP office <citesflora@gmail.com>
Sent: 20 February 2024 14:55
To: Martin Otto Hitziger
Cc: UNOG-UNEP-CITES Info
Subject: International trade in edible orchid species

Some people who received this message don't often get email from citesflora@gmail.com. [Learn why this is important](#)

Dear Martin,

On behalf of CITES M.A. of Thailand for flora, we would like to inform and share our data regarding the trade in tuberous orchid species being used for food, cosmetic or medicinal plants.

Apparently, there is no orchid species which are being traded about edible or medicinal utilization. Despite the fact that Thailand has several genera that can be used as a medicine or edible orchid such as *Gastrodia* or *Bletilla* growing in this area, these species have no potential for developing in the commercial purpose.

As a result, we do not have any information regarding trade volumes of tuberous orchids; both legal trade and illegal harvest and trade. Nevertheless, some tuberous orchid species are widely used as ornamental plants in Thailand; for instance, genus *Habenaria*, *Eulophia* or *Phaius*.

Best regards,

Phattaravee Prommanut

CITES MA for Flora of Thailand
Department of Agriculture
Chatuchak, Bangkok 10900
Thailand
Tel 662-5790919
Fax 662-9405687
e-mail : citesflora@gmail.com

Martin Otto Hitziger

From: SM-Defra-CITES UKMA (GW) <CITES.UKMA@defra.gov.uk>
Sent: 20 February 2024 16:46
To: Martin Otto Hitziger
Cc: Furnham, Ben; Rugg, Dornford; Hughes, Stacey; CITES (Guest); UNOG-UNEP-CITES Info
Subject: Notification 2024/013 on Trade in edible orchid species

Dear Martin Hitziger,

Further to Notification 2024/013 on 10th January 2024, we do not have a significant contribution to make to this notification and have therefore not completed the questionnaire in full. In brief:

The UK has not issued many import permits for products containing tuberous orchids, the most recent record available was in 2021.

There have been some seizures at UK borders of products containing edible tuberous orchid species as ingredients, predominantly *Orchis mascula*.

Products containing tuberous orchids are available online and list common names such as 'salep' or 'chikanda' as ingredients instead of the orchid species. This presents a challenge with identification and seizure of products containing regulated species, as well as traceability of their contents, origin and supply chain.

If you have any questions, please let us know.

Best regards,

Ben

UK CITES Management Authority

Ben Furnham | CITES Policy Advisor | International Biodiversity and Wildlife | Department for Environment, Food and Rural Affairs

Email: Ben.Furnham@defra.gov.uk | Mobile: +447788578731 | Floor 1, Seacole Building, 2 Marsham Street, London SW1P 4DF

Department for Environment, Food and Rural Affairs (Defra) This email and any attachments is intended for the named recipient only. If you have received it in error you have no authority to use, disclose, store or copy any of its contents and you should destroy it and inform the sender. Whilst this email and associated attachments will have been checked for known viruses whilst within Defra systems we can accept no responsibility once it has left our systems. Communications on Defra's computer systems may be monitored and/or recorded to secure the effective operation of the system and for other lawful purposes.

INTERNATIONAL TRADE IN TUBEROUS ORCHIDS

Contact information			
Name	Naimah Aziz, Head, Division of Management Authority		
E-mail address	naimah_aziz@fws.gov		
Institution	US Fish and Wildlife Service		
Party (if applicable)	USA		
Trade volumes of tuberous orchids			
Please consider available information on volumes of legal or illegal harvest and trade in tuberous orchid species, including botanical surveys, trade or seizure databases, economic and trade analyses, or technical workshop summaries or presentations that involved relevant expert bodies. Please submit relevant documents or database extracts separately, as appropriate.			
General information	<p>We are aware that the United States imports salep products (produced from <i>Orchis</i> spp.), with producers/exporters appearing to be primarily European. The United States has no recent genus-specific records for trade (imports, exports, re-exports) in the four genera (<i>Dactylorhiza</i> spp., <i>Disa</i> spp., <i>Habenaria</i> spp., <i>Ophrys</i> spp., <i>Orchis</i> spp., and <i>Satyrium</i> spp.). Consistent with longstanding practice, taking into account data-entry capacity and conservation priorities, the United States reports trade in artificially propagated Appendix-II orchid species as "Orchidaceae spp."</p> <p>With regard to harvest of and trade in U.S. native tuberous orchids, we note that of the six orchid genera considered in this review, only two (<i>Dactylorhiza</i> spp. and <i>Habenaria</i> spp.) are native in the United States. While we are not aware of any legal harvest and/or trade of U.S. native orchid species as edible tubers or products thereof, we consider that such activity and trade are unlikely.</p>		
Detailed information (if available):	Taxa	Volume	Information source
a) Legal harvest [wild or assisted production]			
b) Legal harvest [artificial propagation]			
c) Legal trade [domestic]			
d) Legal trade [international]			

e) Illegal harvest and trade [domestic]			
f) Illegal trade [international]			

Manuals and regulations, including for domestic trade in tuberous orchids
 Please provide information on regulations or manuals that your institution uses to manage or regulate harvest and trade in tuberous orchid species. Please respond with yes/no to indicate whether your institution has relevant regulations, tools, or manuals, and provide additional details and references, as appropriate. You are invited to separately submit supporting documentation, if appropriate.

Domestic legislation specific to tuberous orchids	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no	
Trade or export regulations specific to tuberous orchids	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no	Regulations concerning trade in tuberous orchids would fall under our U.S. CITES implementing regulations (for imports/(re-)exports) and under the appropriate management level (federal, state, Tribal) for domestic harvest/trade .
Manuals or guidelines for wild harvest or assisted production of tuberous orchids	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no	
Manuals or guidelines related to artificial propagation of tuberous orchids	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no	
Identification guides for tuberous orchids	<input checked="" type="checkbox"/> yes <input type="checkbox"/> no	Of the two genera, only <i>Dactylorhiza</i> spp. and <i>Habenaria</i> spp. are native in the United States. We are aware that identification guides for the species in these genera exist.
Risk profiles for tuberous orchids	<input type="checkbox"/> yes <input type="checkbox"/> no	A Review of edible orchid trade (Document CoP19 Inf. 9)
Risk management systems to detect illegal shipments of tuberous orchids	<input checked="" type="checkbox"/> yes <input type="checkbox"/> no	Detection approaches to identify illegal shipments of tuberous orchids would be similar to those for other protected/regulated taxa.
Other tools or materials	<input type="checkbox"/> yes <input type="checkbox"/> no	

Enforcement challenges and capacity building needs
 Please indicate key challenges enforcement officers face to detect illegal trade in tuberous orchid species, and key capacity building needs. Please submit any relevant documents separately, as appropriate.

Please list key enforcement challenges	<p>U.S. enforcement authorities are not aware of noteworthy illegal trade in tuberous orchid species from/to the United States.</p> <p>As noted, U.S. imports of tuberous orchids appear to be primarily salep products, which are often traded in powder form. Given the form of the specimens in trade, U.S. frontline enforcement authorities rely largely on accompanying documents, packaging, and labels to identify tuberous orchid imports into the United States. Identifying misidentified/mislabeled shipments containing tuberous orchid powder presents a significant enforcement challenge.</p>
Please list key capacity building needs	U.S. enforcement authorities noted the need to increase capacity to identify illegal trade in products containing tuberous orchids (and other orchid taxa), especially for trade in traditional Chinese medicine.
Other relevant information	
Please provide other relevant information, if any	

INTERNATIONAL TRADE IN TUBEROUS ORCHIDS

NOTE: Responses amended based on corrections provided by China as contained in document **PC27 Inf. 17**

Contact information			
Name	Name, institutional affiliations and contact details of the expert are known to the Secretariat		
E-mail address			
Institution			
Party (if applicable)			
Trade volumes of tuberous orchids			
Please consider available information on volumes of legal or illegal harvest and trade in tuberous orchid species, including botanical surveys, trade or seizure databases, economic and trade analyses, or technical workshop summaries or presentations that involved relevant expert bodies. Please submit relevant documents or database extracts separately, as appropriate.			
General information	China has a long history of using plants for medicine, among which there are a large number of medicinal orchids in China, and the tuberous orchids mentioned below are traded for their unique medicinal value.		
Detailed information (if available):	Taxa	Volume	Information source
a) Legal harvest [wild or assisted production]	<i>Habenaria linguella, Nervilia fordii, Calanthe davidii, Calanthe clavata, Calanthe brevicornu, Calanthe alismaefolia, Calanthe discolor, Calanthe puberula, Gymnadenia bicornis, Gymnadenia crassinervis, Epipactis palustris, Epipactis mairei, Epipactis helleborine</i> Correction by China: The nine listed species under the genera <i>Calanthe</i> and <i>Epipactis</i> are not considered edible in China.		botanical surveys
b) Legal harvest [artificial propagation]	<i>Gastrodia elata, Gymnadenia conopsea, Bletilla striata</i>		botanical surveys
c) Legal trade [domestic]	Some species are using in Chinese medicine which are legal plant and trade, such as <i>Gastrodia elata, Bletilla striata, Habenaria linguella, Gymnadenia conopsea.</i>		
d) Legal trade [international]			

e) Illegal harvest and trade [domestic]	<i>Cypripedium guttatum, Cypripedium franchetii, Cypripedium flavum, Cypripedium japonicum, Cypripedium henryi, Gymnadenia latifolia, Gymnadenia orchidis</i> Correction by China: <i>The five species of Cypripedium were not consumed as medicinal or edible in China and Cypripedium were indeed not tuberous orchids</i>		botanical surveys
f) Illegal trade [international]			

Manuals and regulations, including for domestic trade in tuberous orchids
Please provide information on regulations or manuals that your institution uses to manage or regulate harvest and trade in tuberous orchid species. Please respond with yes/no to indicate whether your institution has relevant regulations, tools, or manuals, and provide additional details and references, as appropriate. You are invited to separately submit supporting documentation, if appropriate.

Domestic legislation specific to tuberous orchids	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no	
Trade or export regulations specific to tuberous orchids	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no	
Manuals or guidelines for wild harvest or assisted production of tuberous orchids	<input checked="" type="checkbox"/> yes <input type="checkbox"/> no	
Manuals or guidelines related to artificial propagation of tuberous orchids	<input checked="" type="checkbox"/> yes <input type="checkbox"/> no	
Identification guides for tuberous orchids	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no	
Risk profiles for tuberous orchids	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no	

Risk management systems to detect illegal shipments of tuberous orchids	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no	
Other tools or materials	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no	

Enforcement challenges and capacity building needs
 Please indicate key challenges enforcement officers face to detect illegal trade in tuberous orchid species, and key capacity building needs. Please submit any relevant documents separately, as appropriate.

Please list key enforcement challenges	<p>The main challenges faced by law enforcement officials in investigating the illegal trade of tuberous orchids are as follows:</p> <p>Difficulties in identification: There are numerous varieties of tuberous orchids, and differences in morphology, growth habits, and value among different species can pose challenges for law enforcement officials in identifying the type and quantity of tuberous orchids involved in illegal trade.</p> <p>Concealment of illegal trade: The illegal trade of tuberous orchids often occurs through illegal channels and secret transactions, making it difficult for law enforcement officials to detect. Additionally, some criminals may use false information and forged documents to conceal their illegal activities, increasing the difficulty of investigation.</p> <p>Challenges in cross-border law enforcement: The illegal trade of tuberous orchids often involves transactions across national borders, requiring cooperation between law enforcement agencies in different countries and regions. However, differences in laws, regulations, and enforcement procedures can make cross-border law enforcement challenging and difficult to form an effective crackdown.</p> <p>Lack of professional knowledge and skills: The illegal trade of tuberous orchids involves knowledge in multiple fields such as botany, ecology, and law, requiring law enforcement officials to possess corresponding professional knowledge and skills. However, some law enforcement officials may lack sufficient knowledge in these areas, affecting the in-depth development of investigation work.</p> <p>Low social awareness: The illegal trade of tuberous orchids may not have received sufficient attention in some areas, and public awareness of tuberous orchid conservation may be relatively weak. This can make it difficult for law enforcement officials to gain public support and cooperation during investigations, increasing the difficulty of their work.</p>
--	--

	<p>To address these challenges, law enforcement officials need to take a series of measures to improve the efficiency and accuracy of investigation work. For example, they can strengthen professional knowledge training, improve identification capabilities, enhance intelligence gathering and analysis to grasp the dynamics and trends of illegal trade, strengthen international cooperation to form a crackdown force, and enhance publicity and education to raise public awareness of tuberous orchid conservation.</p>
<p>Please list ley capacity building needs</p>	<ol style="list-style-type: none">1. The identification of tuberous Orchid2. The identification of the wild tuberous Orchid
Other relevant information	
<p>Please provide other relevant informatio n, if any</p>	