

RECORDANDO la Resolución Conf. 11.22, aprobada por la Conferencia de las Partes en su 11ª reunión (Gigiri, 2000);

TOMANDO NOTA de que la nomenclatura biológica no es inmutable;

CONSCIENTE de que es necesaria la normalización de los nombres de los géneros y de las especies de varias familias y de que la actual falta de una obra de referencia normalizada con información adecuada disminuye la eficacia de la aplicación de CITES en lo que respecta a la conservación de numerosas especies incluidas en los Apéndices;

RECONOCIENDO que la taxonomía utilizada en los Apéndices de la Convención será más útil a las Partes si está normalizada de acuerdo a una nomenclatura de referencia;

CONSCIENTE de que el antiguo Comité de Nomenclatura identificó nombres de taxa en los Apéndices de la Convención que deberían ser cambiados para que reflejen la denominación aceptada en biología;

TOMANDO NOTA de que esos cambios deben ser aprobados por la Conferencia de las Partes en la Convención;

RECONOCIENDO que hay varios taxa incluidos en los Apéndices de los que existen formas domesticadas y que en varios casos las Partes han decidido establecer una distinción entre las formas silvestres y domesticadas aplicando a la forma protegida un nombre diferente del nombre mencionado en la nomenclatura normalizada;

RECONOCIENDO que, en lo que respecta a las nuevas propuestas de inclusión de especies en los Apéndices, las Partes deberían utilizar las obras de referencia normalizadas adoptadas, cada vez que sea posible;

CONSIDERANDO la gran dificultad práctica que entraña identificar muchas de las subespecies actualmente incluidas en los Apéndices, cuando aparecen en el comercio, y la necesidad de ponderar, para la aplicación de los controles, la identificación de las subespecies con respecto a la veracidad de la información sobre el origen geográfico;

RECONOCIENDO el deseo de armonizar, en la mayor medida posible, la nomenclatura de las especies utilizada por los acuerdos ambientales multilaterales relacionados con la diversidad biológica y observando la ratificación de este objetivo por las presidencias de los órganos asesores científicos de las convenciones relacionadas con la diversidad biológica;

LA CONFERENCIA DE LAS PARTES EN LA CONVENCION

1. ACUERDA que las especies de hongos están amparadas por la Convención;
2. RECOMIENDA que:
 - a) se proponga incluir una subespecie en los Apéndices sólo si es generalmente reconocida como un taxón válido, y fácilmente reconocible en la forma comercializada;
 - b) en caso de dificultad en la identificación, se resuelva el problema incluyendo la totalidad de la especie en el Apéndice I o en el Apéndice II, ya sea circunscribiendo el área de distribución de la subespecie y garantizando la protección e inclusión de las poblaciones dentro de ese área, por país;

* Enmendada en las reuniones 13ª, 14ª, 15ª, 16ª 17ª, 18ª y 19ª de la Conferencia de las Partes.

- c) en caso de que existan formas domesticadas de los taxa incluidos en los Apéndices, los Comités de Fauna y de Flora recomienden nombres para las formas silvestres y domesticadas;
 - d) cuando se someta una propuesta de enmienda a los Apéndices de la Convención, el autor haga una reseña de la referencia utilizada para describir la entidad propuesta;
 - e) al recibir las propuestas de enmienda a los Apéndices de la Convención, la Secretaría pida consejo a los Comités de Fauna y de Flora, cuando sea apropiado, sobre el nombre correcto que debe utilizarse para la especie u otro taxa en cuestión;
 - f) cada vez que cambie el nombre de un taxón que figure en los Apéndices de la Convención, la Secretaría, previa consulta con el Comité de Fauna o de Flora, determine si el cambio altera el alcance de la protección de la fauna y la flora al amparo de la Convención. En el caso en que el alcance de un taxón sea redefinido, el Comité de Fauna o de Flora evaluarán si la aceptación del cambio taxonómico tendría como efecto incluir especies adicionales en los Apéndices o suprimir las especies incluidas en los Apéndices, y de ser así, debería pedirse al Gobierno Depositario que presente una propuesta de enmienda a los Apéndices de conformidad con la recomendación del Comité de Fauna o de Flora, para garantizar el mantenimiento de la intención original de la inclusión. Tales propuestas deberán someterse a la siguiente reunión ordinaria de la Conferencia de las Partes en la que han de considerarse las recomendaciones de los Comités de Fauna y de Flora;
 - g) si los Comités de Fauna o de Flora proponen cambios en la nomenclatura sobre taxa incluidos en el Apéndice III deben asesorar a la Secretaría acerca de si esos cambios entrañarían también cambios en la distribución que afectarían la determinación de que países deberían emitir certificados de origen;
 - h) si se plantea un conflicto en cuanto a la elección de la autoridad taxonómica respecto de taxa para los cuales la Conferencia de las Partes no ha aprobado bibliografía normalizada, los países que autorizan la exportación de animales o plantas (o partes y derivados de ellos) de dichos taxa informen a la Secretaría de la CITES y a los futuros países de importación cuál es la autoridad taxonómica en que se han basado. Se entiende por "autoridad taxonómica" el documento o monografía de publicación más reciente que incluya la nomenclatura del taxón que se exporte, que haya sido examinado por profesionales de la disciplina pertinente. Cuando los especímenes del taxón sean exportados por varios países y no se logre acuerdo entre ellos, o entre los países exportadores y los importadores, respecto de la autoridad taxonómica, el Comité de Fauna o de Flora determinará la autoridad taxonómica apropiada, hasta que se formule una recomendación oficial a la Conferencia de las Partes. El Comité de Fauna o de Flora incluirá esta decisión provisional en su informe, para someterla a la Conferencia de las Partes a los fines de su adopción. La Secretaría notificará a las Partes la decisión provisional;
 - i) se faciliten a la Secretaría las citas (y la información ordenada) de las listas de control que se seleccionarán como bibliografía normalizada por lo menos seis meses antes de la reunión de la Conferencia de las Partes en la que se examinarán esas listas de control. La Secretaría incluirá esa información en una Notificación a las Partes a fin de que éstas puedan obtener copias para examinarlas antes de la reunión, si así lo desean;
 - j) las recomendaciones finales para actualizar la bibliografía sobre nomenclatura normalizada o para adoptar otras nuevas estén disponibles 150 días antes de cada reunión de la Conferencia de las Partes;
 - k) cuando el Comité de Fauna o de Flora recomiende un cambio en el nombre de un taxón que se utilizará en los Apéndices, proporcione también una evaluación de las repercusiones para la aplicación de la Convención; y
3. RECOMIENDA el procedimiento existente para actualizar la bibliografía sobre nomenclatura normalizada o adoptar nueva bibliografía:
- a) el proceso para actualizar la bibliografía sobre nomenclatura normalizada existente o adoptar nueva bibliografía debe ser iniciado directamente por el Comité de Fauna o de Flora a iniciativa propia, o mediante una propuesta sometida a los Comités:

- i) una o más Partes; o
 - ii) la Secretaría, a iniciativa propia o en respuesta a información que haya recibido de las Partes; y
- b) los cambios propuestos se basarán en publicaciones taxonómicas reconocidas. En caso de que la propuesta de enmienda sobre la nomenclatura de un taxón sea aún objeto de debate, la nueva taxonomía no debería adoptarse;
4. RESUELVE que la Secretaría, previa consulta con el Comité de Fauna o de Flora, pueda efectuar cambios ortográficos en las listas de especies incluidas en los Apéndices de la Convención, sin consultar con la Conferencia de las Partes; y deberá informar a las Partes sobre esos cambios;
 5. ENCARGA a la Secretaría que, en estrecha cooperación con los especialistas en nomenclatura de los Comités de Fauna y de Flora, y en aplicación de sus memorandos de entendimiento o mediante cooperación o programas de trabajo con otros acuerdos ambientales multilaterales relacionados con la diversidad biológica, considere maneras de armonizar la taxonomía y la nomenclatura de especies incluidas en sus respectivas disposiciones;
 6. ADOPTA la bibliografía sobre taxonomía y nomenclatura indicada en el Anexo 1 de la presente resolución como la bibliografía normalizada oficial para las especies incluidas en los Apéndices;
 7. RECONOCE la Lista de especies CITES, compilada por el PNUMA Centro de Monitoreo de la Conservación Mundial, 2005, y sus actualizaciones, como un resumen oficial de los nombres científicos contenidos en la bibliografía normalizada, que refleja plenamente la taxonomía y la nomenclatura contenidas en las propuestas originales de especies, las recomendaciones de los Comités de Fauna o de Flora y todos los nombres aceptados incluidos en la bibliografía normalizada que hayan sido adoptados por la Conferencia de las Partes para las especies incluidas en los Apéndices;
 8. ACUERDA que la adopción de una lista de especies o bibliografía normalizada por la Conferencia de las Partes no cambia por sí misma el estatuto de una entidad con respecto de la CITES, independientemente de que esté o no incluida en los Apéndices, y el estatuto de la entidad permanece según lo previsto en la propuesta adoptada por la Conferencia de las Partes, salvo que se cambie específicamente mediante la adopción de una nueva propuesta de enmienda;
 9. INSTA A LAS PARTES A QUE ASIGNEN A SUS AUTORIDADES CIENTÍFICAS LA PRINCIPAL RESPONSABILIDAD EN LO QUE RESPECTA A:
 - a) interpretar las listas;
 - b) consultar con el Comité de Fauna o de Flora de la CITES, según sea apropiado;
 - c) identificar los problemas relativos a la nomenclatura que puedan justificar una nueva revisión adicional por parte del comité apropiado de la CITES y, si procede, la preparación de propuestas de enmienda a los Apéndices; y
 - d) prestar apoyo y cooperación en la elaboración y mantenimiento de las listas;
 10. SOLICITA a la Secretaría que cada bibliografía normalizada para Orchidaceae se envíe a las Partes inmediatamente después de que se haya completado;
 11. ENCARGA a la Secretaría que, en estrecha cooperación con los especialistas en nomenclatura de los Comités de Fauna y de Flora, fomente la armonización de la taxonomía y la nomenclatura utilizada por los acuerdos ambientales multilaterales relacionados con la diversidad biológica; y
 12. REVOCA la Resolución Conf. 11.22 (Gigiri, 2000) – *Nomenclatura normalizada*.

FAUNA

		Taxón en cuestión	Referencia taxonómica
MAMMALIA			
		<p>all MAMMALIA taxa</p> <p>- with the exception of the recognition of the following names for wild forms of species (in preference to names for domestic forms): <i>Bos gaurus</i>, <i>Bos mutus</i>, <i>Bubalus arnee</i>, <i>Equus africanus</i>, <i>Equus przewalskii</i>, and</p> <p>- with the exception of the taxa noted under the different Mammalia orders below</p>	<p>WILSON, D. E. & REEDER, D. M. (ed.) (2005): Mammal Species of the World. A Taxonomic and Geographic Reference. Third edition, Vol. 1-2, xxxv + 2142 pp. Baltimore (John Hopkins University Press).</p>
ARTIODACTYLA	Bovidae	<i>Ovis</i> spp.	<p>VALDEZ, R. & WEINBERG, P.J. (2011): Species accounts 188-207 for <i>Ovis</i> spp., pp. 727-739 in WILSON, D.E., & MITTERMEIER, R.A. (eds.), Handbook of the Mammals of the World. Vol. 2. Hoofed Mammals. Lynx Edicions, Barcelona. ISBN 978-84-96553-77-4.</p>
	Camelidae	<i>Lama guanicoe</i>	<p>WILSON, D. E. & REEDER, D. M. (1993): Mammal Species of the World: a Taxonomic and Geographic Reference. Second edition. xviii + 1207 pp., Washington (Smithsonian Institution Press).</p>
CARNIVORA	Felidae	Felidae spp.	<p>KITCHENER A. C., BREITENMOSEER-WÜRSTEN CH., EIZIRIK E., GENTRY A., WERDELIN L., WILTING A., YAMAGUCHI N., ABRAMOV A. V., CHRISTIANSEN P., DRISCOLL C., DUCKWORTH J. W., JOHNSON W., LUO S.-J., MEIJAARD E., O'DONOGHUE P., SANDERSON J., SEYMOUR K., BRUFORD M., GROVES C., HOFFMANN M., NOWELL K., TIMMONS Z. AND TOBE S. (2017): A revised taxonomy of the Felidae. The final report of the Cat Classification Task Force of the IUCN/SSC Cat Specialist Group. <i>Cat News</i> Special Issue 11, 80 pp.</p>

		Taxón en cuestión	Referencia taxonómica
	Mustelidae: Lutrinae	<i>Aonyx cinereus</i>	LARIVIÈRE, S., & JENNINGS, A.P. 2009. Species account 37 for Asian Small-clawed Otter <i>Aonyx cinereus</i> , p. 647 in WILSON, D.E., & MITTERMEIER, R.A. (eds.), <i>Handbook of the Mammals of the World. Vol.1. Carnivores</i> . Lynx Edicions, Barcelona. ISBN 978-84-96553-49-1.
CETACEA	Balaenopteridae	<i>Balaenoptera omurai</i>	WADA, S., OISHI, M. & YAMADA, T. K. (2003): A newly discovered species of living baleen whales. – <i>Nature</i> , 426 : 278-281.
	Delphinidae	<i>Orcaella heinsohni</i>	BEASLY, I., ROBERTSON, K. M. & ARNOLD, P. W. (2005): Description of a new dolphin, the Australian Snubfin Dolphin, <i>Orcaella heinsohni</i> sp. n. (Cetacea, Delphinidae). -- <i>Marine Mammal Science</i> , 21 (3): 365-400.
	Delphinidae	<i>Sotalia fluviatilis</i> <i>Sotalia guianensis</i>	CABALLERO, S., TRUJILLO, F., VIANNA, J. A., BARRIOS-GARRIDO, H., MONTIEL, M. G., BELTRÁN-PEDREROS, S., MARMONTEL, M., SANTOS, M. C., ROSSI-SANTOS, M. R. & BAKER, C. S. (2007): Taxonomic status of the genus <i>Sotalia</i> : species level ranking for "tucuxi" (<i>Sotalia fluviatilis</i>) and "costero" (<i>Sotalia guianensis</i>) dolphins. - <i>Marine Mammal Science</i> , 23 : 358-386.
	Delphinidae	<i>Sousa plumbea</i> <i>Sousa sahalensis</i>	JEFFERSON, T. A. & ROSENBAUM, H. C. (2014): Taxonomic revision of the humpback dolphins (<i>Sousa</i> spp.), and description of a new species from Australia. - <i>Marine Mammal Science</i> , 30 (4): 1494-1541.
	Delphinidae	<i>Tursiops australis</i>	CHARLTON-ROBB, K., GERSHWIN, L.-A., THOMPSON, R., AUSTIN, J., OWEN, K. & MCKECHNIE, S. (2011): A new dolphin species, the Burrunan Dolphin <i>Tursiops australis</i> sp. nov., endemic to southern Australian coastal waters. - <i>PLoS ONE</i> , 6 (9): e24047.
	Iniidae	<i>Inia araguaiaensis</i>	HRBEK, T., DA SILVA, V. M. F., DUTRA, N., GRAVENA, W., MARTIN, A. R. & FARIAS, I. P. (2014): A new species of river dolphin from Brazil or: How little do we know our biodiversity. - <i>PLoS ONE</i> 83623 : 1-12.
	Phocoenidae	<i>Neophocaena asiaorientalis</i>	JEFFERSON, T. A. & WANG, J. Y. (2011): Revision of the taxonomy of finless porpoises (genus <i>Neophocaena</i>): The existence of two species. - <i>Journal of Marine Animals and their Ecology</i> , 4 (1): 3-16.
	Physeteridae	<i>Physeter macrocephalus</i>	RICE, D. W., (1998): <i>Marine Mammals of the World: Systematics and Distribution</i> - Society of Marine Mammalogy Special Publication Number 4 , The Society for Marine Mammalogy, Lawrence, Kansas.
	Platanistidae	<i>Platanista gangetica</i>	RICE, D. W., (1998): <i>Marine Mammals of the World: Systematics and Distribution</i> - Society of Marine Mammalogy Special Publication Number 4 , The Society for Marine Mammalogy, Lawrence, Kansas.
	Ziphiidae	<i>Mesoplodon hotaula</i>	DALEBOUT, M. L., SCOTT BAKER, C., STEEL, D., THOMPSON, K., ROBERTSON, K. M., CHIVERS, S. J., PERRIN, W. F., GOONATILAKE, M., ANDERSON, C. R., MEAD, J. G., POTTER, C. W., THOMPSON, L., JUPITER, D. and YAMADA, T. K. (2014): Resurrection of <i>Mesoplodon hotaula</i> Deraniyagala 1963: A new species of beaked whale in the tropical Indo-Pacific. - <i>Marine Mammal Science</i> , 30 (3): 1081-1108.
PRIMATES	Aotidae	<i>Aotus jorgehernandezi</i>	DEFLER, T. R. & BUENO, M. L. (2007): <i>Aotus</i> diversity and the species problem. – <i>Primate Conservation</i> , 22 : 55-70.
	Aotidae	<i>Aotus lemurinus</i> (incl. <i>A. hershkovitzi</i>)	MITTERMEIER, R.A., RYLANDS, A.B., & WILSON, D.E. 2013. <i>Handbook of the Mammals of the World: Volume 3. Primates</i> . Lynx Edicions, Barcelona.

		Taxón en cuestión	Referencia taxonómica
	Atelidae	<i>Alouatta palliata</i> (incl. <i>A. coibensis</i>)	RUIZ-GARCÍA, M., CERRÓN, A., SÁNCHEZ-CASTILLO, S., RUEDA-ZOZAYA, P., PINEDO-CASTRO, M., GUTIERREZ-ESPELETA, G. & SHOSTELL, J.M. (2017): Phylogeography of the Mantled Howler Monkey (<i>Alouatta palliata</i> ; Atelidae, Primates) across its geographical range by means of mitochondrial genetic analyses and new insights about the phylogeny of <i>Alouatta</i> . <i>Folia Primatologica</i> 88: 421-454
	Atelidae	<i>Ateles geoffroyi</i>	RYLANDS, A. B., GROVES, C. P., MITTERMEIER, R. A., CORTES-ORTIZ, L. & HINES, J. J. (2006): Taxonomy and distributions of Mesoamerican primates. - In: A. ESTRADA, P. GARBER, M. PAVELKA and L. LUECKE (eds), <i>New Perspectives in the Study of Mesoamerican Primates: Distribution, Ecology, Behavior and Conservation</i> , pp. 29–79. Springer, New York, USA.
	Cebidae	<i>Callithrix manicorensis</i>	GARBINO, T. & SINICIATO, G. (2014): The taxonomic status of <i>Mico marcai</i> (Alperin 1993) and <i>Mico manicorensis</i> (van Roosmalen <i>et al.</i> 2000) (Cebidae, Callitrichinae) from Southwestern Brazilian Amazonia. - <i>International Journal of Primatology</i> , 35 (2): 529-546. (for <i>Mico marcai</i> lumped with <i>Mico manicorensis</i> treated as <i>Callithrix manicorensis</i> under CITES]
	Cebidae	<i>Cebus flavius</i>	OLIVEIRA, M. M. DE & LANGGUTH, A. (2006): Rediscovery of Marcgrave's Capuchin Monkey and designation of a neotype for <i>Simia flava</i> Schreber, 1774 (Primates, Cebidae). – <i>Boletim do Museu Nacional do Rio de Janeiro, N.S., Zoologia</i> , 523 : 1-16.
	Cebidae	<i>Mico rondoni</i>	FERRARI, S. F., SENA, L., SCHNEIDER, M. P. C. & JÚNIOR, J. S. S. (2010): Rondon's Marmoset, <i>Mico rondoni</i> sp. n., from southwestern Brazilian Amazonia. – <i>International Journal of Primatology</i> , 31 : 693-714.
	Cebidae	<i>Saguinus ursulus</i>	GREGORIN, R. & DE VIVO, M. (2013): Revalidation of <i>Saguinus ursula</i> Hoffmannsegg (Primates: Cebidae: Callitrichinae). - <i>Zootaxa</i> , 3721 (2): 172-182.
	Cebidae	<i>Saimiri collinsi</i>	MERCES, M. P., ALFARO, J. W. L., FERREIRA, W. A. S., HARADA, M. L. & JÚNIOR, J. S. S. (2015): Morphology and mitochondrial phylogenetics reveal that the Amazon River separates two eastern squirrel monkey species: <i>Saimiri sciureus</i> and <i>S. collinsi</i> . - <i>Molecular Phylogenetics and Evolution</i> , 82 : 426-435.
	Cercopithecidae	<i>Allochrocebus lhoesti</i> <i>Allochrocebus preussi</i> <i>Allochrocebus solatus</i>	MITTERMEIER, R.A., RYLANDS, A.B., & WILSON, D.E. 2013. <i>Handbook of the Mammals of the World: Volume 3. Primates</i> . Lynx Edicions, Barcelona
	Cercopithecidae	<i>Cercopithecus lomamiensis</i>	HART, J.A., DETWILER, K.M., GILBERT, C.C., BURRELL, A.S., FULLER, J.L., EMETSHU, M., HART, T.B., VOSPER, A., SARGIS, E.J. & TOSI, A.J. (2012): Lesula: A new species of <i>Cercopithecus</i> monkey endemic to the Democratic Republic of Congo and implications for conservation of Congo's Central Basin. - <i>PLoS ONE</i> , 7 (9): e44271.
	Cercopithecidae	<i>Macaca leucogenys</i>	LI, C., ZHAO, C. & FAN, P.F. (2015): White-cheeked macaque (<i>Macaca leucogenys</i>): A new macaque species from Modog, southeastern Tibet. <i>American Journal of Primatology</i> 77: 753–766.
	Cercopithecidae	<i>Macaca munzala</i>	SINHA, A., DATTA, A., MADHUSUDAN, M. D. & MISHRA, C. (2005): <i>Macaca munzala</i> : A new species from western Arunachal Pradesh, northeastern India. – <i>International Journal of Primatology</i> , 26 (4): 977-989: doi:10.1007/s10764-005-5333-3.

		Taxón en cuestión	Referencia taxonómica
	Cercopithecoidea	<i>Ptilocolobus bouvieri</i> <i>Ptilocolobus epieni</i> <i>Ptilocolobus temminckii</i> <i>Ptilocolobus waldroneae</i>	MITTERMEIER, R.A., RYLANDS, A.B., & WILSON, D.E. 2013. <i>Handbook of the Mammals of the World: Volume 3. Primates</i> . Lynx Edicions, Barcelona
	Cercopithecoidea	<i>Rhinopithecus strykeri</i>	GEISSMANN, T., LWIN, N., AUNG, S. S., AUNG, T. N., AUNG, Z. M., HLA, T. H., GRINDLEY, M. & MOMBERG, F. (2011): A new species of snub-nosed monkey, genus <i>Rhinopithecus</i> Milne-Edwards, 1872 (Primates, Colobinae), from Northern Kachin State, Northeastern Myanmar. – <i>Amer. J. Primatology</i> , 73(1) : 96-107.
	Cercopithecoidea	<i>Rungwecebus kipunji</i>	DAVENPORT, T. R. B., STANLEY, W. T., SARGIS, E. J., DE LUCA, D. W., MPUNGA, N. E., MACHAGA, S. J. & OLSON, L. E. (2006): A new genus of African monkey, <i>Rungwecebus</i> : Morphology, ecology, and molecular phylogenetics. – <i>Science</i> , 312(5778) : 1378-1381.
	Cercopithecoidea	<i>Trachypithecus villosus</i>	BRANDON-JONES, D., EUDEY, A. A., GEISSMANN, T., GROVES, C. P., MELNICK, D. J., MORALES J. C., SHEKELLE, M. & STEWARD, C.-B. (2004): Asian primate classification. – <i>International Journal of Primatology</i> , 25(1) : 97-163.
	Cheirogaleidae	<i>Cheirogaleus andysabini</i>	LEI, R., MCLAIN, A.T., FRASIER, C.L., TAYLOR, J.M., BAILEY, C.A., ENGBERG, S.E., GINTER, A.L., NASH, S.D., RANDRIAMAMPIONONA, R., GROVES, C.P., MITTERMEIER, R.A. & LOUIS, JR., E.E. (2015): A new species in the genus <i>Cheirogaleus</i> (Cheirogaleidae). <i>Primate Conservation</i> 29 (2): 1–12
	Cheirogaleidae	<i>Cheirogaleus lavasoensis</i>	THIELE, D., RAZAFIMAHATRATRA, E. & HAPKE, A. (2013): Discrepant partitioning of genetic diversity in mouse lemurs and dwarf lemurs – biological reality or taxonomic bias? - <i>Molecular Phylogenetics and Evolution</i> , 69(3) : 593-609.
	Cheirogaleidae	<i>Cheirogaleus shethi</i>	FRASIER, C.L., LEI, R., MCLAIN, A.T., TAYLOR, J.M., BAILEY, C.A., GINTER, A.L., NASH, S.D., RANDRIAMAMPIONONA, R., GROVES, C.P., MITTERMEIER, R.A. & LOUIS JR., E.E. (2016): A New Species of Dwarf Lemur (Cheirogaleidae: <i>Cheirogaleus medius</i> Group) from the Ankarana and Andrafiarana-Andavakoera Massifs, Madagascar. <i>Primate Conservation</i> (30): 59–72.
	Cheirogaleidae	<i>Microcebus ganzhorni</i> <i>Microcebus manitatra</i>	HOTALING, S., FOLEY, M.E., LAWRENCE, N.M., BOCANEGRA, J., BLANCO, M.B., RASOLOARISON, R., KAPPELER, P.M., BARRETT, M.A., YODER, A.D., WEISROCK, D.W. (2016): Species discovery and validation in a cryptic radiation of endangered primates: coalescent-based species delimitation in Madagascar's mouse lemurs". <i>Molecular Ecology</i> . 25 (9): 2029–2045. doi:10.1111/mec.13604
	Cheirogaleidae	<i>Microcebus gerpi</i>	RADESPIEL, U., RATSIMBAZAFY, J. H., RASOLOHARIJAONA, S., RAVELOSON, H., ANDRIAHOLINIRINA, N., RAKOTONDRAVONY, R., RANDRIANARISON, R. M. & RANDRIANAMBININA, B. (2012): First indications of a highland specialist among mouse lemurs (<i>Microcebus</i> spp.) and evidence for a new mouse lemur species from eastern Madagascar. - <i>Primates</i> , 53 : 157-170.
	Cheirogaleidae	<i>Microcebus marohita</i> <i>Microcebus tanosi</i>	RASOLOARISON, R. M., WEISROCK, D. W., YODER, A. D., RAKOTONDRAVONY, D. & KAPPELER, P. M. (2013): Two new species of mouse lemurs (Cheirogaleidae: <i>Microcebus</i>) from Eastern Madagascar. - <i>International Journal of Primatology</i> , 34 : 455-469.

		Taxón en cuestión	Referencia taxonómica
	Galagidae	<i>Paragalago cocos</i> <i>Paragalago granti</i> <i>Paragalago orinus</i> <i>Paragalago rondoensis</i> <i>Paragalago zanzibaricus</i>	MASTERS, J. C., GÉNIN, F., COUETTE, S., GROVES, C. P., NASH, S. D., DELPERO, M. & POZZI, L. (2017): A new genus for the eastern dwarf galagos (Primates: Galagidae). - <i>Zoological Journal of the Linnean Society</i> 181 (1): 229–241. https://doi.org/10.1093/zoolinnea/zlw028
	Galagidae	<i>Galagoides kumbirensis</i>	SVENSSON, M.S., BERSACOLA, E., MILLS, M.S.L., MUNDS, R.A., NIJMAN, V., PERKIN, A., MASTERS, J.C., COUETTE, S., NEKARIS, K.A., & BEARDER, S.K. (2017): A giant among dwarfs: a new species of galago (Primates: S., Galagidae) from Angola. <i>Am. J. Phys. Anthropol.</i> 163 (1): 30-43. doi: 10.1002/ajpa.23175
	Hominidae	<i>Pongo tapanuliensis</i>	NATER, A., GREMINGER, M.P., NURCAHYO, A., NOWAK, M.G., DE MANUEL MONTERO, M., DESAI, T., GROVES, C.P., PYBUS, M., SONAY, T.B., ROOS, C., LAMEIRA, A.R., WICH, S.A., ASKEW, J., DAVILA-ROSS, M., FREDRIKSSON, G.M., DE VALLES, G., CASALS, F., PRADO-MARTINEZ, J., GOOSSENS, B., VERSCHOOR, E.J., WARREN, K.S., SINGLETON, I., MARQUES, D.A., PAMUNGKAS, J., PERWITASARI-FARAJALLAH, D., RIANI, P., TUUGA, A., GUT, I.G., GUT, M., OROZCO-TER WENGEL, P., VAN SCHAIK, C.P., BERTRANPETIT, J., ANISIMOVA, M., SCALLY, A., MARQUES-BONET, T., MEIJAARD, E. & KRÜTZEN, M. (2017): Morphometric, behavioural, and genomic evidence for a new orangutan species. <i>Current Biology</i> 27: DOI: 10.1016/j.cub.2017.09.047
	Hylobatidae	<i>Hylobates abbotti</i> <i>Hylobates funereus</i>	MITTERMEIER, R.A., RYLANDS, A.B., & WILSON, D.E. 2013. <i>Handbook of the Mammals of the World: Volume 3. Primates</i> . Lynx Edicions, Barcelona
	Hylobatidae	<i>Nomascus annamensis</i>	THINH V.N., MOOTNICK, A. R. THANH V.N., NADLER, T. & ROOS, C. (2010): A new species of crested gibbon from the central Annamite mountain range. - <i>Vietnamese Journal of Primatology</i> , 4: 1-12.
	Indriidae	<i>Propithecus candidus</i> <i>Propithecus coronatus</i>	MITTERMEIER, R.A., RYLANDS, A.B., & WILSON, D.E. 2013. <i>Handbook of the Mammals of the World: Volume 3. Primates</i> . Lynx Edicions, Barcelona
	Lemuriidae	<i>Eulemur flavifrons</i>	MITTERMEIER, R.A., RYLANDS, A.B., & WILSON, D.E. 2013. <i>Handbook of the Mammals of the World: Volume 3. Primates</i> . Lynx Edicions, Barcelona
	Lorisidae	<i>Nycticebus javanicus</i>	MITTERMEIER, R.A., RYLANDS, A.B., & WILSON, D.E. 2013. <i>Handbook of the Mammals of the World: Volume 3. Primates</i> . Lynx Edicions, Barcelona
	Lorisidae	<i>Nycticebus kayan</i>	MUNDS, R.A., NEKARIS, K.A.I. & FORD, S.M. (2013): Taxonomy of the Bornean slow loris, with new species <i>Nycticebus kayan</i> (Primates, Lorisidae). - <i>American Journal of Primatology</i> , 75: 46-56.
	Pitheciidae	<i>Cacajao melanocephalus</i> <i>Cacajao oukary</i>	FERRARI, S. F., GUEDES, P. G., FIGUEIREDO-READY, W. M. B. & BARNETT, A. A. (2014): Reconsidering the taxonomy of the Black-faced Uacaris, <i>Cacajao melanocephalus</i> group (Mammalia: Pitheciidae), from the northern Amazon Basin. - <i>Zootaxa</i> , 3866 (3): 353-370.

		Taxón en cuestión	Referencia taxonómica
	Pitheciidae	<i>Cheracebus</i> spp. <i>Plecturocebus</i> spp.	BYRNE, H., RYLANDS, A.B., CAMEIRO, J.C., ALFARO, J.W.L., BERTUOL, F., DA SILVA, M.N.F., MESSIAS, M., GROVES, C.P., MITTERMEIER, R.A., FARIAS, I., HRBEK, T., SCHNEIDER, H., SAMPAIO, I. & BOUBLI, J. P. (2016): Phylogenetic relationships of the New World titi monkeys (<i>Callicebus</i>): first appraisal of taxonomy based on molecular evidence. <i>Frontiers in Zoology</i> 13 (10): 1-25. https://doi.org/10.1186/s12983-016-0142-4
	Pitheciidae	<i>Pithecia cazuzai</i> <i>Pithecia chrysocephala</i> <i>Pithecia hirsuta</i> <i>Pithecia inusta</i> <i>Pithecia isabela</i> <i>Pithecia milleri</i> <i>Pithecia mittermeieri</i> <i>Pithecia napensis</i> <i>Pithecia pissinattii</i> <i>Pithecia rylandsi</i> <i>Pithecia vanzolinii</i>	MARSH, L.K. (2014): A taxonomic revision of the saki monkeys, <i>Pithecia</i> Desmarest, 1804. - Neotropical Primates, 21 : 1-163.
	Pitheciidae	<i>Plecturocebus grovesi</i>	BOUBLI, J.P., BYRNE, H., DA SILVA, M.N.F., SILVA-JÚNIOR, J., ARAÚJO, R.C., BERTUOL, F., GONÇALVES, J., DE MELO, F.R., RYLANDS, A.B., MITTERMEIER, R.A., SILVA, F.E., NASH, S.D., CANALE, G., ALENCAR, R. DE M., ROSSI, R.V., CARNEIRO, J., SAMPAIO, I., FARIAS, I.P., SCHNEIDER, H. & HRBEK, T. (2018): On a new species of titi monkey (Primates: <i>Plecturocebus</i> Byrne et al., 2016), from Alta Floresta, southern Amazon, Brazil. <i>Molecular Phylogenetics and Evolution</i> 132: 117-137.
	Tarsiidae	<i>Tarsius lariang</i>	MERKER, S. & GROVES, C.P. (2006): <i>Tarsius lariang</i> : A new primate species from Western Central Sulawesi. – <i>International Journal of Primatology</i> , 27 (2): 465-485.
	Tarsiidae	<i>Tarsius spectrumgurskyae</i> <i>Tarsius supriatnai</i>	SHEKELLE, M., GROVES, C.P., MARYANTO, I. & MITTERMEIER, R.A. (2017): Two new tarsier species (Tarsiidae, Primates) and the biogeography of Sulawesi, Indonesia. <i>Primate Conservation</i> 31: 61-70.
	Tarsiidae	<i>Tarsius tumpara</i>	SHEKELLE, M., GROVES, C., MERKER, S. & SUPRIATNA, J. (2010): <i>Tarsius tumpara</i> : A new tarsier species from Siau Island, North Sulawesi. – <i>Primate Conservation</i> , 23 : 55-64.
PROBOSCIDEA	Elephantidae	<i>Loxodonta africana</i>	WILSON, D. E. & REEDER, D. M. (1993): Mammal Species of the World: a Taxonomic and Geographic Reference. Second edition. xviii + 1207 pp., Washington (Smithsonian Institution Press).

		Taxón en cuestión	Referencia taxonómica
SCANDENTIA	Tupaiaidae	<i>Tupaia everetti</i>	ROBERTS, T. E., LANIER, H. C., SARGIS, E. J. & OLSON, L. E. (2011): Molecular phylogeny of treeshrews (Mammalia: Scandentia) and the timescale of diversification in Southeast Asia. - <i>Molecular Phylogenetics and Evolution</i> , 60 (3): 358-372.
	Tupaiaidae	<i>Tupaia palawanensis</i>	SARGIS, E. J., CAMPBELL, K. K. & OLSON, L. E. (2014): Taxonomic boundaries and craniometric variation in the treeshrews (Scandentia, Tupaiaidae) from the Palawan faunal region. - <i>Journal of Mammalian Evolution</i> , 21 (1): 111-123.
AVES			
		order- and family-level names for birds	MORONY, J. J., BOCK, W. J. & FARRAND, J., Jr. (1975): Reference List of the Birds of the World. American Museum of Natural History. 207 pp. [available at http://www.cites.org/common/docs/Res/12_11/Aves_Morony.pdf]
		all bird species – with the exception of the taxa mentioned below	DICKINSON, E.C. (ed.)(2003): The Howard and Moore Complete Checklist of the Birds of the World. Revised and enlarged 3rd Edition. 1039 pp. London (Christopher Helm). in combination with DICKINSON, E.C. (2005): Corrigenda 4 (02.06.2005) to Howard & Moore Edition 3 (2003). (available on the CITES website)
APODIFORMES	Trochilidae	<i>Amazilia hoffmanni</i> <i>Amazilia saucerrottei</i>	JIMÉNEZ, R.A., & ORNELAS, J.F. (2016): Historical and current introgression in a Mesoamerican hummingbird species complex: a biogeographic perspective. <i>PeerJ</i> . 2016; 4: e1556. doi:10.7717/peerj.1556.
	Trochilidae	<i>Anthracothorax nigricollis iridescens</i> <i>Phaethornis longirostris</i> <i>Phaethornis mexicanus</i> <i>Selasphorus calliope</i>	DEL HOYO, J., & COLLAR, N.J. 2014. <i>HBW and Birdlife International Illustrated Checklist of the Birds of the World. Volume 1: Non-Passerines</i> . Lynx Edicions, Barcelona. ISBN 978-84-96553-94-1.
	Trochilidae	<i>Hylocharis leucotis</i> <i>Hylocharis xantusii</i> <i>Campylopterus curvipennis</i> <i>Campylopterus excellens</i> <i>Phaeochroa cuvierii</i>	DICKINSON, E.C., & REMSEN, J.V. (eds.). 2013. <i>The Howard & Moore complete checklist of the birds of the world. 4th edition, Vol. 1: Non-Passerines</i> . Aves Press, Eastbourne, UK. ISBN 978-0-9568611-0-8.

		Taxón en cuestión	Referencia taxonómica
	Trochilidae	<i>Chlorostilbon lucidus</i>	PACHECO, J. F. & WHITNEY, B. M. (2006): Mandatory changes to the scientific names of three Neotropical birds. - Bull. Brit. Orn. Club, 126 : 242-244.
	Trochilidae	<i>Eriocnemis isabellae</i>	CORTÉS-DIAGO, A., ORTEGA, L. A., MAZARIEGOS-HURTADO, L. & WELLER, A.-A. (2007): A new species of <i>Eriocnemis</i> (Trochilidae) from southwest Colombia. - Ornitología Neotropical, 18 :161-170.
	Trochilidae	<i>Oreotrochilus cyanoaemus</i>	SORNOZA-MOLINA, F., FREILE, J. F., NILSSON, J., KRABBE, N., & BONACCORSO, E. (2018). A striking, critically endangered, new species of hillstar (Trochilidae: <i>Oreotrochilus</i>) from the southwestern Andes of Ecuador. <i>The Auk: Ornithological Advances</i> , 135(4), 1146-1171. https://doi.org/10.1642/AUK-18-58.1
	Trochilidae	<i>Phaethornis aethopyga</i>	PIACENTINI, V. Q., ALEIXO, A. & SILVEIRA, L. F. (2009): Hybrid, subspecies or species? The validity and taxonomic status of <i>Phaethornis longuemareus aethopyga</i> Zimmer, 1950 (Trochilidae). - <i>Auk</i> , 126 : 604-612.
CICONIIFORMES	Phoenicopteridae	<i>Phoenicopus roseus</i> <i>Phoenicopus ruber</i>	DEL HOYO, J., & COLLAR, N.J. 2014. <i>HBW and Birdlife International Illustrated Checklist of the Birds of the World. Volume 1: Non-Passerines</i> . Lynx Edicions, Barcelona. ISBN 978-84-96553-94-1.
FALCONIFORMES	Accipitridae	<i>Accipiter hiogaster</i> <i>Accipiter novaehollandiae</i> <i>Buteo nitidus</i> <i>Buteo plagiatus</i> <i>Buteogallus anthracinus</i> <i>Buteogallus gundlachi</i> <i>Buteogallus solitarius</i> <i>Chondrohierax uncinatus</i> <i>Chondrohierax wilsonii</i> <i>Circus cyaneus</i> <i>Circus hudsonius</i> <i>Leptodon cayanensis</i> <i>Leptodon forbesi</i> <i>Pseudastur albicollis</i> <i>Rupornis magnirostris</i> <i>Spizaetus melanoleucus</i>	DEL HOYO, J., & COLLAR, N.J. 2014. <i>HBW and Birdlife International Illustrated Checklist of the Birds of the World. Volume 1: Non-Passerines</i> . Lynx Edicions, Barcelona. ISBN 978-84-96553-94-1.

		Taxón en cuestión	Referencia taxonómica
	Accipitridae	<i>Aquila hastata</i>	PARRY, S. J., CLARK, W. S. & PRAKASH, V. (2002) On the taxonomic status of the Indian Spotted Eagle <i>Aquila hastata</i> . – Ibis, 144 : 665-675.
	Accipitridae	<i>Buteo socotraensis</i>	PORTER, R. F. & KIRWAN, G. M. (2010): Studies of Socotran birds VI. The taxonomic status of the Socotra Buzzard. – Bulletin of the British Ornithologists' Club, 130 (2): 116–131.
	Accipitridae	<i>Geranoaetus albicaudatus</i>	DICKINSON, E.C., & REMSEN, J.V. (eds.). 2013. <i>The Howard & Moore complete checklist of the birds of the world. 4th edition, Vol. 1: Non-Passerines</i> . Aves Press, Eastbourne, UK. ISBN 978-0-9568611-0-8.
	Falconidae	<i>Falco peregrinus</i> (incl. <i>Falco pelegrinoides</i>)	DEL HOYO, J., & COLLAR, N.J. 2014. <i>HBW and Birdlife International Illustrated Checklist of the Birds of the World. Volume 1: Non-Passerines</i> . Lynx Edicions, Barcelona. ISBN 978-84-96553-94-1.
	Falconidae	<i>Micrastur mintoni</i>	WHITTAKER, A. (2002): A new species of forest-falcon (Falconidae: <i>Micrastur</i>) from southeastern Amazonia and the Atlantic rainforests of Brazil. – Wilson Bulletin, 114 : 421-445.
GRUIFORMES	Gruidae	<i>Antigone antigone</i> <i>Antigone canadensis</i> <i>Antigone rubicunda</i> <i>Antigone vipio</i> <i>Leucogeranus leucogeranus</i>	DEL HOYO, J., & COLLAR, N.J. 2014. <i>HBW and Birdlife International Illustrated Checklist of the Birds of the World. Volume 1: Non-Passerines</i> . Lynx Edicions, Barcelona. ISBN 978-84-96553-94-1.
	Rallidae	<i>Hypotaenidia sylvestris</i>	DEL HOYO, J., & COLLAR, N.J. 2014. <i>HBW and Birdlife International Illustrated Checklist of the Birds of the World. Volume 1: Non-Passerines</i> . Lynx Edicions, Barcelona. ISBN 978-84-96553-94-1.
PASSERIFORMES	Muscicapidae	<i>Garrulax taewanus</i>	COLLAR, N. J. (2006): A partial revision of the Asian babblers (Timaliidae). – Forktail, 22 : 85-112.
	Paradisaeidae	<i>Lophorina niedda</i> <i>Lophorina minor</i> <i>Lophorina superba</i>	SCHOLES, E., & LAMAN, T.G.. 2018. Distinctive courtship phenotype of the Vogelkop Superb Bird-of-Paradise <i>Lophorina niedda</i> Mayr, 1930 confirms new species status. <i>PeerJ</i> 6:e4621 https://doi.org/10.7717/peerj.4621 .
PSITTACIFORMES	Cacatuidae	<i>Cacatua goffiniana</i>	ROSELAAR, C. S. & MICHELS, J. P. (2004): Nomenclatural chaos untangled, resulting in the naming of the formally undescribed <i>Cacatua</i> species from the Tanimbar Islands, Indonesia (Psittaciformes: Cacatuidae). – Zoologische Verhandlungen, 350 : 183-196.
	Cacatuidae	<i>Zanda baudinii</i> <i>Zanda latirostris</i>	DEL HOYO, J., & COLLAR, N.J. 2014. <i>HBW and Birdlife International Illustrated Checklist of the Birds of the World. Volume 1: Non-Passerines</i> . Lynx Edicions, Barcelona. ISBN 978-84-96553-94-1.
	Loriidae	<i>Trichoglossus haematodus</i>	COLLAR, N. J. (1997) Family Psittacidae (Parrots). In DEL HOYO, J., ELLIOT, A. AND SARGATAL, J. (eds.), <i>Handbook of the Birds of the World, 4</i> (Sandgrouse to Cuckoos): 280-477. Barcelona (Lynx Edicions).

		Taxón en cuestión	Referencia taxonómica
	Psittacidae	<i>Aratinga maculata</i>	NEMESIO, A. & RASMUSSEN, C. (2009): The rediscovery of Buffon's "Guarouba" or "Perriche jaune": two senior synonyms of <i>Aratinga pinto</i> SILVEIRA, LIMA & HÖFLING, 2005 (Aves: Psittaciformes). – <i>Zootaxa</i> , 2013 : 1-16.
	Psittacidae	<i>Eupsittula canicularis</i> <i>Eupsittula nana</i> <i>Myiopsitta luchi</i> <i>Myiopsitta monachus</i> <i>Psephotellus chrysopterygius</i> <i>Psephotellus dissimilis</i> <i>Psephotellus pulcherrimus</i> <i>Psephotellus varius</i> <i>Psittacara holochlorus</i> <i>Pyrrhura haematotis</i>	DEL HOYO, J., & COLLAR, N.J. 2014. <i>HBW and Birdlife International Illustrated Checklist of the Birds of the World. Volume 1: Non-Passerines</i> . Lynx Edicions, Barcelona. ISBN 978-84-96553-94-1.
	Psittacidae	<i>Forpus modestus</i>	PACHECO, J. F. & WHITNEY, B. M. (2006): Mandatory changes to the scientific names of three Neotropical birds. - <i>Bull. Brit. Orn. Club</i> , 126 : 242-244.
	Psittacidae	<i>Pionopsitta aurantiocephala</i>	GABAN-LIMA, R., RAPOSO, M. A. & HOFLING, E. (2002): Description of a new species of <i>Pionopsitta</i> (Aves: Psittacidae) endemic to Brazil. - <i>Auk</i> , 119 : 815-819.
	Psittacidae	<i>Poicephalus robustus</i> <i>Poicephalus fuscicollis</i>	COETZER, W.G., DOWNS, C.T., PERRIN, M.R. & WILLOWS-MUNRO, S. (2015): Molecular Systematics of the Cape Parrot (<i>Poicephalus robustus</i>). Implications for Taxonomy and Conservation. - <i>PLoS ONE</i> , 10(8):e0133376. doi: 10.1371/journal.pone.0133376.
	Psittacidae	<i>Psittacara strenuus</i> <i>Pezoporus flaviventris</i> <i>Pezoporus wallicus</i>	DICKINSON, E.C., & REMSEN, J.V. (eds.). 2013. <i>The Howard & Moore complete checklist of the birds of the world. 4th edition, Vol. 1: Non-Passerines</i> . Aves Press, Eastbourne, UK. ISBN 978-0-9568611-0-8.
	Psittacidae	<i>Psittacula intermedia</i>	COLLAR, N. J. (1997) Family Psittacidae (Parrots). In DEL HOYO, J., ELLIOT, A. AND SARGATAL, J. (eds.), <i>Handbook of the Birds of the World, 4</i> (Sandgrouse to Cuckoos): 280-477. Barcelona (Lynx Edicions).
	Psittacidae	<i>Pyrrhura griseipectus</i>	OLMOS, F., SILVA, W. A. G. & ALBANO, C. (2005): Grey-breasted Conure <i>Pyrrhura griseipectus</i> , an overlooked endangered species. - <i>Cotinga</i> , 24 : 77-83.
	Psittacidae	<i>Pyrrhura parvifrons</i>	ARNDT, T. (2008): Anmerkungen zu einigen <i>Pyrrhura</i> -Formen mit der Beschreibung einer neuen Art und zweier neuer Unterarten. – <i>Papageien</i> , 8 : 278-286.

		Taxón en cuestión	Referencia taxonómica
STRIGIFORMES	Strigidae	<i>Ciccaba virgata</i> <i>Megascops asio</i> <i>Megascops barbarus</i> <i>Megascops guatemalae</i> <i>Megascops kennicottii</i> <i>Megascops seductus</i> <i>Megascops trichopsis</i> <i>Psiloscoops flammeolus</i>	DEL HOYO, J., & COLLAR, N.J. 2014. <i>HBW and Birdlife International Illustrated Checklist of the Birds of the World. Volume 1: Non-Passerines</i> . Lynx Edicions, Barcelona. ISBN 978-84-96553-94-1.
	Strigidae	<i>Glaucidium mooreorum</i>	DA SILVA, J. M. C., COELHO, G. & GONZAGA, P. (2002): Discovered on the brink of extinction: a new species of pygmy owl (Strigidae: Glaucidium) from Atlantic forest of northeastern Brazil. – <i>Ararajuba</i> , 10 (2): 123-130.
	Strigidae	<i>Megascops gilesi</i>	KRABBE, N.K. (2017): A new species of <i>Megascops</i> (Strigidae) from the Sierra Nevada de Santa Marta, Colombia, with notes on voices of New World screech-owls. <i>Ornitología Colombiana</i> 16 : 1–27.
	Strigidae	<i>Ninox burhani</i>	INDRAWAN, M. & SOMADIKARTA, S. (2004): A new hawk-owl from the Togian Islands, Gulf of Tomini, central Sulawesi, Indonesia. - <i>Bulletin of the British Ornithologists' Club</i> , 124 : 160-171.
	Strigidae	<i>Otus thilohoffmanni</i>	WARAKAGODA, D. H. & RASMUSSEN, P. C. (2004): A new species of scops-owl from Sri Lanka. – <i>Bulletin of the British Ornithologists' Club</i> , 124 (2): 85-105.
	Strigidae	<i>Strix butleri</i> <i>Strix hadorami</i>	KIRWAN, G.M., SCHWEIZER, M., & COPETE, J.L. (2015): Multiple lines of evidence confirm that Hume's Owl <i>Strix butleri</i> (A. O. Hume, 1878) is two species, with description of an unnamed species (Aves: Non-Passeriformes: Strigidae). <i>Zootaxa</i> . 3904 (1): 28–50.
REPTILIA			
CROCODYLIA & RHYNCHOCEPHALIA		Crocodylia & Rhynchocephalia except for the taxa listed below	WERMUTH, H. & MERTENS, R. (1996) (reprint): <i>Schildkröte, Krokodile, Brückenechsen</i> . xvii + 506 pp. Jena (Gustav Fischer Verlag).
	Crocodylidae	<i>Crocodylus johnstoni</i>	TUCKER, A. D. (2010): The correct name to be applied to the Australian freshwater crocodile, <i>Crocodylus johnstoni</i> [Krefft, 1873]. – <i>Australian Zoologist</i> , 35 (2): 432-434.
	Sphenodontidae	<i>Sphenodon</i> spp.	HAY, J. M., SARRE, S. D., LAMBERT, D. M., ALLENDORF, F. W. & DAUGHERTY, C. H. (2010): Genetic diversity and taxonomy: a reassessment of species designation in tuatara (<i>Sphenodon</i> : Reptilia). - <i>Conservation Genetics</i> , 11 (93): 1063-1081.

		Taxón en cuestión	Referencia taxonómica
SAURIA		for delimitation of families within the Sauria	POUGH, F. H., ANDREWS, R. M., CADLE, J. E., CRUMP, M. L., SAVITZKY, A. H. & WELLS, K. D. (1998): Herpetology. Upper Saddle River/New Jersey (Prentice Hall).
	Agamidae	<i>Ceratophora</i> spp. <i>Cophotis</i> spp. <i>Lyriocephalus</i> spp.	UETZ, P., FREED, P., AGUILAR, R., & HÖSEK, J. (eds.) (2022): Taxonomic Checklist of Reptile taxa included in the Appendices at the 18th Meeting of the Conference of the Parties (Geneva, August 2019). Species information extracted from The Reptile Database: an online Reference, version of 2 May 2020, accessed 5 May 2020 for species in the Families Agamidae, Gekkonidae and Viperidae https://cites.org/sites/default/files/eng/resources/checklists/Checklist_Reptiles_Added_CoP18r_CITES.pdf
	Agamidae	<i>Saara</i> spp. <i>Uromastyx</i> spp.	WILMS, T. M., BÖHME, W., WAGNER, P., LUTZMANN, N. & SCHMITZ, A. (2009): On the phylogeny and taxonomy of the genus <i>Uromastyx</i> Merrem, 1820 (Reptilia: Squamata: Agamidae: Uromastycinae) – resurrection of the genus <i>Saara</i> Gray, 1845. – <i>Bonner zool. Beiträge</i> , 56 (1-2): 55-99.
	Anguidae	<i>Abronia</i> spp.	UETZ, P., FREED, P., & HÖSEK, J. (eds.) (2016): Taxonomic Checklist of the Species of the Genus <i>Abronia</i> . Species information extracted from The Reptile Database, version of 15 August 2016, accessed 11 May 2017. See Annex 2 of AC29 Doc.35 at https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A2.pdf
	Anguidae	<i>Abronia morenica</i>	CLAUSE, A.G., LUNA-REYES, R., & NIETO-MONTES DE OCA, A. (2020): A New Species of <i>Abronia</i> (Squamata: Anguidae) from a Protected Area in Chiapas, Mexico. <i>Herpetologica</i> 76(3): 330-343. https://doi.org/10.1655/Herpetologica-D-19-00047
	Chamaeleonidae	Chamaeleonidae spp. except the taxa mentioned below	GLAW, F. (2015): Taxonomic checklist of chamaeleons (Squamata: Chamaeleonidae). -- <i>Vertebrate Zoology</i> , 65(2): 167-246. (http://www.senckenberg.de/files/content/forschung/publikationen/vertebratezoology/vz65-2/01_vertrebrate_zoology_65-2_glaw_167-246.pdf)
	Chamaeleonidae	<i>Brookesia antakarana</i> (incl. <i>B. ambreensis</i>)	SCHERZ, M. D., GLAW, F., RAKOTOARISON, A., WAGLER, M. & VENCES, M. (2018): Polymorphism and synonymy of <i>Brookesia antakarana</i> and <i>B. ambreensis</i> , leaf chameleons from Montagne d'Ambre in north Madagascar. <i>Salamandra</i> 54 (4): 259-268
	Chamaeleonidae	<i>Calumma gehringi</i>	PRÖTZEL, D., VENCES, M., SCHERZ, M. D., VIEITES, D. R. & GLAW, F. (2017): Splitting and lumping: An integrative taxonomic assessment of Malagasy chameleons in the <i>Calumma guibei</i> complex results in the new species <i>C. gehringi</i> sp. nov. - <i>Vertebrate Zoology</i> 67 (2): 231–249.
	Chamaeleonidae	<i>Calumma juliae</i> <i>Calumma lefona</i> <i>Calumma uetzi</i>	PRÖTZEL, D., HAWLITSCHKE, O., SCHERZ, M. D., RATSOAVINA, F. M. & GLAW, F. (2018): Endangered beauties: micro-CT cranial osteology, molecular genetics and external morphology reveal three new species of chameleons in the <i>Calumma boettgeri</i> complex (Squamata: Chamaeleonidae). <i>Zoological Journal of the Linnean Society</i> zlx112, DOI: 10.1093/zoolinnea/zlx112
	Chamaeleonidae	<i>Calumma roaloko</i>	PRÖTZEL, D., LAMBERT, S. M., ANDRIANOSOLO, G. T., HUTTER, C. R., COBB, K. A., SCHERZ, M. D. & GLAW, F. (2018): The smallest 'true chameleon' from Madagascar: a new, distinctly colored species of the <i>Calumma boettgeri</i> complex (Squamata, Chamaeleonidae). - <i>Zoosystematics and Evolution</i> 94 (2): 409-423

		Taxón en cuestión	Referencia taxonómica
	Chamaeleonidae	<i>Kinyongia itombwensis</i> <i>Kinyongia rugegensis</i> <i>Kinyongia tolleyae</i>	HUGHES, D. F., KUSAMBA, C., BEHANGANA, M. & GREENBAUM, E. (2017): Integrative taxonomy of the Central African forest chameleon, <i>Kinyongia adolfifriederici</i> (Sauria: Chamaeleonidae), reveals underestimated species diversity in the Albertine Rift. - <i>Zoological Journal of the Linnean Society</i> 181 (2): 400–438.
	Chamaeleonidae	<i>Kinyongia msuyae</i>	MENEGON, M., LOADER, S. P., DAVENPORT, T. R. B., HOWELL, K. M., TILBURY, C. R., MACHAGA, S. & TOLLEY, K. A. (2015): A new species of chameleon (Sauria: Chamaeleonidae: <i>Kinyongia</i>) highlights the biological affinities between the Southern Highlands and Eastern Arc Mountains of Tanzania. - <i>Acta Herpetologica</i> 10 (2): 111-120.
	Cordylidae	Cordylidae spp. except the taxa mentioned below	STANLEY, E. L., BAUER, A. M., JACKMAN, T. R., BRANCH, W. R. & P. LE F. N. (2011): Between a rock and a hard polytomy: rapid radiation in the rupicolous girdled lizards (Squamata: Cordylidae). <i>Molecular Phylogenetics and Evolution</i> , 58 (1): 53-70.
	Cordylidae	<i>Cordylus marunguensis</i>	GREENBAUM, E., STANLEY, E. L., KUSAMBA, C., MONINGA, W. M., GOLDBERG, S. R. & CHA (2012): A new species of <i>Cordylus</i> (Squamata: Cordylidae) from the Marungu Plateau of south-eastern Democratic Republic of the Congo. <i>African Journal of Herpetology</i> , 61 (1): 14-39.
	Cordylidae	<i>Cordylus namakuiyus</i>	STANLEY, E. L., CERÍACO, L. M. P., BANDEIRA, S., VALERIO, H., BATES, M. F. & BRANCH, W. R. (2016): A review of <i>Cordylus machadoi</i> (Squamata: Cordylidae) in southwestern Angola, with the description of a new species from the Pro-Namib desert. - <i>Zootaxa</i> 4061 (3): 201–226.
	Eublepharidae	<i>Goniurosaurus</i> spp.	UETZ, P., FREED, P., AGUILAR, R., & HÖSEK, J. (eds.) (2022): Taxonomic Checklist of Reptile taxa included in the Appendices at the 18th Meeting of the Conference of the Parties (Geneva, August 2019). Species information extracted from The Reptile Database: an online Reference, version of 20 March 2022, accessed 5 May 2022 for species in the Family Eublepharidae. https://cites.org/sites/default/files/eng/resources/checklists/Checklist_Reptiles_Added_CoP18lr_CITES.pdf
	Gekkonidae	<i>Cnemaspis psychedelica</i>	GRISMER, L.L., NGO, V.T. and GRISMER, J.L. (2010): A colorful new species of insular rock gecko (<i>Cnemaspis</i> Strauch 1887) from southern Vietnam. <i>Zootaxa</i> , 58: 46–58.
	Gekkonidae	<i>Dactylonemis</i> spp. <i>Hoplodactylus</i> spp. <i>Mokopirirakau</i> spp.	NIELSEN, S. V., BAUER, A. M., JACKMAN, T. R., HITCHMOUGH, R. A. & DAUGHERTY, C. H. (2011): New Zealand geckos (Diplodactylidae): Cryptic diversity in a post-Gondwanan lineage with trans-Tasman affinities. – <i>Molecular Phylogenetics and Evolution</i> , 59 (1): 1-22.
	Gekkonidae	<i>Gekko gekko</i> (incl. <i>Gekko reevesii</i>)	UETZ, P., FREED, P., AGUILAR, R., & HÖSEK, J. (eds.) (2022): Taxonomic Checklist of Reptile taxa included in the Appendices at the 18th Meeting of the Conference of the Parties (Geneva, August 2019). Species information extracted from The Reptile Database: an online Reference, version of 2 May 2020 accessed, 5 May 2020 for species in the Families Agamidae, Gekkonidae and Viperidae. https://cites.org/sites/default/files/eng/resources/checklists/Checklist_Reptiles_Added_CoP18lr_CITES.pdf

		Taxón en cuestión	Referencia taxonómica
	Gekkonidae	<i>Gonatodes daudini</i>	POWELL, R., & R.W. HENDERSON. 2005. A new species of <i>Gonatodes</i> (Squamata: Gekkonidae) from the West Indies. <i>Carib. J. Sci.</i> 41 (4): 709-715
	Gekkonidae	<i>Lygodactylus williamsi</i>	UETZ, P., FREED, P. & HÖSEK, J. (eds.) (2016): Species information extracted from The Reptile Database, an online Reference, version of 15 August 2016, accessed 11 May 2017. See Annex 2 of AC29 Doc.35 at https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A2.pdf
	Gekkonidae	<i>Nactus serpensinsula</i>	KLUGE, A.G. (1983): Cladistic relationships among gekkonid lizards. – <i>Copeia</i> , 1983 2): 465-475.
	Gekkonidae	<i>Naultinus</i> spp.	NIELSEN, S. V., BAUER, A. M., JACKMAN, T. R., HITCHMOUGH, R. A. & DAUGHERTY, C. H. (2011): New Zealand geckos (Diplodactylidae): Cryptic diversity in a post-Gondwanan lineage with trans-Tasman affinities. – <i>Molecular Phylogenetics and Evolution</i> , 59 (1): 1-22.
	Gekkonidae	<i>Paroedura androyensis</i>	UETZ, P., FREED, P., AGUILAR, R., & HÖSEK, J. (eds.) (2022): Taxonomic Checklist of Reptile taxa included in the Appendices at the 18th Meeting of the Conference of the Parties (Geneva, August 2019). Species information extracted from The Reptile Database: an online Reference, version of 2 May 2020, accessed, 5 May 2020 for species in the Families Agamidae, Gekkonidae and Viperidae. https://cites.org/sites/default/files/eng/resources/checklists/Checklist_Reptiles_Added_CoP18lr_CITES.pdf
	Gekkonidae	<i>Paroedura masobe</i>	NUSSBAUM, R.A. & RAXWORTHY, C.J. (1994): A new rainforest gecko of the genus <i>Paroedura</i> GÜNTHER from Madagascar. <i>Herpetological Natural History</i> 2 (1): 43-49
	Gekkonidae	<i>Phelsuma</i> spp. <i>Rhoptropella</i> spp.	GLAW, F. & RÖSLER, H. (2015): Taxonomic checklist of the day geckos of the genera <i>Phelsuma</i> Gray, 1825 and <i>Rhoptropella</i> Hewitt, 1937 (Squamata: Gekkonidae). - <i>Vertebrate Zoology</i> , 65 (2): 167-246 (http://www.senckenberg.de/files/content/forschung/publikationen/vertebratezoology/vz65-2/02 Vertebrate_zoology_65-2_glaw-roesler_247-283.pdf)
	Gekkonidae	<i>Toropuku</i> spp. <i>Tukutuku</i> spp. <i>Woodworthia</i> spp.	NIELSEN, S. V., BAUER, A. M., JACKMAN, T. R., HITCHMOUGH, R. A. & DAUGHERTY, C. H. (2011): New Zealand geckos (Diplodactylidae): Cryptic diversity in a post-Gondwanan lineage with trans-Tasman affinities. – <i>Molecular Phylogenetics and Evolution</i> , 59 (1): 1-22.
	Gekkonidae	<i>Uroplatus</i> spp. except for the taxa mentioned below	RAXWORTHY, C.J. (2003): Introduction to the reptiles. – In: Goodman, S.M. & Bernstead, J.P. (eds.), <i>The natural history of Madagascar</i> , : 934-949. Chicago.
	Gekkonidae	<i>Uroplatus fiera</i>	RATSOAVINA, F. M., RANJANAHARISOA, F. A., GLAW, F., RASELIMANANA, A. P., MIRALLES, A. & VENCES, M. (2015): A new leaf-tailed gecko of the <i>Uroplatus ebenau</i> group (Squamata: Gekkonidae) from Madagascar's central eastern rainforests. – <i>Zootaxa</i> 4006 (1): 143-160.
	Gekkonidae	<i>Uroplatus fotsivava</i> <i>Uroplatus kelirambo</i>	RATSOAVINA, F. M., GEHRING, P.-S., SCHERZ, M. D., VIEITES, D. R., GLAW, F. & VENCES, M. (2017): Two new species of leaf-tailed geckos (<i>Uroplatus</i>) from the Tsaratanana mountain massif in northern Madagascar. <i>Zootaxa</i> 4347 (3): 446-464.

		Taxón en cuestión	Referencia taxonómica
	Gekkonidae	<i>Uroplatus finiavana</i>	RATSOAVINA, F.M., LOUIS JR., E.E., CROTTINI, A., RANDRIANIAINA, R.-D., GLAW, F. & VENCES, M. (2011): A new leaf tailed gecko species from northern Madagascar with a preliminary assessment of molecular and morphological variability in the <i>Uroplatus ebenau</i> group. – <i>Zootaxa</i> , 3022 : 39-57.
	Gekkonidae	<i>Uroplatus giganteus</i>	GLAW, F., KOSUCH, J., HENKEL, W. F., SOUND, P. AND BÖHME, W. (2006): Genetic and morphological variation of the leaf-tailed gecko <i>Uroplatus fimbriatus</i> from Madagascar, with description of a new giant species. – <i>Salamandra</i> , 42 : 129-144.
	Gekkonidae	<i>Uroplatus pietschmanni</i>	BÖHLE, A. & SCHÖNECKER, P. (2003): Eine neue Art der Gattung <i>Uroplatus</i> Duméril, 1805 aus Ost-Madagaskar (Reptilia: Squamata: Gekkonidae). – <i>Salamandra</i> , 39 (3/4): 129-138.
	Gekkonidae	<i>Uroplatus sameiti</i>	RAXWORTHY, C.J., PEARSON, R.G., ZIMKUS, B.M., REDDY, S., DEO, A.J., NUSSBAUM, R.A. & INGRAM, C.M. (2008): Continental speciation in the tropics: contrasting biogeographic patterns of divergence in the <i>Uroplatus</i> leaf-tailed gecko radiation of Madagascar. - <i>Journal of Zoology</i> , 275 : 423–440.
	Iguanidae	Iguanidae spp. except for the taxa mentioned below	HOLLINGSWORTH, B. D. (2004): The Evolution of Iguanas: An Overview of Relationships and a Checklist of Species. pp. 19-44. In: Alberts, A. C., Carter, R. L., Hayes, W. K. & Martins, E. P. (Eds), <i>Iguanas: Biology and Conservation</i> . Berkeley (University of California Press).
	Iguanidae	<i>Brachylophus bulabula</i>	KEOGH, J. S., EDWARDS, D. L., FISHER, R. N. & HARLOW, P. S. (2008): Molecular and morphological analysis of the critically endangered Fijian iguanas reveals cryptic diversity and a complex biogeographic history. <i>Phil. Trans. R. Soc. B</i> , 363 (1508): 3413-3426.
	Iguanidae	<i>Brachylophus gau</i>	FISHER, R. N., NIUKULA, J., WATLING, D. & HARLOW, P. S. (2017): A new species of iguana <i>Brachylophus Cuvier 1829</i> (Sauria: Iguania: Iguanidae) from Gau Island, Fiji Islands. <i>Zootaxa</i> 4273 (3): 407–422.
	Iguanidae	<i>Conolophus marthae</i>	GENTILE, G. & SNELL, H. (2009): <i>Conolophus marthae</i> sp. nov. (Squamata, Iguanidae), a new species of land iguana from the Galápagos archipelago. <i>Zootaxa</i> , 2201 : 1-10.
	Iguanidae	<i>Ctenosaura</i> spp.	Iguana Taxonomy Working Group (2016): A checklist of the iguanas of the world (Iguanidae; Iguaninae). In: <i>Iguanas: Biology, Systematics, and Conservation</i> (J. B. IVERSON, T.D. GRANT, C. R. KNAPP, and S. A. PASACHNIK, Eds.): 4–46. <i>Herpetological Conservation and Biology</i> 11 (Monograph 6).
	Iguanidae	<i>Cyclura lewisi</i>	BURTON, F. J. (2004): Revision to Species <i>Cyclura nubila lewisi</i> , the Grand Cayman Blue Iguana <i>Caribbean Journal of Science</i> , 40 (2): 198-203.
	Iguanidae	<i>Phrynosoma blainvillii</i> <i>Phrynosoma cerroense</i> <i>Phrynosoma wigginsi</i>	MONTANUCCI, R.R. (2004): Geographic variation in <i>Phrynosoma coronatum</i> (Lacertilia, Phrynosomatidae): further evidence for a peninsular archipelago. <i>Herpetologica</i> , 60 : 117.

		Taxón en cuestión	Referencia taxonómica
	Lanthanotidae	Lanthanotidae spp.	UETZ, P., FREED, P. & HÖSEK, J. (eds.) (2016): Family, genus and species information extracted from the Integrated Taxonomic Information Service (ITIS), an online reference; and species information extracted from The Reptile Database, version of 15 August 2016, accessed 11 May 2017. See Annex 2 of AC29 Doc.35 at https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A2.pdf
	Teiidae	Teiidae spp. except for the taxa mentioned below	HARVEY, M. B., UGUETO, G. N. & GUTBERLET, R. L. JR. (2012): Review of teiid morphology with a revised taxonomy and phylogeny of the Teiidae (Lepidosauria: Squamata). – Zootaxa, 3459 : 1–156.
	Teiidae	<i>Tupinambis cryptus</i> <i>Tupinambis cuzcoensis</i> <i>Tupinambis zuliensis</i>	MURPHY, J.C., JOWERS, M.J., LEHTINEN, R.M., CHARLES, S.P., COLLI, G.R., PERES, A.K. JR, HENDRY, C.R. & PYRON, R.A. (2016): Cryptic, sympatric diversity in tegu lizards of the <i>Tupinambis teguixin</i> group (Squamata, Sauria, Teiidae) and the description of three new species. - PLoS ONE 11(8): e0158542.doi:10.1371/journal.pone.0158542.
	Varanidae	Varanidae spp. except for the taxa mentioned below	BÖHME, W. (2003): Checklist of the living monitor lizards of the world (family Varanidae) – Zoologische Verhandelingen. Leiden, 341 : 1-43. in combination with KOCH, A., AULIYA, M. & ZIEGLER, T. (2010): Updated Checklist of the living monitor lizards of the world (Squamata: Varanidae). - Bonn zool. Bull., 57 (2): 127-136.
	Varanidae	<i>Varanus bangonorum</i> <i>Varanus dalubhasa</i> <i>Varanus samarensis</i>	WELTON, L. J., TRAVERS, S. L., SILER, C. D. & BROWN, R. M. (2014): Integrative taxonomy and phylogeny-based species delimitation of Philippine water monitor lizards (<i>Varanus salvator</i> complex) with descriptions of two new cryptic species. - Zootaxa, 3881 (3): 201–227.
	Varanidae	<i>Varanus douarrha</i> <i>Varanus indicus</i>	WEIJOLA, V., KRAUS, F., VAHTERA, V., LINDQVIST, C. & DONNELLAN, S.C. (2017): Reinstatement of <i>Varanus douarrha</i> Lesson, 1830 as a valid species with comments on the zoogeography of monitor lizards (Squamata: Varanidae) in the Bismarck Archipelago, Papua New Guinea. - Australian Journal of Zoology, doi: 10.1071/ZO16038.
	Varanidae	<i>Varanus semotus</i>	WEIJOLA, V., DONNELLAN, S.C. & LINDQVIST, C. (2016): A new blue-tailed monitor lizard (Reptilia, Squamata, <i>Varanus</i>) of the <i>Varanus indicus</i> group from Mussau Island, Papua New Guinea. - ZooKeys 568 : 129-154, doi: 10.3897/zookeys.568.6872.
	Varanidae	<i>Varanus hamersleyensis</i>	MARYAN, B., OLIVER, P. M., FITCH, A. J. & O'CONNELL, M. (2014): Molecular and morphological assessment of <i>Varanus pilbarensis</i> (Squamata: Varanidae), with a description of a new species from the southern Pilbara, Western Australia. Zootaxa, 3768 (2): 139–158.
	Varanidae	<i>Varanus nesterovi</i>	BÖHME, W., EHRLICH, K., MILTO, K. D., ORLOV, N. & SCHOLZ, S. (2015): A new species of desert monitor lizard (Varanidae: <i>Varanus: Psammosaurus</i>) from the western Zagros region (Iraq, Iran). - Russian Journal of Herpetology, 22 (1): 41-52.

		Taxón en cuestión	Referencia taxonómica
	Varanidae	<i>Varanus sparnus</i>	DOUGHTY, P., KEALLEY, L., FITCH, A. & DONNELLAN, S. C. (2014): A new diminutive species of <i>Varanus</i> from the Dampier Peninsula, western Kimberley region, Western Australia. – Records of the Western Australian Museum, 29 : 128–140.
SERPENTES		Loxocemidae spp. Pythonidae spp. Boidae spp. Bolyeriidae spp. Tropidophiidae spp. Viperidae spp. except for the retention of the genera <i>Acrantophis</i> , <i>Sanzinia</i> , <i>Calabaria</i> , <i>Lichanura</i> , and except for the taxa mentioned below	McDIARMID, R. W., CAMPBELL, J. A. & TOURÉ, T. A. (1999): Snake Species of the World. A Taxonomic and Geographic Reference. Volume 1, Washington, DC.(The Herpetologists' League).
	Boidae	<i>Candoia paulsoni</i> <i>Candoia superciliosa</i>	SMITH, H. M., CHISZAR, D., TEPEDELEN, K. & VAN BREUKELEN, F. (2001): A revision of the bevelnosed boas (<i>Candoia carinata</i> complex) (Reptilia: Serpentes). Hamadryad, 26 (2): 283-315.
	Boidae	<i>Corallus batesii</i>	HENDERSON, R. W., PASSOS, P. & FEITOSA, D. (2009); Geographic variation in the Emerald Treeboa, <i>Corallus caninus</i> (Squamata: Boidae). Copeia, 2009 (3): 572-582.
	Boidae	<i>Epicrates crassus</i> <i>Epicrates assisi</i> <i>Epicrates alvarezii</i>	PASSOS, P. & FERNANDES, R. (2008): Revision of the <i>Epicrates cenchria</i> complex (Serpentes: Boidae). Herpetological Monographs, 22 : 1-30.
	Boidae	<i>Epicrates cenchria</i> <i>Epicrates maurus</i> <i>Chilabothrus</i> spp.	REYNOLDS, R.G., NIEMILLER, M.L., HEDGES, S.B., DORNBURG, A., PUENTE-ROLÓN, A.R., & REVELL, L.J. (2013): Molecular phylogeny and historical biogeography of West Indian boid snakes (<i>Chilabothrus</i>). <i>Molecular Phylogenetics and Evolution</i> 68(3):461-470. doi:10.1016/j.ympev.2013.04.02
	Boidae	<i>Eryx borrii</i>	LANZA, B. & NISTRI, A. (2005): Somali Boidae (genus <i>Eryx</i> Daudin 1803) and Pythonidae (genus <i>Python</i> Daudin 1803) (Reptilia Serpentes). Tropical Zoology, 18 (1): 67-136.
	Boidae	<i>Eunectes beniensis</i>	DIRKSEN, L. (2002): <i>Anakondas</i> . NTV Wissenschaft.

		Taxón en cuestión	Referencia taxonómica
	Colubridae	<i>Xenochrophis piscator</i> <i>Xenochrophis schnurrenbergeri</i> <i>Xenochrophis tyleri</i>	VOGEL, G. & DAVID, P. (2012): A revision of the species group of <i>Xenochrophis piscator</i> (Schneider, 1799) (Squamata: Natricidae). <i>Zootaxa</i> , 3473 : 1-60.
	Elapidae	<i>Micrurus ruatanus</i>	McCranie, J. R. (2015): A checklist of the amphibians and reptiles of Honduras, with additions, comments on taxonomy, some recent taxonomic decisions, and areas of further studies needed. - <i>Zootaxa</i> , 3931 (3): 352–386.
	Elapidae	<i>Naja atra</i> <i>Naja kaouthia</i>	WÜSTER, W. (1996): Taxonomic change and toxinology: systematic revisions of the Asiatic cobras (<i>Naja naja</i> species complex). <i>Toxicon</i> , 34 (4): 339-406.
	Elapidae	<i>Naja mandalayensis</i>	SLOWINSKI, J. B. & WÜSTER, W. (2000): A new cobra (Elapidae: <i>Naja</i>) from Myanmar (Burma) – <i>Herpetologica</i> , 56 (2): 257-270.
	Elapidae	<i>Naja oxiana</i> <i>Naja philippinensis</i> <i>Naja sagittifera</i> <i>Naja samarensis</i> <i>Naja siamensis</i> <i>Naja sputatrix</i> <i>Naja sumatrana</i>	WÜSTER, W. (1996): Taxonomic change and toxinology: systematic revisions of the Asiatic cobras (<i>Naja naja</i> species complex) – <i>Toxicon</i> , 34 (4): 339-406.
	Pythonidae	<i>Leiopython bennettorum</i> <i>Leiopython biakensis</i> <i>Leiopython fredparkeri</i> <i>Leiopython huonensis</i> <i>Leiopython hoserae</i>	SCHLEIP, W. D. (2008): Revision of the genus <i>Leiopython</i> Hubrecht 1879 (Serpentes: Pythonidae) with the redescription of taxa recently described by Hoser (2000) and the description of new species. – <i>Journal of Herpetology</i> , 42 (4): 645–667.
	Pythonidae	<i>Malayopython reticulatus</i> <i>Malayopython timoriensis</i>	REYNOLDS, R.G., NIEMILLER, M.L., AND REVELL, L.J. (2014): Toward a Tree-of-Life for the boas and pythons: Multilocus species-level phylogeny with unprecedented taxon sampling. <i>Molecular Phylogenetics and Evolution</i> 71 : 201–213.

		Taxón en cuestión	Referencia taxonómica
	Pythonidae	<i>Morelia clastolepis</i> <i>Morelia kinghorni</i> <i>Morelia nauta</i> <i>Morelia tracyae</i>	HARVEY, M. B., BARKER, D. B., AMMERMAN, L. K. & CHIPPINDALE, P. T. (2000): Systematics of pythons of the <i>Morelia amethystina</i> complex (Serpentes: Boidae) with the description of three new species – Herpetological Monographs, 14 : 139-185.
	Pythonidae	<i>Python bivittatus</i> <i>Python molurus</i>	JACOBS, H. J., AULIYA, M. & BÖHME, W. (2009): Zur Taxonomie des Dunklen Tigerpythons, <i>Python molurus bivittatus</i> KUHL, 1820, speziell der Population von Sulawesi. – Sauria, 31 (3) : 5-16.
	Pythonidae	<i>Python breitensteini</i> <i>Python brongersmai</i>	KEOGH, J. S., BARKER, D. G. & SHINE, R. (2001): Heavily exploited but poorly known: systematics and biogeography of commercially harvested pythons (<i>Python curtus</i> group) in Southeast Asia – Biological Journal of the Linnean Society, 73 (1) : 113-129.
	Pythonidae	<i>Python kyaiktiyo</i>	ZUG, G.R., GROTT, S. W. & JACOBS, J. F. (2011): Pythons in Burma: Short-tailed python (Reptilia: Squamata). – Proc. biol. Soc. Washington, 124(2) : 112-136.
	Pythonidae	<i>Python natalensis</i>	BROADLEY, D. G. (1999): The southern African python, <i>Python natalensis</i> A. Smith 1840, is a valid species. – African Herp News, 29 : 31-32.
	Tropidophiidae	<i>Tropidophis</i> spp. except for the taxa mentioned below	HEDGES, S.B. (2002): Morphological variation and the definition of species in the snake genus <i>Tropidophis</i> (Serpentes, Tropidophiidae). - Bulletin of the Natural History Museum, London (Zoology), 68 (2) : 83-90.
	Tropidophiidae	<i>Tropidophis celiae</i>	HEDGES, B. S., ESTRADA, A. R. & DIAZ, L. M. (1999): New snake (<i>Tropidophis</i>) from western Cuba Copeia, 1999(2) : 376-381.
	Tropidophiidae	<i>Tropidophis grapiuna</i>	CURCIO, F. F., SALES NUNES, P. M., SUZART ARGOLO, A. J., SKUK, G. & RODRIGUES, M. T. (2012): Taxonomy of the South American dwarf boas of the genus <i>Tropidophis</i> Bibron, 1840, with the description of two new species from the Atlantic forest (Serpentes: Tropidophiidae). – Herpetological Monographs, 26 (1) : 80-121.
	Tropidophiidae	<i>Tropidophis hendersoni</i>	HEDGES, B. S. & GARRIDO, O. (2002): A new snake of the genus <i>Tropidophis</i> (Tropidophiidae) from Eastern Cuba – Journal of Herpetology, 36 :157-161.
	Tropidophiidae	<i>Tropidophis morenoi</i>	HEDGES, B. S., GARRIDO, O. & DIAZ, L. M. (2001): A new banded snake of the genus <i>Tropidophis</i> (Tropidophiidae) from north-central Cuba – Journal of Herpetology, 35 : 615-617.
	Tropidophiidae	<i>Tropidophis preciosus</i>	CURCIO, F. F., SALES NUNES, P. M., SUZART ARGOLO, A. J., SKUK, G. & RODRIGUES, M. T. (2012): Taxonomy of the South American dwarf boas of the genus <i>Tropidophis</i> Bibron, 1840, with the description of two new species from the Atlantic forest (Serpentes: Tropidophiidae). – Herpetological Monographs, 26 (1) : 80-121.

		Taxón en cuestión	Referencia taxonómica
	Tropidophiidae	<i>Tropidophis spiritus</i>	HEDGES, B. S. & GARRIDO, O. (1999): A new snake of the genus <i>Tropidophis</i> (Tropidophiidae) from central Cuba – <i>Journal of Herpetology</i> , 33 : 436-441.
	Tropidophiidae	<i>Tropidophis xanthogaster</i>	DOMÍNGUEZ, M., MORENO, L. V. & HEDGES, S. B. (2006): A new snake of the genus <i>Tropidophis</i> (Tropidophiidae) from the Guanahacabibes Peninsula of Western Cuba. – <i>Amphibia-Reptilia</i> , 27 (3): 427-432.
	Viperidae	<i>Atheris desaixi</i> <i>Bitis worthingtoni</i>	UETZ, P., FREED, P. & HÖSEK, J. (eds.) (2016): Species information extracted from The Reptile Database, version of 15 August 2016, accessed 11 May 2017. See Annex 2 of AC29 Doc.35 at https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A2.pdf
	Viperidae	<i>Montivipera wagneri</i>	GARRIGUES, T., DAUGA, C., FERQUEL, E., VALÉRIE CHOMET, V., & FAILLOUX, A-B. (2005): Molecular phylogeny of <i>Vipera</i> Laurenti, 1768 and the related genera <i>Macrovipera</i> (Reuss, 1927) and <i>Daboia</i> (Gray, 1842), with comments about neurotoxic <i>Vipera aspis aspis</i> populations. <i>Molecular Phylogenetics and Evolution</i> 35(1): 35-47.
	Viperidae	<i>Protobothrops mangshanensis</i>	SNETKOV, P.B. & ORLOV, N.L. (2017) Phylogenetic Analysis of Old World Viperid Snakes (Serpentes, Viperidae) Based on Skeletal Morphology. <i>Russian Journal of Herpetology</i> , 24(1):22-34.
	Viperidae	<i>Pseudocerastes urarachnoides</i>	UETZ, P., FREED, P., AGUILAR, R., & HÖSEK, J. (eds.) (2022): Taxonomic Checklist of Reptile taxa included in the Appendices at the 18th Meeting of the Conference of the Parties (Geneva, August 2019). Species information extracted from The Reptile Database. https://cites.org/sites/default/files/eng/resources/checklists/Checklist_Reptiles_Added_CoP18lr_CITE_S.pdf
TESTUDINES		Testudines order names	WERMUTH, H. & MERTENS, R. (1996) (reprint): Schildkröte, Krokodile, Brückenechsen. xvii + 506 pp. Jena (Gustav Fischer Verlag).
		Species and family names – with the exception of the retention of the following names <i>Mauremys iversoni</i> , <i>Mauremys pritchardi</i> , <i>Ocadia glyphistoma</i> , <i>Ocadia philippeni</i> , <i>Sacalia pseudocellata</i> , and except for the taxa mentioned below	FRITZ, U. & HAVAŠ, P. (2007): Checklist of Chelonians of the World. – <i>Vertebrate Zoology</i> , 57 (2): 149-368. Dresden. ISSN 1864-5755 [without its appendix]
	Emydidae	<i>Graptemys pearlensis</i>	ENNEN, J. R., LOVICH, J. E., KREISER, B. R., SELMAN, W. & QUALLS, C. P. (2010): Genetic and morphological variation between populations of the Pascagoula Map Turtle (<i>Graptemys gibbonsi</i>) in the Pearl and Pascagoula Rivers with description of a new species. – <i>Chelonian Conservation and Biology</i> , 9 (1): 98-113.
	Geoemydidae	<i>Batagur affinis</i>	PRASCHAG, P., SOMMER, R. S., MCCARTHY, C., GEMEL, R. & FRITZ, U. (2008): Naming one of the world's rarest chelonians, the southern Batagur. – <i>Zootaxa</i> , 1758 : 61-68.

		Taxón en cuestión	Referencia taxonómica
	Geoemydidae	<i>Batagur borneoensis</i> , <i>Batagur dhongoka</i> , <i>Batagur kachuga</i> , <i>Batagur trivittata</i>	PRASCHAG, P., HUNSDÖRFER, A. K. & FRITZ, U. (2007): Phylogeny and taxonomy of endangered South and South-east Asian freshwater turtles elucidated by mtDNA sequence variation (Testudines: Geoemydidae: <i>Batagur</i> , <i>Callagur</i> , <i>Hardella</i> , <i>Kachuga</i> , <i>Pangshura</i>). - <i>Zoologica Scripta</i> , 36 : 429-442.
	Geoemydidae	<i>Cuora bourreti</i> <i>Cuora picturata</i>	SPINKS, P.Q., THOMSON, R.C., ZHANG, Y.P., CHE, J., WU, Y. & SHAFFER, H.B. (2012): Species boundaries and phylogenetic relationships in the critically endangered Asian box turtle genus <i>Cuora</i> . - <i>Molecular Phylogenetics and Evolution</i> , 63 : 656–667. doi:10.1016/j.ympev.2012.02.014.
	Geoemydidae	<i>Cyclemys enigmatica</i> , <i>Cyclemys fusca</i> <i>Cyclemys gemeli</i> <i>Cyclemys oldhamii</i>	FRITZ, U., GUICKING, D., AUER, M., SOMMER, R. S., WINK, M. & HUNSDÖRFER, A. K. (2008): Diversity of the Southeast Asian leaf turtle genus <i>Cyclemys</i> : how many leaves on its tree of life? – <i>Zoologica Scripta</i> , 37 : 367-390.
	Geoemydidae	<i>Malayemys khoratensis</i>	IHLOW, F., VAMBERGER, M., FLECKS, M., HARTMANN, T., COTA, M., MAKCHAI, S., MEEWATTANA, P., DAWSON, J.E., KHENG, L., RÖDDER, D., & FRITZ, U. (2016). Integrative taxonomy of Southeast Asian snail-eating turtles (Geoemydidae: <i>Malayemys</i>) reveals a new species and mitochondrial introgression. <i>PLoS ONE</i> 11(4): e0153108:1-26.
	Geoemydidae	<i>Mauremys reevesii</i>	BARTH, D., BERNHARD, D., FRITZSCH, G. & U. FRITZ (2004): The freshwater turtle genus <i>Mauremys</i> (Testudines, Geoemydidae) – a textbook example of an east-west disjunction or a taxonomic misconception? - <i>Zoologica Scripta</i> , 33 : 213-221.
	Testudinidae	<i>Centrochelys sulcata</i>	TURTLE TAXONOMY WORKING GROUP [VAN DIJK, P. P., IVERSON, J. B., RHODIN, A. G. J., SHAFFER, H. B. & BOUR, R.] (2014): Turtles of the world, 7 TH edition: Annotated checklist of taxonomy, synonymy, distribution with maps, and conservation status. 000.v7. - <i>Chelonian Research Monographs</i> , 5 doi: 10.3854/crm.5.000.checklist.v7.2014.
	Testudinidae	<i>Chelonoidis carbonarius</i> <i>Chelonoidis denticulatus</i> <i>Chelonoidis niger</i>	OLSON, S.L. & DAVID, N. (2014): The gender of the tortoise genus <i>Chelonoidis</i> Fitzinger, 1835 (Testudines: Testudinidae). - <i>Proceedings of the Biological Society of Washington</i> , 126 (4): 393-394.
	Testudinidae	<i>Chersobius</i> spp.	HOFMEYR, M.D., & BRANCH, W.R. (2018). The padloper's tortuous path (Chelonia: Testudinidae): Two genera, not one. <i>African Journal of Herpetology</i> , 2018:1-15. https://doi.org/10.1080/21564574.2017.1398187
	Testudinidae	<i>Gopherus evgoodei</i> <i>Gopherus morafkai</i>	EDWARDS, T., KARL, A.E., VAUGHN, M., ROSEN, P.C., MELENDEZ TORRES, C., & MURPHY, R.W. (2016). The desert tortoise trichotomy: Mexico hosts a third, new sister species of tortoise in the <i>Gopherus morafkai</i> – <i>G. agassizii</i> group. <i>ZooKeys</i> 562:131–158.

		Taxón en cuestión	Referencia taxonómica
	Testudinidae	<i>Kinixys nogueyi</i> <i>Kinixys zombensis</i>	KINDLER, C., BRANCH, W. R., HOFMEYR, M. D., MARAN, J., ŠIROKÝ, P., VENCES, M., HARVEY, J., HAUSWALDT, J. S., SCHLEICHER, A., STUCKAS, H. & FRITZ, U. (2012): Molecular phylogeny of African hinge-back tortoises (<i>Kinixys</i>): implications for phylogeography and taxonomy (Testudines: Testudinidae). - Journal of Zoological Systematics and Evolutionary Research, 50 : 192–201.
	Trionychidae	<i>Lissemys ceylonensis</i>	PRASCHAG, P., STUCKAS, H., PÄCKERT, M., MARAN, J. & FRITZ, U. (2011): Mitochondrial DNA sequences suggest a revised taxonomy of Asian flapshell turtles (<i>Lissemys</i> Smith, 1931) and the validity of previously unrecognized taxa (Testudines: Trionychidae). – Vertebrate Zoology, 61 (1): 147-160.
	Trionychidae	<i>Nilssonia gangeticus</i> <i>Nilssonia hurum</i> <i>Nilssonia leithii</i> <i>Nilssonia nigricans</i>	PRASCHAG, P., HUNSDÖRFER, A.K., REZA, A.H.M.A. & FRITZ, U. (2007): Genetic evidence for wild-living <i>Aspideretes nigricans</i> and a molecular phylogeny of South Asian softshell turtles (Reptilia: Trionychidae: <i>Aspideretes</i> , <i>Nilssonia</i>). - Zoologica Scripta, 36 (4):301-310.
AMPHIBIA			
		Amphibia spp., except for the taxa listed below	FROST, D. R. (ed.) (2015). Taxonomic Checklist of Amphibian Species listed in the CITES Appendices and the Annexes of EC Regulation 338/97. Species information extracted from Amphibian Species of the World: a taxonomic and geographic reference, an online reference, version 6.0 as of May 2015 with additional comments by the Nomenclature Specialist of the CITES Animals Committee. See Annex 5 of CoP17 Doc. 81.1 at https://cites.org/sites/default/files/eng/cop/17/WorkingDocs/E-CoP17-81-01-A5.pdf
ANURA		Anura: Microhylidae: <i>Dyscophus</i> spp. and <i>Scaphiophryne</i> spp.; Telmatobiidae: <i>Telmatobius culeus</i> ;	FROST, D. R. (ed.) (2017). Species information extracted from Amphibian Species of the World: a taxonomic and geographic reference, an online reference, version 6.0, accessed 12 May 2017. See Annex 3 of AC29 Doc.35 at https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A3.pdf
	Bufoinae	<i>Sclerophrys channingi</i> <i>Sclerophrys superciliaris</i>	OHLER, A., & DUBOIS, A. (2016): The identity of the South African toad <i>Sclerophrys capensis</i> Tschudi, 1838 (Amphibia, Anura). <i>PeerJ</i> 4(e1553): 1–13.
	Dendrobatidae	<i>Ameerega munduruku</i>	NEVES, M.DE O., DA SILVA, L.A., AKIEDA, P.S., CABRERA, R., KOROIVA, R., & SANTANA, D.J. (2017): A new species of poison frog, genus <i>Ameerega</i> (Anura: Dendrobatidae), from the southern Amazonian rain forest. <i>Salamandra</i> 53(4): 485–493.

		Taxón en cuestión	Referencia taxonómica
	Dendrobatidae	<i>Ameerega shihuemoy</i>	SERRANO-ROJAS, S.J., WHITWORTH, A., VILLACAMPA-ORTEGA, J., VON MAY, R., GUTIÉRREZ, R.C., PADIAL, J.M., & CHAPARRO, J.C. (2017): A new species of poison-dart frog (Anura: Dendrobatidae) from Manu province, Amazon region of southeastern Peru, with notes on its natural history, bioacoustics, phylogenetics, and recommended conservation status. <i>Zootaxa</i> 4221(1): 71–94.
	Dendrobatidae	<i>Andinobates victimatus</i>	MÁRQUEZ, R., MEJÍA-VARGAS, D., PALACIOS-RODRÍGUEZ, P., RAMÍREZ-CASTAÑEDA, V., & AMÉZQUITA, A. (2017): A new species of <i>Andinobates</i> (Anura: Dendrobatidae) from the Urabá region of Colombia. <i>Zootaxa</i> 4290(3): 531–546.
	Dendrobatidae	<i>Epipedobates maculatus</i> <i>Paruwrobates andinus</i> <i>Paruwrobates erythromos</i>	GRANT, T., RADA, M., ANGANOY-CRIOLLO, M. A., BATISTA, A., DOS S. DIAS, P.H., JECKEL, A.M., MACHADO, D.J., & RUEDA-ALMONACID, J.V. (2017): Phylogenetic systematics of dart-poison frogs and their relatives revisited (Anura: Dendrobatoidea). <i>South American Journal of Herpetology</i> 12 (Special Issue): 1–90
	Dendrobatidae	<i>Oophaga anchicayensis</i> <i>Oophaga andresi</i> <i>Oophaga solanensis</i>	POSSO-TERRANOVA, A. & ANDRÉS, J. (2018): Multivariate species boundaries and conservation of harlequin poison frogs. <i>Molecular Ecology</i> 27: 3432–3451. DOI: 10.1111/mec.14803.
	Hylidae	<i>Agalychnis lemur</i>	FROST, D.R. (2021): Amphibian Species of the World: an Online Reference. Version 6.1. doi.org/10.5531/db.vz.0001
	Hylidae	<i>Agalychnis terranova</i>	RIVERA-CORREA, M., DUARTE-CUBIDES, F., RUEDA-ALMONACID, J.V., & DAZA-R., J.M. (2013): A new red-eyed treefrog of <i>Agalychnis</i> (Anura: Hylidae: Phyllomedusinae) from middle Magdalena River valley of Colombia with comments on its phylogenetic position. <i>Zootaxa</i> 3636 (1): 85–100.
CAUDATA	Salamandridae	<i>Echinotriton</i> spp. <i>Paramesotriton</i> spp. <i>Tylototriton</i> spp.	FROST, D. R. (ed.) (2022). Taxonomic Checklist of Amphibian taxa included in the Appendices at the 18th Meeting of the Conference of the Parties (Geneva, August 2019). Species information extracted from Amphibian Species of the World: an online Reference, Version 6.1, accessed 5 May 2020 for species of the genera <i>Echinotriton</i> and 5 May 2022 for species of the genus <i>Tylototriton</i> . https://cites.org/sites/default/files/eng/resources/checklists/Checklist_Amphibian_Added_CoP18_CIT_ES.pdf
ELASMOBRANCHII, ACTINOPTERI, COELACANTHI, and DIPNEUSTI			
		All fish species, except the taxa listed below	ESCHMEYER, W.N. & FRICKE, R. (eds.) (2015): Taxonomic Checklist of Fish species listed in the CITES Appendices and the Annexes of EC Regulation 338/97 (Elasmobranchii, Actinopteri, Coelacanthi, and Dipneusti, except the genus <i>Hippocampus</i>). Information extracted from Catalog of Fishes, an online reference, version update from 3 February 2015. See Annex 6 of CoP17 Doc. 81.1 at https://cites.org/sites/default/files/eng/cop/17/WorkingDocs/E-CoP17-81-01-A6.pdf

		Taxón en cuestión	Referencia taxonómica
		<p>Elasmobranchii: Carcharhiniformes: Carcharhinidae: <i>Carcharhinus falciformis</i>;</p> <p>Lamniformes: Alopiidae: <i>Alopias</i> spp.;</p> <p>Myliobatiformes: Myliobatidae: <i>Mobula</i> spp. except the taxa mentioned below;</p> <p>Potamotrygonidae: <i>Potamotrygon</i> spp.;</p> <p>Actinopteri: Perciformes: Pomacanthidae: <i>Holacanthus clarionensis</i></p>	<p>ESCHMEYER, W.N., FRICKE, R., & VAN DER LAAN, R. (eds.) (2017): Information extracted from Catalog of Fishes: Genera, Species, References, an online reference, version of 28 April 2017, accessed 12 May 2017. See Annex 4 of AC29 Doc.35 at https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A4.pdf</p>
		<p>Elasmobranchii: Lamniformes: Lamnidae: <i>Isurus</i> spp.;</p> <p>Rhinopristiformes: Glaucostegidae: <i>Glaucostegus</i> spp.;</p> <p>Rhinidae spp.</p>	<p>ESCHMEYER, W.N., R. FRICKE, & R. VAN DER LAAN (eds.) (2019) Taxonomic Checklist of Fish taxa included in the Appendices at the 18th Meeting of the Conference of the Parties. Species information extracted from Catalog of Fishes: Genera, Species, References, an online reference, version of 4 May 2020, accessed 5 May 2020. See Annex 3 of AC31 Doc. 37 at https://cites.org/sites/default/files/eng/com/ac/31/Docs/E-AC31-37-A3.pdf</p>
	Mobulidae	<p><i>Mobula alfredi</i></p> <p><i>Mobula birostris</i></p> <p><i>Mobula hypostoma</i> (incl. <i>M. rochebrunei</i>)</p>	<p>WHITE, W. T. & P. R. LAST. (2016). DEVILRAYS, FAMILY MOBULIDAE. PP. 741-749 IN LAST, P. R., W. T. WHITE, M. R. DE CARVALHO, B. SÉRET, M. F. W. STEHMANN & G. J. P. NAYLOR (EDS.). <i>Rays of the World</i>. CSIRO Publishing, Comstock Publishing Associates. i-ix + 1-790</p>
	Rhinobatidae	Rhinobatidae spp.	<p>LAST, P. R., SERET, B., & NAYLOR, G. J. (2016a): A new species of guitarfish, <i>Rhinobatos borneensis</i> sp. nov. with a redefinition of the family-level classification in the order Rhinopristiformes (Chondrichthyes: Batoidea). <i>Zootaxa</i>, 4117(4), 451-475. DOI 10.11646/zootaxa.4117.4.1</p>
	Rhinobatidae	<i>Acroteriobatus andysabini</i> and <i>A. stehmanni</i>	<p>WEIGMANN, S., EBERT, D. A., & SÉRET, B. (2021): Resolution of the <i>Acroteriobatus leucospilus</i> species complex, with a redescription of <i>A. leucospilus</i> (Norman, 1926) and descriptions of two new western Indian Ocean species of <i>Acroteriobatus</i> (Rhinopristiformes, Rhinobatidae). <i>Mar. Biodivers.</i>, 51(4), 1-30.</p>
	Rhinobatidae	<i>Acroteriobatus omanensis</i>	<p>LAST, P. R., HENDERSON, A. C., & NAYLOR, G. J. (2016b): <i>Acroteriobatus omanensis</i> (Batoidea: Rhinobatidae), a new guitarfish from the Gulf of Oman. <i>Zootaxa</i>, 4144(2): 276-286.</p>

		Taxón en cuestión	Referencia taxonómica
	Rhinobatidae	<i>Pseudobatos buthi</i>	RUTLEDGE, K. M. (2019): A new guitarfish of the genus <i>Pseudobatos</i> (Batoidea: Rhinobatidae) with key to the guitarfishes of the Gulf of California. <i>Copeia</i> , 107(3): 451-463.
	Rhinobatidae	<i>Rhinobatos austini</i>	EBERT, D. A., & GON, O. (2017): <i>Rhinobatos austini</i> n. sp., a new species of guitarfish (Rhinopristiformes: Rhinobatidae) from the southwestern Indian Ocean. <i>Zootaxa</i> , 4276(2), 204-214.
	Rhinobatidae	<i>Rhinobatos manai</i>	WHITE, W. T., LAST, P. R., & NAYLOR, G. J. (2016): <i>Rhinobatos manai</i> sp. nov., a new species of guitarfish (Rhinopristiformes: Rhinobatidae) from New Ireland, Papua New Guinea. <i>Zootaxa</i> , 4175(6), 588-600.
	Rhinobatidae	<i>Rhinobatos ranongensis</i>	LAST, P.R., SERET, B., & NAYLOR, G.J. (2019): Description of <i>Rhinobatos ranongensis</i> sp. nov. (Rhinopristiformes: Rhinobatidae) from the Andaman Sea and Bay of Bengal with a review of its northern Indian Ocean congeners. <i>Zootaxa</i> , 4576(2), 257–287.
SYNGNATHIFORMES	Syngnathidae	<i>Hippocampus</i> spp. except the taxa listed below	LOURIE, S.A., POLLOM, R.A. and FOSTER, S.J. 2016. A global revision of the Seahorses <i>Hippocampus</i> Rafinesque 1810 (Actinopterygii: Sygnathiformes): Taxonomy and biogeography with recommendations for further research. <i>Zootaxa</i> 4146(1): 1-066.
	Syngnathidae	<i>Hippocampus casscsio</i>	ZHANG, Y-H., QIN, G., WANG, X., & LIN, Q. (2016): A new species of seahorse (Teleostei: Syngnathidae) from the South China Sea. <i>Zootaxa</i> 4170 (2): 384–392. http://doi.org/10.11646/zootaxa.4170.2.11
	Syngnathidae	<i>Hippocampus haema</i>	HAN, S-Y., KIM, J-K., KAI, Y., & SENOU, H. (2017): Seahorses of the <i>Hippocampus coronatus</i> complex: taxonomic revision, and description of <i>Hippocampus haema</i> , a new species from Korea and Japan (Teleostei, Syngnathidae). <i>ZooKeys</i> 712: 113–139. doi: 10.3897/zookeys.712.14955
	Syngnathidae	<i>Hippocampus japapigu</i>	SHORT, G., SMITH, R., MOTOMURA, H., HARASTI, D., & HAMILTON, H. (2018): <i>Hippocampus japapigu</i> , a new species of pygmy seahorse from Japan, with a redescription of <i>H. pontohi</i> (Teleostei, Syngnathidae). <i>ZooKeys</i> 779: 27–49. doi: 10.3897/zookeys.779.24799
ARACHNIDA			
ARANEAE	Theraphosidae	<i>Aphonopelma pallidum</i> , <i>Brachypelma</i> spp. except for the taxa mentioned below	PLATNICK, N. (2006), <i>Taxonomic Checklist of CITES listed Spider Species</i> , information extracted from The World Spider Catalog, an online reference, Version 6.5 as of 7 April 2006. [available at http://www.cites.org/common/docs/Res/12_11/spider_checklist.pdf]

		Taxón en cuestión	Referencia taxonómica
	Theraphosidae	<i>Brachypelma albiceps</i> <i>Brachypelma smithi</i> <i>Tliltocatl albopilosum</i> , <i>Tliltocatl epicureanum</i> , <i>Tliltocatl kahlenbergi</i> , <i>Tliltocatl sabulosum</i> , <i>Tliltocatl schroederi</i> , <i>Tliltocatl vagans</i> , <i>Tliltocatl verdezi</i>	MENDOZA, J. & FRANCKE, O. (2019): Systematic revision of Mexican threatened tarantulas <i>Brachypelma</i> (Araneae: Theraphosidae: Theraphosinae), with a description of a new genus, and implications on the conservation. <i>Zoological Journal of the Linnean Society</i> , 2019, XX; 1–66. http://zoobank.org/urn:lsid:zoobank.org:pub:E4D09A17-444F-45A0-95DB-059ECA175569
	Theraphosidae	<i>Poecilotheria</i> spp., except the taxa mentioned below	WORLD SPIDER CATALOG. (2020). Taxonomic Checklist of Spider taxa included in the Appendices at the 18 th Meeting of the Conference of the Parties. Species information extracted from the World Spider Catalog (2020). Version 21.0. Natural History Museum Bern, online at http://wsc.nmbe.ch , accessed on 5 May 2020. doi: 10.24436/2. See Annex 4 of AC31 Doc. 37 at https://cites.org/sites/default/files/eng/com/ac/31/Docs/E-AC31-37-A4.pdf
	Theraphosidae	<i>Poecilotheria srilankensis</i>	NANAYAKKARA, R. P., GANEHIARACHI, G. A. S. M., KUSUMINDA, T., VISHVANATH, N., KARUNARATNE, M. K. & KIRK, P. (2019): A new species of tiger spider in the genus <i>Poecilotheria</i> Pocock, 1899 (Araneae: Theraphosidae) from Belihuloya, Sri Lanka. <i>Journal of the British Tarantula Society</i> 34(3): 3-17
	Theraphosidae	<i>Poecilotheria tigrinawesseli</i>	SHERWOOD, D. (2019): Revised taxonomical placement of <i>Poecilotheria chaojii</i> Mirza, Sanap & Bhosale, 2014 (Araneae: Theraphosidae). <i>Arachnology</i> 18(1): 19-21. doi:10.13156/ arac.2018.18.1.19
	Theraphosidae	<i>Sericopelma angustum</i> <i>Sericopelma embrithes</i>	GABRIEL, R., & LONGHORN, S.J. 2015. Revised generic placement of <i>Brachypelma embrithes</i> (Chamberlin & Ivie, 1936) and <i>Brachypelma angustum</i> Valerio, 1980, with definition of the taxonomic features for identification of female <i>Sericopelma</i> Ausserer, 1875 (Araneae, Theraphosidae). <i>ZooKeys</i> 526: 75–104.
SCORPIONES	Scorpionidae	<i>Pandinus</i> spp. except for the taxa mentioned below	LOURENÇO, W. R. & CLOUDSLEY-THOMPSON, J. C. (1996): Recognition and distribution of the scorpions of the genus <i>Pandinus</i> Thorell, 1876 accorded protection by the Washington Convention – <i>Biogeographica</i> , 72 (3): 133-143.
		<i>Pandinus camerounensis</i> <i>Pandinus roeseli</i>	LOURENÇO, W. R. (2014): Further considerations on the identity and distribution of <i>Pandinus imperator</i> (C. L. Koch, 1841) and description of a new species from Cameroon (Scorpiones: Scorpionidae). - <i>Entomologische Mitteilungen aus dem Zoologischen Museum Hamburg</i> , 17 (192): 139-151.
INSECTA			

		Taxón en cuestión	Referencia taxonómica
COLEPTERA	Lucanidae	<i>Colophon</i> spp. except the taxa mentioned below	BARTOLOZZI, L. (2005): Description of two new stag beetle species from South Africa (Coleoptera: Lucanidae). - African Entomology, 13 (2): 347-352.
	Lucanidae	<i>Colophon deschodti</i> , C. <i>eastmani</i> , C. <i>nagaii</i> , C. <i>switalae</i> , C. <i>struempheri</i>	JACOBS, C.T., SCHOLTZ, C.H., & STRÜMPHER, W.P. 2015. Taxonomy of <i>Colophon</i> Gray (Coleoptera: Lucanidae): new species and a status change. <i>Zootaxa</i> 4057(1): 135–142. Doi 10.11646/zootaxa.4057.1.9
LEPIDOPTERA	Papilionidae	<i>Achillides</i> spp. [only the species of the Philippines]	PAGE, M. G. P. & TREADAWAY, C. G. (2004). Papilionidae of the Philippine Island. In: E. BAUER, AN AND T. FRANKENBACH, Eds.). <i>Butterflies of the world, Supplement 8</i> . Goecke & Evers, Keltern. 58 pp.
	Papilionidae	<i>Ornithoptera</i> spp. <i>Trogonoptera</i> spp. <i>Troides</i> spp.	MATSUMA, H. (2001): Natural History of Birdwing Butterflies. 367 pp. Tokyo (Matsuka Shuppan).(ISBN 4-9900697-0-6).
HIRUDINOIDEA			
ARHYNCHOBDELLIDA	Hirudinidae	<i>Hirudo medicinalis</i> <i>Hirudo verbana</i>	NESEMANN, H. & NEUBERT, E. (1999): Annelida: Clitellata: Branchiobdellida, Acanthobdellea, Hirudinea. – Süßwasserfauna von Mitteleuropa, vol. 6/2 , 178 pp., Berlin (Spektrum Akad. Verlag). ISBN 3-8274-0927-6.
BIVALVIA			
VENEROIDA	Tridacnidae	<i>Tridacna lorenzi</i> , T. <i>mbalavuana</i> (incl. <i>T. tevoroa</i>), <i>T. noae</i> (incl. <i>T. ningaloo</i>), <i>T. squamosina</i> ,	WoRMS Editorial Board. 2018. Genus <i>Tridacna</i> .
CEPHALOPODA			
	Nautilidae	Nautilidae spp.	Family, genus and species information extracted from the Integrated Taxonomic Information Service (ITIS), an online reference. See Annex 5 of AC29 Doc.35 at https://cites.org/sites/default/files/eng/com/ac/29/E-AC29-35-A5.pdf
ANTHOZOA & HYDROZOA		all CITES listed species	Taxonomic Checklist of all CITES listed Coral Species, based on information compiled by UNEP-WCMC 2012

FLORA

Familia		Taxón en cuestión	Referencia taxonómica
AMARYLLIDACEAE, PRIMULACEAE		<i>Cyclamen</i> , <i>Galanthus</i> and <i>Sternbergia</i>	Davis, A.P. <i>et al.</i> (1999). <i>CITES Bulb Checklist</i> , compiled by the Royal Botanic Gardens, Kew, United Kingdom of Great Britain and Northern Ireland) as a guideline when making reference to the names of species of <i>Cyclamen</i> and <i>Galanthus</i> and <i>Sternbergia</i>
APOCYNACEAE		<i>Pachypodium</i> spp.	<i>CITES Aloe and Pachypodium Checklist</i> (U. Egli <i>et al.</i> , 2001, compiled by Städtische Sukkulentensammlung, Zurich, Switzerland, in collaboration with the Royal Botanic Gardens, Kew, United Kingdom of Great Britain and Northern Ireland) and its update: <i>An Update and Supplement to the CITES Aloe & Pachypodium Checklist</i> [J. M. Lüthy (2007), CITES Management Authority of Switzerland, Bern, Switzerland] as a guideline when making reference to the names of species of <i>Aloe</i> and <i>Pachypodium</i> .
APOCYNACEAE		<i>Hoodia</i> spp.	<i>Plants of Southern Africa: an annotated checklist</i> . Germishuizen, G. & Meyer N. L. (eds.) (2003). Strelitzia 14: 150-151. National Botanical Institute, Pretoria, South Africa as a guideline when making reference to the names of species of <i>Hoodia</i> .
CACTACEAE		All <i>Cactaceae</i> , except <i>Aztekium valdezii</i>	<i>CITES Cactaceae Checklist</i> third edition (2016, compiled by D. Hunt) as a guideline when making reference to names of species of <i>Cactaceae</i> , and the amendments and updates outlined in <i>A Supplement to the CITES Cactaceae Checklist</i> Third Edition 2016 (Hunt, D. 2018). The checklist and its supplement can be found on the website of the Royal Botanic Gardens, Kew, UK at " goo.gl/M26yL8 ".
CACTACEAE		<i>Aztekium valdezii</i>	Marcía, C.G.V., Vázquez, M.A.A. & Montes, S.A. (2013). A new species of <i>Aztekium</i> (Cactaceae) from Nuevo León, Mexico. <i>Xerophilia</i> , Special Issue 2: 3–25. Accessible at: https://xerophilia.ro/wp-content/uploads/2013/08/AZTEKIUM-VALDEZII.pdf
CYCADACEAE, STANGERIACEAE and ZAMIACEAE		All <i>Cycadaceae</i> , <i>Stangeriaceae</i> and <i>Zamiaceae</i> .	The World List of Cycads: CITES and Cycads: Checklist 2013 (Roy Osborne, Michael A. Calonje, Ken D. Hill, Leonie Stanberg and Dennis Wm. Stevenson) in <i>CITES and Cycads a user's guide</i> (Rutherford, C. <i>et al.</i> , Royal Botanic Gardens, Kew. UK 2013), as a guideline when making reference to names of species of <i>Cycadaceae</i> , <i>Stangeriaceae</i> and <i>Zamiaceae</i> .
DICKSONIACEAE		<i>Dicksonia</i> species of the Americas.	<i>Dicksonia species of the Americas</i> (2003, compiled by Bonn Botanic Garden and the Federal Agency for Nature Conservation, Bonn, Germany) as a guideline when making reference to the names of species of <i>Dicksonia</i> .
DROSERACEAE, NEPENTACEAE, SARRACENIACEAE		<i>Dionaea</i> , <i>Nepenthes</i> and <i>Sarracenia</i> .	<i>CITES Carnivorous Plant Checklist</i> (B. von Arx <i>et al.</i> , 2001, Royal Botanic Gardens, Kew, UK) as a guideline when making reference to names of species of <i>Dionaea</i> , <i>Nepenthes</i> and <i>Sarracenia</i> .

Familia		Taxón en cuestión	Referencia taxonómica
AMARYLLIDACEAE, PRIMULACEAE		<i>Cyclamen, Galanthus</i> and <i>Sternbergia</i>	Davis, A.P. <i>et al.</i> (1999). <i>CITES Bulb Checklist</i> , compiled by the Royal Botanic Gardens, Kew, United Kingdom of Great Britain and Northern Ireland) as a guideline when making reference to the names of species of <i>Cyclamen</i> and <i>Galanthus</i> and <i>Sternbergia</i>
APOCYNACEAE		<i>Pachypodium</i> spp.	<i>CITES Aloe and Pachypodium Checklist</i> (U. Eggli <i>et al.</i> , 2001, compiled by Städtische Sukkulentensammlung, Zurich, Switzerland, in collaboration with the Royal Botanic Gardens, Kew, United Kingdom of Great Britain and Northern Ireland) and its update: <i>An Update and Supplement to the CITES Aloe & Pachypodium Checklist</i> [J. M. Lüthy (2007), CITES Management Authority of Switzerland, Bern, Switzerland] as a guideline when making reference to the names of species of <i>Aloe</i> and <i>Pachypodium</i> .
APOCYNACEAE		<i>Hoodia</i> spp.	<i>Plants of Southern Africa: an annotated checklist</i> . Germishuizen, G. & Meyer N. L. (eds.) (2003). <i>Strelitzia</i> 14: 150-151. National Botanical Institute, Pretoria, South Africa as a guideline when making reference to the names of species of <i>Hoodia</i> .
CACTACEAE		All <i>Cactaceae</i> , except <i>Aztekium valdezii</i>	<i>CITES Cactaceae Checklist</i> third edition (2016, compiled by D. Hunt) as a guideline when making reference to names of species of <i>Cactaceae</i> , and the amendments and updates outlined in <i>A Supplement to the CITES Cactaceae Checklist</i> Third Edition 2016 (Hunt, D. 2018). The checklist and its supplement can be found on the website of the Royal Botanic Gardens, Kew, UK at " goo.gl/M26yL8 ".
EBENACEAE		<i>Diospyros</i> spp. – populations of Madagascar. (large tree species)	Lowry <i>et al.</i> 2022. <i>Large tree species of Diospyros from Madagascar</i> . Catalogue of Plants of Madagascar. http://legacy.tropicos.org/ProjectWebPortal.aspx?pagename=Diospyros_LT&projectid=17 . Accessible at: https://cites.org/sites/default/files/eng/prog/timber/Ebenaceae_Diospyros_spp_populations_of_Madagascar_052022.pdf
EUPHORBIACEAE		Succulent species of <i>Euphorbia</i> .	<i>The CITES Checklist of Succulent Euphorbia Taxa (Euphorbiaceae)</i> , Second edition (S. Carter and U. Eggli, 2003, published by the Federal Agency for Nature Conservation, Bonn, Germany) as a guideline when making reference to the names of species of succulent euphorbias.
LEGUMINOSAE		<i>Dalbergia</i> spp.	Cowell C., Williams E., Bullough L.-A., Grey J., Klitgaard B., Govaerts R., Andriambololona S., Cervantes A., Cramer S., Lima, H.C., Lachenaud O., Li S.-J., Linares J.L., Phillipson P., Rakotonirina N., Wilding N., van der Burgt X., Vatanparast M., Barker A., Barstow M., Beentje H., and Plummer J. 2022. <i>CITES Dalbergia Checklist</i> . Commissioned by the CITES Secretariat. Royal Botanic Gardens, Kew, Surrey. Accessible in English, French and Spanish at: https://www.kew.org/science/our-science/science-services/UK-CITES/cites-resources
LEGUMINOSAE		<i>Dipteryx</i> spp.	Carvalho, C.S., de Fraga, N.C., Cardoso, D.B.O.S. and Lima, H.C. 2020. Tonka, baru and cumaru: Nomenclatural overview, typification and updated checklist of <i>Dipteryx</i> (Leguminosae). <i>Taxon</i> . 69(3), pp.582-592

Familia		Taxón en cuestión	Referencia taxonómica
AMARYLLIDACEAE, PRIMULACEAE		<i>Cyclamen</i> , <i>Galanthus</i> and <i>Sternbergia</i>	Davis, A.P. <i>et al.</i> (1999). <i>CITES Bulb Checklist</i> , compiled by the Royal Botanic Gardens, Kew, United Kingdom of Great Britain and Northern Ireland) as a guideline when making reference to the names of species of <i>Cyclamen</i> and <i>Galanthus</i> and <i>Sternbergia</i>
APOCYNACEAE		<i>Pachypodium</i> spp.	<i>CITES Aloe and Pachypodium Checklist</i> (U. Eggli <i>et al.</i> , 2001, compiled by Städtische Sukkulentensammlung, Zurich, Switzerland, in collaboration with the Royal Botanic Gardens, Kew, United Kingdom of Great Britain and Northern Ireland) and its update: <i>An Update and Supplement to the CITES Aloe & Pachypodium Checklist</i> [J. M. Lüthy (2007), CITES Management Authority of Switzerland, Bern, Switzerland] as a guideline when making reference to the names of species of <i>Aloe</i> and <i>Pachypodium</i> .
APOCYNACEAE		<i>Hoodia</i> spp.	<i>Plants of Southern Africa: an annotated checklist</i> . Germishuizen, G. & Meyer N. L. (eds.) (2003). <i>Strelitzia</i> 14: 150-151. National Botanical Institute, Pretoria, South Africa as a guideline when making reference to the names of species of <i>Hoodia</i> .
CACTACEAE		All <i>Cactaceae</i> , except <i>Aztekium valdezii</i>	<i>CITES Cactaceae Checklist</i> third edition (2016, compiled by D. Hunt) as a guideline when making reference to names of species of <i>Cactaceae</i> , and the amendments and updates outlined in <i>A Supplement to the CITES Cactaceae Checklist Third Edition 2016</i> (Hunt, D. 2018). The checklist and its supplement can be found on the website of the Royal Botanic Gardens, Kew, UK at " goo.gl/M26yL8 ".
LEGUMINOSAE		<i>Guibourtia pellegriniana</i>	Leonard, J. (1949). <i>Notulae Systematicae IV</i> (Caesalpiniaceae-Amherstieae africanae americanaeque). <i>Bulletin du Jardin Botanique de l'État a Bruxelles</i> 19(4): 383–408. [<i>Guibourtia pellegriniana</i> treated on p. 405]. https://doi.org/10.2307/3666831
LEGUMINOSAE		<i>Paubrasilia echinata</i>	Gagnon, E., Bruneau, A., Hughes, C.E., de Queiroz, L. P. & Lewis, G.P. (2016). <i>A new generic system for the pantropical Caesalpinia group (Leguminosae)</i> as a guideline when making reference to the name of this taxon. This reference can be found on " https://phytokeys.pensoft.net/articles.php?id=9203 ", with free access, and additional information on the taxon can be found at " http://floradobrasil.jbrj.gov.br/reflora/listaBrasil "
LEGUMINOSAE		<i>Platymiscium pleiostachyum</i>	Bente B. Klitgaard (2005). <i>Platymiscium (Leguminosae: Dalbergieae)</i> ; biogeography, systematics, morphology, taxonomy and uses. <i>Kew Bulletin</i> . Vol. 60, No. 3 (2005), pp. 321 – 400 be used as a guideline when making reference to the name of this taxon. This reference is available online at " https://www.jstor.org/stable/4111062?seq=1#page_scan_tab_contents ". Free access is possible to this reference.
LEGUMINOSAE		<i>Pterocarpus</i> spp.	Royal Botanical Gardens Kew, <i>Plants of the World Online</i> , (POWO, 2022) Accessible at: https://cites.org/sites/default/files/common/docs/Res/12_11/Pterocarpus_POWO_19-1-2023.pdf

Familia		Taxón en cuestión	Referencia taxonómica
AMARYLLIDACEAE, PRIMULACEAE		<i>Cyclamen, Galanthus</i> and <i>Sternbergia</i>	Davis, A.P. <i>et al.</i> (1999). <i>CITES Bulb Checklist</i> , compiled by the Royal Botanic Gardens, Kew, United Kingdom of Great Britain and Northern Ireland) as a guideline when making reference to the names of species of <i>Cyclamen</i> and <i>Galanthus</i> and <i>Sternbergia</i>
APOCYNACEAE		<i>Pachypodium</i> spp.	<i>CITES Aloe and Pachypodium Checklist</i> (U. Eggli <i>et al.</i> , 2001, compiled by Städtische Sukkulentensammlung, Zurich, Switzerland, in collaboration with the Royal Botanic Gardens, Kew, United Kingdom of Great Britain and Northern Ireland) and its update: <i>An Update and Supplement to the CITES Aloe & Pachypodium Checklist</i> [J. M. Lüthy (2007), CITES Management Authority of Switzerland, Bern, Switzerland] as a guideline when making reference to the names of species of <i>Aloe</i> and <i>Pachypodium</i> .
APOCYNACEAE		<i>Hoodia</i> spp.	<i>Plants of Southern Africa: an annotated checklist</i> . Germishuizen, G. & Meyer N. L. (eds.) (2003). Strelitzia 14: 150-151. National Botanical Institute, Pretoria, South Africa as a guideline when making reference to the names of species of <i>Hoodia</i> .
CACTACEAE		All <i>Cactaceae</i> , except <i>Aztekium valdezii</i>	<i>CITES Cactaceae Checklist</i> third edition (2016, compiled by D. Hunt) as a guideline when making reference to names of species of Cactaceae, and the amendments and updates outlined in <i>A Supplement to the CITES Cactaceae Checklist</i> Third Edition 2016 (Hunt, D. 2018). The checklist and its supplement can be found on the website of the Royal Botanic Gardens, Kew, UK at " goo.gl/M26yL8 ".
LILIACEAE		<i>Aloe</i> spp.	<i>CITES Aloe and Pachypodium Checklist</i> (U. Eggli <i>et al.</i> , 2001, compiled by Städtische Sukkulentensammlung, Zurich, Switzerland, in collaboration with the Royal Botanic Gardens, Kew, United Kingdom of Great Britain and Northern Ireland) and its update: <i>An Update and Supplement to the CITES Aloe & Pachypodium Checklist</i> [J. M. Lüthy (2007), CITES Management Authority of Switzerland, Bern, Switzerland] as a guideline when making reference to the names of species of <i>Aloe</i> and <i>Pachypodium</i> .
LILIACEAE		<i>Aloe</i> spp. — supplement to existing standard reference	Klopper, R.R. 2021. <i>Supplement of aloe spp. names and synonyms</i> . Compiled by Dr. Ronell R Klopper, with input from the PC25 Nomenclature Working Group, 10 June 2021. PC25 Com. 5, Annex. Accessible at: https://cites.org/sites/default/files/eng/com/pc/25/com/E-PC25-Com-005.pdf
MELIACEAE		<i>Khaya</i> spp.	Royal Botanical Gardens Kew, <i>Plants of the World Online</i> , (POWO, 2022) Accessible at: https://cites.org/sites/default/files/common/docs/Res/12_11/Khaya_POWO_19-1-2023.pdf
ORCHIDACEAE		Orchidaceae — Appendix I listed orchids	Govaerts, R., Caronmel, A., Dhanda, S., Davis, F., Pavitt, A., Sinovas, P. & Vaglica, V. (2019). <i>CITES Appendix I Orchid Checklist</i> . Second Version, Royal Botanic Gardens, Kew, Surrey, and UNEP-WCMC, Cambridge. This reference should be used as a guideline when making reference to the names of <i>Paphiopedilum</i> spp., <i>Phragmipedium</i> spp., <i>Aerangis ellisii</i> , <i>Cattleya jongheana</i> , <i>Cattleya lobata</i> , <i>Dendrobium cruentum</i> , <i>Mexipedium xerophyticum</i> , <i>Peristeria elata</i> and <i>Renanthera imschootiana</i> . This reference can be found on the website of the Royal Botanic Gardens, Kew, UK at " goo.gl/M26yL8 ".

Family		Taxon concerned	Taxonomic reference
ORCHIDACEAE		Orchidaceae — Appendix II listed orchids: <i>Aerangis</i> (not <i>A. ellisii</i>), <i>Aerides</i> , <i>Angraecum</i> , <i>Bletilla</i> , <i>Brassavola</i> , <i>Bulbophyllum</i> , <i>Calanthe</i> , <i>Catasetum</i> , <i>Cattleya</i> (not <i>C. jongheana</i> or <i>C. lobata</i>), <i>Coelogyne</i> , <i>Comparettia</i> , <i>Cymbidium</i> , <i>Cypripedium</i> , <i>Dendrobium</i> (not <i>D. cruentum</i>), <i>Disa</i> , <i>Dracula</i> , <i>Encyclia</i> , <i>Laelia</i> , <i>Masdevallia</i> , <i>Miltonia</i> , <i>Miltoniopsis</i> , <i>Phalaenopsis</i> , <i>Pleione</i> , <i>Renanthera</i> , <i>Rhynchostylis</i> , <i>Rossioglossum</i> , <i>Vanda</i> , and <i>Vandopsis</i>	Dhanda, S., Caromel A., Govaerts R., Pavitt A., Bullough, L.-A. & Hartley, H. 2022. <i>CITES Appendix II Orchid Checklist</i> . Royal Botanic Gardens, Kew, Surrey, and UNEP-WCMC, Cambridge. Accessible at: https://www.kew.org/science/our-science/science-services/UK-CITES/cites-resources
PALMAE		<i>Dypsis decipiens</i> and <i>Dypsis decaryi</i> .	Proposed Standard Reference for two CITES-listed palms endemic to Madagascar (CVPM 2016) based on the Catalogue of the Vascular Plants of Madagascar can be found as a pdf on the US Fish & Wildlife Service website. This is to be used as a guideline when making reference to <i>Dypsis decipiens</i> and <i>Dypsis decaryi</i> . See: http://www.fws.gov/international/
TAXACEAE		<i>Taxus</i> spp.	<i>World Checklist and Bibliography of Conifers</i> (A. Farjon, 2001) as a guideline when making reference to the names of species of <i>Taxus</i> .
ZYGOPHYLLACEAE		<i>Guaiacum</i> spp.	<i>Lista de especies, nomenclatura y distribución en el genero Guaiacum</i> . Davila Aranda. P. & Schippmann, U. (2006): Medicinal Plant Conservation 12:50 as a guideline when making reference to the names of species of <i>Guaiacum</i> .